

DAFTAR PUSTAKA

- Aaron RK and Racine J, 2012. Pathogenesis and epidemiology of osteoarthritis. Rhode Island Medical Journal, 19-22.
- Ahmed S, Anuntiyo J, Malemud CJ, Haqqi TM, 2005. Biological basis for the use of botanicals in osteoarthritis and rheumatoid arthritis: a review. Evid Based Complement Alternat Med. 2005 Sep 12(3):301-8.
- Aigner T, Soder S, Gebhard PM, Mac Alinden A, Haug J, 2007. Mechanism of disease : Role of chondrocytes in pathogenesis of osteoarthritis—structure, chaos and senescence. Rheumatol 3(7): 891-99.
- Almaki SG and Agniwal DK, 2016. Effect of matrix metalloproteinases on the fate of mesenchymal stem cells. Stem Cell Research Therapy 7(1) : 129.
- Alvarez-Viejo M, et al. Quantifying mesenchymal stem cells in the mononuclear cell fraction of bone marrow samples obtained for cell therapy. Trans Proc. 2013; 45(1):434–439.
- Amable PR, Teixeira MVT, Caria RBV, Granjerio JM, Borojevic R, 2014. Protein synthesis and secretion in human mesenchymal stem cells derived from bone marrow, adipose tissue and wharton's jelly. Stem Cell Research and Therapy, 5: 53.
- Ampio Pharmaceuticals Inc, 2014. Results from the 20 Weeks Extension of the Ampion SPRING Study to be Presented at the Western Orthopedic Association Conference. Englewood: Ampio Pharmaceuticals, Inc.
- Antman E, Bennett J, Daugherty A, Furberg C, Robert H, Taubert KA, 2007. Use of nonsteroidal antiinflammatory drugs: An update for clinicians: a scientific statement from The American Heart Association. Circulation 115(12): 1654-1642.
- Arthritis Research UK, 2013. Osteoarthritis in General Practice. Data and Perspectives.
- Balitbang Kemenkes RI, 2013. Riset Kesehatan Dasar; RISKESDAS. Jakarta: Balitbang Kemenkes RI.
- Barenbaum F. 2008. Osteoarthritis: pathology and pathogenesis. In : Klippel JH, Stone JH, Crofford LJ, White PH, editors. Primer on The Rheumatic Diseases. 13th ed. New York: Springer Science & Business Media, p.229-34.



Bar-Or D, Salottolo KM, Loose H *et al*, 2014. A randomized clinical trial to evaluate two doses of an intra-articular injection of LMWF-5A in adults with pain due to osteoarthritis of the knee. *Plos One* 9: e87910.

Beckman KB, Ames BN, 1998. The free radical theory of aging matures. *Physiological Review* 78(2); 547-581.

Blagojevic M, Jinks C, Jeffrey JA, Jordan KP, 2010. Risk factor for onset of osteoarthritis of the knee in older adults: a systematic review and meta-analysis. *Elsevier*, 18(1), p: 24-33.

Bruyere O, Cooper C, Arden N, Branco J, Brandt M-L, Herrero-Beaumont G *et al*, 2015. Can we identify patients with high risk of osteoarthritis progression who will respond to treatment? A focus on epidemiology and phenotype of osteoarthritis. *Drugs Aging*, 32: 179-187.

Burrage PS and Brinckerhoff CE, 2007. Molecular targets in osteoarthritis: metalloproteinase and their inhibitors. *Curr Drug Targets*. Feb 8 (2) : 293-303.

Buttgereit F, Burmester GR, Bijlsma JWJ 2014. Non surgical management of knee Osteoarthritis: Where are we now and where do we need to go? *Rheumatic & Musculoskeletal Disease*. 1: 1

Chang J, Liu F, Lee M, Wu B, Ting K, Zeng J *et al*, 2013. NF- κ B inhibits osteogenic differentiation of mesenchymal stem cells promoting β -catenin degradation. *Proc. Natl. Acad. Sci. USA* 110, 9469–9474.

Chang Z, Hou T, Xing J, Wu X, Jin H, Li Z *et al*, 2014. Umbilical cord wharton's jelly repeated culture system: a new device and methods for obtaining abundant mesenchymal stem cell for bone tissue engineering. *Plus One* 9(10), 1-9

Chappell AS, Ossiana M, Liu-Seifert H, Zhang S, Skljarevski V *et al*, 2009. Duloxetine, a centrally acting analgesic, in the treatment of patients with osteoarthritis knee pain: A 13-week, randomized, placebo-controlled trial. *Pain*; 146:253–260.

Chappell AS, Desai D, Liu-Seifert H, Zhang S, Skljarevski V, Belenkov Y *et al*, 2011. A Double-blind, randomized, placebo-controlled study of the efficacy and safety of duloxetine for the treatment of chronic pain due to osteoarthritis of the knee. *Pain Pract*; 11: 33–41.

Charles BJ, David CS, David MH, 2003. Matrix metalloproteinase: A review of their structure and role in acute coronary syndrome . Department of Internal/Cardiology. USA: Wake Forest University.



Chen P, Zhu S, Wang Y, Mu Q, Wu Y, Xia Q *et al*, 2014. The amelioration of cartilage degeneration by ADAMTS-5 inhibitor delivered in a hyaluronic acid hydrogel. *Biomaterials*; 35: 2827–2836.

Chevalier X, Goupille P, Beaulieu AD, Burch FX, Bensen WG, Conrozier T *et al*, 2009. Intraarticular injection of anakinra in osteoarthritis of the knee: a multicenter, randomized, doubleblind, placebo-controlled study. *Arthritis Rheum*; 61: 344–352.

Choate B and Paz R. 2011. *Stem cell and society*. Worcester Polytechnic Institute. IIQP-43-DS-9346.

Chang J, Liu F, Lee M, Wu B, Ting K, Zara JN *et al*, 2013. NF- κ B inhibits osteogenic differentiation of mesenchymal stem cells by promoting β -catenin degradation. *Proc. Natl. Acad. Sci. USA* 110, 9469–9474

Chung UI, Lanske B, Lee K, Li E, Kronenberg H, 1998. The parathyroid hormone/parathyroid hormone-related peptide receptor coordinates endochondral bone development by directly controlling chondrocyte differentiation. *Proc Natl Acad Sci USA*; 95: 13030–13035.

Cohen SB, Proudman S, Kivitz AJ, Burch FX, Donohue JP, Burstein D *et al*, 2011. A randomized, double-blind study of AMG 108 (a fully human monoclonal antibody to IL-1R1) in patients with osteoarthritis of the knee. *Arthritis Res Ther*; 13: R125.

Creemers EEJM, Cloutjens JPM, Smith JPM, Daemen MJAP, 2001. Matrix metalloproteinase inhibition after myocardial infarction: a new approach to prevent heart failure? *Circ Res* 89:281-90.

Corcoran KE, Erzaska KA, Fernandes H, Bryan M, Taborga M, Sanivas V *et al*, 2008. Mesenchymal stem cells in early entry of breast cancer into bone marrow. *PLoSOne*, Vol 3(6): e363

Cross SF, Hoy D, Nolte S, Ackerman J, Fransen *et al*, 2014. The global burden of hip and knee osteoarthritis; estimates from the global burden of disease. *Ann Rheum Dis*.73; 1323-30.

Deng P, Chen QM, Hong C, and Wang CY, 2015. Histone methyltransferases and demethylases: regulators in balancing osteogenic and adipogenic differentiation of mesenchymal stem cells. *Int. J. Oral Sci*. 7, 197–204.

Demoor M, Ollitrault D, Gomez LT, Bouyoucef M, Hervieu M, Fabre H *et al*, 2014. Cartilage tissue engineering molecular control of chondrocyte differentiation for proper cartilage. *Biochemical et Biophysica Acta*, 1840. Elsevier , 2414-2440.



DiPiro JT, Talbert RL, Yee GC, Matzke GR, wells BG, Posey W, et.al, 2011. Pharmacotherapy : A pathophysiologic approach 8th ed. The Mc. Graw Hill Companies.

Doyle, A and Griffiths, JB., 1998. Cell of animal cells: A manual of basic technique 5th ed. New York: Jhon Willey&Sons Inc.

Dray A and Read SJ., 2007. Arthritis and Pain : Future targets to control osteoarthritis pain. Arthritis Research & Therapy 9: 212. DOI : 10.1186/ar2178.

Dwight Z, Palais R and Wittwer CT, 2011. tmELT prediction of high-resolution melting curves and dynamics melting profiles of PCR products in a rich web application. Vol. 27 no.7.

Evans CH, Ghisvizzani SG, Robbins PD, 2011. Getting arthritis gene therapy into the clinic. Nat Rev Rheumatol; 7: 244-249.

Echtermeyer F, Berthel J, Dreier R *et al*, 2009. Syndecan-4 regulates ADAMTS-5 activation and cartilage breakdown in osteoarthritis. Nat Med; 15: 1072-1076.

Felson DT, 2006. Osteoarthritis of the knee. NEJM; 354: 841-8.

Florian AM, 2011. IL-1 and It's role in osteoarthritis. iMedPlus Journals. Vol-1 no.1 : 3 doi: 10: 3823/502

Goldring SR and Goldring MB, 2006. Clinical Aspects : Pathology and pathophysiology of osteoarthritis. J Musculoskelet Neuronal Interact, 6(4), 376-37.

Garcia RL, Jick H, 1994. Risk of upper gastrointestinal bleeding and perforation associated with individual Non-Steroidal Anti Inflammatory Drugs. Lancet; 343: 769-772.


Gene Cards® 2002. Human Gene Database. Weizmann institute of Science.

Global burden of disease study 2016. Osteoarthritis in Indonesia : statistic on overall impact and specific effect on demographe groups.

Gibco, 2016. Cell culture basics handbook. Thermo Fisher Scientific.

Gnecchi M, Danieli P, Malpasso G, Ciuffreda MC, 2016. Paracrine mechanism of mesenchymal stem cells in tissue repair. Protocol methods in molecular biology, vol 14.

Grayson LW, Martens PT, Eng MG, Rasidic M, Vunjak GN, 2009. Biomimetic approach to tissue engineering. Semin Cell Dev Biol; 20(6): 665-73, doi:10.1016/j.semcdb.2008.12.008.



Halim D, Murti H, Sandra F, Boediono A, Djuwantono T, Setiawan B, 2010. Stem cell-dasar teori & aplikasi klinis. Jakarta: Penerbit Erlangga.

Hardy MM, Seibert K, Manning PT, Currie MG, Woerner BM, Edward D *et al*, 2002. Cyclooxygenase 2-dependent prostaglandin E₂ modulates cartilage proteoglycan degradation in human osteoarthritis explants. American College of Rheumatology. DOI: 10.1002/art.10356. 1789-1803.

Hideaki N and Woosener JF, 1999. Matrix metalloproteinase. J Biol Chem; 274: 1491-4.

Hochberg MC, Altman RD, April KT, Benkhalti M, Guyatt G, McGowan J *et al*, 2012. American College of Rheumatology 2012 recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip, and knee. Arthritis Care Res (Hoboken) 64: 465-474.

Hunter DJ, Pike MC, Jones BL, Kissin E, Krop J and Mc Alindon T, 2010. Phase I safety and tolerability study of BMP-7 in symptomatic knee osteoarthritis. BMC Musculoskeletal Disorder 11: 232. DOI: 10.1186/1471-2474-11-232.

Hurskainen TL, Hirohata S, Seldin MF, Apte S, 1999. ADAM-TS5, ADAM-TS6, and ADAM-TS7, novel members of a new family of zinc metalloproteases: general features and genomic distribution of the ADAM-TS family. J Biol Chem; 274: 23555-63.27.

ISRCTN Registry, 2015. Pain reduction with oral methotrexate in knee osteoarthritis: a pragmatic phase III trial of treatment effectiveness. London: BioMed Central. Available at <http://www.controlledtrials.com/ISRCTN77854383>. 25 September 2015.

Ibrahim AM, Elgharabawi NM, Makhfouf MM, Ibrahim OY, 2015. Chondrogenic differentiation of human umbilical cord blood-derived mesenchymal stem cells in vitro. Microscopy Research and Technique, 78: 667-675

Imbawan, EIGN, Puro, TR, dan Kambayana, G, 2011. Korelasi kadar matrix metalloproteinase-3 (MMP-3) dengan derajat beratnya osteoarthritis lutut. Journal Penyakit Dalam, Vol 11 (3).

Ishijima M, Nakamura T, Shimizu K, Hayashi K, Kikuchi H, Soen S *et al*, 2014. Intra-articular hyaluronic acid injection versus oral non-steroidal anti-inflammatory drug for the treatment of knee osteoarthritis : a multi-center, randomized, open label, non-inferiority trial. Research article, Arthritis Research & Therapy, 16 : R 18

Jeffries MA, Donica M, Baker LW, Stevenson ME, Annan AC, Humprey MB, Sawalha AH, 2014. Genome-Wide DNA methylation study identifies significant epigenomic changes in osteoarthritis cartilage. Arthritis and Rheumatology, 66(10),2804-2815.



Joerger-Messerli, MS, Marx C, Oppliger B, Mueller M, Surbek DV, and Schoeberlein A, 2015. best practice and research clinical obstetric and gynaecology. Elsevier, 1-15.

Jones SG, Palmer AJR, Agricola R, Price AJ, Vincent TL, Weinans H *et al*, 2015. Osteoarthritis. CrossMark, S0140-6736(1460802)-3, 386, 376-387.

Kennedy CA, Beaton DE, Solway S, Mc Connell S, Bombardier C, 2011. Disabilities of the Arm, Shoulder and Hand (DASH). The DASH and quick DASH outcome measure user's manual. 3rd. Toronto, Ontario: Institute for Work & Health.

Kode JA, Mukherjee S, Joglekar MV and Hardkar, AA. 2009. Mesenchymal stem cells: immunobiology and role in immunomodulation and tissue regeneration. *Cytotherapy* 11, 377-391.

Kim, DW, Staples M, Sanozuka, K, Pantchoya P, Kang SD, and Borlongan CV, 2013. Wharton's jelly-derived mesenchymal stem cells: Phenotypic characterization and optimizing their therapeutic potential for clinical application. *International Journal of Molecular Science* 14, 11692-11712.

Kingsbury SR, Thammathran P, Arden NK, 2015. Pain reduction with oral methotrexate in knee osteoarthritis, a pragmatic phase III trial of treatment effectiveness (PROMOTE): study protocol for a randomized controlled trial. *Trials* 16: 77.

Kon E, Buda R, Filardo G, Di Martino A, Timoncini A, Cenacchi A *et al* 2010. Platelet-rich plasma: intra-articular knee injections produced favorable results on degenerative cartilage lesions. *Knee Surg Sports Traumatol Arthrosc* 18: 472-479.

Krum SA, Chang J, Miranda C and Wang CY, 2010. Novel functions for NFkB: inhibition of bone formation. *Nat. Rev. Rheumatol.* 6, 607-611.

Kuszel L, Trzeclak T, Richter M, Ratajezak MC, 2015. Osteoarthritis and telomere shortening. *J Appl Genetics* 56, 169-176.

Lane, M.D, Thomas J, Schnitzer, M.D, Charles A, Barbara M.D, Masoud M *et al*, 2010. Tanezumab for the treatment of pain from osteoarthritis of the knee. *N Engl J Med* 363:1521-1531.

Langman MJ, Weil J, Wainwright P, Lawson DH, Rawlins MD, Logan RF *et al*, 1994. Risks of bleeding peptic ulcer associated with individual Non-Steroidal Anti-Inflammatory Drugs. *Lancet* 343: 1075-1078.

Lanza R and Atala A, 2012. Handbook of Stem Cell.



- Li Q, Sun W, Wang X, Zang K, Xi W, Gao P, 2015. Skin derived Mesenchymal Stem Cell alleviate atherosclerosis via modulating macrophage function. *Stem Cell Transl Med*, Nov; 4(11); 1294-301.
- Li X, Ellman M, Muddasani P, Wang JHC, Szabo GS, Wijnen AJ, Im HJ, 2009. Prostaglandin E₂ receptors control human adult articular physiology of osteoarthritis .*American College of Rheumatology*. DOI: 10.1002/ar.24258.
- Li XH, Afif S, Cheng J, Martel-Pelletier JP, Pelletier P, Ranger H, 2005. Expression and regulation of microsomal prostaglandin E synthase-1 in human osteoarthritic cartilage and chondrocytes. *J. Rheumatol.* 32: 887-895.
- Liang HPH, Xu J, Xue M, Jackson CJ, 2016. Matrix metalloproteinases in bone development and pathology: current knowledge and potential clinical utility. *Dovepress*
- Linero I and Chaparro O, 2014. Paracrine effect of mesenchymal stem cells derived from human adipose tissue in bone regeneration. *PLOSone*, vol 9 (9).
- Little CB, Barai A, Burkhardt D, Smith SM, Fosang AJ, Werb Z *et al.* 2009. Matrix metalloproteinase 13-deficient mice are resistant to osteoarthritis cartilage erosion but not chondrocyte hypertrophy or osteophyte development. *Arthritis Rheum* , 60:3723-3733.21.
- Liu S, Hou KD, Yuan M, Peng J, Zhong L, Sui X *et al.* 2014. Characteristic of mesenchymal stem cells derived from Wharton's jelly of human umbilical cord and for fabrication of non-scaffold tissue engineered cartilage. *Journal of Bioscience and Bioengineering*. Elsevier, Vol 117, No 2, 229-235.
- Livak K J and Schmittgen T D, 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2⁻(Delta Delta C(T)) method. *Methods* 25:402-408.
- Lohmander LS, Hellot S, Dreher D, Krantz EF, Kruger DS, Guermazi A. D *et al.* 2014. Intraarticular sonifermin (recombinant human fibroblast growth factor 18) in knee osteoarthritis: a randomized, double-blind, placebo-controlled trial. *arthritis rheumatol*; 66: 1820-1831.
- Lubis NR, 2013. Osteoarthritis. *Jurnal Ilmu Bedah Indonesia*. Vol 41 No.1. S19-27.
- Luningschror P, Stocker B, Kaltschmidt B and Kaltschmidt C, 2012. miR-290 cluster modulates pluripotency by repressing canonical NF-kappa B signaling. *Stem Cells* 30, 655-664.
- Malchau H, Afredsson L, Vingard E, 2002. Osteoarthritis : diagnosis and therapeutic considerations. *America Family Physician*. 65 : 2, 841-847.

- Marshak DR, Gardner RL, Gottlieb D, 2001. Stem cell biology. Cold Spring Harbor Laboratory Press.
- Maneesh M, Jayalekshmi H, Suma T, Chatterjee S, Chakrabarti A, Singh TA, 2005. Evidence for oxidative stress in osteoarthritis, *Indian J. Clin. Biochem.*, 20, 1, 129-130, 2005.
- Manello F, Tonti GAM, Bagnara GP, Papa S, 2006. Role and function matrix metalloproteinases in the differentiation and biological characterization of mesenchymal stem cells. *The stem cell niche: Consise Review*, 16(24): 475-481.
- Mankin HJ, 1989. Clinical features of osteoarthritis; In: Kelley WN, Harris ED, Ruddy S, Sledge CB (eds): *Textbook of Rheumatology*. 3rd ed. Philadelphia : Saunders.1450.
- Meegeren ME, Roosendaal G, Jansen NW, Wenting MJ, van Wesel AC, van Roon JA, Lofeber FP, 2012. IL-4 alone and combination with IL-10 protect against blood-induced cartilage damage. *osteoarthritis cartilage*. Jul : 20(7) : 764-72.doi :10.1016/j.joca.04.002.
- Meszaros E, and Malemud CJ, 2012. Prospects for treating osteoarthritis enzyme-protein interactions regulating MMP activity. *Therapeutic Advances in Chronic Disease* 3(5), 219-229.
- Miller LE, II FF, Block JE, 2013. Quality of live in patients with knee osteoarthritis; a commentary on nonsurgical and surgical treatments. *The Open Orthopaedics Journal*. 7, 619-23.
- Miao Z, Jin J, Chen L, Zhu J, Huang W, Zhao J, Qian H, Zhang X, 2006. Isolation of mesenchymal stem cells from human placenta: comparison with human bone marrow mesenchymal stem cells. *Cell Biol Int*. 30:681–687. [PubMed]
- Mitalipov S and Wolf D, 2009. Totipotency, pluripotency and nuclear reprogramming. *Biochem Eng Biotechnol*. 14: 185-189.
- Moskowitz RW, Masi AT, Altman RD, Brandt KD, Clark EM, DiCicco PA *et al*, 1995. Guidelines for the medical management of osteoarthritis. *Arthritis & Rheumatism*. American College of Rheumatology, Vol 38, No 11, p: 1535-1540.
- Murphy JM, Fink DJ, Hunziker EB, Barry FP. Stem cell therapy in a caprine model of osteoarthritis. *Arthritis Rheum* 2003;48: 346e74.
- Noth U, Steinert AF, Tuan RS, 2008. Technology insight: adult mesenchymal stem cells for osteoarthritis therapy. *Nat Clin Pract Rheumatol* 4: 371–380.



Pham PV, 2016. Mesenchymal stem cells in clinical applications. *Stem Cell Processing, Stem Cells in Clinical Applications*.

Pelletier MJ, Alaaeddine N, Pelletier JP, 1999. Cytokines and their role in the pathophysiology of osteoarthritis. *Front Biosci*, Oct 15; 4: D 694-703.

Pirmohamed M, James S, Meakin S, Green C, Scott AK, Walley TJ *et al*, 2004. Adverse drug reactions as cause of admission to hospital: Prospective analysis of 18820 patients. *BMJ*; 329: 15–19.

Price SA and Wilson LM, 2013. *Patofisiologi: konsep klinis proses-proses penyakit*. Jakarta, EGC, ed VI.

Razali NM and Wan YB, 2017. Power comparison of Saphiro Wilk, Kolmogorov- Smirnov, Lilefors and Anderson Dring-test. Faculty of Computer and Mathematical Science, University Technology MARA.

Responde DJ, Natch RM, Athanasiou KA, 2012. Identification of potential biophysical and molecular signaling mechanisms underlying hyaluronic acid enhancement of cartilage formation. *Journal of The Royal Society Interface*; (9), 3564-3573.

Riset Kesehatan Dasar (Riskesdas), 2013. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. Penyakit tidak menular sendi/reumatik, episode 94-9.


Roach HI, Yamada N, Cheung KS, Tilley S, Clarke NM, Oreffo RO *et al*, 2005. Association between the abnormal expression of matrix degrading enzymes by human osteoarthritis chondrocytes and demethylation of specific CpG sites in the promoter regions. *Arthritis Rheum*, 52:3110-3124.

Roman JA, Blas MD, Jimenez MD, 2006. NF- κ B as a potential therapeutic target in osteoarthritis and rheumatoid arthritis. *Review Osteoarthritis Research Society International Osteoarthritis and Cartilage*; 14: 839-848.

Rosemont, 2013. *Treatment of Osteoarthritis of the knee*. 2nd edn. American Academy of Orthopaedic Surgeons.

Rosengren S, Boyle DL, Firestein GS, 2007. Acquisition, Culture and Phenotyping of Synovial Fibroblast. *Methods in Molecular Medicine*; 135: 365-75.

Sampson S, Reed M, Silvers H, Meng M, Mandelbaum B, 2010. Injection of platelet-rich plasma in patients with primary and secondary knee osteoarthritis: a pilot study. *Am J Phys Med Rehabil*; 89: 961–969.



Secco M, Zucconi E, Vieira NM, Fogaça LL, Cerqueira A, Carvalho MD, Jazedje T, Okamoto OK, Muotri AR, Zatz M, 2008. Multipotent stem cells from umbilical cord: cord is richer than blood. *Stem Cells*. 2008 Jan;26(1):146-50.

Seidel MF, Lane NE, 2012. Control of arthritis pain with anti-nerve-growth factor: risk benefit. *Curr Rheumatol Rep*; 14: 583–588.

Shaw RL, 2011. Arthroscopic cartilage regeneration facilitating procedure for OA knee. Prague, Czech Republic

Shikichi M, Kiramura HP, Yanase H, Kondo A, Takahashi-Iwanaga H, Iwanaga T, 1999. Three-dimensional ultrastructure of synoviocytes in the horse joint as revealed by the scanning electron microscope. *Arch Histol Cytol*; 62(3): 219-29

Shimpo H, Sakai T, Kondo S, Mishima S, Yoda M, Hiraiwa H *et al*. 2009. Regulation of prostaglandin E₂ synthesis in cells derived from chondrocytes of patients with osteoarthritis. *Journal of Orthopaedic Science*. Vol 15; 611-617.

Shimonkevitz R, Thomas G, Slone DS, Craun M, Mains C, Bar Or D, 2008. A diketopiperazine fragment of human serum albumin modulates t-lymphocyte cytokine production through Rap1. *J Trauma* 64: 35–41.

Shiomi T, Lemaitre M, D'Amiento J, Okada Y, 2010. Matrix metalloproteinases, a disintegrin and metalloproteinases, and a disintegrin and metalloproteinases with thrombospondin motifs in non-neoplastic diseases. *Pathol Int*, 60:477-496.


Soeroso S, Isbagio H, Kalim H, Broto R dan Pramudya R, 2006. Osteoarthritis di dalam : Sudoyo AW, Setiyohadi B, Alwi I, Simadibrat M dan Setiati S (ed) *Buku Ajar Ilmu Penyakit Dalam* jilid II edisi IV. Fakultas Kedokteran Universitas Indonesia, Jakarta. Halaman (195-120)

Soenarwo dan Brihanoro M. 2011. *Penanganan praktis osteoarthritis*. Jakarta, Al-Mawardi.

Stappenbeck TS and Miyoshi H. 2009. The role of stromal stem cells in tissue regeneration and wound repair. *Science* 324, 1666–1669.

Stitik T, Altschuler E, Foye P, 2006. Pharmacotherapy of osteoarthritis. *Am J Phys Med Rehabil*; 85 (Suppl) ; S15-S28.

Thanthaisong P, Imsoonthornruksa S, Ngernsoungnern A, Ngernsoungnern P, Cairn MK, Parnpai R, 2017. Enhanced chondrogenic differentiation of human umbilical cord wharton's jelly derived mesenchymal stem cell by GSK-3 inhibitor. *PLOS ONE*. 10, 1371, p:1-15.



- Taghizadeh RR, Cetrulo KJ, Cetrulo CL, 2011. Whartons jelly stem cell: Future clinical applications. *Placenta*, Elsevier, S311-S315.
- Tornatore L, Thotakura AK, Benrett J, Morelto M, Franzoso G, 2012. The nuclear factor kappa beta signaling pathway : Integrating metabolism with inflammation ; *Trends in Cell Biology*, Vol 22; 11, p-557-566.
- Towheed TE, Hochberg MC, Judd MJ, Wells G, 2006. Acetaminophen for osteoarthritis. *Cochrane database of systematic review* (Issue/Art.No: CD 004257. DOI : 10.1002/14651858.CD004257.pub2).
- Ulloa FM, Vellalille CM, Ha WS, 2005. Culture systems for pluripotent stem cells. *100(1)* : 12-27.
- US Food and Drug Administration Information for Healthcare Professionals: Celecoxib (marketed as Celebrex). Silver Spring: FDA, 2005. Available at <http://www.fda.gov/Drugs/DrugSafety/Postmarket Drug safety information for patients and providers/ucm124655.htm>. 25 September 2015.
- US Food and Drug Administration. FDA Public Health Advisory: Safety of Vioxx. Silver Spring: FDA, 2004. Available at <http://www.fda.gov/drugs/drugsafety/Post Market Drug Safety Information for Patients and Providers/ucm106274.htm>. 25 September 2015.
- US Food and Drug Administration. Information for healthcare professionals: Valdecoxib (marketed as Bextra). Silver Spring: FDA, 2005. Available at <http://www.fda.gov/Drugs/DrugSafety/Postmarket Drug Safety Information for Patients and Providers/ucm124649.htm>. 25 September 2015.
- Vaananen HK, 2005. Mesenchymal stem cells. *Am Med*, 37(7):769-79.
- Vega A, Martin-Fernero MA, Del cano H, Alberca M, Garcia V, Munar A *et al*, 2015. Treatment of knee osteoarthritis with allogenic bone marrow mesenchymal stem cells : a randomized controlled trial. *PubMed. Gov*, 9(18): 1681-90.
- Vincenti MP, Brinckerhoff CE, 2002. Transcriptional regulation of collagenase (MMP-1, MMP-13) genes in arthritis: Integration of complex signaling pathways for the recruitment of gene-specific transcription factors. *Arthritis Res* 4:157-164.
- Vortkamp A, Lee K, Lanske B, Segre GV, Kronenberg HM, Tabin CJ, 1996. Regulation of rate of cartilage differentiation by Indian hedgehog and PTH-related protein. *Science* 273: 613-622.

Wang M, Sampson ER, Jin H, Li J, Ke QH, Im HJ *et al*, 2014. MMP13 is a critical target gene during the progression of osteoarthritis. *Arthritis Res Ther*; 15: R5.

Watson N, Divers R, Kedar R, Mehindru, Ankur, Mehindru *et al*, 2015. Discarded Wharton's Jelly of the human umbilical cord: a viable source for mesenchymal stromal cells. *International Society for Cellular Therapy, Cytotherapy*, 17, 18-24.

Weiss WM, Sierra AM, Kunze M, Jomha NM, Adesida AB, 2017. Co-culture of meniscus cells and mesenchymal stem cells in simulated microgravity. *NPJ Microgravity* vol 3: 28.

Wen I, Zhu M, Petsoglou G, 2014. Differentiation and immunomodulatory effects of bone marrow-derived mesenchymal stem cell on human corneal epithelium. *Chin J Cell* 4 :105-15.

Wright EA, Katz JN, Abrams S, Solomon DH, Losina E, 2014. Trends in prescription of opioids from 2003-2009 in persons with knee osteoarthritis. *Arthritis Care Res (Hoboken)*; 66: 1489-1495.

WHO, 2004. The global burden of disease 2004 Up-date. WHO Press, Switzerland.

Yang C, Atkinson SP, Vilella F, Lloret M, Armstrong L, Mann DA *et al*, 2010. Opposing putative roles for canonical and noncanonical NF kappa B signaling on the survival, proliferation and differentiation potential of human embryonic stem cells. *Stem Cells* 28, 1970-1980.

Yang ZX, Han ZB, Ji YR, Wang YW, Liang L, Chi Y *et al*, 2013. CD106 identifies a subpopulation of mesenchymal stem cells with unique immunomodulatory properties. *PLoS One*; 8(3). e59354.

Yuan GH, Hong K, Kato T, Nishioka K, 2003. Immunologic intervention in the pathogenesis of osteoarthritis. *Arthritis & Rheumatism* ; 48:3 : 602-611.

Ye S, 2000. Polymorphisms in matrix metalloproteinases gene promoters : Implication in regulation of gene expression and susceptibility of various disease. *Matrix Biol*; 19: 623-9.

Zeng J, Wang F, Mao M, 2016. Co-culture of fibroblast-like synoviocytes with umbilical cord-mesenchymal stem cells inhibits expression of pro-inflammatory proteins, induces apoptosis and promotes chondrogenesis. *Mol Med Rep*. Oct;14(4):3887-93. doi: 10.3892/mmr.2016.5721.



Zhang W, Jones A, Doherty M, 2004. Does paracetamol (acetaminophen) reduce the pain of osteoarthritis? A meta-analysis of randomised controlled trials. *Ann Rheum Dis*; 63: 901–907.

Zhang W, Moskowitz RW, Nuki G, Abramson S, Altman RD, Arden N *et al*, 2007. OARSI recommendations for the management of hip and knee osteoarthritis, part I: Critical appraisal of existing treatment guidelines and systematic review of current research evidence. *Osteoarthritis cartilage*; 15: 981–1000.

Zhang W, Moskowitz RW, Nuki G, Abramson S, Altman RD, Arden N *et al*, 2008. OARSI recommendations for the management of hip and knee osteoarthritis. Part II : OARSI evidence-based, expert consensus guidelines. *Osteoarthritis Cartilage*, Feb : (16): 137-62. doi: 10.1016/j.joca.2007.12.013.

Zuk PA, Zhu M, Ashjian P, De Ugarte DA, Huang JI, Mizuno H *et al*, 2002. Human adipose tissue is a source of multipotent stem cells. *Mol Biol Cell*; 13(12):4279-95.

