

DAFTAR PUSTAKA

- Ajila, C. M. Prasada Rao, U. J. S. 2013. Mango peel dietary fibre: Composition and associated bound Phenolics. *Journal of Functional Foods*. 5. 444-450.
- Andriopoulos S, Blair AR, Deluca N, Fam BC, Proietto J. Evaluating the glucose tolerance test in mice. *Am J Physiol Endocrinol Metab* 2008; 295: E1323–E1332.
- Aronoff, S. L., Berhowitz, K., Shreiner B., Want L. 2004. metabolism and regulation insulin and glucagon. *Diabetes Spectrum*. 17(3):183-190.
- Ayala A, Muñoz F. M., and Argüelles S. 2014. Lipid Peroxidation: Production, Metabolism, and Signaling Mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal. *Oxidative Medicine and Cellular Longevity* : 1-31.
- Beiroa D, Imbernon M, Gallego R, Senra A, Herranz D, Villarroya F, et al. 2014. GLP-1 agonism stimulates brown adipose tissue thermogenesis and browning through hypothalamic AMPK. *Diabetes*. 63. 3346–58.
- Benton D, Young HA. Reducing Calorie Intake May Not Help You Lose Body Weight. 2017. *Perspect on Psychol Sci*. 12(5): 703–714.
- Cade, W.T. 2008. Diabetes related microvascular and macrovascular diseases in the physical therapy setting. *Phys Ther*. 88:1322–1335.
- Caspar, H., Jabbour, S., Hammar, N., Fenici, P., Sheehan, J.J., Kosiborod, M. 2018. Recent trends in the prevalence of type 2 diabetes and the association with abdominal obesity lead to growing health disparities in the USA: An analysis of the NHANES surveys from 1999 to 2014. *Diabetes Obes Metab*. 20(3):667- 671.
- Cheung, B.M., Ong, K.L., Cherny, S.S., Sham, P.C., Tso, A.W, Lam, K.S. 2009. Diabetes Prevalence and therapeutic target achievement in the United States, 1999 to 2006. *Am J Med*. 122:443-53.
- Chung, A.P.Y.S., Gurtu, S., Chakravarthi, S., Moorthy, M., and Palanisamy, U.D. 2018. Geraniin Protects High-Fat-Diet Induced Oxidative Stress in Sprague Dawley Rats. *Frontiers in Nutrition*. 5:17.
- Cryer, P.E. 2002. Hipoglikemia faktor pembatas diabetes Tipe I dan Tipe II. *Diabetologia*. 45(7). 937-948.
- Czech P. M. 2017. Insulin Action And Resistance In Obesity And Type 2 Diabetes. *Nat Med*. 23(7): 804–814.

- Dayem A. A, Hossain K. M, Lee B. S, Kim K, Saha K. S, Yang M. G, Choi Y. H and Cho G. S. 2017. The Role of Reactive Oxygen Species (ROS) in the Biological Activities of Metallic Nanoparticles. *Int J Mol Sci.* 18(120).
- D'Amour KA, et al. 2006. Production of pancreatic hormone-expressing endocrine cells from human embryonic stem cells. *Nat Biotechnol* 24. 1392–1401.
- Drucker D.J. 2007. The role of gut hormones in glucose homeostasis. *The Journal of Clinical Investigation.* 117(1). 24-30.
- Drucker, D.J. 2007. Peran hormon usus dalam homeostasis glukosa. *The Journal of Clinical Investigasi.* 117(1). 24-30.
- Ellis, T.P., Wright, A.G., Clifton, P.M., Hag, L.L. 2016. Postprandial insulin and glucose levels are reduced in healthy subjects when a standardised breakfast meal is supplemented with a filtered sugarcane molasses concentrate. *Eur J Nut.* 55(8). 2365-2376.
- Fisher FM, Chui PC, Antonellis PJ, Bina HA, Kharitononkov A, Flier JS, et al. 2010. Obesity is a fibroblast growth factor 21 (FGF21)-resistant state. *Diabetes.* 59. 2781–9.
- Fu Z, Gilbert R. E and Liu D. 2013. Regulation of Insulin Synthesis and Secretion and Pancreatic Beta-Cell Dysfunction in Diabetes. *Curr Diabetes Rev.* 9(1): 25–53.
- Gilespe, K.M. 2006. Type 1 diabetes: pathogenesis and prevention (Review). *Canadian Medical Association Journal.* 175(2). 165-170.
- Gouda M, Moustafa A, Hussein L, Hamza M. 2016. Three Week Dietary Intervention Using Apricots, Pomegranate Juice or/and Fermented Sour Sobyas and Impact on Biomarkers of Antioxidative Activity, Oxidative Stress and Erythrocytic Glutathione Transferase Activity Among Adults. *Nutrition Journal.* 15:52.
- Goyal, A Singhs, Tandon N, Gupta N, Gupta YK. 2014. Effect of atorvansatin on pancreatic beta-cell function and insulin resistance in type 2 diabetes mellitus patients: a randomized pilot study. *Can J Diabetes.* 38. 466-472.
- Hanachi, P., R. H. Moghadam, dan A. L. Lattiffah. 2009. Investigation of lipid profiles and lipid peroxidation in patients with Type-2 Diabetes. *European J. Of sci. Res.* 28(1) : 6-13.
- Hayashi, K., Hara H., Asvarujanon P., Aoyama Y and Luangpituksa P. 2001. Ingestion of Insoluble Dietary Fiber Increased Zinc and Iron Absorption and Restored Growth Rate and Zinc Absorption Suppressed by Dietary In Rats. *British journal of nutrition* 86. 443-451.

- Hong, Y. Zi-jun, W. Jian, X. Ying-jie, D. Fang, M. 2012. Development of the dietary fiber functional food and studies on its toxicological and physiologic properties. *Food and Chemical Toxicology*. 50. 3367-3374.
- Hughes, S.R., Qureshi, N., Lopez-Nunez, J.C., Jones, M.A., Jarodsky, J. M., Galindo- Lev, L.A., Lindquist, M.R. 2017. Utilization of inulin-containing waste in industrial fermentations to produce biofuels and bio-based chemicals. *World Journal of Microbiol. and Biotech.* 33:78.
- Idris, H., Hasyim, H., Utama, F. 2017. Analysis of Diabetes Mellitus Determinants in Indonesia: A Study from the Indonesian Basic Health Research 2013. *Acta Med Indones – Indones J Intern Med* (49) 4: 291-298.
- Junior, L.M.F., junior, E.B.A., 2017. Medicinal plant for the treatment of obesity ethnopharmacological approach and chemical and biological studie. *American Journal of Traslational Research*. 9(5): 2050-2064.
- Kawahito S, Kitahata K, Oshita S. 2009. Problems associated with glucose toxicity: Role of hyperglycemia-induced oxidative stress. *World J Gastroenterol*. 15(33): 4137-4142.
- Kim J-HH, Bae K-HH, Choi Y-KK, Go Y, Choe M, Jeon Y-HH, *et al.* 2015. Fibroblast growth factor 21 analogue LY2405319 lowers blood glucose in streptozotocin-induced insulin-deficient diabetic mice by restoring brown adipose tissue function. *Diabetes Obes Metab.* 17. 161–9.
- Kumalasari, I.D., Nishi, K., Harmayani E., Raharjo S., Sugahara T. 2014. Immunomodulatory activity of Bengkoang (*Pachyrhizus erosus*) fiber extract in vitro and in vivo. *Cytotechnology*. 66:75–85.
- Kupsal K, Mudigonda S, Gundapaneni K. K, Tupurani A. M, Galimudi K. R, Nyayapathi S. V. B. K, Krishnaveni. N and Hanumanth R. S. 2015. Glucotoxicity and lipotoxicity induced beta-cell apoptosis in type 2 diabetes mellitus. *Int J Anal Bio-Sci.* 3(4).
- Kurimoto Y, Shibayama Y, Inoue S, *et al.* Black soybean seed coat extract ameliorates hyperglycemia and insulin sensitivity via the activation of AMPactivated protein kinase in diabetic mice. *J Agric Food Chem* 2013; 61: 5558– 5564.
- Lau T.WL., Tan K.E.K., Choo J.C.J., Ng T.G., Tavintharan S., Chan J.C.N. 2018. Regional evidence and international recommendations to guide lipid management in Asian patients with type 2 diabetes with special reference to renal dysfunction. *Journal of Diabetes*.10: 200-212.
- Lee S, Muniyappa R, Yan X, Chen H, Yue LQ, Hong EG *et al.* 2008. Comparison between surrogate indexes of insulin sensitivity and resistance and

- hyperinsulinemic euglycemic clamp estimates in mice. *Am J Physiol Endocrinol Metab* 294: E261–E270.
- Li, Xiufen., Guo.J., Ji, K., Zhang, P. 2016. Bamboo shoot fiber prevents obesity in mice by modulating the gut microbiota. *Scientific Reports*. 6:32953.
- Lin Y. & Sun Z. 2010. Pandangan saat ini pada diabetes tipe 2. *Jurnal Endokrinologi*. 204. 1-11.
- Lockie, S.H. Heppner, K.M., Chaudhary, N. Chabenne, J.R. Morgan, D.A. Veyrat Durebex C. *et al.* 2012. Direct control of brown adipose tissue thermogenesis by central nervous system glucagon-like peptide-1 receptor signaling. *Diabetes*. 61:2753–62.
- Luk, A.O., Lau, E.S., So, W.Y. *et al.* 2014. Prospective study on the incidences of cardiovascular renal complications in Chinese patients with young-onset type 1 and type 2 diabetes. *Diabetes Care*. 37: 149–57.
- Maejima, Y., Rita, R.S., Santoso, P., Aoyama, M., Hiraoka Y., Nishimori K., Gantulga D., Shimomura K., Yada T. 2015. Nasal Oxytocin Administration Reduces Food Intake without Affecting Locomotor Activity and Glycemia with c-Fos Induction in Limited Brain Areas. *Neuroendocrinology*. 101:35–44.
- Maejima, Y., Sakuma, K., Santoso, P., Gantulga, D., Katsurada, K., Ueta, Y., Hiraoka, Y., Nishimori, K., Tanaka, S., Shimomura, K., Yada, T. 2014. Oxytocinergic circuit from paraventricular and supraoptic nuclei to arcuate POMC neurons in hypothalamus. *FEBS Letters* 28:588 (23): 4404-12.
- Martel J, Ojcius M.D, Chang J.C, Lin S.C, Lu C.C, Ko F.Y, Tseng F.S, Lai C.H, Young D.J. 2016. Anti Obesogenic And Antidiabetic Effects Of Plants And Mushrooms. *Endocrinology*.
- Matsuda A, Makino N, Tozawa T, Shirahata N, Honda T, Ikeda Y, Sato H, Ito M, Kakizaki Y, Akamatsu M, Ueno Y, and Kawata S. 2014. Pancreatic Fat Accumulation, Fibrosis, and Acinar Cell Injury in the Zucker Diabetic Fatty Rat Fed a Chronic High-Fat Diet. *Pancreas*. 43: 735-743.
- MacDonald E. P, El-kholy W, Riedel J. M, Salapatek F. M. A, Light E. P, Wheeler B. M. 2002. The Multiple Actions of GLP-1 on the Process of Glucose-Stimulated Insulin Secretion. *DIABETES*. 51(3).
- Mescher, A.L. 2014. *Histologi Dasar Junqueira Text & Atlas*. McGraw-Hill Companies Inc. EGC Medical Publisher. Jakarta.
- Misra, A., Singhal, N. & Khurana, L. 2010. Obesity, the metabolic syndrome, and type 2 diabetes in developing countries: role of dietary fats and oils. *Journal of the American College of Nutrition* 29 : 289S–301S.

- Mussury RM, Scalon SP, Silva MA, Silva TF, Gomes H, Gassi R. 2013. Postharvest Conservation of the Tuberous Roots of *Pachyrhizus Ahipa* (Wedd) Parodi. *An Acad Bras Cienc* 85: 761-768.
- Mutiyani, M., Soeatmdji, D.H., Sunindya, B.R. 2014. Effect of high carbohydrate diet and high fat diet on blood glucose and β cell pancreas density in wistar rats. *IJHN*. 1(2):106-113.
- Najafikhah N, Najafabadi H. S, Zahediasl S, Nabavimanesh M. M, Farrokhfall K. 2018. Normal Insulin Secretion from Immune-Protected Islets of Langerhans by PEGylation and Encapsulation in the Alginate-Chitosan-PEG. *Iranian J Biotech*. 16(4):e1669.
- Ng, M., Fleming T., Thomson, B., Graetz, N., Nargono, C. 2014. Global, regional and National prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the global burden of disease study. *Lancet*. 384(9945). 766-781.
- Noman, A.S.M., Hoque, M.A., Haque, M.M., Pervin, F., Karim, M.R. 2007. Nutritional and anti nutritional components in *Pachyrhizus erosus* L. tuber. *Food Chem* 102. 1112–1118.
- Nursandi, F., Machmudi, M., Santoso, U., Indratmi, D. 2017. Properties of different aged jicama (*Pachyrhizus Erosus*) plants. *IOP Conf. Ser.: Earth Environ. Sci.* 77 012003.
- Oestmann, E. Rossi, E. Larsson, H. Brighenti, F Björck, I. 2006. Glucose and insulin responses in healthy men to barley and bread with different levels of (1-3, 1-4)- β -glucans, predictions using fluidity measurements of in vitro enzyme digests. *Journal of Cereal Science*. 43. 230-23.
- Pandey, A., Chawla, S. & Guchhait, P. 2015. Type-2 diabetes Current understanding and future perspectives. *IUBMB Life*. 67. 506–513.
- Park, C.J., Lee, H.A., Han, J.S. 2015. Jicama (*Pachyrhizus erosus*) extract increases insulin sensitivity and regulates hepatic glucose in C57BL/Ksj-db/db mice. *J. Clin. Biochem. Nutr*, 58(1): 56-63. doi: 10.3164/jcbtn.15-59.
- Park, CJ. & Han J.S. 2015. Hypoglycemic Effect of Jicama (*Pachyrhizus erosus*) Extract on Streptozotocin-Induced Diabetic Mice. *Prev. Nutr. Food Sci.* 20(2):88-93.
- Pezzilli R, Calculli L. 2014. Pancreatic steatosis: Is it related to either obesity or diabetes mellitus. *World J Diabetes*. 5(4): 415-419.

- Pins, J. J. Geleva, D. Leemam, K. Frazer, C. O'Connor, P. J. Cherney, L. M. 2002. Do whole-grain oat cereals reduce the need for antihypertensive medications and improve blood pressure control. *Journal of Family Practice*. 51. 353-359.
- Puspita, N.D. Afifah, A.S. Tandi, J. Yusriadi. 2018. Efek Ekstrak Etanol Daun Jambu Air (*Syzygium aqueum*(Burm.f.) Alston) Terhadap Histopatologi Pankreas Tikus Putih. *Farmakologika Jurnal Farmasi*.15(1):1907-7378.
- Rankainen, J., Huusko, T.J., Soininen, R., Mondini, E., Cinti, F., Makela, K.A., Kovalainen, M., Herzig, K.H., Ja rvelin, M.R., Sebert, S., Savolainen, M.J., Salonerumi, T. 2015. Fat mass- and obesity-associated gene Fto affects the dietary response in mouse white adipose tissue. *Scie. Report*. 5:9233.
- Rasch, R. & Dørup, J. 1997. Quantitative morphology of the rat kidney during diabetes mellitus and insulin treatment *Diabetologi*., 40: 802–809.
- Rinaldi C, Lesmana, Gani A.R, Lesmana A.L. 2017. Non-Alcoholic Fatty Pancreas Disease, Pancreatic Cancer, And Impact Of Endoscopic Ultrasound Examination On Screening And Surveillance. *European Medical Journal Gastroenterol*. 6(1):69-74.
- Rodríguez, R. A. J. Fernández-Bolaños J. Guillén R. Heredia A. 2006. Dietary Fibre from Vegetable Products as a Source of Functional Ingredients. *Trends in Food Sciences and Technology*. 17. 3-15.
- Sakamoto E, Seino Y, Fukami A, Mizutani N, Tsunekawa S, Ishikawa K, et al. 2012. Ingestion of a moderate high-sucrose diet results in glucose intolerance with reduced liver glucokinase activity and impaired glucagon-like peptide-1 secretion. *J Diabetes Investig*. 3. 432–40.
- Sakamoto E, Seino Y, Fukami A, Mizutani N, Tsunekawa S, Ishikawa K, et al. 2012. Ingestion of a moderate high-sucrose diet results in glucose intolerance with reduced liver glucokinase activity and impaired glucagon-like peptide-1 secretion. *J Diabetes Investig*. (3):432–40.
- Samuel T. V. 2011. Fructose Induced Lipogenesis: Fromsugar to Fat to Insulin Resistance. *Trends in Endocrinology & Metabolism*. 22(2), 60–65.
- Santoso, A. 2011. Serat Pangan (Dietary Fiber) Dan Manfaatnya Bagi Kesehatan. *Magistra*. 75: 23.
- Scharlau, D. Borowicki, A. Habermann, N. Hofmann, T. Klenow, S. Miene, C. Munjala, U. Stein, K. Gleia, M. 2009. Mechanisms of primary cancer prevention by butyrate and other products formed during gut flora-mediated fermentation of dietary fibre. *Mutation Research*. 682. 39-53.
- Seino Y, Ogata H, Maekawa R, Izumoto T, Iida A, Harada N, et al. 2015. Fructose induces glucose-dependent insulinotropic polypeptide, glucagon-like

- peptide-1 and insulin secretion, role of adenosine triphosphate. *Diabetes Investig.* 6. 522–6.
- Seino Y, Yabe D. 2013. Glucose-dependent insulintropic polypeptide and glucagon-like peptide-1: incretin actions beyond the pancreas. *J Diabetes Investig.* 4. 108–30.
- Slavin J. 2013. Fiber and Prebiotics: Mechanisms and Health Benefits. *Nutrients.* 5: 1417-1435.
- Stanhope L. K, Schwarz M. J, Keim L. N, *et al.* 2009. Consuming Fructose-Sweetened, Not Glucosesweetened, Beverages Increases Visceral Adiposity And Lipids And Decreases Insulin Sensitivity In Overweight/Obese Humans. *J Clin Invest.* 119(5):1322-1334.
- Thaptimthong, T., Kasemsuk, T., Sibmooh, N., Unchern, S. 2016. Platelet inhibitory effects of juices from *Pachyrhizus erosus* L. root and *Psidium guajava* L. fruit: a randomized controlled trial in healthy volunteers. *BMC Complementary and Alternative Medicine.* 16:269.
- Tushuizen E.M, Bunck C.M, Pouwels J.P, Bontemps S, Waesbergh .T.H.J, Schindhelm K.R, Mari A, Heine J.R, Diamant M. 2007. Pancreatic Fat Content and β -Cell Function in Men With and Without Type 2 Diabetes. *Diabetes Care* 30:2916–2921.
- Wang, Z. Q., Yu, Y., Zhang, X.H., Floyd, E.Z., Bourdreau, A., Lian, K., Lian, K., Cefalu, W.T. 2012. Comparing the effects of nano-sized sugarcane fiber with cellulose and psyllium on hepatic cellular signaling in mice. *Inter.J. of Nanomedicine* (7): 2999–3012.
- Weickert O. M, Pfeiffer FH. A. 2018. Impact of Dietary Fiber Consumption on Insulin Resistance and the Prevention of Type 2 Diabetes. *Journal of Nutrition.* 148:7–12.
- World Health Organization. 2016. *Global Report on Diabetes.* WHO Library Cataloguing in Publication Data. Paris.
- Xi S, Yin W, Wang Z, Kusunoki M, Lian X, Koike T, Fan J and Zhang Q. 2004. A minipig Model Of High Fat/High Sucrose Diet Induced Diabetes And Atherosclerosis. *Int. J. Exp. Path.* 85:223–231.
- Xiong Y, Yepuri G, Necetin S, Montani P. J, Ming F. X and Yang Z. 2017. Arginase-II Promotes Tumor Necrosis Factor- α Release From Pancreatic Acinar Cells Causing b-Cell Apoptosis in Aging. *Diabetes.* 66:1636–1649.
- Xiong Y, Yepuri G, Necetin S, Montani P.J, Ming F.X, Yang Z. 2017. Arginase-II Promotes Tumor Necrosis Factor- α Release From Pancreatic Acinar Cells Causing b-Cell Apoptosis in Aging. *Diabetes.* 66: 1636-1649.

- Yang, Z. H., Miyahara, H., Takeo, J., Katayama, M. 2012. Diet high in fat and sucrose induces rapid onset of obesity-related metabolic syndrome partly through rapid response of genes involved in lipogenesis, insulin signalling and inflammation in mice. *Diabetology & Metabolic Syndrome* (4):32.
- Yasmina R. A., Probosari E. 2014. Perbedaan Kadar Glukosa darah puasa sebelum Dan Setelah pemberian Sari Bengkuang (*Pachyrrhizus erosus*) Pada Wanita Prediabetes. *Journal of Nutrition College*.3(4). 440-466.
- Ying Z, Zhang H, Su W, Zhou L, Wang F, Li Y, Zhang L, Wang T. 2017. Dietary Methionine Restriction Alleviates Hyperglycemia in Pigs with Intrauterine Growth Restriction by Enhancing Hepatic Protein Kinase B Signaling and Glycogen Synthesis. *Journal of Nutrition*. 147:1892–9.
- Yuriska F. A. 2009. *Efek Alokasan Terhadap Kadar Glukosa Darah Tikus Wistar*. Skripsi Sarjana Kedokteran Fakultas Kedokteran Universitas Diponegoro. Semarang.
- Zhang Q, Yu H, Xiao X, Hu L, Xin F, Yu X. 2018. Inulin-type fructan improves diabetic phenotype and gut microbiota profiles in rats. *PeerJ*. 6:c4446.
- Zhou X, Han D, Xu R, Li S, Wu H, Qu C, Wang F, Wang X, Zhao Y. 2014. A Model of Metabolic Syndrome and Related Diseases with Intestinal Endotoxemia in Rats Fed a High Fat and High Sucrose Diet. *PLOS ONE*. 9(12).

