

DAFTAR PUSTAKA

- Aldillah, R. (2015), Proyeksi Produksi dan Konsumsi Kedelai Indonesia, *Jurnal Ekonomi Kuantitatif Terapan*, 8(1), 9 - 23.
- Anthony, M. S. (2002), Phytoestrogens and Cardiovascular Disease, edited, Am Heart Assoc.
- Astawan, M., and A. E. Febrinda (2016), Isotlavon Kedelai sebagai Antikanker, *Jurnal Pangan*, 18(3), 42-50.
- Atzmon, G., M. Cho, R. M. Cawthon, *et al.* (2010), Genetic variation in human telomerase is associated with telomere length in Ashkenazi centenarians, *Proceedings of the National Academy of Sciences*, 107(suppl 1), 1710-1717.
- Balitbangkes (2018), Hasil utama riskesdas 2018, Jakarta: Kementerian Kesehatan Republik Indonesia.
- Bao, Y., J. Prescott, C. Yuan, *et al.* (2017), Leucocyte telomere length, genetic variants at the TERT gene region and risk of pancreatic cancer, *Gut*, 66(6), 1116-1122.
- Baode, L., D. Liu, Y. Zhenyuan, *et al.* (2016), Association between genetic polymorphism of TERT and CLK3 with susceptibility of bladder cancer, *The Journal of Practical Medicine*, 32(11), 1806-1809.
- Barrett, E. L. B., and D. S. Richardson (2011), Sex differences in telomeres and lifespan, *Aging Cell*, 10, 913 - 921.
- Bayne, S., M. E. Jones, H. Li, *et al.* (2008), Estrogen deficiency leads to telomerase inhibition, telomere shortening and reduced cell proliferation in the adrenal gland of mice, *Cell research*, 18(11), 1141-1150.
- Bedell, S., M. Nachtigall, and F. Naftolin (2014), The pros and cons of plant estrogens for menopause, *The Journal of steroid biochemistry and molecular biology*, 139, 225-236.
- Belej, L., M. Šnirc, T. Fekete, *et al.* (2016), Comparison of phytoestrogens dietary intake from vegetables and fruit in selected population in Slovakia, *Potravinarstvo Slovak Journal of Food Sciences*, 10(1), 680-684.
- Bhagwat, S., D. B. Haytowitz, and J. M. Holden (2008), USDA database for the isoflavone content of selected foods release 2.0, *Maryland: US Department of Agriculture*, 15.
- Bhagwat, S., D. B. Haytowitz, and J. M. Holden (2014), USDA database for the flavonoid content of selected foods, Release 3.1, *US Department of Agriculture: Beltsville, MD, USA*.
- BKKBN (2016), Laporan Kerja Instansi Pemerintah 2015 *Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional*.

- Boccardi, V., and G. Paolisso (2013), Malleability of Short Telomeres by Telomerase Activators: A Mini-review, *Aging Sci*, 1(108).
- Bojesen, S. E., K. A. Pooley, S. E. Johnatty, *et al.* (2013), Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer, *Nature genetics*, 45(4), 371-384.
- BPS (2016), Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2015, edited.
- Breu, A., B. Sprinzing, K. Merkl, *et al.* (2011), Estrogen reduces cellular aging in human mesenchymal stem cells and chondrocytes, *Journal of Orthopaedic Research*, 29(10), 1563-1571.
- Calado, R. T., C. A. Stratakis, W. T. Yewdell, *et al.* (2009), Sex hormones, acting on the TERT gene, increase telomerase activity in human primary hematopoietic cells, *Blood*, 114(11), 2236-2243.
- Carkic, J., N. Nikolic, S. Radojevic-Skodric, *et al.* (2016), The role of TERT-CLPTM1L SNPs, hTERT expression and telomere length in the pathogenesis of oral squamous cell carcinoma, *Journal of oral science*, 58(4), 449-458.
- Cassidy, A., I. D. Vivo, Y. Liu, *et al.* (2010), Associations between diet, lifestyle factors, and telomere length in women, *Am J Clin Nutr*, 91, 1273–1280.
- Cassidy, A., J. E. Brown, A. Hawdon, *et al.* (2006), Factors affecting the bioavailability of soy isoflavones in humans after ingestion of physiologically relevant levels from different soy foods, *The Journal of nutrition*, 136(1), 45-51.
- Cawthon, R. M. (2002), Telomere measurement by quantitative PCR, *Nucleic acids research*, 30(10), e47-e47.
- Cederroth, C. R., C. Zimmermann, and S. Nef (2012), Soy, phytoestrogens and their impact on reproductive health, *Molecular and cellular endocrinology*, 355(2), 192-200.
- Chae, D. H., A. M. Nuru-Jeter, N. E. Adler, *et al.* (2014), Discrimination, Racial Bias, and Telomere Length in African-American Men, *Am J Prev Med*, 46(2), 103 - 111.
- Chan, R., J. Woo, E. Suen, J. Leung, and N. Tang (2010), Chinese tea consumption is associated with longer telomere length in elderly Chinese men, *British Journal of Nutrition*, 107 – 113.
- Chen, W., M. Kimura, S. Kim, *et al.* (2011), Longitudinal versus cross-sectional evaluations of leukocyte telomere length dynamics: age-dependent telomere shortening is the rule, 66(3), 312-319.
- Cheung, S., and C.-B. Tan (2007), *Food and foodways in Asia: Resource, tradition and cooking*, Routledge.

- Cong, Y.-S., J. Wen, and S. Bacchetti (1999), The human telomerase catalytic subunit hTERT: organization of the gene and characterization of the promoter, *Human molecular genetics*, 8(1), 137-142.
- Cordain, L., S. B. Eaton, A. Sebastian, *et al.* (2005), Origins and evolution of the Western diet: health implications for the 21st century, *The American journal of clinical nutrition*, 81(2), 341-354.
- Cornwell, T., W. Cohick, and I. Raskin (2004), Dietary phytoestrogens and health, *Phytochemistry*, 65(8), 995-1016.
- Crous-Bou, M., T. T. Fung, J. Prescott, *et al.* (2014), Mediterranean diet and telomere length in Nurses' Health Study: population based cohort study, *BMJ*, 349.
- Dalgard, C., A. Benetos, S. Verhulst, *et al.* (2015), Leukocyte telomere length dynamics in women and men: menopause vs age effects, *International Journal of Epidemiology*, 1688 - 1695.
- de Kat, A., V. Dam, N. Onland-Moret, *et al.* (2017), Unraveling the associations of age and menopause with cardiovascular risk factors in a large population-based study, *BMC medicine*, 15(1), 2.
- de Lange, T. (2009), How telomeres solve the end-protection problem, *Science*, 326(5955), 948-952.
- de Martino, M., C. Taus, I. Lucca, *et al.* (2016), Association of human telomerase reverse transcriptase gene polymorphisms, serum levels, and telomere length with renal cell carcinoma risk and pathology, *Molecular carcinogenesis*, 55(10), 1458-1466.
- Desmawati, D. (2014), Korelasi pengukuran antropometri dengan tekanan darah dan angiotensinogen plasma pada dewasa, *MKA*, 37(Supl. 2).
- Dosi, R., N. Bhatt, P. Shah, and R. Patell (2014), Cardiovascular disease and menopause, *Journal of clinical and diagnostic research: JCDR*, 8(2), 62.
- Fleischman, D. S., Navarrete CD, and Fessler DM (2010), Oral contraceptives suppress ovarian hormone production, *Psychol Sci*, 21, 750-752.
- Furukawa, S., T. Fujita, M. Shimabukuro, M. Iwaki, and Y. Yamada (2004), Increased oxidative stress in obesity and its impact on metabolic syndrome, *J. Clin. Invest*, 114, 1752-1761.
- Gilligan, L. C., A. Gondal, V. Tang, *et al.* (2017), Estrone Sulfate Transport and Steroid Sulfatase Activity in Colorectal Cancer: Implications for Hormone Replacement Therapy, *Frontiers in Pharmacology*, 8(103).
- Gu, Y., L. Honig, N. Schupf, *et al.* (2015), Mediterranean diet and leukocyte telomere length in a multiethnic elderly population, *AGE*, 37, 24.

- Handayani, V., T. Nurseta, and Sutrisno (2010), Perbandingan Ekspresi Reseptor Estrogen β dengan Penambahan Berbagai Dosis Genistein pada Sel Endotel HUVEC yang Mengalami Stres Oksidatif, *Maj Obstet Ginekol Indones*, 34(1), 24 - 30.
- Harlow, S. D., M., J. E. H . Gass., P. M. R. Lobo., *et al.* (2012), Executive Summary of The Stages of Reproductive Aging Workshop + 10 : Addressing The Unfinished Agenda of Staging Reproductive Aging. Menopause., *The Journal of The North American Menopause Society*, 19, 1-9.
- Harte, A. L., N. F. da Silva, M. A. Miller, *et al.* (2012), Telomere lenght attrition, a marker of biological senescence is inversely correlated with triglycerides and cholesterol in South Asian Males with Type 2 Diabetes Mellitus, *Experimental Diabetes Research*.
- Hashemi, M., S. Amininia, M. Ebrahimi, *et al.* (2014), Association between hTERT polymorphisms and the risk of breast cancer in a sample of Southeast Iranian population, *BMC research notes*, 7(1), 895.
- Hassan, L. S., R. S. Monson, and K. K. Danielson (2017), Estradiol levels may differ between premenopausal women, ages 18-50, with type 1 diabetes and matched controls, *Diabetes Metab Res Rev*, 33(2).
- Hatma, R., 43(1), pp. 4 – 11 (2011), Lipid profiles among diverse ethnic groups in Indonesia, *Acta Medica Indonesiana*, 43(1), 4 - 11.
- Jalal, F., N. I. Liputo, N. Susanti, and F. Oenzil (2008), Lingkar Pinggang, Kadar Glukosa Darah, Trigliserida dan Tekanan Darah pada Etnis Minang di Kabupaten Padang Pariaman, Sumatera Barat, *Media Medika Indonesiana*, 43(3), 129-136.
- Jannuzzi, A. T., E. Karaman, E. Oztas, H. T. Yanar, and G. Özhan (2015), Telomerase reverse transcriptase (TERT) gene variations and susceptibility of colorectal cancer, *Genetic testing and molecular biomarkers*, 19(12), 692-697.
- Jefferson, W. N., and C. J. Williams (2011), Circulating levels of genistein in the neonate, apart from dose and route, predict future adverse female reproductive outcomes, *Reproductive Toxicology*, 31(3), 272-279.
- Jones, C. W., C. Gambala, K. C. Esteves, *et al.* (2016), Differences in placental telomere length suggest a link between racial disparities in birth outcomes and cellular aging, *Am J Obstet Gynecol*, e1 - e8.
- Kark, J. D., N. Goldberger, M. Kimura, R. Sinnreich, and A. J. T. A. j. o. c. n. Aviv (2012), Energy intake and leukocyte telomere length in young adults—, 95(2), 479-487.

- Khan, S., D. P. Naidoo, and A. A. Chuturgoon (2012), Telomeres and atherosclerosis: review article, *Cardiovascular journal of Africa*, 23(10), 563-571.
- Kyo, S., M. Takakura, T. Kanaya, *et al.* (1999), Estrogen Activates Telomerase, *Cancer Research*, 59, 5917 - 5921.
- Ledwon, J. K., Hennig EE, Maryan N, *et al.* (2013), Common low-penetrance risk variants associated with breast cancer in Polish women, *BMC Cancer*, 13, 510.
- Legette, L. L., W.-H. Lee, B. R. Martin, *et al.* (2011), Genistein, a phytoestrogen, improves total cholesterol and Synergy®, a prebiotic, improved calcium utilization but there were no synergistic effects, *Menopause (New York, NY)*, 18(8), 923.
- Lewis-Wambi, J. S., and V. C. Jordan (2009), Estrogen regulation of apoptosis: how can one hormone stimulate and inhibit?, *Breast Cancer Research*, 11(3), 206.
- Ley, S. H., Y. Li, D. K. Tobias, *et al.* (2017), Duration of Reproductive Life Span, Age at Menarche, and Age at Menopause Are Associated With Risk of Cardiovascular Disease in Women, *Journal of the American Heart Association*, 6(11), e006713.
- Lin, C.-F., Y.-H. Chang, S.-C. Chien, Y.-H. Lin, and u.-Y. Yeh (2018), Epidemiology of Dyslipidemia in the Asia Pacific Region, *International Journal of Gerontology*, 12, 2 - 6.
- Lin, J., C. H. Kroenke, E. Epel, *et al.* (2011), Greater endogenous estrogen exposure is associated with the telomere maintenance in postmenopausal women at risk for cognitive decline, *Brain Res*, 1379, 224 - 231.
- Lisabeth, L. D., A. S. Beiser, D. L. Brown, *et al.* (2009), Age at natural menopause and risk of ischemic stroke, *Stroke*, 40(4), 1044-1049.
- Liu, J.-P., and H. Li (2010), Telomerase in the ovary, *Reproduction and Fertility*, 140, 215 - 222.
- Liu, Z.-m., S. C. Ho, Y.-m. Chen, J. Liu, and J. Woo (2014), Cardiovascular risks in relation to daidzein metabolizing phenotypes among Chinese postmenopausal women, *Plos one*, 9(2), e87861.
- Lu, W., Zhang Y, Liu D, and et al (2013), Telomeres-structure, function, and regulation, *Exp Cell Res*, 319, 131 - 141.
- Ma, Z., Q. Hu, Z. Chen, *et al.* (2013), Systematic Evaluation of Bladder Cancer Risk-Associated Single-Nucleotide Polymorphisms in a Chinese Population, *Molecular carcinogenesis*.
- Marcon, F., E. Siniscalchi, R. Crebelli, *et al.* (2012), Diet-related telomere shortening and chromosome stability, *Mutagenesis*, 27(1), 49–57.

- Martino, M. d., C. Taus, I. Lucca, *et al.* (2016), Association of Human Telomerase Reverse Transcriptase Gene Polymorphisms, Serum Levels, and Telomere Length With Renal Cell Carcinoma Risk and Pathology, *Molecular carcinogenesis*, 55(10), 1458 - 1466.
- MFMER (2016), *Rochester Interpretive Handbook, Mayo Foundation for Medical Education and Research*, Mayo Clinic, Mayo medical laboratories.
- Mirabello, L., C. C. Chung, M. Yeager, and S. A. Savage (2014), Characterization of population-based variation and putative functional elements for the multiple-cancer susceptibility loci at 5p15.33[version 1; referees: 2 approved], *F1000 Research*, 3(231), 1-13.
- Mondul, A. M., C. Rodriguez, E. J. Jacobs, and E. E. Calle (2005), Age at natural menopause and cause-specific mortality, *American journal of epidemiology*, 162(11), 1089-1097.
- Montpetit, A., A. Alhareeri, M. Montpetit, and et al. (2014), Telomere length : A Review of Methods for Measurment, *Nurs. Res*, 63(4), 289-299.
- Muljati, S., S. Suwarti, H. Harahap, *et al.* (2003), Hubungan Konsumsi Kacang-kacangan (Sumber Phytoestrogen) dengan usia menopause *Penelitian Gizi dan Makanan*, 26(1), 21-30.
- Mulyati, S., A. Triwinarto, and B. Budiman (2006), Konsumsi isoflavon berhubungan dengan usia mulai menopause, *Universa Medicina*, 25(4), 148 - 154.
- Mundstocka, E., H. Zatti, F. M. Louzadaa, *et al.* (2015), Effects of physical activity in telomere length: Systematic review and meta-analysis, *Ageing Research Reviews*, 22, 72-80.
- NCBI (2017), TERT telomerase reverse transcriptase [Homo sapiens (human)], edited, NCBI.
- Newson, L. (2018), Menopause and cardiovascular disease, *Post Reproductive Health*, 24(1), 44-49.
- O'Callaghan, N., and M. Fenech (2011), A quantitative PCR method for measuring absolute telomere length, *Biol Proced Online*, 13(3), 1-10
- Oeseburg, H., R. A. de Boer, W. H. van Gilst, and P. van der Harst (2010a), Telomere biology in healthy aging and disease, *Pflügers Archiv-European Journal of Physiology*, 459(2), 259-268.
- Oeseburg, H., R. A. d. Boer, W. H. v. Gilst, and P. v. d. Harst (2010b), Telomere biology in healthy aging and disease, *Eur J Physiol*, 459, 259 - 268.
- Oztas, E., H. Kara, Z. P. Kara, *et al.* (2016), Association between human telomerase reverse transcriptase gene variations and risk of developing breast cancer, *Genetic testing and molecular biomarkers*, 20(8), 459-464.

- Paterni, I., C. Granchi, J. A. Katzenellenbogen, and F. Minutolo (2014), Estrogen receptors alpha (ER α) and beta (ER β): subtype-selective ligands and clinical potential, *Steroids*, 90, 13-29.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (2013), Pedoman Tatalaksana Dislipidemia, *Jurnal Kardiologi Indonesia*.
- Phipps, A. I., L. Ichikawa, E. J. Bowles, *et al.* (2010), Defining menopausal status in epidemiologic studies: a comparison of multiple approaches and their effects on breast cancer rates, *Maturitas*, 67(1), 60-66.
- Pizot, C., M. Boniol, P. Mullie, *et al.* (2016), Physical activity, hormone replacement therapy and breast cancer risk: A meta-analysis of prospective studies, *European Journal of Cancer*, 52, 138-154.
- Poluzzi, E., C. Piccinni, E. Raschi, *et al.* (2014), Phytoestrogens in postmenopause: the state of the art from a chemical, pharmacological and regulatory perspective, *Current medicinal chemistry*, 21(4), 417-436.
- Prescott, J., M. Du, J. Wong, J. Han, and I. De Vivo (2012), Paternal age at birth is associated with offspring leukocyte telomere length in the nurses' health study, *Human Reproduction*, 27(12), 3622-3631.
- Pusat Data dan Sistem Informasi Pertanian (2018), Statistik Konsumsi Pangan Tahun 2018, *Buletin Konsumsi Pangan*.
- Rachmi CN, Li M, and Alison BL (2017), Overweight and obesity in Indonesia: prevalence and risk factors—a literature review, *Public Health*, 147, 20 - 29
- Ramdath, D. D., E. M. Padhi, S. Sarfaraz, S. Renwick, and A. M. Duncan (2017), Beyond the Cholesterol-Lowering Effect of Soy Protein: A Review of the Effects of Dietary Soy and Its Constituents on Risk Factors for Cardiovascular Disease, *Nutrients*, 9(4), 324.
- Rane, G., W.-P. Koh, M. M. Kanchi, *et al.* (2015), Association Between Leukocyte Telomere Length and Plasma Homocysteine in a Singapore Chinese Population, *Rejuvenation Research*, 18(3), 201 - 210.
- Reinwald, S., S. R. Akbas, and C. M. Weaver (2010), Whole versus the piecemeal approach to evaluating soy, *The Journal of nutrition*, 140(12), 2335S-2343S.
- Ren, F., C. Li, H. Xi, Y. Wen, and K. Huang (2009), Estimation of Human Age According to Telomere Shortening in Peripheral Blood Leukocytes of Tibetan, *Am J Forensic Med Pathol*, 30, 252 - 255.
- Riediger, N. D., and M. H. Moghadasian (2008), Patterns of fruit and vegetable consumption and the influence of sex, age and socio-demographic factors among Canadian elderly, *Journal of the American College of Nutrition*, 27(2), 306-313.

- Rietjens, I. M., J. Louisse, and K. Beekmann (2016), The potential health effects of dietary phytoestrogens, *British journal of pharmacology*.
- Rietjens, I. M., A. M. Sotoca, J. Vervoort, and J. Louisse (2013), Mechanisms underlying the dualistic mode of action of major soy isoflavones in relation to cell proliferation and cancer risks, *Molecular nutrition & food research*, 57(1), 100-113.
- Salehi, L., H. Eftekhar, K. Mohammad, *et al.* (2010), Consumption of fruit and vegetables among elderly people: a cross sectional study from Iran, *Nutrition Journal*, 9(1), 2.
- Sameer, A. S., S. Nissar, and R. Aziza (2014), Telomeres and Estrogens: The Unholy Nexus in Pathogenesis of Atherosclerosis, *Cardiol Res*, 5(3 - 4), 85 - 90.
- Sanders, J. L., and A. B. Newman (2013), Telomere Length in Epidemiology: A Biomarker of Aging, Age-Related Disease, Both, or Neither?, *Epidemiologic Reviews*, 35, 112 - 131.
- Savage, S. A., Chanock SJ, Lissowska J, *et al.* (2007), Genetic variation in five genes important in telomere biology and risk for breast cancer, *Br J Cancer*, 97, 832-836.
- Setchell, K. D., N. M. Brown, and E. Lydeking-Olsen (2002), The clinical importance of the metabolite equol—a clue to the effectiveness of soy and its isoflavones, *The Journal of nutrition*, 132(12), 3577-3584.
- Shin, Y.-A., and K.-Y. Lee (2016), Low estrogen levels and obesity are associated with shorter telomere lengths in pre-and postmenopausal women, *Journal of Exercise Rehabilitation*, 12(3), 238.
- Singh, V., P. K. Jaiswal, and R. D. Mittal (2014), Replicative study of GWAS TP63C/T, TERTC/T, and SLC14A1C/T with susceptibility to bladder cancer in North Indians, paper presented at Urologic Oncology: Seminars and Original Investigations, Elsevier.
- Sirotnik, A. V., and A. H. Harrath (2014), Phytoestrogens and their effects, *European journal of pharmacology*, 741, 230-236.
- Sirtori, C. R., A. Arnoldi, and S. K. Johnson (2005), Phytoestrogens: end of a tale?, *Annals of medicine*, 37(6), 423-438.
- Soares, C. N., and L. S. Cohen (2001), The Perimenopause, Depressive Disorders, and Hormonal Variability, *Sao Paulo Medical Journal*, 119, 78 - 83.
- Soerensen, M., M. Thinggaard, M. Nygaard, *et al.* (2012), Genetic variation in TERT and TERC and human leukocyte telomere length and longevity: a cross-sectional and longitudinal analysis, *Aging Cell*, 11(2), 223-227.
- Soewondo, P., and L. A. Pramono (2011), Prevalence, characteristics, and predictors of pre-diabetes in Indonesia, *Med J Indones*, 20, 283-294.

- Song, Z., G. Figura, J. Kraus, C. Torrice, and et.al. (2010), Lifestyle impacts on the aging associated expression of biomarkers of DND damage and telomere dysfunction in human blood, *Aging Cell*, 9, 607-615.
- Soni, M., T. B. W. Rahardjo, R. Soekardi, *et al.* (2014), Phytoestrogens and cognitive function: a review, *Maturitas*, 77, 209 - 220.
- Soules, M. R., S. Sherman, E. Parrott, *et al.* (2001), Executive summary: stages of reproductive aging workshop (STRAW), *Climacteric*, 4(4), 267-272.
- Stewart, J. A., M. F. Chaiken, F. Wang, and C. M. Price (2012), Maintaining the end: roles of telomere proteins in end-protection, telomere replication and length regulation, *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 730(1), 12-19.
- Teekachunhatean, S., NatnitaMattawanon, and S. Khunamornpong (2015), Short-Term Isoflavone Intervention in the Treatment of Severe Vasomotor Symptoms after Surgical Menopause: A Case Report and Literature Review, *Case Reports in Obstetrics and Gynecology*.
- Thorbjarnardottir, T., E. J. Olafsdottir, U. A. Valdimarsdottir, O. Olafsson, and L. Tryggvadottir (2014), Oral contraceptives, hormone replacement therapy and breast cancer risk: a cohort study of 16 928 women 48 years and older, *Acta oncologica*, 53(6), 752-758.
- Tiainen, A.-M., S. Mannisto, Blomstedt, *et al.* (2012), Leukocyte telomere length and its relation to food and nutrient intake in an elderly population, *European Journal of Clinical Nutrition*, 66, 1290–1294.
- Tim Biomedis Riset Kesehatan Dasar, B. P. d. P. K. K. K. R. I. (2010), Laporan Riset Kesehatan Dasar (Riskeidas) Bidang Biomedis 20 - 25.
- Townsend, M. K., H. Aschard, I. De Vivo, K. B. Michels, and P. Kraft (2016), Genomics, telomere length, epigenetics, and metabolomics in the nurses' health studies, *American journal of public health*, 106(9), 1663-1668.
- Tucker, L. A. (2018), Dietary Fiber and Telomere Length in 5674 US Adults: An NHANES Study of Biological Aging, *Nutrients*, 10(4), 400.
- US Department of Health and Human Services (2002), American Diabetes Association. HHS, ADA warn Americans of “prediabetes”, *Washington, DC, DHHS*.
- Utari, D. M., R. Rimbawan, H. Riyadi, M. Muhilal, and P. Purwantyastuti (2010), Pengaruh pengolahan kedelai menjadi tempe dan pemasakan tempe terhadap kadar isoflavon (Effects of soybean processing becoming tempeh and the cooking of tempeh on isoflavones level), *Nutrition and Food Research*, 33(2).

- van der Schouw, Y. T., S. Kreijkamp-Kaspers, P. H. Peeters, *et al.* (2005), Prospective study on usual dietary phytoestrogen intake and cardiovascular disease risk in Western women, *Circulation*, 111(4), 465-471.
- Vedrine, N., J. Mathey, C. Morand, *et al.* (2006), One-month exposure to soy isoflavones did not induce the ability to produce equol in postmenopausal women, *European Journal of Clinical Nutrition*, 60(9), 1039-1045.
- Wright, Y. L. (2011), Secret About Bioidentical hormone : To Lost Fat and Prevent Cancer, Heart Disease, Menopause, Andropause By Optimizing Adrenals, Thyroid, Estrogen, Progesterone, Testosterone and Growth Hormone, edited, p. 119, Lulu.com, USA.
- Wyatt, H. D., A. R. Tsang, D. A. Lobb, and T. L. Beattie (2009), Human telomerase reverse transcriptase (hTERT) Q169 is essential for telomerase function in vitro and in vivo, *Plos one*, 4(9), e7176.
- Xiao, X., and W. He (2017), Genetic polymorphisms in the TERT-CLPTM1L region and lung cancer susceptibility in Chinese males, *Oncology letters*, 14(2), 1588-1594.
- Xing, Y. I., F. Liu, J. f. Li, *et al.* (2016), Case–Control Study on Impact of the Telomerase Reverse Transcriptase Gene Polymorphism and Additional Single Nucleotide Polymorphism (SNP)–SNP Interaction on Non-Small Cell Lung Cancers Risk in Chinese Han Population, *Journal of clinical laboratory analysis*, 30(6), 1071-1077.
- Yoo, S. S., S. K. Do, J. E. Choi, *et al.* (2015), TERT polymorphism rs2853669 influences on lung cancer risk in the Korean population, *Journal of Korean medical science*, 30(10), 1423-1428.
- Yuan, X., G. Cheng, J. Yu, *et al.* (2017), The TERT promoter mutation incidence is modified by germline TERT rs2736098 and rs2736100 polymorphisms in hepatocellular carcinoma, *Oncotarget*, 8(14), 23120.
- Yulifianti, R., S. Muzaianah, and J. S. Utomo (2018), Kedelai sebagai Bahan Pangan Kaya Isoflavon, *Buletin Palawija*, 16(2), 84-93.
- Zhang, C., Y.-P. Tian, Y. Wang, *et al.* (2013), hTERT rs2736098 genetic variants and susceptibility of hepatocellular carcinoma in the Chinese population: a case-control study, *Hepatobiliary & Pancreatic Diseases International*, 12(1), 74-79.
- Zhou, M., L. Zhu, X. Cui, *et al.* (2015), Influence of diet on leukocyte telomere length, markers of inflammation and oxidative stress in individuals with varied glucose tolerance: a Chinese population study, *Nutrition journal*, 15(1), 39.