

## DAFTAR PUSTAKA

- Aehlert, Barbara. (2012). *ACLS Study Guide*. Unites States of America : Elsevier
- Al-khatib, S. M., & Page, R. L. (2016). Acute Treatment of Patients With Supraventricular Tachycardia. *JAMA Cardiology Clinical Guidelines Synopsis, 1* (4) , 2015 – 2017. [https : // doi. Org / 10. 1001 / jamacardio. 2016. 1483](https://doi.org/10.1001/jamacardio.2016.1483). Conflict
- Appelboam, A., Dayer, M., Mann, C., Vickery, J., Barton, A., Reuben, A., Gagg, J. (2015). Postural modification to the standard Valsalva manoeuvre for emergency treatment of supraventricular tachycardias (REVERT): a randomised controlled trial. *The Lancet, 386*(10005), 1747–1753. [https://doi.org/10.1016/s0140-6736\(15\)61485-4](https://doi.org/10.1016/s0140-6736(15)61485-4)
- Appelboam A, Reuben A, Mann C, et al. Randomised Evaluation of modified Valsalva Effectiveness in Re-entrant Tachycardias (REVERT) study. *BMJ Open* 2014;4: e004525. doi:10.1136/bmjopen-2013-004525
- Bibas, L., Levi, M., & Essebag, V. (2016). Diagnosis and management of supraventricular tachycardias. *CMAJ, 188*, 17–18.
- Bulechek, G.M, Butcher, H.K., Dochterman, J.M. Wagner, C.M. (2016). *Nursing Interventions Classification (NIC)*. Edisi Keenam. Singapore : Elsevier
- Dayer, M., Mann, C., Vickery, J., Barton, A., Reuben, A., Ewings, P., Gagg, J. (2015). Postural modification to the standard Valsalva manoeuvre for emergency treatment of supraventricular tachycardias (REVERT): a randomised controlled trial. *The Lancet, 386*(10005), 1747–1753. [https://doi.org/10.1016/s0140-6736\(15\)61485-4](https://doi.org/10.1016/s0140-6736(15)61485-4)
- Doenges, M.E., Moorhouse, M.F., Murr, A.C. (2014). *Nursing Care Plan*. Philadelphia : Davis Company
- Dogan, H., Ozucelik, D. N., Aciksari, K., Caglar, I. M., & Okutan, N. (2015). To decide medical therapy according to ECG criteria in patients with supraventricular tachycardia in emergency department: adenosine or diltiazem. *Int J Clin Exp Med, 8*(6), 9692–9699.
- Ekinci, S., Akgül, G., Ar, E., Aydin, A., & Musalar, E. (2017). Valsalva maneuver techniques for supraventricular tachycardias : Which and how ? *Hong Kong Journal of Emergency Medicine, 24*(6), 298–302. <https://doi.org/10.1177/1024907917740092>

- Fakultas Keperawatan Universitas Andalas. (2014). *Pedoman Penulisan Skripsi Tahun 2015*. Padang : FKep Universitas Andalas
- Green, J.M., Chiaramida, A. J. *EKG 12-Sadapan Terpercaya*. Jakarta : EGC
- Hanash, C. R. & Crosson, J. E., 2010. Emergency Diagnosis and Management of Arrhythmias. *J Emerg Trauma Shock*, Volume 3(3), p. 251–260.
- Hayes, D. D. (2018). Teaching the modified Valsalva maneuver to terminate SVT. *Nursing2018*, 48(12), 82178.
- Heidari, F., Rahzani, K., Iranpoor, D., & Rezaee, K. (2017). IJC Metabolic & Endocrine The effect of oxygen on the outcomes of non-ST-segment elevation acute coronary syndromes . *IJC Metabolic & Endocrine*, 14, 67–71. <https://doi.org/10.1016/j.ijcme.2016.12.002>
- Helton, M. R., Carolina, N., Hill, C., & Carolina, N. (2015). Diagnosis and Management of Common Types of Supraventricular Tachycardia. *American Family Physician*, 92(9), 793–802.
- Hidayat. (2009). *Pengantar Kebutuhan Dasar Manusia*. Aplikasi Konsep dan Proses Keperawatan. Jakarta : Salemba Medika
- Hoyt, K.S, Thomas, J.S. (2007). *Emergency Nursing Core Curriculum*. Unites States of America: Elsevier
- Hudak, C.M., Gallo, B.M. (1997). *Keperawatan Kritis pendekatan Holistik*. Jakarta : EGC
- Kothari, D. S. & Skinner, J. R., 2013. Tachycardias: an update. Volume 91, p. 136–144.
- Malik, S., Sarwar, I., Naeem, K., & Jadoon, M. (2018). The frequency of reversion of paroxysmal supra-ventricular tachycardia with valsalva maneuver Received : Accepted : *Ayub Medical College*, 34(3), 219–223.
- Michaud, A., & Lang, E. (2019). Leg Lift Valsalva Maneuver for Treatment of Supraventricular Tachycardias. *CJEM Journal Club*, 19(3), 235–237. <https://doi.org/10.1017/cem.2016.341>
- Moorhead, S., Johnson, M., Maas, M.L., Swanson, E. (2016). *Nursing Outcomes Classification (NOC)*. Edisi Kelima. Singapore : Elsevier
- Morton, P.G., Fontaine, D.K. (2013). *Essentials of Critical Care Nursing a Holistic Approach*. China : Wolter Kluwer Health

- Motamedi, M., Akbarzadeh, M. A., Safari, S., & Shahhoseini, M. (2017). Valsalva maneuver Using a Handmade Device in. *Emergency*, 5(1), 10–13.
- Noer, Sjaifoellah. (2004). *Buku Ajar Ilmu Penyakit Dalam*. Jakarta : Balai Penerbit FKUI
- Nordblom, A., & Fridlund, B. (2017). Impact on a Person's Daily Life During Episodes of Supraventricular Tachycardia. *Journal of Holistic Nursing*, 35(1), 33–43. <https://doi.org/10.1177/0898010116639722>
- Page, R. L., Joglar, J. A., Caldwell, M. A., Calkins, H., Conti, J. B., Deal, B. J., ... Al-Khatib, S. M. (2016). 2015 ACC/AHA/HRS Guideline for the Management of Adult Patients With Supraventricular Tachycardia. *Journal of the American College of Cardiology*, 67(13), e27–e115. <https://doi.org/10.1016/j.jacc.2015.08.856>
- PERKI. (2016). *Panduan Praktik Klinis (PPK) Dan Clinical Pathway (CP) Penyakit Jantung Dan Pembuluh Darah*. Edisi Pertama. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia
- Raharjo, S. B., Yuniadi, Y., Muzakkir, Yansen, I., Munawar, D. A., & Hermanto, D. Y. (2017). Pedoman Tatalaksana Takiaritmia Supraventrikular (TaSuV). *Indonesian Journal of Cardiology*, 38(2), 109–150.
- Roberts, J.R., Hedges, J.R..(2014). *Clinical Procedures in Emergency Medicine*. China : Elsevier
- Robinson, J.M., Saputra, L. (2014). *Buku Ajar Visual Nursing Jilid satu*. Tangerang : Binarupa Aksara
- Schlechte, E. A., Boramanand, N. & Funk, M., (2011). Supraventricular Tachycardia in the Primary Care Setting: Agerelated Presentation, Diagnosis, and Management. *Journal of Health Care*, 22(5), pp. 289-299
- Scott, K.M.D, Jeffrey, M.C. *Master Plan Kedaruratan Medik*. (2012). Tangerang: Binarupa Aksara
- SDKI. (2016). *Standar Diagnosis Keperawatan Indonesia*. Defenisi dan Indikator Diagnostik. Edisi 6. Pengurus Pusat Persatuan Perawat Nasional Indonesia : Jakarta Selatan
- Smith, G. (2014). Effectiveness and safety of paramedic administration of verapamil and adenosine for the treatment of supraventricular tachycardia : A review of the literature Review *Australasian Journal of Paramedicine*, 11(6).

- Taylor DM, Wong LF. (2004). Incorrect instruction in the use of the Valsalva manoeuvre for paroxysmal supraventricular tachycardia is common. *Emergency Medicine Australasia*.;16(4):284-7
- Terry, C.L., Weaver, A. (2013). *Keperawatan Kritis*. Yogyakarta : Rapha Publishing
- Thornton, H.S., Elwan, M.H., Reynolds, J.A., Timothy J Coats, T.J..(2016). Valsalva using a syringe: pressure and variation. *BMJ Journals*, 33(10). <http://dx.doi.org/10.1136/emmermed-2016-205869>
- Trihono, P.P., Windiastuti, E., Gayatri, P., Sekartini, R., Indawati, W., Idris, N.S.,. (2012). *Kegawatan pada Bayi dan Anak*. Fakultas Kedokteran Universitas Indonesia Departemen Ilmu Kesehatan Anak
- Wheeler, J. T. (2016). Modified Valsalva Maneuver vs . Standard Valsalva Maneuver on Emergency Department Patients Presenting with Supraventricular Tachycardia. *School of Physician Assistant Studies, Paper 587*.
- Wicaksaca, A . L. (2017). *Buku Saku Pedoman Pengkajian dan Pengelolaan Risiko Penyakit Kardiovaskuler*. Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Gadjah Mada

