

DAFTAR PUSTAKA

- Abu-maziad A, Schaa K, Bell E, et al. 2010. **'Role of polymorphic variants as genetic modulators of infection in neonatal sepsis'**. *Pediatric research*. 68(4), 323-329.
- Adib M, Ostadi V, Navaei F, Fosoul FS, Oreizi F, Shkouhi R, et al., 2007. **'Evaluation of CD11b expression on peripheral blood neutrophils for early detection of neonatal sepsis'**. *Iran J Allergy Asthma Immunol*.6:93-6.
- Aird WC, 2003. **'The role of the endothelium in severe sepsis and multiple organ dysfunction syndrome'**. 101;3765-3777.
- Aminullah A, 2008. **Sepsis pada bayi baru lahir**. Dalam: Kosim, MA, Yunanto A, Dewi R, Susasa GI, Usman A. Penyunting. *Buku ajar neonatologi cetakan pertama*. Jakarta: Ikatan dokter anak Indonesia, pp 170-187.
- Amir I dan Rusdian L., 2005. **Patofisiologi sepsis neonatorum: Systemic inflammatory response syndrome (SIRS)**. Dalam (Hegar B, Triwahono PT, Iran EB, penyunting). Pendidikan Kedokteran Berkelanjutan IKA XLVIII: Update in neonatal infection. Jakarta; Departemen Ilmu Kesehatan Anak FKUI-RSCM, 17-23.
- Adriani R, Yanti E, Mariko R. 2018. **Peran Sistem Skoring Hematologi dalam Diagnosis Awal Sepsis Neonatorum Awitan Dini**. *Sari Pediatr*:Vol 20 No 1.
- Ari Yunanto. 2012. **Kualitas dan kuantitas neutrofil saliva bayi baru lahir dengan resiko sepsis**. Disertasi. Program Pascasarjana Universitas Brawijaya, Malang.
- Armant, MA, Henton MJ. 2002. **Toll-like receptors; A family of pattern-recognition in mammals**. *Genome Biology*, 3(8): reviews 3011-1-2011.6.
- Aurangzeb B and Hameed A. 2003. **Neonatal sepsis in hospital-born babies: bacterial isolate and antibiotic susceptibility patterns**. *J Coll Physicians Surg Pak*. Nov;13(11):629-32.
- Bhandari, Wang C, Rinder C and Rinder H. 2008. **Hematologic profile of sepsis in Neonates: Neutrophil CD-64 as a diagnostic marker**. *J Pediatrics*.121:129.
- Blencowe H, Cousens S, Mullany L, Lee A, Keber K, et al. 2011. **Clean birth and postnatal care practices to reduce neonatal deaths from sepsis and tetanus: a systematic review and delphi estimation of mortality effect**. *BMC Public Health* 11 (suppl 3):S41.
- Bochud PY, Bochud M, Felten A, and Calandra T, 2003. **Innate immunogenetics: a toll for exploring new frontiers of host defence**. *Lancet infect dis* 7:531-42.
- Bone RC, 1996. **Immunologic Dissonance : A continuing evolution in our understanding of the systemic inflammatory response syndrome and the multiple organ dysfunction syndrome**, *Ann Intern Med*; 125;690-691.
- Buhimschi CS, Bhandari V, Hamar BD, Bahtiyar MO, Zhao G, et al., 2007. **Proteomic profiling of the amniotic fluid to detect inflammation, infection, and neonatal sepsis**. *PLoS med*. 4(1): e18. doi:10.1371/journal.Pmed.0040018.
- Carrigan SD, Scott G, Tabrizan M, 2004. **Toward resolving the challenges of sepsis diagnosis**. *Clin Chem* 50:1301-14.

- Chun T, et al. **Overview of the Molecular Pathways And Mediators of Sepsis in Sepsis Definitions, Pathophysiology and the Challenge of Bedside Management.** Hal 47, 2017
- Dahmer MK, Randolph A, Vitali S, Quasney MW, 2005. **Genetic polymorfisms in sepsis.** *Pediatr Cri Care Med.* 6:61-73.
- Darmawan I, 2008. **Sepsis neonatorum.** Dalam: Darmawan I, penyunting. Update on sepsis. Jakarta: penerbit Farmedia;. 25-47.
- Dong Y, Speer CP. 2014. **Late onset neonatal sepsis: recent developments.** *Arch Dis Child Fetal Neonatal;* F1-F7.
- Edmond K, Zaidi A, 2010. **New Approach to Preventing, Diagnosing, and Treating Neonatal Sepsis.** *PloS Medicine.* Vol 7: issue 3
- Elkington P et al. **The paradox of matrix metalloproteinases in infectious disease.** *British society for immunology, clinical and experimental immunology,* 142: 12-20, 2005
- Esposito S, Zampieri A, Bagni L et al. **Genetic Polymorphism and sepsis in premature neonates.** *Elos One.* Vol 9:7, 2014
- Fitriani O, Suryantoro P, Wandita S, Wibowo T, Haksari E, et al. 2012. **Diagnostic accuracy of the 200 indonesian pediatric society medical standard of care for neonatal sepsis.** *Paediatr Indones.;* 52:86-90 for an 3:41-45.
- Gardner, SE. 2009. **Sepsis in the neonate.** *Crit Care Nurs Clin N:Am.* 21;121-14
- Gebremedhin D, Berhe H, Gebrekirstos K. 2016. **Risk Factors for Neonatal Sepsis in Public Hospitals of Mekelle City, North Ethiopia, 2015: Unmatched Case-Control Study.** *PLoS One.* 11(5): e0154798
- Giannoni E, Guignard L, Rogée T. 2011 **Estradiol and Progesterone Strongly Inhibit the Innate Immune Response of Mononuclear Cells in Newborns.** *Infur Immun.* 75(7):2690,2698.
- Gomella TL, Cunningham MD, Eyal FG, Zenk KE. 2004. **Neonatology: management, procedures, in-cal problems, diseases and drugs.** 5 ed: 434-67.
- Griffin, MP, Lake DE, Bissonette EA, 2005. **Heart rate characteristics novel physiomerks to predict neonatal infection and death.** *pediatric.;* 116:1676-74
- Hendrarto TW. 2017. **How to Make Early Diagnosis of Neonatal Sepsis? Update on Management of Neonatal Infection 3rd Annual Neonatology Update.**
- Jjimenez-Sousa AM, Liu P, Medrano ML, et al. 2018. **Association of CD14 rs2569190 polymorphism with mortality in shock septic patients who underwent major cardiac or abdominal surgery: A retrospective study.** *Scientific Reports.* 8:2698.
- Jordan JA, Durso MB, Butchko AR, Jones JG, Bozanski BS., 2006. **Evaluating the near-term infant for early onset sepsis.** Progress and challeges to consider with 16S rDNA polymerase chain reaction testing. *Journal of molecular diagnostics,* vol.8, No. 3.
- Kawamura M, Nishida H, 1995. **The usefulness of serial C-reactive protein measurements in managing neonatal infection.** *Act Paed.* 84:10-13.

- Khadhim M, al-Hajjah N, Shaheed O, 2017. **Genotyping polymorphism of the CD14 gene and the risk of sepsis in Iraqi neonates**. World journal of pharmaceutical research; vol 6; 4; 1453-1462
- Khaertynov K, Anokhin V, Rizvanov A, et al. **Genetic polymorfism and bacterial infections in neonates**. 2016
- Khashu M, Osiovich H, Henry D, Khotani AA, Solimano A, Speert DP, 2006. **Persistent bacteremia and severe thrombocytopenia caused by coagulase-negative Staphylococcus in a neonatal intensive care unit**. Pediatrics.;117;340-348.
- Lamkanfi M, Dostert C, et al.,. **Activation Of The NLRP3 Inflammasome**. 2009
- Latief A, Chairulfatah A, Alam A, dkk 2016. **Diagnosis dan Tata Laksana Sepsis pada Anak**. Jakarta:Badan Penerbit IDA. 1-2
- Lavoie P, Hwang Q, Tolette E, Whalen M, Nuyt M, et al, 2010. **Profound lack of interleukin (IL)-12/IL-23p40 in neonates born early in gestation is associated with an increased risk of sepsis**. J Infect Dis.;202(11):1754-63
- Lawn JE, Cousens S, Zupan J, 2005. **4 Million neonatal deaths: When? Where? Why?** Lancet.;365:891-900.
- Lawn JE, Ketende Kw, Cousens SN, 2006. **Estimating the causes of 4 million neonatal deaths in the year 2000**. International Journal of epidemiology.;35:706-718
- Levinson W, Jawetz E, 2003. **Medical Microbiology & Immunology: Examination & Board Review**, 7th Edition, McGraw-Hill Companies USA: 130-31.
- Manning SD, Springman AC, Lehotzky E, Lewis MA, Whittam TS, et al., 2009. **Multifocus sequence types associated with neonatal group B streptococcal sepsis and meningitis in Canada**. Journal of clinical microbiology. 47: 1143-1148.
- Marodi L, 2006. **Neonatal innate immunity to infectious agents**. Infect immun. 74:1999-2003.
- Martin S. **Neonatal sepsis: an overview**. Bulletin of National Institute of Immunohaematology (I.C.M.R), Vol.46 : No.3, 2015
- Michael M, 2005. **Biomarker of sepsis: clinically usefull**. Curr Opin Crit Care 11:473-480
- Michalek U, Svethikova P, Fedora M, et al. 2007. **Bacterioidal permeability increasing protein gene variants in children with sepsis**. Intensive Care Med. 33: 2158-2164.
- Mishra UK, Jacobs SE, Doyle LW, Garland SM, 2006. **Newer approaches to the diagnosis of early onset neonatal sepsis**. Arch Dis Child Fetal Neonatal Ed;91;208-212.
- Monitja HE. **Infeksi sistemik pada neonatus**, 1997. Dalam Yu VY, Monintja HE, Penyunting. Beberapa masalah perawatan intensif neonatus. Jakarta; Balai penerbit FKUI. 217-30.
- Mustarim. **Faktor Risiko Dan Pencegahan Komplikasi Sepsis Neonatal 2017**. Dalam Update On Management Of Neonatal Infection. Lampung. 134-136
- Mustarim M, Rohsiswatmo R. 2017. **Hubungan Kepatuhan Cuci Tangan Terhadap Kejadian Infeksi Aliran darah Di unit Neonatal Sebelum dan Setelah Edukasi**. Sari Pediatri.

- Nupponen I, Turunen R, Nevalainen T, et al. **Extracellular release of bactericidal/ permeability-increasing protein in newborn infants.** Pediatric research; vol 51, no 6, 2002
- Pazidis A, Champipis A, Gkoukourelas I, Boura P, 2012. **CD14/TLR4 in sepsis pathogenesis and therapy.** Aristotle Univ Med Journal. Vol 39:1.19-28.
- Pizzini C, Mussap M, Plebani M, Fanos V, 2000. **C-Reactive protein and serum amyloid A Protein in neonatal infection.** Scand J Infect Dis.;32:229-35.
- Prambudi R, Zuraidah, 2012. **Diagnostic value of C-Reactive Protein in Sepsis**
- Prambudi R, Zuraidah, 2013. **Uji Kepekaan Antibiotik terhadap Pseudomonas**
- Prambudi R. 2015. **Polimorfisme Asp299Gly dan Thr399Ile Gen TLR-4 pada Sepsis Neonatorum serta Hubungannya dengan Kadar TNF- α dan IL-6**
- Pudjiadi A. **Konsep baru sepsis pada anak dalam integrated management of sick children.** SINAS IDAI Hal. 53, 2017
- Rawat S, Neera K, Preeti K, et al. 2013. **A Review on Type, Etiological Factors, Definition, Clinical Features, Diagnosis Management and Prevention on Neonatal Sepsis.** Journal of Scientific & Innovative Research. 2(4): 802-813.
- Roeslani DR, Amir I, Nasrulloh HM. 2013. **Penelitian Awal: Faktor Risiko pada Sepsis Neonatorum Awitan Dini.** Sari Pediatri Vol 14 No 6
- Rohsiswaino R. 2005. **Kontroversi diagnosis sepsis neonatorum.** Dalam : Update in neonatal infection. Jakarta; Departemen ilmu kesehatan anak FKUI-RSCM; 32-43.
- Rohsiswaino R, Dewanto N, Dewi R, 2010. **Sepsis neonatorum.** Dalam : Pudjiadi AH, Hegar B, Handryastuti S, Salamia I, dkk. Editor, Pedoman Pelayanan Medis Ikatan Dokter Anak Indonesia; 1:263-58.
- Rubath LB. 2005. **Nursing patterns of knowing in assesment of newborn sepsis.** Dissertation doctor of phylsophy, in the graduate college the university of arizona USA
- Sastre J, Solis D, Roques S, Colomer B, Coto D. *et al.*, 2007. **Evaluation of procalcitonin for diagnosis of neonatal sepsis of vetical transmission.** BMC pediatrics; 7:9.
- Sastroasmoro S. 2011. **Dasar dasar Metodologi Penelitian Klinis Edisi ke-4.** Jakarta: Sagung Seto, hal 362.
- Setiati TE. 2009. **Pengelolaan sepsis berat dan syok septik.** Dalam : Soemantri AG, Setiati TE, penyunting. Sepsis dan disfungsi organ multipel pada anak, patofisiologi dan penatalaksanaan. 37-56.
- Shane LA, Sanchez JP, Stoll JB. 2017. **Neonatal Sepsis.** The Lancet, p1-11.
- Sigge A, Schmid M, Maurer S, Spellerberg B, 2008. **Heterogeneity of hemolysin expression during neonatal streptococcusagalactiae sepsis.** Journal of clinical mikrobiology, p.807-809.
- Singh K, Zhang LX, Bendelja K, Heath R, Murphy S, *et al.*. 2010. **Inter-alphainhibitor protein (IAIP) administration improves survival from neonatal sepsis in mice.** Pediatr Res. 2010 september; 68(3):242-247.
- Sjarif HE, 2013. **Sepsis neonatal :Penatalaksanaan terkiniserta berbagaimasalah dilematis.** Dalam: Proceeding Book Meet the Professor of Pediatrics. IKA-DSA FK UNPAD; 2013:90-103.

- Sorensen TI, Nielsen GG, Andersen PK, Teasdale TW, 1998. **Genetic and environmental influences on premature death adoptees.** N Engl J Med. 318:727-32.
- Sorokin Y, Romero R, Mele L, Wapner J, Lams JD, *et al.*, 2010. **Maternal serum interleukin-6, C-Reactive Protein, and matrix metalloproteinase-9 concentrations as risk factors for preterm birth <32 weeks and adverse neonatal outcomes.** Am J Perinatol.; 27(8):631-640.
- Soto M, Bosch J, Jimenez M, Vila J, 2008. **Comparative study of virulence traits of *Escherichia coli* clinical isolates causing early and late neonatal sepsis.** Journal of clinical microbiology., p.1123-1125.
- Stocker M, Hop WCJ, Rossum AM, 2010. **Neonatal procalcitonin intervention study (NeoPInS): Effect of procalcitonin guided decision making on duration of antibiotic therapy in suspected neonatal early-onset sepsis: a multicentre randomized superiority and non-inferiority intervention study.** BMC pediatrics 10:89.
- Stoll B, 2011. **Infections of the neonatal infant.** Dalam: Kliegman M, penyunting. Edisi ke-19 Nelson textbook of pediatrics. Philadelphia, PA: Elsevier Saunders. Hal 629-48.
- Tsai MH, Hsu H, Chu SM, *et al.*, 2017. **Incidence, Clinical Characteristics and Risk Factors for Adverse Outcome in Neonates with Late-Onset Sepsis.** The Pediatrics Infectious Disease Journal. Vol 33: no:1.
- Venkatesh M, Flores A, Luna RA, Versalovic J., 2010. **Molecular microbiological methods in the diagnosis of neonatal sepsis.** Expert Rev anti infect ther; 8(9):1037-1048.
- Verma P, Beraal PK, Nagaraj N, *et al.* 2015. **Neonatal sepsis: epidemiology, clinical spectrum, recent antimicrobial agents and their susceptibility pattern.** Int J Contemp Pediatr; 2(3):176-180.
- Viemann D, Döbel G, Scheffebauer S, Harms E, Gotsch C, *et al.*, 2005. **Expression of toll like receptors in neonatal sepsis.** Pediatric Research. International Pediatrics Research Foundation. 58:4:p.12-25.
- Viswanathan R, Singh AK, Ghosh C, Dasgupta S, Mukherjee S, *et al.*, 2012. **Profile of neonatal septicemia at a district-level sick newborn care unit.** Health population. Mar; 30(1):41-48.
- Wandita S. **Problem Infeksi Pada Neonatus Di Indonesia 2017.** Dalam Update On Management Of Neonatal Infection. Lampung. 2-3.
- Wang H, Wei Y, Zong Y, *et al.* 2014. **The association of polymorphisms of TLR4 and CD14 genes with susceptibility to sepsis in a Chinese population.** BMC medical genetics. 15:123.
- Wu YD, Chen LH, Wu XJ, Shang SQ, Lou JT, *et al.*, 2008. **Gram Stain-Specific-Based Real-Time PCR for diagnosis and discrimination of bacterial neonatal sepsis.** Journal of clinical microbiology; p. 2613-2619.
- Zhang A, Yue C, Gu W, *et al.* 2013. **Association between CD14 Promoter -159C/T Polymorphism and the Risk of Sepsis and Mortality: A Systematic Review and Meta-Analysis.** PLoS One. 8(8):1-9.
- Zhang A, Pan W, Gao J, *et al.* 2014. **Associations between interleukin-1 gene polymorphisms and sepsis risk : a meta-analysis.** BMC Medical genetics. 15:8.