

## DAFTAR PUSTAKA

1. Bhernama BG, Safni S, Syukri S. Degradasi Zat Warna Metanil Yellow Secara Fotolisis dan Penyinaran Matahari dengan Penambahan Katalis TiO<sub>2</sub>-anatase dan SnO<sub>2</sub>. *J Islam Sci Technol.* 2015;1(1):49-62.
2. Putri RA, Safni S, Wellia DV, Septiani U, Jamarun N. Degradation of Orange-F3R and Violet-3B Dyes by Low-Frequency Sonolysis using C-N-Codoped TiO<sub>2</sub> As Catalyst. *J Kim Val.* 2019;5(1):35-43.
3. Zilfa Z, Safni S, Rahmi F. Penggunaan ZnO/zeolit sebagai katalis dalam degradasi tartrazin secara ozonolisis. *J Ris Kim.* 2021;12(1):53-64.
4. Deliza, Safni, Wellia DV. Photocatalytic degradation of Direct Yellow-27 by photolysis with UV-light and solar irradiation Using N-doped TiO<sub>2</sub>. *KnE Eng.* 2019;1(2):62.
5. Dutta P, Mahjebin S, Sufian MA, Razaya Rabbi M, Chowdhury S, Imran IH. Impacts of Natural and Synthetic Mordants on Cotton Knit Fabric Dyed with Natural Dye from Onion Skin in Perspective of Eco-Friendly Textile Process. In: *Materials Today*. Vol 47. Elsevier Ltd; 2021:2633-2640.
6. Fröse A, Schmidke K, Sukmann T, Juhász Junger I, Ehrmann A. Application of natural dyes on diverse textile materials. *Optik (Stuttg).* 2019;181:215-219.
7. Stoica F, Aprodu I, Enachi E, et al. Bioactive's Characterization, Biological Activities, and in Silico Studies of Red Onion (*Allium cepa* L.) Skin Extracts. *Plants.* 2021;10(11).
8. Nurunnesa B, Alamgir Hossain M, Mahbubur Rahman M, & N, Alamgir Hossain σ M, Mahbubur Rahman ρ M. Extraction of Natural Dye Collected from Outer Skin of Onion and it's Application on Silk Fabric. *Glob J Res Eng J Gen Eng.* 2018;18:1-6.
9. Rahman MM, Koh J, Hong KH. Coloration and Multifunctionalization of Cotton Fabrics using Different Combinations of Aqueous Natural Plant Extracts of Onion Peel, Turmeric Root, and Pomegranate Rind. *Ind Crops Prod.* 2022;188.
10. Milenkovic D, Viganó J, Dwivedi M, Kumar Samota M. Onion Anthocyanins: Extraction, Stability, Bioavailability, Dietary Effect, and Health Implications. *Front Nutr.* July 27, 2022:1-20.
11. Arik B, Dikkal I, Karacan S. Evaluation of the dyeing and fastness properties of wool fabrics treated by chitosan in different molecular weights and dyed with mint. *Pamukkale Univ J Eng Sci.* 2020;26(7):1186-1192.
12. Adu REY, Djue Tea MT, Yunita Bouk. Ekstraksi Tanin dari Limbah Kulit Biji Asam dan Penggunaannya Sebagai Biomordan pada Pewarnaan Tenun Timor Secara Alami. *J Ris Kim.* 2022;13(2):178-187.
13. Sadeghi-Kiakhani M, Safapour S, Golpazir-Sorkheh Y. Impact of Chitosan-poly(amidoamine) Dendreimer Hybrid Treatment on Dyeing and Color Fastness Properties of Wool Yarn with Madder Natural Dye. *Prog Color Color Coat.* 2019:241-250.
14. Angendari MD. Pemanfaatan Kulit Bawang Merah Sebagai Pewarna Kain dengan Teknik Jumputan Menggunakan Mordan Tawas, Kapur, dan Tunjung. *JPTK UNDIKSHA.* 2015;12(1):35-46.

15. Santosa EK, Kusumastuti A. Pemanfaatan Daun Tembakau untuk Pewarnaan Kain Sutera dengan Mordan Jeruk Nipis. *TEKNOBUGA*. 2014;1(1):15-24.
16. Islam MR, Khan ANN, Mahmud RU, Haque SMN, Khan MMI. Sustainable Dyeing of Jute-Cotton Union Fabrics with Onion Skin (*Allium cepa*) Dye using Banana Peel (*Musa*) and Guava Leaves (*Psidium guajava*) Extract as Biomordants. *Pigment Resin Technol*. 2022.
17. Aji Priambudi R, Timothy Tarigan K, Siswanti dan. Ekstrak Sabut Kelapa (*Cocos nucifera*) Sebagai Biomordan pada Bahan Tekstil Dengan Pewarna Alami Daun Jati (*Tectona grandis L.f*). In: *Teknik Kimia "Kejuangan."*; 2020:14-15.
18. Ke G, Zhu K, Chowdhury MH. Dyeing of Cochineal Natural Dye on Cotton Fabrics Treated with Oxidant and Chitosan. *J Nat Fibers*. 2021;18(3):317-329.
19. Kampeerapappun P, Phattararittigul T, Jittrong S, Kullachod D. Effect of Chitosan and Mordants on Dyeability of Cotton Fabrics with Ruellia Tuberosa Linn. *Chiang Mai J. Sci*. 2011;38(1):95-104.
20. Kumar Gupta V. Fundamentals of Natural Dyes and Its Application on Textile Substrates. In: *Chemistry and Technology of Natural and Synthetic Dyes and Pigments*. IntechOpen; 2020:1-28.
21. Teli MD, Sheikh J, Shastry P. Exploratory Investigation of Chitosan as Mordant for Eco-Friendly Antibacterial Printing of Cotton with Natural Dyes. *J Text*. 2013;2013:1-6.
22. Cisilya T, Lestario LN, Cahyanti MN. Kinetika Degradasi Serbuk Antosianin Daun Miana (*Coleous scutellarioides* L. Benth) Var. Crispa Hasil Mikroenkapsulasi. *Chim Nat Acta*. 2017;5(3):146.
23. Astria Virifiantari D, Maharani A, Lestari U. Pembuatan Indikator Alami Asam-Basa dari Ekstrak Kulit Bawang Merah (*Allium ascalonicum* L.). *J UMJ*. 2018:1-6.
24. Priska M, Peni N, Carvallo L, Ngapa YD. Antosianin dan Pemanfaatannya. *Cakra Kim (Indonesian E-Journal Appl Chem)*. 2018;6(2):79-97.
25. Deveoglu O. A Review on Onion Skin, a Natural Dye Source. *J Text Color Polym Sci*. 2022;19(2):307-319.
26. Ko EY, Nile SH, Sharma K, Li GH, Park SW. Effect of Different Exposed Lights on Quercetin and Quercetin Glucoside Content in Onion (*Allium cepa* L.). *Saudi J Biol Sci*. 2015;22(4):398-403.
27. Rehman F ur, Adeel S, Shahid M, et al. Dyeing of  $\gamma$ -Irradiated Cotton with Natural Flavonoid Dye Extracted from Irradiated Onion Shells (*Allium cepa*) Powder. *Radiat Phys Chem*. 2013;92:71-75.
28. SM G, HM H. UV Protection Properties of Cotton, Wool, Silk and Nylon Fabrics Dyed with Red Onion Peel, Madder and Chamomile Extracts. *J Text Sci Eng*. 2016;6(4).
29. Fadilah Ahmad A, Nur Hidayati dan, Yani Tromol Pos JA. Pengaruh Jenis Mordan dan Proses Mordanting terhadap Kekuatan dan Efektifitas Warna pada Pewarnaan Kain Katun Menggunakan Zat Warna Daun Jambu Biji Australia. *Indones J Halal*. 2018:1-5.

30. Rohmawati T, Kusumastuti A. Potensi Gulma Babandotan (Ageratum Conyzoides L.) sebagai Pewarna Alam Kain Katun Primissima Menggunakan Mordan Jeruk Nipis, Tawas, Kapur Tohor, dan Tunjung. *TEKNOBUGA*. 2019;7(2):133-138.
31. Failisnur F, Sofyan S, Silfia S, Sy S, Ardinal A. Biomordan gambir pada pewarnaan kain viskos menggunakan ekstrak pewarna dari limbah kulit jengkol (Archidendron jiringa). *J Litbang Ind*. 2018;8(2):77.
32. Ezeabara CA, Okeke CU, Iloobia C V, Aziagba BO. Determination of Tannin Content in Various Parts of Six Citrus Species. *J Sci Res Reports*. 2014;3(10):1384-1392.
33. Phromphen P. Optimization of Marigold Flower Dye Using Banana Peel as a Biomordant. *J Nat Fibers*. 2023;20(1).
34. Hana CM, Rohmat N. Penetapan Kadar Tanin dari Kulit Buah Pisang Raja Masak (*Musa paradisiaca* L.) Secara Spektrofotometri UV-Vis. *MOTORIK*. 2018;13(26):28-39.
35. Mongkholtattanasit R, Kryštufek J, Wiener J, Studničková J. Properties of Wool and Cotton Fabrics Dyed with Eucalyptus, Tannin and Flavonoids. *Fibres Text East Eur*. 2011;19(2):90-95.
36. Rosella F. Penentuan Jenis Tanin secara Kualitatif dan Penetapan Kadar Tanin dari Serabut Kelapa (*Cocos nucifera* L.) secara Permanganometri. *Calyptra*. 2015;4(1):1-16.
37. Saini S, Gupta A, Singh N, Sheikh J. Functionalization of linen fabric using layer by layer treatment with chitosan and green tea extract. *J Ind Eng Chem*. 2020;82:138-143.
38. Kartika Maharani D, Tjahjani S, Kusumawati N. Pewarnaan Batik Tulis Menggunakan Pewarna Alami dan Bahan Fiksasi Kitosan pada Kelompok Batik Tulis Asih Matahari Kota Blitar. *J ABDI*. 2019;4(2):55-58.
39. Shahid-ul-Islam, Butola BS, Roy A. Chitosan polysaccharide as a renewable functional agent to develop antibacterial, antioxidant activity and colourful shades on wool dyed with tea extract polyphenols. *Int J Biol Macromol*. 2018;120:1999-2006.
40. Reningtyas R, Octavianto MR, Septiyansi R. Efek Penambahan Nano Kitosan terhadap Aktivitas Anti Bakteri dan Ketuaan Warna dari Kain Katun yang Dicelup dengan Ekstrak Biji Bixa Orellana. In: *Teknik Kimia “Kejuangan.”*; 2019:1-9.
41. Yousif E, Haddad R. Photodegradation and Photostabilization of Polymers, Especially Polystyrene. *Springerplus*. 2013:1-32.
42. Groeneveld I, Kanelli M, Ariese F, van Bommel MR. Parameters That Affect The Photodegradation Of Dyes And Pigments In Solution And On Substrate – An Overview. *Dye Pigment*. 2023;210(September 2022):110999.
43. Ahmed NSE, Nassar SH, El-Shishtawy RM. Novel Green Coloration Of Cotton Fabric. Part I: Bio-Mordanting And Dyeing Characteristics Of Cotton Fabrics With Madder, Alkanet, Rhubarb And Curcumin Natural Dyes. *Egypt J Chem*. 2020;63(5):1605-1617.

44. Irawan A. Kalibrasi Spektrofotometer Sebagai Penjaminan Mutu Hasil Pengukuran dalam Kegiatan Penelitian dan Pengujian. *Indones J Lab.* 2019;1(2):1624.
45. Suhartati T. Dasar-Dasar Spektrofometri UV-Vis Dan Spektrometri Massa Untuk Penentuan Struktur Senyawa Organik. CV. *Anugrah Utama Raharja*; 2017.
46. Mahmudatussa'adah A, Fardiaz D, Andarwulan N, Kusnandar F. Karakteristik Warna dan Aktivitas Antioksidan Antosianin Ubi Jalar Ungu. *J Teknol dan Ind Pangan*. 2014;25(2):176-184.
47. Wahyuningsih S, Wulandari L, Wartono MW, Munawaroh H, Ramelan AH. The Effect of pH and Color Stability of Anthocyanin on Food Colorant. *IOP Conf Ser Mater Sci Eng*. 2017;193(1).
48. Dachriyanus. *Analisis Struktur Senyawa Organik Secara Spektroskopi*. LPTIK Universitas Andalas; 2004.
49. Bhernama BG, Safni S, Syukri S. Degradasi Zat Warna Metanil Yellow dengan Penyinaran Matahari dan Penambahan Katalis  $TiO_2-SnO_2$ . *Lantanida J*. 2015;3(2):116-126.
50. Shahmoradi Ghaheh F, Moghaddam MK, Tehrani M. Comparison of The Effect of Metal Mordants and Bio-mordants on The Colorimetric and Antibacterial Properties of Natural Dyes on Cotton Fabric. *Color Technol*. 2021;137(6):689-698.
51. Annisa Fitri N. Pengaruh Konsentrasi Kitosan Terhadap Stabilitas Warna Biji Kesumba Pada Kain Katun. *Anal Anal Environ Chem*. 2022;7(01).