

## Daftar Pustaka

1. Marsicovetere P, Ivatury SJ, White B, Holubar SD. Intestinal Intussusception: Etiology, Diagnosis, and Treatment. *Clin Colon Rectal Surg.* 2017;30(1):30–9.
2. Lopes J, Huddart SN. Intussusception. *Surg (United Kingdom).* 2013;31(12):626–30.
3. Murphy TV, Smith PJ, Gargiullo PM, Schwartz B. The first rotavirus vaccine and intussusception: Epidemiological studies and policy decisions. *J Infect Dis.* 2003;187(8):1309–13.
4. Tiwari C, Shah H, Sandlas G, Bothra J. Paediatric Intussusception: A Clinical Scoring System to Predict the Risk of Operative Intervention. *J Mother Child.* 2020;24(1):19–23.
5. Harlim A. *Buku Ajar Ilmu Kesehatan Kulit dan Kelamin : Imunologi Inflmasi.* Jakarta: FK UKI; 2018. 5 p.
6. Yehouenou Tessi RT, El Haddad S, Oze KR, Mohamed Traore WY, Dinga Ekadza JA, Allali N, et al. A Child's Acute Intestinal Intussusception and Literature Review. *Glob Pediatr Heal.* 2021;8:0–4.
7. Köksal H, Ateş D, Nazik EE, Küçükosmanoğlu İ, Doğan SM, Doğru O. Predictive value of preoperative neutrophil-to-lymphocyte ratio while detecting bowel resection in hernia with intestinal incarceration. *Ulus Travma ve Acil Cerrahi Derg.* 2018;24(3):207–10.
8. Okugawa Y, Toiyama Y, Yamamoto A, Shigemori T, Ide S, Kitajima T, et al. Lymphocyte-C-reactive Protein Ratio as Promising New Marker for Predicting Surgical and Oncological Outcomes in Colorectal Cancer. *Ann Surg.* 2020;272(2):342–51.
9. Chen B, Cao J, Yan C, Zheng C, Chen J, Guo C. A promising new predictive factor for detecting bowel resection in childhood intussusception: the lymphocyte-C-reactive protein ratio. *BMC Pediatr [Internet].* 2021;21(1):4–9. Available from: <https://doi.org/10.1186/s12887-021-03068-2>
10. Grosfeld JL, O'Neill JA, Coran AG, Fonkalsrud EW, Caldamone AA. *Grosfeld: Pediatric Surgery.* Vol. 8. 2006. p. 743–5.
11. Arnold G, Coran. *Pediatric Surgery.* 7th ed. N. Scott Adzick, Krummel TM, editors. Vol. 1, Elsevier. United States of America: Elsevier; 2012.
12. Huppertz H-I, Soriano-Gabarró M, Grimprel E, Franco E, Mezner Z, Desselberger U, et al. Intussusception among young children in Europe. *Pediatr Infect Dis J.* 2006 Jan;25(1 Suppl):S22-9.

13. Whitfield AHN, Whitfield HN. Holcomb and Ashcraft's Pediatric Surgery. 7th ed. George W. Holcomb, Murphy JP, Peter SD St., editors. Elsevier. New York: Elsevier Inc.; 2020. 280–287 p.
14. Lionakis B, Gray SW, Skandalakis JE, Akin JT. Acute Intussusception in infants and children. *World Heal Organ*. 2002;53(10):1226–35.
15. Ramachandran P. Intussusception - Pediatric Surgery: Diagnosis and Management. In: Puri P, Höllwarth M, editors. Berlin, Heidelberg: Springer Berlin Heidelberg; 2009. p. 485–90. Available from: [https://doi.org/10.1007/978-3-540-69560-8\\_49](https://doi.org/10.1007/978-3-540-69560-8_49)
16. Al-Momani H. Waugh syndrome: a report of 7 patients and review of the published reports. *Ann Saudi Med*. 2014;34(6):527–31.
17. Stringer MD, Pablot SM, Brereton RJ. Paediatric intussusception. *Br J Surg*. 1992 Sep;79(9):867–76.
18. Okimoto S, Hyodo S, Yamamoto M, Nakamura K, Kobayashi M. Association of viral isolates from stool samples with intussusception in children. *Int J Infect Dis IJID Off Publ Int Soc Infect Dis*. 2011 Sep;15(9):e641-5.
19. Bines JE, Liem NT, Justice FA, Son TN, Kirkwood CD, de Campo M, et al. Risk factors for intussusception in infants in Vietnam and Australia: adenovirus implicated, but not rotavirus. *J Pediatr*. 2006 Oct;149(4):452–60.
20. Yen C, Healy K, Tate JE, Parashar UD, Bines J, Neuzil K, et al. Rotavirus vaccination and intussusception – Science, surveillance, and safety: A review of evidence and recommendations for future research priorities in low and middle income countries. *Hum Vaccin Immunother [Internet]*. 2016;12(10):2580–9. Available from: <http://dx.doi.org/10.1080/21645515.2016.1197452>
21. Rha B, Tate JE, Weintraub E, Haber P, Yen C, Patel M, et al. Intussusception following rotavirus vaccination: an updated review of the available evidence. *Expert Rev Vaccines*. 2014 Nov;13(11):1339–48.
22. Park JH, Chung MH, Kim JY, Lee HJ, Kang YN, Kim AS, et al. Intussusception associated with pseudomembranous colitis. Vol. 46, *Journal of pediatric gastroenterology and nutrition*. United States; 2008. p. 470–1.
23. Clinical Practice Guidelines: Intussusception [Internet]. The Royal Children's Hospital Melbourne. 2019. Available from: [https://www.rch.org.au/clinicalguide/guideline\\_index/Intussusception/](https://www.rch.org.au/clinicalguide/guideline_index/Intussusception/)
24. Carroll AG, Kavanagh RG, Ni Leidhin C, Cullinan NM, Lavelle LP, Malone DE. Comparative Effectiveness of Imaging Modalities for the Diagnosis and Treatment of Intussusception: A Critically Appraised Topic. *Acad Radiol*.

2017 May;24(5):521–9.

25. Flaum V, Schneider A, Gomes Ferreira C, Philippe P, Sebastia Sancho C, Lacreuse I, et al. Twenty years' experience for reduction of ileocolic intussusceptions by saline enema under sonography control. *J Pediatr Surg*. 2016 Jan;51(1):179–82.
26. Yun JB, Lee SH. The neutrophil-to-lymphocyte ratio has feasible predictive value for hospital mortality in patients with small bowel obstruction in the emergency department. *Am J Emerg Med* [Internet]. 2021;44:428–33. Available from: <https://doi.org/10.1016/j.ajem.2020.05.049>
27. Al Ammari N, Lampus H, Kurniawan A. Intussusception: Diagnosis and Management According to the Competence of Primary Service Doctors. *e-CliniC*. 2022;10(1):145.
28. Song M, Graubard BI, Rabkin CS, Engels EA. Neutrophil-to-lymphocyte ratio and mortality in the United States general population. *Sci Rep* [Internet]. 2021;11(1):1–9. Available from: <https://doi.org/10.1038/s41598-020-79431-7>
29. Mortaz E, Alipoor SD, Adcock IM, Mumby S, Koenderman L. Update on neutrophil function in severe inflammation. *Front Immunol*. 2018;9(OCT):1–14.
30. Buonacera A, Stancanelli B, Colaci M, Malatino L. Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases. *Int J Mol Sci*. 2022;23(7).
31. Kementerian Kesehatan Republik Indonesia. Pedoman interpretasi data klinik. Kementerian Kesehat RI. 2011;(January):1–83.
32. Moosmann J, Krusemark A, Dittrich S. Age and sex specific pediatric reference intervals for neutrophil-to-lymphocyte, lymphocyte- to-monocyte ratio, and platelet-to-lymphocyte ratio. *Int J Lab Hematol*. 2022;44:296–301.
33. Baratawidjaja KG, Rengganis I. *Imunologi Dasar*. 10th ed. Imunologi dasar. Fakultas Kedokteran Universitas Indonesia; 2014. 93–147 p.
34. Tak T, Wijten P, Heeres M, Pickkers P, Scholten A, Heck AJR, et al. Human CD62L(dim) neutrophils identified as a separate subset by proteome profiling and in vivo pulse-chase labeling. *Blood*. 2017 Jun;129(26):3476–85.
35. Hellebrekers P, Vrisekoop N, Koenderman L. Neutrophil phenotypes in health and disease. *Eur J Clin Invest* [Internet]. 2018 Nov 1;48(S2):e12943. Available from: <https://doi.org/10.1111/eci.12943>
36. Selders GS, Fetz AE, Radic MZ, Bowlin GL. An overview of the role of neutrophils in innate immunity, inflammation and host-biomaterial

integration. *Regen Biomater* [Internet]. 2017 Feb 1;4(1):55–68. Available from: <https://doi.org/10.1093/rb/rbw041>

37. Li Y, Wang W, Yang F, Xu Y, Feng C, Zhao Y. The regulatory roles of neutrophils in adaptive immunity. *Cell Commun Signal*. 2019;17(1):1–11.
38. Jiang J, Liu R, Yu X, Yang R, Xu H, Mao Z, et al. The neutrophil-lymphocyte count ratio as a diagnostic marker for bacteraemia: A systematic review and meta-analysis. *Am J Emerg Med* [Internet]. 2019;37(8):1482–9. Available from: <https://doi.org/10.1016/j.ajem.2018.10.057>
39. Li W, Hou M, Ding Z, Liu X, Shao Y, Li X. Prognostic Value of Neutrophil-to-Lymphocyte Ratio in Stroke: A Systematic Review and Meta-Analysis. *Front Neurol*. 2021;12(September).
40. Lee MJ, Park SD, Kwon SW, Woo SI, Lee MD, Shin SH, et al. Relation Between Neutrophil-to-Lymphocyte Ratio and Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. *Am J Cardiol* [Internet]. 2016;118(9):1323–8. Available from: <http://dx.doi.org/10.1016/j.amjcard.2016.07.072>
41. Adamstein NH, MacFadyen JG, Rose LM, Glynn RJ, Dey AK, Libby P, et al. The neutrophil-lymphocyte ratio and incident atherosclerotic events: analyses from five contemporary randomized trials. *Eur Heart J*. 2021;42(9):896–903.
42. Park JM. Neutrophil-to-lymphocyte ratio in trauma patients. *J Trauma Acute Care Surg*. 2017;82(1):225–6.
43. Lee PY, Oen KQX, Lim GRS, Hartono JL, Muthiah M, Huang DQ, et al. Neutrophil-to-Lymphocyte Ratio Predicts Development of Immune-Related Adverse Events and Outcomes from Immune Checkpoint Blockade: A Case-Control Study. *Cancers (Basel)*. 2021 Mar;13(6).
44. Fest J, Ruiter TR, Groot Koerkamp B, Rizopoulos D, Ikram MA, van Eijck CHJ, et al. The neutrophil-to-lymphocyte ratio is associated with mortality in the general population: The Rotterdam Study. *Eur J Epidemiol*. 2019 May;34(5):463–70.
45. Lowsby R, Gomes C, Jarman I, Lisboa P, Nee PA, Vardhan M, et al. Neutrophil to lymphocyte count ratio as an early indicator of blood stream infection in the emergency department. *Emerg Med J*. 2015 Jul;32(7):531–4.
46. Park SA, Hyun Y-M. Neutrophil Extravasation Cascade: What Can We Learn from Two-photon Intravital Imaging? *Immune Netw* [Internet]. 2016 Dec;16(6):317–21. Available from: <https://doi.org/10.4110/in.2016.16.6.317>

47. Koyasu S, Moro K. Role of innate lymphocytes in infection and inflammation. *Front Immunol*. 2012;3(MAY):1–13.
48. Blikslager, A. T., White, N. A., Moore, J. N., & Mair TS. *The Equine Acute Abdomen* [Internet]. third edit. USA: Wiley Blackwell; 2017. 570–579 p. Available from: [https://books.google.com.ec/books?id=VLo7DwAAQBAJ&pg=PA51&lpg=PA51&dq=argenzio+equine+acute+1990&source=bl&ots=FcIDFLymAm&sig=ACfU3U2kG-5iznrAL0Z-u-YOhdEtTdy5Pg&hl=es&sa=X&ved=2ahUKewj\\_yuvKxq7lAhWBwFkKH TI\\_B4gQ6AEwAXoECAkQAQ#v=onepage&q=argenzio equine acu](https://books.google.com.ec/books?id=VLo7DwAAQBAJ&pg=PA51&lpg=PA51&dq=argenzio+equine+acute+1990&source=bl&ots=FcIDFLymAm&sig=ACfU3U2kG-5iznrAL0Z-u-YOhdEtTdy5Pg&hl=es&sa=X&ved=2ahUKewj_yuvKxq7lAhWBwFkKH TI_B4gQ6AEwAXoECAkQAQ#v=onepage&q=argenzio equine acu)
49. Hanquinet S, Anooshiravani M, Vunda A, Le Coultre C, Bugmann P. Reliability of color Doppler and power Doppler sonography in the evaluation of intussuscepted bowel viability. *Pediatr Surg Int* [Internet]. 1998;13(5):360–2. Available from: <https://doi.org/10.1007/s003830050339>
50. Bryski MG, Frenzel Sulyok LG, Kaplan L, Singhal S, Keating JJ. Techniques for intraoperative evaluation of bowel viability in mesenteric ischemia: A review. *Am J Surg* [Internet]. 2020;220(2):309–15. Available from: <https://doi.org/10.1016/j.amjsurg.2020.01.042>
51. La Hei ER, Shun A. Intra-operative pulse oximetry can help determine intestinal viability. *Pediatr Surg Int*. 2001 Mar;17(2–3):120–1.
52. Zahorec R. Neutrophil-to-lymphocyte ratio, past, present and future perspectives. *Bratisl Lek Listy*. 2021;122(7):474–88.
53. Xie X, Feng S, Tang Z, Chen L, Huang Y, Yang X. Neutrophil-to-Lymphocyte Ratio Predicts the Severity of Incarcerated Groin Hernia. *Med Sci Monit* [Internet]. 2017;23:5558–63. Available from: <http://www.medscimonit.com/abstract/index/idArt/905728>
54. Wyllie DH, Bowler ICJW, Peto TEA. Relation between lymphopenia and bacteraemia in UK adults with medical emergencies. *J Clin Pathol* [Internet]. 2004 Sep 1;57(9):950 LP – 955. Available from: <http://jcp.bmj.com/content/57/9/950.abstract>
55. Taşcı Hİ. The role of neutrophil-to-lymphocyte ratio in predicting disease progression and emergency surgery indication in benign intestinal obstructions. *Ulus Travma ve Acil Cerrahi Derg*. 2022;28(9):1238–47.
56. Furman D, Campisi J, Verdin E, Carrera-Bastos P, Targ S, Franceschi C, et al. Chronic inflammation in the etiology of disease across the life span. *Nat Med* [Internet]. 2019;25(12):1822–32. Available from: <https://doi.org/10.1038/s41591-019-0675-0>
57. Huang Z, Fu Z, Huang W, Huang K. Prognostic value of neutrophil-to-lymphocyte ratio in sepsis: A meta-analysis. *Am J Emerg Med* [Internet].

2020;38(3):641–7. Available from:  
<https://www.sciencedirect.com/science/article/pii/S0735675719306710>

58. Delgado-Miguel C, García A, Delgado B, Muñoz-Serrano AJ, Miguel-Ferrero M, Camps J, et al. Neutrophil-to-Lymphocyte Ratio as a Predictor of the Need for Surgical Treatment in Children's Intussusception. *Eur J Pediatr Surg Off J Austrian Assoc Pediatr Surg* . [et al] = *Zeitschrift für Kinderchirurgie*. 2022 Oct;
59. Morrison J, Jeanmonod R. Intussusception Secondary to a Meckel's Diverticulum in an Adolescent. *Case Rep Emerg Med*. 2011;2011:1–3.
60. Lin X kun, Xia Q zhang, Huang X zhong, Han Y jiang, He G rong, Zheng N. Clinical characteristics of intussusception secondary to pathologic lead points in children: a single-center experience with 65 cases. *Pediatr Surg Int*. 2017;33(7):793–7.
61. Zhao L, Feng S, Wu P, Lai XH, Lv C, Chen G. Clinical characteristics and surgical outcome in children with intussusceptions secondary to pathologic lead points: retrospective study in a single institution. *Pediatr Surg Int* [Internet]. 2019;0(0):0. Available from: <http://dx.doi.org/10.1007/s00383-019-04471-8>
62. Takeuchi M, Osamura T, Yasunaga H, Horiguchi H, Hashimoto H, Matsuda S. Intussusception among Japanese children: An epidemiologic study using an administrative database. *BMC Pediatr*. 2012;12.
63. Banapour P, Sydorak RM, Shaul D. Surgical approach to intussusception in older children: Influence of lead points. *J Pediatr Surg*. 2015;50(4):647–50.
64. Liu M, Cheng F, Liu X, Zheng B, Wang F, Qin C, et al. Diagnosis and surgical management strategy for pediatric small bowel obstruction: Experience from a single medical center. *Front Surg*. 2023;10(January 2007):1–7.
65. Aydin N, Roth A, Misra S. Surgical versus conservative management of adult intussusception: Case series and review. *Int J Surg Case Rep* [Internet]. 2016;20:142–6. Available from: <http://dx.doi.org/10.1016/j.ijscr.2016.01.019>
66. Zhang Y, Wu W, Dong L, Yang C, Fan P, Wu H. Neutrophil to lymphocyte ratio predicts persistent organ failure and in-hospital mortality in an Asian Chinese population of acute pancreatitis. *Med (United States)*. 2016;95(37).
67. Hwang SY, Shin TG, Jo IJ, Jeon K, Suh GY, Lee TR, et al. Neutrophil-to-lymphocyte ratio as a prognostic marker in critically-ill septic patients. *Am J Emerg Med*. 2017;35(2):234–9.
68. Panda SK, Nayak MK, Rath S, Das P. The Utility of the Neutrophil-Lymphocyte Ratio as an Early Diagnostic Marker in Neonatal Sepsis.

- Cureus. 2021;13(1):1–6.
69. Ghritlaharey RK. Surgical Management of Intussusception in Children: A Retrospective Review of 212 Cases. *Ann Natl Acad Med Sci.* 2021;57(04):226–31.
  70. Aka AA, Wright JP, DeBeche-Adams T. Small Bowel Obstruction. *Clin Colon Rectal Surg.* 2021 Jul;34(4):219–26.
  71. Batebo M, Loriso B, Beyene T, Haile Y, Hailegebreal S. Magnitude and determinants of treatment outcome among surgically treated patients with intestinal obstruction at Public Hospitals of Wolayita Zone, Southern Ethiopia: a cross sectional study, 2021. *BMC Surg* [Internet]. 2022;22(1):1–8. Available from: <https://doi.org/10.1186/s12893-022-01568-1>
  72. Lautz TB, Barsness KA. Adhesive small bowel obstruction—Acute management and treatment in children. *Semin Pediatr Surg* [Internet]. 2014;23(6):349–52. Available from: <https://www.sciencedirect.com/science/article/pii/S105585861400033X>
  73. Hyak J, Campagna G, Johnson B, Stone Z, Yu Y, Rosenfeld E, et al. Management of Pediatric Adhesive Small Bowel Obstruction: Do Timing of Surgery and Age Matter? *J Surg Res* [Internet]. 2019 Nov 1;243:384–90. Available from: <https://doi.org/10.1016/j.jss.2019.05.061>
  74. Yao X-M, Chen Z-L, Shen D-L, Zhou Q-S, Huang S-S, Cai Z-R, et al. Risk factors for pediatric intussusception complicated by loss of intestine viability in China from June 2009 to May 2014: a retrospective study. *Pediatr Surg Int* [Internet]. 2015;31(2):163–6. Available from: <https://doi.org/10.1007/s00383-014-3653-0>
  75. Carapinha C, Truter M, Bentley A, Welthagen A, Loveland J. Factors determining clinical outcomes in intussusception in the developing world: Experience from Johannesburg, South Africa. *South African Med J.* 2016;106(2):177–80.
  76. Ekenze SO, Mgbor SO, Okwesili OR. Routine surgical intervention for childhood intussusception in a developing country. *Ann Afr Med.* 2010;9(1):27–30.
  77. Wong CWY, Jin S, Chen J, Tam PKH, Wong KKY. Predictors for bowel resection and the presence of a pathological lead point for operated childhood intussusception: A multi-center study. *J Pediatr Surg.* 2016;51(12):1998–2000.
  78. Hwang S, Kim J, Jung JY, Ham EM, Park JW, Kwon H, et al. The epidemiology of childhood intussusception in South Korea: An observational study. *PLoS One.* 2019;14(12):4–7.
  79. Clark AD, Hasso-Agopsowicz M, Kraus MW, Stockdale LK, Sanderson

CFB, Parashar UD, et al. Update on the global epidemiology of intussusception: A systematic review of incidence rates, age distributions and case-fatality ratios among children aged <5 years, before the introduction of rotavirus vaccination. *Int J Epidemiol.* 2019;48(4):1316–26.

80. Kolar M, Pilkington M, Winthrop A, Theivendram A, Lajkosz K, Brogly SB. Diagnosis and treatment of childhood intussusception from 1997 to 2016: A population-based study. *J Pediatr Surg.* 2020;55(8):1562–9.
81. Akello VV, Cheung M, Kurigamba G, Semakula D, Healy JM, Grabski D, et al. Pediatric intussusception in Uganda: differences in management and outcomes with high-income countries. *J Pediatr Surg.* 2020;55(3):530–4.
82. Pricolo VE, Curley F. CT scan findings do not predict outcome of nonoperative management in small bowel obstruction: Retrospective analysis of 108 consecutive patients. *Int J Surg.* 2016;27:88–91.
83. Lapsekili E, Bilge S. Contribution of neutrophil-to-lymphocyte ratio to decisions regarding surgical therapy in patients diagnosed with intestinal obstruction. 2019;160–4.

