

## DAFTAR PUSTAKA

1. Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19 . The COVID-19 resource centre is hosted on Elsevier Connect , the company ' s public news and information . 2020;(January).
2. Kondo K, Kikuta S, Ueha R, Suzukawa K, Yamasoba T. Age-related olfactory dysfunction: epidemiology, pathophysiology, and clinical management. *Front Aging Neurosci.* 2020;12(July):1–16.
3. Soepardi EA, Iskandar N, Bashiruddin J RR. Buku ajar ilmu kesehatan THT-KL FK UI. 6th ed. Vol. 58, *Antimicrobial Agents and Chemotherapy*. 2012. 10–38 p.
4. Schäfer L, Schriever VA, Croy I. Human olfactory dysfunction: causes and consequences. *Cell Tissue Res.* 2021;383(1):569–79.
5. Dykewicz MS, Wallace D V., Amrol DJ, Baroody FM, Bernstein JA, Craig TJ, et al. Rhinitis 2020: A practice parameter update. *J Allergy Clin Immunol.* 2020;146(4):721–67.
6. McDougall J. Salesman. Home famous dead. 2017;108–108.
7. Rebholz H, Braun RJ, Ladage D, Knoll W, Kleber C, Hassel AW. Loss of olfactory function—early indicator for Covid-19, other viral infections and neurodegenerative disorders. *Front Neurol.* 2020;11(October):1–15.
8. Aditya DMN. Anosmia pada COVID-19: Studi Neurobiologi. *KELUWIH J Kesehat dan Kedokt.* 2020;2(1):50–5.
9. Mishra P, Gowda V, Dixit S, Kaushik M. Prevalence of new onset anosmia in COVID-19 patients: Is the trend different between european and indian population? *Indian J Otolaryngol Head Neck Surg.* 2020;72(4):484–7.
10. Kementerian Kesehatan Republik Indonesia.
11. Najafloo R, Majidi J, Asghari A, Aleemardani M, Kamrava SK, Simorgh S, et al. Mechanism of anosmia caused by symptoms of COVID-19 and emerging treatments. *ACS Chem Neurosci.* 2021;12(20):3795–805.
12. Galarza-Paez L, Marston G, Downs BW. Anatomy, head and neck, nose. *StatPearls.* 2021 Jul;

13. Nose external anatomy.
14. Sobiesk JL, Munakomi S. Anatomy, head and neck, nasal cavity. StatPearls. 2021 Jul;
15. Paulsen F, J W. Atlas sobotta. In: Sobotta Atlas Anatomi Manusia Jilid 3 Edisi 23. 23rd ed. EGC; 2014. p. 376.
16. Guyton AC, Hall JE. Unit I. Introduction to phisiology: The cell and general phisiology. 12th ed. Guyton and Hall Textbook Of Medical Physiology. Elsevier; 2016. 18–23 p.
17. Branigan B, Tadi P. Physiology, Olfactory. StatPearls. 2021 May;
18. Liva GA, Karatzanis AD, Prokopakis EP. Review of rhinitis: Classification, types, pathophysiology. *J Clin Med*. 2021 Jul;10(14):3183.
19. Kennedy DW, Hwang PH. Rhinology. Thieme Medical Publishers, Inc; 2012. 141 p.
20. Çatl T, Atilla H, Miller EK. Acute viral rhinitis. Springer Nat Switz AG. 2020;199–202.
21. Pappas DE. The common cold 26 The Common Cold. 2020;(January).
22. Laporan Nasional Riskesdas. Laporan\_Nasional\_RKD2018\_FINAL.pdf. Badan Penelitian dan Pengembangan Kesehatan. 2018. p. 198.
23. Martínez-Girón R, van Woerden HC, Martínez-Torre C. Ciliated nasal epithelial cells damage and human rhinovirus infection: Cytological findings. *Acta Biomed*. 2020;91(1):146–7.
24. Fokkens WJ, Lund VJ, Hopkins C, Hellings PW, Kern R, Reitsma S, et al. Epos 2020. Off J Eur Int Rhinol Soc Confed Eur ORL-HNS. 2020;Suppl 29:11.
25. Öncel S. Common cold and clinical approaches. *J Heal Sci Kocaeli Univ*. 2018;4(1):27–31.
26. Anbalagan S, Arunprasanna V, Dinakaran S, Krishnan M. Combinatory therapeutic approaches for common cold and SARS-CoV-2. *Synergy*. 2020;11:100069.
27. Liu C, Boland S, Scholle MD, Bardiot D, Marchand A, Chalatin P, et al. Dual inhibition of SARS-CoV-2 and human rhinovirus with protease inhibitors in clinical development. *Antiviral Res*. 2021;187:105020.

28. Turner RB. Rhinovirus. Mand Douglas, Bennett's Princ Pract Infect Dis. 2014 Jan;2:2113-2121.e2.
29. Salehi-Abari I, Khazaeli S. COVID-19 versus Allergic Rhinitis. Adv Infect Dis. 2020;10(03):168–74.
30. Cianferoni A, Votto M. COVID-19 and allergy: How to take care of allergic patients during a pandemic? Pediatr Allergy Immunol. 2020;31(S26):96–101.
31. Estenssoro E, Loudet CI, Dubin A, Kanoore Edul VS, Plotnikow G, Andrian M, et al. Clinical characteristics, respiratory management, and determinants of oxygenation in COVID-19 ARDS: A prospective cohort study. J Crit Care. 2022;71(577):154021.
32. McArthur L, Sakthivel D, Ataide R, Chan F, Richards JS, Narh CA. Review of burden, clinical definitions, and management of Covid-19 cases. Am J Trop Med Hyg. 2020;103(2):625–38.
33. WHO. COVID-19 weekly epidemiological update. World Heal Organ. 2022;(58):1–23.
34. Satuan Tugas Penanganan COVID-19. Asesmen Situasi Pandemi Covid-19 di Indonesia Per 5 April 2022. 2022.
35. Tim IT Diskominfo Provinsi Sumbar. Data pantauan COVID-19 provinsi Sumatera Barat. Website Corona Sumatera Barat. 2022.
36. Velavan TP, Meyer CG. The COVID-19 epidemic. Trop Med Int Heal. 2020;25(3):278–80.
37. Krishnan A, Hamilton JP, Alqahtani SA, Woreta TA. COVID-19: An overview and a clinical update. World J Clin Cases. 2021;9(1):8–23.
38. Liva GA, Karatzanis AD, Prokopakis EP. Review of rhinitis: Classification, types, pathophysiology. J Clin Med. 2021;10(14).
39. Wang J, Jiang M, Chen X, Montaner LJ. Cytokine storm and leukocyte changes in mild versus severe SARS-CoV-2 infection: Review of 3939 COVID-19 patients in China and emerging pathogenesis and therapy concepts. J Leukoc Biol. 2020;108(1):17–41.
40. Suzaki I, Kobayashi H. Coronavirus disease 2019 and nasal conditions: A review of current evidence. In Vivo (Brooklyn). 2021;35(3):1409–17.

41. Lao WP, Imam SA, Nguyen SA. Anosmia, hyposmia, and dysgeusia as indicators for positive SARS-CoV-2 infection. *World J Otorhinolaryngol - Head Neck Surg.* 2020;6:S22–5.
42. Hu B, Guo H, Zhou P, Shi ZL. Characteristics of SARS-CoV-2 and COVID-19. *Nat Rev Microbiol.* 2021;19(3):141–54.
43. Czubak J, Stolarczyk K, Orzel A, Frączek M, Zatoński T. Comparison of the clinical differences between COVID-19, SARS, influenza, and the common cold: A systematic literature review. *Adv Clin Exp Med.* 2021;30(1):109–14.
44. Gengler I, Wang JC, Speth MM, Sedaghat AR. Sinonasal pathophysiology of SARS-CoV-2 and COVID-19: A systematic review of the current evidence. *Laryngoscope Investig Otolaryngol.* 2020;5(3):354–9.
45. Baethge C, Goldbeck-Wood S, Mertens S. SANRA—a scale for the quality assessment of narrative review articles. *Res Integr Peer Rev.* 2019;4(1):2–8.
46. Salmon Ceron D, Bartier S, Hautefort C, Nguyen Y, Nevoux J, Hamel AL, et al. Self-reported loss of smell without nasal obstruction to identify COVID-19. The multicenter Coranosmia cohort study. *J Infect.* 2020;81(4):614–20.
47. Mullo J, Alobid I, Mariño-Sánchez F, Izquierdo-Domínguez A, Marin C, Klimek L, et al. The loss of smell and taste in the COVID-19 outbreak: a tale of many countries. *Curr Allergy Asthma Rep.* 2020;20(10):1–5.
48. Zayet S, Kadiane-Oussou NJ, Lepiller Q, Zahra H, Royer PY, Toko L, et al. Clinical features of COVID-19 and influenza: a comparative study on Nord Franche-Comte cluster. *Microbes Infect.* 2020;22(9):481–8.
49. Lee DJ, Lockwood J, Das P, Wang R, Grinspun E, Lee JM. Self-reported anosmia and dysgeusia as key symptoms of coronavirus disease 2019. *Can J Emerg Med.* 2020;22(5):595–602.
50. Sonoda S, Kuramochi J, Matsuyama Y, Miyazaki Y, Fujiwara T. Validity of clinical symptoms score to discriminate patients with COVID-19 from common cold out-patients in general practitioner clinics in Japan. *J Clin Med.* 2021;10(4):1–10.
51. Romero-Gameros CA, Colin-Martínez T, Waizel-Haiat S, Vargas-Ortega G,

- Ferat-Osorio E, Guerrero-Paz JA, et al. Diagnostic accuracy of symptoms as a diagnostic tool for SARS-CoV 2 infection: a cross-sectional study in a cohort of 2,173 patients. *BMC Infect Dis.* 2021;21(1):1–11.
52. Nakakubo S, Suzuki M, Kamada K, Yamashita Y, Nakamura J, Horii H, et al. Proposal of COVID-19 clinical risk score for the management of suspected COVID-19 cases: a case control study. *BMC Infect Dis.* 2020;20(1):1–12.
53. Rodriguez-Nava G, Egoryan G, Dong T, Zhang Q, Hyser E, Poudel B, et al. Comparison of clinical characteristics and outcomes of hospitalized patients with seasonal coronavirus infection and COVID-19: a retrospective cohort study. *BMC Infect Dis* [Internet]. 2022;22(1):1–12. Available from: <https://doi.org/10.1186/s12879-022-07555-4>
54. Dev N, Sankar J, Gupta N, Meena RC, Singh C, Gupta DK, et al. COVID-19 with and without anosmia or dysgeusia: A case-control study. *J Med Virol.* 2021;93(4):2499–504.
55. Joffily L, Ungierowicz A, David AG, Melo B, Brito CLT, Mello L, et al. The close relationship between sudden loss of smell and COVID-19. *Braz J Otorhinolaryngol* [Internet]. 2020;86(5):632–8. Available from: <https://doi.org/10.1016/j.bjorl.2020.05.002>
56. Just J, Puth MT, Regenold F, Weckbecker K, Bleckwenn M. Risk factors for a positive SARS-CoV-2 PCR in patients with common cold symptoms in a primary care setting – a retrospective analysis based on a joint documentation standard. *BMC Fam Pract.* 2020;21(1):1–7.
57. Kusnik A, Weiss C, Neubauer M, Huber B, Gerigk M, Miethke T, et al. Presence of gustatory and olfactory dysfunction in the time of the COVID-19 pandemic. *BMC Infect Dis.* 2021;21(1):1–10.
58. Beltrán-Corbellini, Chico-García JL, Martínez-Poles J, Rodríguez-Jorge F, Natera-Villalba E, Gómez-Corral J, et al. Acute-onset smell and taste disorders in the context of COVID-19: a pilot multicentre polymerase chain reaction based case-control study. *Eur J Neurol.* 2020;27(9):1738–41.