

## BIBLIOGRAPHY

- Advinda, L., Fifendy, M., & Anhar, A. (2018). The Addition of Several Mineral Sources on Growing Media of Fluorescent *Pseudomonad* for the Biosynthesis of Hydrogen Cyanide. *IOP Conference Series: Materials Science and Engineering*, 335(1). <https://doi.org/10.1088/1757-899X/335/1/012016>.
- Afdharani, R., Hasanuddin, H., & Bakhtiar, B. (2019). Pengaruh Bahan Invigorasi dan Lama Perendaman pada Benih Padi Kadaluarsa (*Oryza sativa* L.) terhadap Viabilitas dan Vigor Benih. *Jurnal Ilmiah Mahasiswa Pertanian*, 4(1), 169–183. <https://doi.org/10.17969/jimfp.v4i1.10361>.
- Agustiansyah, A., Ardian, A., Setiawan, K., & Rosmala, D. (2020). Pengaruh Lama Perendaman dalam Berbagai Konsentrasi Giberelin (GA3) terhadap Perkecambahan Benih Kelapa Sawit (*Elaeis guineensis* Jacq.). *Agrovigor: Jurnal Agroekoteknologi*, 13(2), 94–99. <https://doi.org/10.21107/agrovigor.v13i2.6693>.
- Agustina, T., & Syamsiah, M. (2018). Aplikasi Lama Perendaman Benih Dengan Mol (Mikroorganisme lokal) Dari Akar Putri Malu Dalam Memacu Pertumbuhan Bibit Padi Pandanwangi. *Agroscience (Agsci)*, 8(1), 1. <https://doi.org/10.35194/agsci.v8i1.353>.
- Ahmad, F., I. Ahmad and M.A. Khan. 2005. Indole acetic acid production by the indigenos isolates of *Azotobacter* and *Pseudomonas fluorescent* in the presence and absence of tryptophan. *Turk. J. Bio.*, Vol. 29, p. 29-34..
- Alexopoulos, C.J. & C.W. Mims. 1979. *Introductory Mycology*. Chapman and Hall, London.
- Ali, A., Haider, M. S., Ashfaq, M., & Hanif, S. (2014). Effect of culture filtrates of *Trichoderma* spp. on seed germination and seedling growth in chickpea—an in-vitro study. *Pakistan Journal of Phytopathology*, 26(1), 01-05.
- Arfiati, D., Lailiyah, S., Dina, K. F., & Cokrowati, N. (2020). Dinamika jumlah bakteri *Bacillus subtilis* dalam penurunan kadar bahan organik TOM limbah budidaya ikan lele sangkuriang (*Clarias gariepinus*). *JFMR (Journal of Fisheries and Marine Research)*, 4(2), 222-226.

- Arthawijaya, R. A. P., Sulistyono, H. E., Kamaliyah, S. N., & Sudarwati, H. (2022). Pematahan proses dormansi benih tanaman centro (*Centrosema pubescens*) dengan penggunaan PEG (Polyeth-Ylene Glycol) 6000. *Jurnal Nutrisi Ternak Tropis*, 5(1), 7–22. <https://doi.org/10.21776/ub.jnt.2021.005.01.2>
- Ashrafuzzaman, M., Hossen, F. A., M. Razi Ismail, Hoque, M. A., Islam, M. Z., Shahidullah, S. M., & Meon, S. (2009). Efficiency of plant growth-promoting rhizobacteria (PGPR) for the enhancement of rice growth. *African Journal of Biotechnology*, 8(7), 1247–1252.
- Asibi, A. E., Chai, Q., & Coulter, J. A. (2019). Rice blast: A disease with implications for global food security. *Agronomy*, 9(8), 1–14. <https://doi.org/10.3390/agronomy9080451>.
- Asra, R. (2014). Pengaruh Hormon Giberelin (GA 3 ) Terhadap Daya Kecambah dan Vigoritas *Calopogonium caeruleum* Effect of Gibberellins (GA 3 ) Hormones to Germination and Vigority of *Calopogonium caeruleum*. *Biospecies*, 7(1), 29–33.
- Asri Razad, Gusti Ayu Kade Sutariati, Tresjia C Rakian, Jendri Mamangkey, & Marina Silalahi. (2021). Bio-Priming Using Indigenous *Pseudomonas Fluorescens* To Improve Local Upland Rice (Padi Gogo) Production Of Paebiu Kolopua And Pae Wuna Cultivars. *International Journal of Science, Technology & Management*, 2(5), 1885–1899. <https://doi.org/10.46729/ijstm.v2i5.337>.
- Bisen, K., Keswani, C., Mishra, S., Saxena, A., Rakshit, A., & Singh, H. B. (2015). Unrealized potential of seed bioprimering for versatile agriculture. *Nutrient use efficiency: from basics to advances*, 193-206.
- Berlian, I., Setyawan, B., & Hadi, H. (2013). Mekanisme Antagonisme *Trichoderma* spp. Terhadap Beberapa Patogen Tular Tanah. *Warta Perkaratan*, 32(2), 74. <https://doi.org/10.22302/ppk.wp.v32i2.39>.
- Budianto, B., & Suprastyani, H. (2017). Aktivitas antagonis *Bacillus subtilis* terhadap *Streptococcus iniae* dan *Pseudomonas fluorescens*. *J Veteriner*, 18(3), 409-415.
- Corbin, B.D. 2004. Identification and Characterization *Bacillus thuringiensis*. *J. Bacteriol.* 186: 7736–7744.
- Doni, F., Najeeb Kaid Nasser Al-Shorgani, El Mubarak Musa Tibin, Anizan Isahak,

- Nawal Nour El Daim, Che Radziah Che Mohd Zain, & Wan Mohtar Wan Yusoff. (2013). Microbial Involvement in Growth of Paddy. *Current Research Journal of Biological Sciences*, 5(6), 285 – 290.
- Druzhinina, I. S., Kopchinskiy, A. G., & Kubicek, C. P. (2006). The first 100 Trichoderma species characterized by molecular data. *Mycoscience*, 47(2), 55-64.
- Ekowati, C. N., Handayani, K., & Irawan, B. (2023). Potensi Antagonis *Bacillus sp* Asal Kebun Raya Liwa ( Krl ) Sebagai Agen Pengendali Jamur *Fusarium sp.* 18, 201–207.
- Fardiaz (2004) Analisa mikrobiologi pangan. Raja Grafindo Persada, Jakarta.
- Grist D.H., 1960. Rice. Formerly Agricultural Economist, Colonial Agricultural Service, Malaya. Longmans, Green and Co Ltd. London.
- Gusnawaty, H., Taufik, M., Triana, L., & Asniah. (2014). Karakterisasi Morfologis *Trichoderma* spp. Indigenus Sulawesi Tenggara. *Jurnal Agroteknos*, 4(2), 88–94.
- Guzmán-Guzmán, P., Kumar, A., de los Santos-Villalobos, S., Parra-Cota, F. I., Orozco-Mosqueda, M. del C., Fadji, A. E., Hyder, S., Babalola, O. O., & Santoyo, G. (2023). Trichoderma Species: Our Best Fungal Allies in the Biocontrol of Plant Diseases—A Review. *Plants*, 12(3), 1–35. <https://doi.org/10.3390/plants12030432>.
- Haerani, N., & Nurdin, N. (2021). Uji Efektivitas Teknik Biopriming Dengan Cendawan *Trichoderma* Pada Perbaikan Viabilitas Benih Dan Produksi Mentimun. *J. Agrotan*, 7(1), 42–54.
- Harman, G. E., Howell, C. R., Viterbo, A., Chet, I., & Lorito, M. (2004). Trichoderma species - Opportunistic, avirulent plant symbionts. *Nature Reviews Microbiology*. <http://doi.org/10.1038/nrmicro797>.
- Harsono, N. A., Bayfurqon, F. M., & Azizah, E. (2021). Pengaruh Periode Simpan dan Konsentrasi Ekstrak Bawah Merah (*Allium cepa* L.) Terhadap Viabilitas dan Vigor Benih Timun Apel (*Cucumis* sp.). *Jurnal Ilmiah Wahana Pendidikan*, 7(5), 14-26.
- Hasanah, L. (2022). Analisis Faktor-Faktor Pengaruh Terjadinya Impor Beras di Indonesia Setelah Swasembada Pangan. *Growth: Jurnal Ilmiah Ekonomi*

*Pembangunan*, 1(2), p.

- Hashem, A., Tabassum, B., & Fathi Abd\_Allah, E. (2019). *Bacillus subtilis*: A plant-growth promoting rhizobacterium that also impacts biotic stress. *Saudi Journal of Biological Sciences*, 26(6), 1291–1297. <https://doi.org/10.1016/j.sjbs.2019.05.004>.
- Huda, M., Farmia, A., & Munambar, S. (2022). Pengaruh Konsentrasi dan Lama Perendaman Larutan Kalium Hidroksida Terhadap Pematahan Dormansi Calon Benih Tanaman Padi (*Oryza sativa* L.) The Effect of Concentration and Soaking Time of Potassium Hydroxide Solution on Dormancy Breaking of Prospective Ri. 24(2), 91–98.
- Manzila, I., Priyatno, T. P., Fathin, M. F., Ambarsari, L., Suryadi, Y., Samudera, I. M., & Susilowati, D. N. (2015). Karakterisasi  $\beta$ -1, 3-1, 4-GLUKANASE Bakteri Endofitik *Burkholderia cepacia* Isolate76 Asal Tanaman Padi. *Berita Biologi*, 14(2), 143-153.
- Imansari, F., & Haryanti, S. (2017). Pengaruh Konsentrasi HCl terhadap Laju Perkecambahan Biji Asam Jawa (*Tamarindus indica* L.). *Buletin Anatomi Dan Fisiologi*, 2(2), 187. <https://doi.org/10.14710/baf.2.2.2017.187-192>.
- Jakovljević, V. D., Stojanović, J. D., & Vrvić, M. M. (2015). Potencijalna primena gljive *Trichoderma harzianum* rifai u biodegradaciji detergenta i industriji. *Chemical Industry and Chemical Engineering Quarterly*, 21(1), 131–139. <https://doi.org/10.2298/CICEQ140414017J>.
- Jung, Y. H., Jeong, S. H., Kim, S. H., Singh, R., Lee, J. E., Cho, Y. S., ... & Jwa, N. S. (2012). Secretome analysis of *Magnaporthe oryzae* using in vitro systems. *Proteomics*, 12(6), 878-900. <https://doi.org/10.1002/pmic.201100142>.
- Kesuma, H. I., Zuraidah, Z., & Kamal, S. (2018). Pengendalian Penyakit Blas Yang Disebabkan Oleh Cendawan Patogen *Pyricularia Grisea* Dengan Aplikasi Bakteri Pada Tanaman Padi (*Oryza sativa*) VAR. INPARI 15. In *Prosiding Seminar Nasional Biotik* (Vol. 4, No. 1).
- Khairah, M., Mubarik, N. R., & Manaf, L. A. (2023). Bacterial selection and characterization of chitinase enzyme from bacteria controlling *Fusarium proliferatum*. *Biodiversitas Journal of Biological Diversity*, 24(3).
- Khan, M. A., Al Mamun Khan, M. A., Mahfuz, A. M. U. B., Sanjana, J. M., Ahsan,

- A., Gupta, D. R., ... & Islam, T. (2022). Highly potent natural fungicides identified in silico against the cereal killer fungus *Magnaporthe oryzae*. *Scientific Reports*, *12*(1), 20232.
- Korsten, L., & De Jager, E. E. (1995). Mode of Action of *Bacillus subtilis* for Control of Avocado Post- harvest Pathogens. *South African Avocado Growers' Association Yearbook*, *18*, 124–130.
- Larone, D. H. 1995. Medically Important Fungi - A Guide to Identification, 3rd. ASM Press, Washington, D.C.
- Lestari, I., & Sutarno, dan. (2020). Uji viabilitas dan pertumbuhan benih kedelai (*Glycine max*) dengan perlakuan invigorasi menggunakan ekstrak bawang merah (Viability and growth of soybean seeds (*Glycine max*) with invigoration treatment using onion extract). *J. Agro Complex*, *4*(2), 116–124.
- Livia Trihanni Hasan, T. D. K. E. P. (2016). Bio-Priming Benih Kedelai (*Glycine max* (L.) Merrill) untuk Meningkatkan Mutu Perkecambah. *Biota : Jurnal Ilmiah Ilmu-Ilmu Hayati*, *1*(April), 62–67. <https://doi.org/10.24002/biota.v1i2.992>.
- Lubis, A., Riniarti, M., & Bintoro, A. (2014). Pengaruh Lama Waktu Perendaman Dengan Air Terhadap Daya Berkecambah Trembesi (*Samanea saman*). *Jurnal Sylva Lestari*, *2*(2), 25-32.
- Makhaye, G., Mofokeng, M. M., Tesfay, S., Aremu, A. O., Van Staden, J., & Amoo, S. O. 2021. Influence of plant biostimulant application on seed germination. In *Biostimulants for Crops from Seed Germination to Plant Development: A Practical Approach*. Elsevier Inc.
- Mastouri, F., Björkman, T., & Harman, G. E. (2010). Seed treatment with *Trichoderma harzianum* alleviates biotic, abiotic, and physiological stresses in germinating seeds and seedlings. *Phytopathology*, *100*(11), 1213–1221.
- Milijašević, M. S., Todorović, V., Stanojević, O., Berić, T., Stanković, S., Todorović, B., & Potočnik, I. (2018). Antagonistic potential of *Bacillus* spp. isolates against bacterial pathogens of tomato and fungal pathogen of pepper. *Pesticidi i fitomedicina*, *33*(1), 9-18.
- Mohiddin F. A., Padder S. A., Bhat A. H., Ahanger M. A., Shikari A. B., Wani S. H., et al.. (2021). Phylogeny and optimization of *Trichoderma harzianum* for

- Chitinase production: evaluation of their antifungal behaviour against the prominent soil borne Phyto-pathogens of temperate India. *Microorganisms* 9:1962. doi: 10.3390/microorganisms9091962.
- Mubarok, A., Mutakin, J., & Fajarfika, R. (2021). Pengaruh Konsentrasi Giberelin (Ga3) Dan Lama Perendaman Dalam Meningkatkan Perkecambahan Benih Padi (*Oryza sativa* L.) Varietas Ciharang (Kadaluarsa). *JAGROS: Jurnal Agroteknologi Dan Sains (Journal of Agrotechnology Science)*, 5(2), 363. <https://doi.org/10.52434/jagros.v5i2.1362>.
- Mudi, L., Sutariati, G. A. K., Hidayat, N., Faradilla, F., Rusmini, R., & Winarni, B. (2022). Biopriming benih dalam meningkatkan pertumbuhan dan hasil tanaman kacang tanah (*Arachis hypogaea* L.). *Agrovigor: Jurnal Agroekoteknologi*, 15(2), 140–146. <https://doi.org/10.21107/agrovigor.v15i2.14664>.
- Muhammad Fauzul Imron, & Ipung Fitri Purwanti. (2016). Uji Kemampuan Bakteri Azotobacter S8 dan *Bacillus subtilis* untuk Menyisihkan Trivalent Chromium (Cr<sup>3+</sup>) pada Limbah Cair. *Jurnal Teknik Its*, 5(1).
- Murrinie, E. D., Sudjianto, U., & Ma'rufa, K. M. R. (2021). Pengaruh Giberelin Terhadap Perkecambahan Benih Dan Pertumbuhan Semai Kawista (*Feronia Limonia* (L.) Swingle). *Agritech: Jurnal Fakultas Pertanian Universitas Muhammadiyah Purwokerto*, 23(2), 183-191.
- Nani Sunani. 2009. Analisis Faktor- Faktor yang Mempengaruhi Produksi dan Konsumsi Beras di Kabupaten Siak, Riau. Skripsi Fakultas Ekonomi dan Manajemen Institut Pertanian Bogor.
- Nagaraju, A., Murali, M., Sudisha, J., Amruthesh, K. N., & Murthy, S. M. (2012). Beneficial microbes promote plant growth and induce systemic resistance in sunflower against downy mildew disease caused by *Plasmopara halstedii*. 3(5), 12–18.
- Nayaka, S. C., Niranjana, S. R., Uday Shankar, A. C., Niranjan Raj, S., Reddy, M. S., Prakash, H. S., & Mortensen, C. N. (2010). Seed biopriming with novel strain of *Trichoderma harzianum* for the control of toxigenic *Fusarium verticillioides* and fumonisins in maize. *Archives of Phytopathology and Plant Protection*, 43(3), 264–282. <https://doi.org/10.1080/03235400701803879>.
- Novandini, A. T. I. S. H. A. (2007). Eksudat akar sebagai Nutrisi Trichoderma

- harzianum DT38 serta aplikasinya terhadap pertumbuhan tanaman tomat. *Program Studi Biokimia, Fakultas MIPA, IPB, Bogor*.
- Nurnayetti, N. (2013). Keunggulan kompetitif padi sawah varietas lokal di Sumatera barat. *Jurnal Pengkajian dan Pengembangan Teknologi Pertanian*, 16(2), 139809.
- Omorusi, V. I., Omo-Ikerodah, E. E., & Mokwunye, M. U. B. (2011). Evaluation of effect of antagonistic fungi and arbuscular mycorrhizal fungi (AMF) on incidences of some disease of *Hevea brasiliensis* (Muell. Arg). *Nature and Science*, 9(12), 151-154.
- Panataria, L. R., Manalu, C. J., & Sitorus, E. (2022). Accelerating Tamarind (*Tamarindus indicu* Linn) Seed Germination by Soaking Treatment Method. *Jurnal Penelitian Pertanian Terapan*, 22(1), 1–10.
- Pawar, V. A., & Laware, S. L. (2018). Seed Priming A Critical Review. *International Journal of Scientific Research in Biological Sciences*, 5(5), 94–101. <https://doi.org/10.26438/ijsrbs/v5i5.94101>.
- Prathibha, K. S., & Siddalingeshwara, K. G. (2013). Original Research Article Effect of plant growth promoting *Bacillus subtilis* and *Pseudomonas fluorescense* as Rhizobacteria on seed quality of sorghum. 2(2013), 11–18.
- Purwadi, P., & Nasyuha, A. H. (2022). Implementasi Teorema Bayes Untuk Diagnosa Penyakit Hawar Daun Bakteri (Kresek) Dan Penyakit Blas Tanaman Padi. *JURIKOM (Jurnal Riset Komputer)*, 9(4), 777-783.
- Purwanto, P., Oktaviani, E., & Leana, N. W. A. (2022). Seed Bio-Priming to Enhance Seed Germination and Seed Vigor of Rice Using Rhizobacteria from The Northern Coast of Pemalang, Central Java, Indonesia. *Planta Tropika: Jurnal Agrosains (Journal of Agro Science)*, 10(2), 152–159. <https://doi.org/10.18196/pt.v10i2.13722>.
- Purwono, L. dan Purnamawati. 2007. Budidaya Tanaman Pangan. Penerbit Agromedia. Jakarta.
- Omorusi, V. I., Omo-Ikerodah, E. E., & Mokwunye, M. U. B. (2011). Evaluation of effect of antagonistic fungi and arbuscular mycorrhizal fungi (AMF) on incidences of some disease of *Hevea brasiliensis* (Muell. Arg). *Nature and Science*, 9(12), 151-154.

- Reddy, P. P., & Reddy, P. P. (2013). Bio-priming of seeds. *Recent advances in crop protection*, 83-90.
- Rouhi, H. R., Abbasi Surki, A., Sharif-Zadeh, F., Afshari, R. T., Aboutalebian, M. A., & Ahmadvand, G. 2011. Study of Different Priming Treatments on Germination Traits of Soybean Seed Lots. *Notulae Scientia Biologicae*, 3(1), 101–108.
- Rubio, M. B., Pardal, A. J., Cardoza, R. E., Gutiérrez, S., Monte, E., & Hermosa, R. (2017). Involvement of the transcriptional coactivator ThMBF1 in the biocontrol activity of *Trichoderma harzianum*. *Frontiers in Microbiology*, 8(NOV), 1–12. <https://doi.org/10.3389/fmicb.2017.02273>.
- Sadjad S., Murniati E., Ilyas S. 1999. Parameter pengujian vigor benih dari komparatif ke simulatif. Grasindo dan PT Sang Hyang Seri: Jakarta.
- Saini, R., Rai, P. K., Bara, B. M., Sahu, P., Anjer, T., & Kumar, R. (2017). Effect of different seed priming treatments and its duration on seedling characters of Bitter gourd (*Momordica charantia* L.). *Journal of Pharmacognosy and Phytochemistry*, 6(5), 848–850.
- Sansinenea, E. (2019). *Bacillus* spp.: As plant growth-promoting bacteria. *Secondary metabolites of plant growth promoting rhizomicroorganisms: Discovery and applications*, 225-237.
- Sari, N.N.K., Suroso, B., Wijaya, I. 2022. Invigorasi Osmoconditioning Terhadap Viabilitas Dan Vigor Benih Kedelai Varietas Biosoy 1 Dengan Masa Simpan Lebih Dari 6 (Enam) Bulan. *National Multidisciplinary Sciences*. 1(2), 292-301.
- Singleton, V. L. (1981). Naturally occurring food toxicants: phenolic substances of plant origin common in foods. *Advances in food research*, 27, 149-242.
- Soesanto, L. (2008). Pengantar Pengendalian Hayati Penyakit Tanaman, Suplemenke Gulma dan Nematoda. Yogyakarta: Rajawali Pers.
- Solihat, N. F., Lestari, A., & Surjana, T. (2021). Respon Pertumbuhan Dan Hasil Jamur Merang (*Volvariella volvaceae*) Akibat Penambahan Berbagai Konsentrasi Pupuk Organik Cair Dan Air Kelapa Yang Berbeda. *Jurnal Ilmiah Wahana Pendidikan*, 7(8), 440–447. <https://doi.org/10.5281/zenodo.5773974>.
- Suriani & A. Muis. 2016. Prospek *Bacillus subtilis* sebagai agen pengendali hayati patogen tular tanah pada tanaman jagung. *Jurnal Penelitian dan Pengembangan Pertanian*. 35 : 37 – 45.



- Sutariati, G. A. K., Safuan, L. O., Khaeruni, A., & Handayani, F. (2014). Uji Efektivitas Teknik Biopriming Dan Sumber Benih Terhadap Viabilitas Dan Vigor Bibit Kakao *Agriplus*, 24, 111–122.
- Taylor A.G., Allen P.S., Bennett M.A., Bradford J.K., Burris J.S., Misra M.K. (1998) Seed enhancements, *Seed Sci. Res.* 8, 245–256.
- Tyśkiewicz, R., Nowak, A., Ozimek, E., & Jaroszuk-ściseł, J. (2022). Trichoderma: The Current Status of Its Application in Agriculture for the Biocontrol of Fungal Phytopathogens and Stimulation of Plant Growth. *International Journal of Molecular Sciences*, 23(4). <https://doi.org/10.3390/ijms23042329>.
- Vernando, R., Mahyarudin, M., & Rialita, A. (2023). Aktivitas Antimikroba Bakteri Endofit Daun Pegagan (*Centella asiatica* L.) Terhadap *Propionibacterium acnes*. *Al-Kaunyah: Jurnal Biologi*, 16(1), 53–63. <https://doi.org/10.15408/kaunyah.v16i1.20276>.
- Wagi, S., & Ahmed, A. (2019). *Bacillus* spp.: potent microfactories of bacterial IAA. *PeerJ*, 7, e7258.
- Wahyuni, Winda; Saputri, Rinny; Yufikar; Kurniasari, L. (2023). Fruitset Sains: Jurnal Pertanian Agroteknologi. *Ejournal.Iocscience.Org*, 11(2), 116–125. <https://ejournal.iocscience.org/index.php/Fruitset/article/download/2108/1772>.
- Walker, G. M., & White, N. A. (2017). Introduction to Fungal Physiology. In *Fungi: Biology and Applications*. <https://doi.org/10.1002/0470015330.ch1>.
- Wya Saraswati, P., Nocianitri, K. A., & Hapsari Arihantana, N. M. I. (2021). Pola Pertumbuhan *Lactobacillus* sp. F213 Selama Fermentasi Pada Sari Buah Terung Belanda (*Solanum betaceum* Cav.). *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 10(4), 621. <https://doi.org/10.24843/itepa.2021.v10.i04.p08>.
- Yassin, M. T., Mostafa, A. A. F., & Al-Askar, A. A. (2022). In vitro antagonistic activity of *Trichoderma* spp. against fungal pathogens causing black point disease of wheat. *Journal of Taibah University for Science*, 16(1), 57-65.
- Yedidia, I., Srivastva, A. K., Kapulnik, Y., & Chet, I. (2001). Effect of *Trichoderma harzianum* on microelement concentrations and increased growth of cucumber plants. *Plant and soil*, 235, 235-242.
- Yildirim, K. C., Orel, D. C., Okyay, H., Gursan, M. M., & Demir, I. (2021). Quality of immature and mature pepper (*Capsicum annuum* l.) seeds in relation to bio-

- priming with endophytic pseudomonas and bacillus spp. *Horticulturae*, 7(4). <https://doi.org/10.3390/horticulturae7040075>.
- Yu, Z., Wang, Z., Zhang, Y., Wang, Y., & Liu, Z. (2021). Biocontrol and growth-promoting effect of *Trichoderma asperellum* TaspHu1 isolate from Juglans mandshurica rhizosphere soil. *Microbiological Research*, 242(April 2020). <https://doi.org/10.1016/j.micres.2020.126596>.
- Yuliani, D., W, B. P., Soekarno, S., Munif, A., & Surono, S. (2020). Antagonism potency of dark Septate endophytes against *Pyricularia oryzae* for improving health of rice plants. *Jurnal Agro*, 7(2), 134–147. <https://doi.org/10.15575/9589>.
- Zani, R. Z., & Anhar, A. (2021). Respon *Trichoderma* spp. terhadap indeks vigor benih dan berat kering kecambah padi varietas Sirandah Batuampa. *Jurnal Biologi Dan Pembelajarannya*, 8(1), 1–6.
- Zhang, D., Qiang, R., Zhou, Z., Pan, Y., Yu, S., Yuan, W., Cheng, J., Wang, J., Zhao, D., Zhu, J., & Yang, Z. (2022). Biocontrol and Action Mechanism of *Bacillus subtilis* Lipopeptides' Fengycins Against *Alternaria solani* in Potato as Assessed by a Transcriptome Analysis. *Frontiers in Microbiology*, 13(May). <https://doi.org/10.3389/fmicb.2022.861113>.
- Zhao, T., Deng, X., Xiao, Q., Han, Y., Zhu, S., & Chen, J. (2020). IAA priming improves the germination and seedling growth in cotton (*Gossypium hirsutum* L.) via regulating the endogenous phytohormones and enhancing the sucrose metabolism. *Industrial Crops and Products*, 155(July). <https://doi.org/10.1016/j.indcrop.2020.112788>.
- Zhu, H., Zhou, H., Ren, Z., & Liu, E. (2022). Control of *Magnaporthe oryzae* and Rice Growth Promotion by *Bacillus subtilis* JN005. *Journal of Plant Growth Regulation*, 41(6), 2319–2327. <https://doi.org/10.1007/s00344-021-10444-w>.
- Živković, S., Stojanović, S., Ivanović, Ž., Gavrilović, V., Popović, T., & Balaž, J. (2010). Serbian Source *Colletotrichum acutatum* *Colletotrichum gloeosporioides*. *Archives of Biological Sciences*, 62(3), 611–623. <https://doi.org/10.2298/ABS1003611Z>.