

## DAFTAR PUSTAKA

- Anderson, J.M., & Ingram, J.S.I. (1993). *Tropical soil biology and fertility: a Handbook of methods*. CAB International, Wallingford, UK.
- Anita sari, I.dan A.W. Susilo.2013.” Stabilitas Karakter Pembungaan, Pertunasan, dan Potensi Jumlah Buah pada 21 Klon Kakao Harapan Koleksi Puslitkoka”. *Pelita Perkebunan*,29,82-92.
- Arizona, D.2011.Ethnobotani dan Potensi Tumbuhan Berguna di Taman Nasional Gunung Ciremai, Jawa Barat. Departemen Konservasi Sumber Daya Hutan dan Ekowisata IPB Bogor
- Badan Perencanaan Pembangunan Daerah dan Badan Pusat Statistik Sumatera Barat. (2015). *Sumbar dalam angka 2015*. Padang: Bappeda dan BPS Provinsi Sumatera Barat.
- Bonfim. 2010. *Arbuscular mycorrhizal fungi and physiological aspects of cocoa conducted in agroforestral system and at full sun*. *Bragantia*, Campinas 69(1): 201-206
- Budiadi. 2005. *Agroforestri, Mungkinkah Mengatasi Permasalahan Sosial dan Lingkungan?* *Humaniora*.V (3/XVII): 3-4
- Budidarsono, S. & Wijaya, K. 2003. *Praktik Konservasi Dalam Budidaya Kopi Robusta Dan Keuntungan Petani*. Bogor: World Agroforestry Centre – ICRAF South East Asia.
- Buler, Z.; A. Mika (2009). *The influence of canopy architecture on light interception and distribution in ‘Sampion’ apple trees*. *Journal of Fruit and Ornamental Plant Research*, 17, 45–52.
- Cadersa, Y. & N. Govinden (1999). *Relationship Between Canopy Cover and Light Interception in Potato in a Tropical Climate*. Food and Agricultural Research Council. Mauritius.
- Dampa, D. 2003. *Pengaruh Pengembangan Kakao Bagi Ekonomi Rumah Tangga Tani Arfak di Kabupaten Manokwari* [Tesis]. Yogyakarta: Program Pasca Sarjana UGM.
- De foresta dan Michon., 1997. Comparison of Species Composition and Richness Between Primary and Secondary Lucidophyllous Forests in Two Altitudinal Zones of Tsushima Island, Japan *Forest Ecology and Management*, 213:273–287.
- Dinas Perkebunan Sumatera Barat. (2007). *Laporan serangan OPT penting tanaman perkebunan. Periode Triwulan III*. Padang: Dinas Perkebunan Sumatera Barat.
- Ditjenbun. 2013. *Statistik Perkebunan Indonesia 2010-2012*. Direktorat Jenderal Perkebunan, Jakarta.
- Ebisa, L. 2014. Effect of dominant shade trees on cocoa production in Manasibu District, West Oromia, Ethiopia. *Science Technology and Arts Research Journal*, 3(3): 18-22.
- Evizal. 2012. Peranan pohon pelindung dalam menentukan produktivitas kakao. *Jurnal Agrotropika* 17(1): 19-23.

- Firdaus, N., A. Sudomo, E. Suhaendah, T.S. Widyaningsih, Sanudin, dan D.P. Kuswantoro. 2013. *Status Riset Agroforestri di Indonesia*.
- Firdausi, A.B., Nasriati, A. Yani. (2008). *Teknologi Budidaya Kakao*. Bogor: Balai Besar Pengkajian dan Pengembangan Teknologi Peranian. Badan Penelitian dan Pengembangan Pertanian.
- Fitri.,K.A., S. Kurniawan., G. Wibawa dan Kurniatun Hairiah.2010. Studi Biodiversitas: *Apakah Agroforestry mampu mengkonservasi keanekaragaman hayati di DAS KONTO? RABA (Rapid Agrobiodiversity Appraisal)*. Bogor, Indonesia. ICRAF Southeast Asia Program.
- Fitri, Y. dan Rahayu, A.M. (2013). *Perkembangan Serangan Antonii pada Tanaman Kakao di Wilayah Kerja Bbpptp Surabaya. Bidang Proteksi Balai Besar Perbenihan dan Proteksi Tanaman Perkebunan Surabaya*. Jombang.
- Gnankambary Z., Bayala, J., Malmer, A., Nyberg, G., & Hien, V. (2008). Decomposition and nutrisi release from mixed plant litters of contrasting quality in an agroforestri Parkland in the South Sudanese Zone of WestAfrica. *Nutrient cycle agroecosystem journal* 82 :1-13
- Graefe, S., Meyer-Sand, L. F., Chauvette, K., Abdulai, I., Jassogne, L., Vaast, P., Asare, R. (2017). Evaluating Farmers' Knowledge of Shade Trees in Different Cocoa Agro-Ecological Zones in Ghana. *Human Ecology* 45(3): 321-332.
- Guimarães. 2014. *Soil aggregation and organic carbon of oxisols under cocoa in agroforestry systems*. R. Bras. Ci. Solo 38: 278287.
- Hairiah, K. 2010. Mitigasi perubahan iklim agroforestri kopi untuk mempertahankan cadangan karbon lanskap. Dalam *Prosiding Seminar Kakao 2010*. Bali, 4-5 Oktober 2010. Hlm.1-31
- Hanisch. 2011. Soil fertility and nutrient status of traditional Gayo coffee agroforestry systems in the Takengon region, Aceh Province, Indonesia. *Journal of Agriculture and Rural Development in the Tropics and Subtropics* 112 (2): 87–100.
- Heddy, S. 1994. *Prinsip-Prinsip Dasar Ekologi*. Buku. PT Raja Grafindo Persada, Jakarta.
- ICCO.2012. *The world Cocoa Economy: Past and Present*. International Cocoa Organization.
- International Tropical Timber Organisation (ITTO)., 2002. *guidelines for the restoration, management and rehabilitation of degraded and secondary tropical forests*
- James P., Isabelle, Eric M., 2014. *Long-term dynamics of cocoa agroforests: a case study in central Cameroon*.
- Joe, B., C. Bolognesi, Brock, T., E, Capri, A.,Hardy.,A., Hart, (2010). Scientific opinion: Scientific opinion on the importance of the soil litter layer in agricultural areas.

- Jose, S. (2009). Agroforestry for ecosystem service and environmental benefit: An overview. *Agroforestry system* 76: 1-10
- Jumari., D.,Setiadi, dan Purwanto, Y.2012. Etnobiologi Masyarakat Samin. *Disertasi*. Program Pasca Sarjana Institut Pertanian Bogor. Bogor.
- Kartikasari.,2013. *Budidaya dan Pasca Panen Kakao*. Yayasan Pustaka Obor Indonesia. Jakarta.
- Kaswanto RL, N, Nakagoshi. 2014. *Landscape ecology-based approach for assessing Pekarangan condition to preserve protected area in West Java*. In: Nakagoshi N, Mabuhay JA (eds.). *Designing Low Carbon Societies in Landscape*. Springer, Berlin.
- Kent, M. and C. Paddy. 1992. *Vegetation Description and Analysis: a Practical Approach*. London: BelhavenPress.
- Kenta S., 2010. Cocoa-based Agroforestry in Southern Cameroon: *Is it Real or Ideal?*
- Maharani. 2013. Keterjadian penyakit tersebut jamur pada hama penggerek buah kakao (PBK) dipertanaman kopi agroforestri. *Jurnal Agrotek Tropika* 1(1): 86-91
- Mahrizal. 2013. *Distribution of arbuscular mycorrhizal fungi spores in soils of smallholder agroforestry and monocultural cocoa systems in southwestern Ethiopia*.*Biol. Fertil. Soils* 44: 653-659.
- Manti, I.,N., Hasan, Salim, Y., Nusyirwan, Jamalim, M., & Syafril. 2009. Pengendalian hama utama kakao menggunakan minyak serai wangi di perkebunan rakyat Sumatera Barat. *Laporan Hasil Pengkajian Kerjasama Balai Pengkajian Teknologi Pertanian Sumbar dengan Menristek* (p. 35).
- Martin, G.J. 2009. *Ethnobotany: A methods manual*. Plants and People International Conservation. Chapman and Hall, London.
- Mawazin, dan Subiakto, A., 2013. *Keanekaragaman dan Komposisi Jenis Permudaan Alam Hutan Rawa Gambut Bekas Tebangan di Riau*. Indonesian Forest Rehabilitation Journal, 1(1):59-73.
- Mendez, V.E. & Bacon, C.M. 2006. *Ecological Processes and Farmer Livelihoods in Shaded Coffee Production*. Leisa Magazine 22.4 December 2006.
- Mierowska, A.; N. Keutgen; M. Huysamer & V. Smith (2002). Photosynthetic acclimatitaion of apple spur leaves to summer pruning. *Holticulture Science*, 92, 9–27.
- Millennium Ecosystem Assessment (MEA). 2005. *Ecosystems and Human Well-Being: Synthesis*. Washington: Island Press.
- Motamayor, J.2008. “Geographic and Genetic Population Diiferentiation on the Amazonian Chocolate Tree (*Theobroma cacao L.*)”. *Cacao Pos Differentiation*,3,1-8.
- Nair PKR. 1989. Agroforestry defined. In: Nair PKR (ed). *Agroforestry Systems in the Tropics*. Kluwer, The Netherlands.



- Nicholls. (1999). *Biodiversity, Ecosystem Function, and Insect Pest Management in Agricultural System. Dalam Biodiversity in Agroecosystems*, Eds. W.W. Collins & C.O. Qualset. Lwis Publ. New York. pp.69-84.
- O'Connor T., Rahayu, S. & van Noordwijk, M. 2005. *Burung Pada Agroforestry Kakao Di Lampung*. Bogor: World Agroforestry Centre.
- Perfecto, I., Vandermeer, J., Mas, A. & Pinto, L.S. 2005. Biodiversity, Yield, And Shade Coffee Certification. Elsevier. *Ecological Economics* 54 (2005) 435 – 446.
- Phillips, O., Gentry, A.H. (1993). *The useful plants of Tambopata, Peru: I. Statistical hypotheses tests with a new quantitative technique*. *Economic Botany* 47(1):15–32. <http://dx.doi.org/10.1007/BF02862203>
- Polakitan., 2004. *Evaluasi PHBM Dengan Sistem Agroforestri Berbasis Kakao Melalui Pendekatan Ecosystem Management*. Tesis. Bandung: Program Studi Magister Ilmu Lingkungan Universitas Padjadjaran
- Prasmatiwi, F.E., Irham, A. Suryantini, dan Jamhari. 2010. *Analisis keberlanjutan usahatani kopi di kawasan hutan Kabupaten Lampung Barat dengan pendekatan nilai ekonomi lingkungan*. *Pelita Perkebunan* 26(1): 57-69.
- Puslit KOKA Indonesia, 2004. *Panduan Lengkap Budidaya Kakao*, Agromedia Pustaka. Jakarta.
- Sabarnudin, M. S. (2011). *Agroforestri: Strategi Penggunaan Lahan Multi Fungsi, Fleksibel Terhadap Perubahan Tuntutan Pembangunan Berkelanjutan. Pidato Pengukuhan Guru Besar*. Tanggal 6 Maret 2008. Tidak Dipublikasikan. Universitas Gadjah Mada. Yogyakarta.
- Sangha, K., Jolata, K., R.K., & Midmore, D.J. (2006). Litter production, decomposition, and nutrient release in cleared and uncleared pastures system of Central Queensland Australia. *Journal of Tropical Ecology* 22 :177-189.
- Shibu J, Sougata B. 2012. *Agroforestry for biomass production and carbon sequestration: an overview*. *Agrofor Syst* 86: 105-111.
- Smith, J. J. (1996). Using ANTHOPAC 3.5 and a Spreadsheet to Compute a Free-List Saliency Index. *Cultural Anthropology Methods* 5:1–3. DOI:10.1177/1525822X9300500301.
- Somarriba E., Beer J., 2011. *Productivity of Theobroma cacao agroforestry systems with timber or legume service shade trees*.
- Sugito, Y. (2009). *Ekologi Tanaman*. UB Press, Malang.
- Suprayogo, H., D.K. Hairiah, N. Wijayanto, Sunaryo, dan M. Noordwijk. 2003. *Peran Agroforestri pada Skala Plot: Analisis Komponen Agroforestri sebagai Kunci Keberhasilan atau Kegagalan Pemanfaatan Lahan Indonesia*. World Agroforestry Centre (ICRAF), Southeast Asia Regional Office. P0 Box 161 Bogor, Indonesia.
- Teodoro. 2010. *Seasonal contrasts in the response of cocoa ants to agroforestry shade tree management*. *Environmental Entomology* 39(6): 1744-1750.

- Tharakan, P.J.; T.A. Volk; C.A. Nowak & G.J. Ofezu (2008). Assesment of canopy structure, light interception, and light-use efficiency of first year regrowth of shrub willow (*Salix* sp.). *Bioenergy Research*, 1, 229–238.
- Tripathi, O.P., Pandey, H.N., & Tripathi, R.S. 2009. Litter production, decomposition and phsico- chemical properties of soil in 3 developed agroforestry system of Meghalaya, Northeast India. *African Journal of Plant Science* vol. 3 (8): 160-167
- Utami, M.S. 2011. Korelasi arsitektur pohon model rauh dari rasamala (*Altingia excelsa* Noronha.) dan model arsitektur roux dari jenis kopi (*Coffea arabica* L.) terhadap konservasi tanah dan air di area PHBM, RPH Gambung, KPH Bandung Selatan. *Tesis. Institut Pertanian Bogor*. 79 hlm.
- Van Noordwijk, M., Rahayu, S., Hairiah, K., Wulan, Y.C., Farida, A. & Verbist, B. 2002. Carbon Stock Assessment for A Forest-ToCoffee Conversion Landscape in Sumberjaya (Lampung, Indonesia): From Allometric Equation to Land Use Change Analysis. *Science in China* 45: 75- 86.
- Wahyudi. 2013. *Pengaruh kerapatan pohon penayang terhadap daya hasil kakao*. *Pelita Perkebunan* 7 (3): 68-73.
- Wahyudi. 2011. *Pertumbuhan Tanaman dan Tegakan Tinggal pada Sistem TPTI Intensif*. [Disertasi] Sekolah Pascasarjana Institut Pertanian Bogor. Tidak diterbitkan.
- Widianto.,2003 *Agroekosistem Permasalahan Lingkungan Pertanian*. Raja Grafindo Persada. Jakarta.
- Willaume, M.; P-E. Lauri & H. Sinoquet (2004). Light interception in apple trees influenced by canopy architecture manipulation. *Tree Journal*, 18, 705–71.

