

DAFTAR PUSTAKA

1. Senst B, Kumar A, Diaz RR. Cardiac Surgery. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; September 12, 2022.
2. Baehner T, Boehm O, Probst C, Poetzsch B, Hoeft A, Baumgarten G, et al. Kardiopulmonaler Bypass in cardiac surgery. *Der Anaesthesist*. 2012 Oct 14;61(10):846–56.
3. Chan PG, Seese L, Aranda-Michel E, et al. Operative mortality in adult cardiac surgery: is the currently utilized definition justified? *J Thorac Dis*. 2021;13(10):5582-5591. doi:10.21037/jtd-20-2213
4. Patra C, Chamaiah Gatti P, Panigrahi A. Morbidity After cardiac surgery under cardiopulmonary bypass and associated factors: A retrospective observational study. *Indian Heart J*. 2019;71(4):350-355. doi:10.1016/j.ihj.2019.07.004
5. Manlhiot C, Rao V, Rubin B, Lee D. Comparison of cardiac surgery mortality reports using administrative and clinical data sources: a prospective cohort study. *CMAJ Open*. 2018;6(3):E316-21.
6. Bhuka I, Solanki S, Ramaswamy S, Jain A, Kumar P. Perioperative predictors of morbidity and mortality following cardiac surgery under cardiopulmonary bypass. *Saudi J Anaesth*. 2012;6(3):242–7.
7. Kurniawaty J, Setianto BY, Widyastuti Y, Supomo S, Boom CE, Ancilla C. Validation for *EuroSCORE* II in the Indonesian cardiac surgical population: a retrospective, multicenter study. *Expert Rev Cardiovasc Ther*. 2022;20(6):491-496. doi:10.1080/14779072.2022.2078703
8. Janikowski K, Morawiec R, Jegier B, Jaszewski R, Lelonek M. *EuroSCORE* II does not show better accuracy nor predictive power in comparison to original *EuroSCORE*: a single-centre study. *Kardiol Pol*. 2016;74(5):469-475. doi:10.5603/KP.a2015.0215
9. Liu PH, Shih HH, Kang PL, Pan JY, Wu TH, Wu CJ. Performance of the *EuroSCORE* II Model in Predicting Short-Term Mortality of General Cardiac Surgery: A Single-Center Study in Taiwan. *Acta Cardiol Sin*. 2022;38(4):495-503. doi:10.6515/ACS.202207_38(4).20220128B

10. Passaroni A, de Moraes Silva M, Yoshida WB. Cardiopulmonary bypass: Development of John Gibbon's heart lung machine. *Braz J Cardiovasc Surg.* 2015;30(2):235–45.
11. Moh'd A, Al-Odwan H, Altarabsheh S, Makahleh Z, Khasawneh MA. Predictors of aortic clamp time duration and intensive care unit length of stay in elective adult cardiac surgery. *Egyptian Heart Journal.* 2021;73(1): 92.
12. Dayan V, Paganini J, Marichal A, Brusich D. On-pump beating/non-beating cabg in stable angina have similar outcomes. *Braz J Cardiovasc Surg.* 2018;33(2):183–8.
13. Chen WC, Lin MH, Chen CL, Chen YC, Chen CY, Lin YC, et al. Comprehensive Comparisons among Inotropik Agents on Mortality and Risk of Renal Dysfunction in Patients Who Underwent Cardiac Surgery: A Network Meta-Analysis of Randomized Controlled Trials. *J Clin Med.* 2021 Mar 3;10(5):1032.
14. Divisi Bedah Toraks Kardiovaskuler RSUP Dr. M. Djamil. Data Operasi Bedah Jantung Terbuka Tahun 2018-2023. Rumah Sakit Umum Pusat Dr. M. Djamil Padang
15. Cohn Lawrence H, Adams David H. Cardiac surgery in the adult. Fifth Ed. United States: McGraw-Hill Education; 2018.
16. Pulignano G, Gulizia MM, Baldasseroni S, et al. ANMCO/SIC/SICI-GISE/SICCH Executive Summary of Consensus Document on Risk Stratification in elderly patients with aortic stenosis before surgery or transcatheter aortic valve replacement. *Eur Heart J Suppl.* 2017;19(Suppl D):D354-D369. doi:10.1093/eurheartj/sux012
17. Sianos, Georgios et al. "The SYNTAX Score: an angiographic tool grading the complexity of coronary artery disease." *EuroIntervention : journal of EuroPCR in collaboration with the Working Group on Interventional Cardiology of the European Society of Cardiology* 1 2 (2005): 219-27 .
18. Nashef SA, Roques F, Michel P, Gauducheau E, Lemeshow S, Salamon R. European system for cardiac operative risk evaluation (*EuroSCORE*). *Eur J Cardiothorac Surg.* 1999;16(1):9-13. doi:10.1016/s1010-7940(99)00134-7
19. Hamaji M, Sakaguchi Y, Matsuda M, Kono S. Reinforced closure of the sternum with absorbable pins for high-risk patients. *Interact Cardiovasc Thorac Surg.* 2009;9(4):559-561. doi:10.1510/icvts.2009.212506
20. Sarkar M, Prabhu V. Basics of cardiopulmonary bypass. *Indian J Anaesth.*

2017;61(9):760–7.

21. Ismail A, Semien G, Miskolczi SY. Cardiopulmonary Bypass. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; February 10, 2023
22. Bond E, Valadon C, Slaughter M. Cannulation for Cardiopulmonary Bypass [Internet]. *Cardiac Surgery Procedures*. IntechOpen; 2020. Available from: <http://dx.doi.org/10.5772/intechopen.86033>.
23. Wahba A, Milojevic M, Boer C, de Somer F, Gudbjartsson T, van den Goor J, et al. 2019 EACTS/EACTA/EBCP guidelines on cardiopulmonary bypass in adult cardiac surgery. *European Journal of Cardio-thoracic Surgery*. 2020;57(2):210–51.
24. Caraballo C, Desai N, Mulder H, Alhanti B, Wilson F, Fiuzat M, et al. Clinical Implications of the New York Heart Association Classification. *J Am Heart Assoc*. 2019;8(23): e014240
25. Smit-Fun V, Buhre WF. The patient with chronic heart failure undergoing surgery. *Curr Opin Anaesthesiol*. 2016;29(3):391–6.
26. Supomo S. Prognostic factors in mitral valve replacement surgery at Dr. Sardjito General Hospital, Yogyakarta-Indonesia. *Bali Medical Journal*. 2018;7(3): 654-7.
27. Berman MN, Tupper C, Bhardwaj A. Physiology, Left Ventricular Function. [Updated 2022 Sep 19]. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK541098/#>
28. Topkara VK, Cheema FH, Kesavaramanujam S, Mercado ML, Cheema AF, Namerow PB, et al. Coronary artery bypass grafting in patients with low ejection fraction. *Circulation*. 2005;112(9 SUPPL.):344–51.
29. Kurniawaty J, Setianto BY, Supomo, Widyastuti Y, Boom CE. The Effect of Low Preoperative Ejection Fraction on Mortality After Cardiac Surgery in Indonesia. *Vascular Health and Risk Management*. 2022;18:131–7.
30. Pieri M, Belletti A, Monaco F, Pisano A, Musu M, Dalessandro V, et al. Outcome of cardiac surgery in patients with low preoperative ejection fraction. *BMC Anesthesiology*. 2016 Dec 18;16(1):97.
31. Peyrou J, Chauvel C, Pathak A, Simon M, Dehant P, Abergel E. Preoperative right ventricular dysfunction is a strong predictor of 3 years survival after cardiac

- surgery. *Clin Res Cardiol.* 2017;106(9):734-742. doi:10.1007/s00392-017-1117-y
32. Haddad F, Hunt SA, Rosenthal DN, Murphy DJ. Right ventricular function in cardiovascular disease, part I: Anatomy, physiology, aging, and functional assessment of the right ventricle. *Circulation.* 2008;117(11):1436-1448. doi:10.1161/CIRCULATIONAHA.107.653576
33. Sun X, Zhang H, Aike B, et al. Tricuspid annular plane systolic excursion (TAPSE) can predict the outcome of isolated tricuspid valve surgery in patients with previous cardiac surgery?. *J Thorac Dis.* 2016;8(3):369-374. doi:10.21037/jtd.2016.02.38
34. Sato T, Tsujino I, Oyama-Manabe N, et al. Simple prediction of right ventricular ejection fraction using tricuspid annular plane systolic excursion in pulmonary hypertension. *Int J Cardiovasc Imaging.* 2013;29(8):1799-1805. doi:10.1007/s10554-013-0286-7
35. Kunigo T, Yoshikawa Y, Yamamoto S, Yamakage M. Preoperative right ventricular dysfunction requires high vasoactive and inotropic support during off-pump coronary artery bypass grafting. *Gen Thorac Cardiovasc Surg.* 2021;69(6):934-942. doi:10.1007/s11748-020-01557-2
36. Wang Y, Chen Y, Lin P, Huang C. Impact of pulmonary hypertension hemodynamic presentation on perioperative outcomes in patients undergoing elective cardiac surgery: An observational study. *Formosan Journal of Surgery.* 2023; 56(2): 47-53. DOI: 10.1097/FS9.0000000000000016
37. Opitz C, Rosenkranz S, Ghofrani HA, et al. ESC guidelines 2015 pulmonary hypertension: diagnosis and treatment. *Dtsch Med Wochenschr.* 2016;141:1764–1769.
38. Genuardi MV, Shpilsky D, Handen A, et al. Increased Mortality in Patients With Preoperative and Persistent Postoperative Pulmonary Hypertension Undergoing Mitral Valve Surgery for Mitral Regurgitation: A Cohort Study. *J Am Heart Assoc.* 2021;10(5):e018394. doi:10.1161/JAHA.120.018394
39. Alvarez M, Colmenero M, Martín P, et al. Does the *EuroSCORE* identify patients at minimum risk of mortality from heart surgery?. *Rev Esp Cardiol.* 2003;56(7):682-686. doi:10.1016/s0300-8932(03)76939-5
40. Nashef SA, Roques F, Sharples LD, et al. *EuroSCORE II.* *Eur J Cardiothorac Surg.* 2012;41(4):734-745. doi:10.1093/ejcts/ezs043

41. Widyastuti Y, Boom CE, A Parmana IM, et al. Validation in Indonesia of two published scores for mortality prediction after cardiac surgery. *Ann Card Anaesth.* 2023;26(1):23-28. doi:10.4103/aca.aca_297_20
42. Hess N, Sultan I, Wang Y, Thoma F, Kilic A. Outcomes of Cardiac Surgery with Very Prolonged Cardiopulmonary Bypass Times. [Internet]. 2021. Available from: <https://doi.org/10.22541/au.161486705.54871224/v1>
43. Rodrigues C, Oliveira R, Soares S, Figueiredo L, Araujo S, Dragosavac D. Lung injury and mechanical ventilation in cardiac surgery: a review. *Rev Bras Ter Intensiva.* 2010;22(4):375–83.
44. Salis S, Mazzanti V V., Merli G, Salvi L, Tedesco CC, Veglia F, et al. Cardiopulmonary Bypass Duration Is an Independent Predictor of Morbidity and Mortality After Cardiac Surgery. *Journal of Cardiothoracic and Vascular Anesthesia.* 2008;22(6):814–22.
45. Shvartz V, Sokolskaya M, Petrosyan A, Ispiryan A, Donakanyan S, Bockeria L, et al. Predictors of Mortality following Aortic Valve Replacement in Aortic Stenosis Patients. *Pathophysiology.* 2022;29(1):106–17.
46. Gillies M, Bellomo R, Doolan L, Buxton B. Bench-to-bedside review: Inotropic drug therapy after adult cardiac surgery - A systematic literature review. *Critical Care.* 2005;9:266–79.
47. Nielsen DV, Hansen MK, Johnsen SP, Hansen M, Hindsholm K, Jakobsen C. Health Outcomes with and without Use of Inotropic Therapy in Cardiac Surgery. *Anesthesiology.* 2014;120:1098–108
48. Baysal PK, Güzelmeriç F, Kahraman E, Gürcü ME, Erkılınç A, Orki T. Is vasoactive-inotropic score a predictor for mortality and morbidity in patients undergoing coronary artery bypass surgery? *Braz J Cardiovasc Surg.* 2021;36(6):802–6.
49. Shahin J, deVarenes B, Tse CW, Amarica DA, Dial S. The relationship between inotrope exposure, six-hour postoperative physiological variables, hospital mortality and renal dysfunction in patients undergoing cardiac surgery. *Crit Care.* 2011 Jul 7;15(4): R162.
50. Fernandez-Zamora MD, Gordillo-Brenes A, Banderas-Bravo E, et al. Prolonged Mechanical Ventilation as a Predictor of Mortality After Cardiac Surgery. *Respir Care.*

2018;63(5):550-557. doi:10.4187/respcare.04915

51. Zhang M, Zhao Y, Cui R, An B. A study of mechanical ventilation in the ICU after cardiac surgery: a bibliometric analysis. *J Thorac Dis.* 2022;14(4):1212-1224. doi:10.21037/jtd-22-233
52. Colson PH, Gaudard P, Fellahi JL, et al. Active Bleeding after Cardiac Surgery: A Prospective Observational Multicenter Study. *PLoS One.* 2016;11(9):e0162396. Published 2016 Sep 2. doi:10.1371/journal.pone.0162396
53. Al-Attar, N., Johnston, S., Jamous, N. *et al.* Impact of bleeding complications on length of stay and critical care utilization in cardiac surgery patients in England. *J Cardiothorac Surg.* 2019; 14(64): 1-10. <https://doi.org/10.1186/s13019-019-0881-3>
54. Senage T, Gerrard C, Moorjani N, Jenkins DP, Ali JM. Early postoperative bleeding impacts long-term survival following first-time on-pump coronary artery bypass grafting. *J Thorac Dis.* 2021;13(10):5670-5682. doi:10.21037/jtd-21-1241

