

DAFTAR PUSTAKA

1. Kinerja I, Layanan C, Bersih A. SILAKIP Kota Bandung. 2019;1–6.
2. Aulia U. Hubungan antara penggunaan gigi tiruan terhadap kualitas hidup terkait kesehatan gigi dan mulut pada lansia di Posyandu Lansia wilayah kerja Puskesmas Andalas, Kecamatan Padang Timur. 2019;224(11):122–30.
3. Abramoff B, Caldera FE. Osteoarthritis: pathology, diagnosis, and treatment options. *Med Clin North Am.* 2020;104(2):293–311.
4. Mora JC, Przkora R, Cruz-Almeida Y. Knee osteoarthritis: pathophysiology and current treatment modalities. *J Pain Res.* 2018;11:2189–96.
5. Kolasinski SL, Neogi T, Hochberg MC, Oatis C, Guyatt G, Block J, et al. 2019 American College of Rheumatology/Arthritis Foundation Guideline for the management of osteoarthritis of the hand, hip, and knee. *Arthritis Rheumatol.* 2020;72(2):220–33.
6. NASIONAL R. Laporan_Nasional_RKD2018_FINAL.pdf [Internet]. Badan Penelitian dan Pengembangan Kesehatan. 2018. p. 674.:http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf-Diakses Agustus 2022
7. Aimi N, Zamri A, Harith S, Ong YQ. Review Article Scoping Review. *Elder Heal J* 2019. 2019;5(1):19–31.
8. Gustina E, Handani MC, Sirait A. Faktor – faktor yang mempengaruhi osteoarthritis studi kasus kontrol di rumah sakit tk ii putri hijau medan tahun 2017. *J Mitrahusada.* 2020;3(1):88–103.
9. Barat D sumatra. Riset Kesehatan Dasar Provinsi Sumatera Barat Tahun 2018. Laporan Riskesdas Nasional 2018. 2019. 1–478 p.
10. Kumar H, Pal CP, Sharma YK, Kumar S, Uppal A. Epidemiology of knee osteoarthritis using Kellgren and Lawrence scale in Indian population. *J Clin Orthop Trauma.* 2020;11(xxxx):S125–9.
11. O'Neill TW, McCabe PS, McBeth J. Update on the epidemiology, risk factors and disease outcomes of osteoarthritis. *Best Pract Res Clin Rheumatol.* 2018;32(2):312–26.
12. Zhang Z, Huang C, Jiang Q, Zheng Y, Liu Y, Liu S, et al. Guidelines for the diagnosis and treatment of osteoarthritis in China (2019 edition). *Ann Transl Med.* 2020;8(19):1213–1213.
13. Perhimpunan Reumatologi Indonesia (IRA). Diagnosis dan Pengelolaan Osteoarthritis (Lutut, Tangan, dan Panggul). 2021.
14. Shamsi M, Safari A, Soroush A, Safari Y. The Survey of Knee Osteoarthritis in the Population over Age 50 Visited in the Health Bus in Kermanshah, Iran. *J Aging Res.* 2021;2021.
15. Nata CE, Rahman S, Sakdiah S. Hubungan indeks massa tubuh dengan

kejadian osteoarthritis lutut di Rumah Sakit Umum Zainoel Abidin Kota Banda Aceh. *J Kedokt Syiah Kuala*. 2020;20(3):138–42.

16. Fathi HM. The Egyptian Rheumatologist Unilateral versus bilateral primary knee osteoarthritis : Relation to the Western Ontario McMaster Universities Osteoarthritis Index (WOMAC), C-reactive protein and radiological assessment in Egyptian patients. *Egypt Rheumatol*. 2019;41(4):271–6.
17. Cui A, Li H, Wang D, Zhong J, Chen Y, Lu H. Global, regional prevalence, incidence and risk factors of knee osteoarthritis in population-based studies. *EClinicalMedicine*. 2020;29–30:100587.
18. Ayu Pande Arista Dewi NP, Subawa W, Artha Wiguna A. Hubungan status kesehatan berdasarkan WOMAC dengan kualitas hidup berdasarkan WHOQOL-BREF pada pasien osteoarthritis lutut di Rumah Sakit Sanglah tahun 2016-2017. *Intisari Sains Medis*. 2018;9(1):71–5.
19. Afina SN, Yuniarti L, Masria S, Rathomi HS, Dharmmika S. Hubungan derajat nyeri dan klasifikasi radiologik dengan kualitas hidup pasien osteoarthritis lutut. *J Integr Kesehat Sains*. 2019;1(2):91–6.
20. F. H. Hubungan derajat nyeri dengan tingkat depresi pada pasien osteoarthritis lutut. *UNIMUS (Disertasi)*. 2018;
21. Nutr J, Aging H. Determinants of health related quality of life in home dwelling elderly population. 2018;
22. Pinto Barbosa S, Marques L, Sugawara A, Toledo F, Imamura M, Battistella L, et al. Predictors of the health-related quality of life (HRQOL) in SF-36 in knee osteoarthritis patients: a multimodal model with moderators and mediators. *Cureus*. 2022;14(7).
23. Park HM, Kim HS, Lee YJ. Knee osteoarthritis and its association with mental health and health-related quality of life: A nationwide cross-sectional study. *Geriatr Gerontol Int*. 2020;20(4):379–83.
24. Prathap Kumar J, Arun Kumar M, Venkatesh D. Healthy gait: Review of anatomy and physiology of knee joint. *Int J Curr Res Rev*. 2020;12(6):1–8.
25. Hassebrock JD, Gulbrandsen MT, Asprey WL, Makovicka JL, Chhabra A. Knee ligament anatomy and biomechanics. *Sports Med Arthrosc*. 2020;28(3):80–6.
26. Millerand M, Berenbaum F, Jacques C. Danger signals and inflammaging in osteoarthritis. *Clin Exp Rheumatol*. 2019;37(5):48–56.
27. Özden F, Nadiye Karaman Ö, Tuğay N, Yalın Kiliç C, Mihriban Kiliç R, Umut Tuğay B. The relationship of radiographic findings with pain, function, and quality of life in patients with knee osteoarthritis. *J Clin Orthop Trauma*. 2020;11:S512–7.
28. Driban JB, Bannuru RR, Eaton CB, Spector TD, Hart DJ, McAlindon TE, et al. The incidence and characteristics of accelerated knee osteoarthritis among women: The Chingford cohort. *BMC Musculoskelet Disord*. 2020;21(1):1–6.

29. Wang LJ, Zeng N, Yan ZP, Li JT, Ni GX. Post-traumatic osteoarthritis following ACL injury. *Arthritis Res Ther.* 2020;22(1):1–8.
30. Costa L, Silva-correia J, Oliveira JM. Osteochondral tissue engineering in vivo. 2018;1059:281–304.
31. Wang X, Perry TA, Arden N, Chen L, Parsons CM, Cooper C, et al. Occupational risk in knee osteoarthritis: A systematic review and meta-analysis of observational studies. *Arthritis Care Res.* 2020;72(9):1213–23.
32. Driban JB, Harkey MS, Barbe MF, Ward RJ, MacKay JW, Davis JE, et al. Risk factors and the natural history of accelerated knee osteoarthritis: A narrative review. *BMC Musculoskelet Disord.* 2020;21(1):1–11.
33. Lee BJ, Yang S, Kwon S, Choi KH, Kim W. Association between metabolic syndrome and knee osteoarthritis: A cross-sectional nationwide survey study. *J Rehabil Med.* 2019;51(6):464–70.
34. Lin L, Luo P, Yang M, Wang J, Hou W, Xu P. Causal relationship between osteoporosis and osteoarthritis: A two-sample Mendelian randomized study. *Front Endocrinol (Lausanne).* 2022;13(October):1–8.
35. Mora JC, Przkora R, Cruz-Almeida Y. Knee osteoarthritis: Pathophysiology and current treatment modalities. *J Pain Res.* 2018;11:2189–96.
36. Bednarz J, Kolatorowicz A, Lowe CM. Activity level influences the likelihood of developing knee osteoarthritis. *Osteoarthr Cartil [Internet].* 2019;27(2019):S279.
37. Skou ST, Koes BW, Grønne DT, Young J, Roos EM. Comparison of three sets of clinical classification criteria for knee osteoarthritis: a cross-sectional study of 13,459 patients treated in primary care. *Osteoarthr Cartil.* 2020;28(2):167–72.
38. Damen J, Van Rijn RM, Emans PJ, Hilberdink WKHA, Wesseling J, Oei EHG, et al. Prevalence and development of hip and knee osteoarthritis according to American College of Rheumatology criteria in the CHECK cohort. *Breast Cancer Res.* 2019;21(1):1–7.
39. Abedin J, Antony J, McGuinness K, Moran K, O'Connor NE, Rebholz-Schuhmann D, et al. Predicting knee osteoarthritis severity: comparative modeling based on patient's data and plain X-ray images. *Sci Rep.* 2019;9(1):1–11.
40. Issin A, Öner A, Koçkara N, Özcan S. Shortest time interval for detecting the progression of knee osteoarthritis on consecutive X-rays. *Turkish J Phys Med Rehabil.* 2020;66(4):383–7.
41. Lee LS, Chan PK, Fung WC, Chan VWK, Yan CH, Chiu KY. Imaging of knee osteoarthritis: A review of current evidence and clinical guidelines. *Musculoskeletal Care.* 2021;19(3):363–74.
42. Wu Y, Goh EL, Wang D, Ma S. Novel treatments for osteoarthritis: An update. *Open Access Rheumatol Res Rev.* 2018;10:135–40.

43. Nelson AE. Osteoarthritis year in review 2017: clinical. *Osteoarthr Cartil.* 2018;26(3):319–25.
44. Zampogna B, Papalia R, Papalia GF, Campi S, Vasta S, Vorini F, et al. The role of physical activity as conservative treatment for hip and knee osteoarthritis in older people: A systematic review and meta-analysis. *J Clin Med.* 2020;9(4).
45. Majeed MH, Sherazi SAA, Bacon D, Bajwa ZH. Pharmacological treatment of pain in osteoarthritis: A descriptive review. *Curr Rheumatol Rep.* 2018;20(12).
46. Vincent P. Intra-Articular hyaluronic acid in the symptomatic treatment of knee osteoarthritis: A meta-Analysis of single-injection products. *Curr Ther Res - Clin Exp.* 2019;90:39–51.
47. Bahrami MH, Raeissadat SA, Cheraghi M, Rahimi-Dehgolan S, Ebrahimipour A. Efficacy of single high-molecular-weight versus triple low-molecular-weight hyaluronic acid intra-articular injection among knee osteoarthritis patients. *BMC Musculoskelet Disord.* 2020;21(1):1–8.
48. Kenmochi M. Clinical outcomes following injections of leukocyte-rich platelet-rich plasma in osteoarthritis patients. *J Orthop.* 2020;18(October 2019):143–9.
49. Brumat P, Kunšič O, Novak S, Slokar U, Pšenica J, Topolovec M, et al. The surgical treatment of osteoarthritis. *Life.* 2022;12(7).
50. Su X, Li C, Liao W, Liu J, Zhang H, Li J, et al. Comparison of arthroscopic and conservative treatments for knee osteoarthritis: A 5-Year retrospective comparative study. *Arthrosc - J Arthrosc Relat Surg.* 2018;34(3):652–9.
51. He M, Zhong X, Li Z, Shen K, Zeng W. Progress in the treatment of knee osteoarthritis with high tibial osteotomy: a systematic review. *Syst Rev.* 2021;10(1):1–10.
52. Cao ZW, Mai XJ, wang J, Feng EH, Huang YM. Uni-compartmental knee arthroplasty versus high tibial osteotomy for knee osteoarthritis: a systematic review and meta-analysis. *J Arthroplasty.* 2018;33(3):952–9.
53. Asgaonkar B GN. The relationship between emotional status, pain, severity of osteoarthritis on radiograph and quality of life in patients with knee osteoarthritis. *Indian J Physiother Occup Ther.* 2020;14(1):55–61.
54. Cai T, Verze P, Bjerklund Johansen TE. The quality of life definition: Where are we going? *Uro.* 2021;1(1):14–22.
55. Vitaloni M, Botto-Van Bemden A, Sciortino Contreras RM, Scotton D, Bibas M, Quintero M, et al. Global management of patients with knee osteoarthritis begins with quality of life assessment: A systematic review. *BMC Musculoskelet Disord.* 2019;20(1):1–12.
56. Indahningrum R putri, Naranjo J, Hernández, Naranjo J, Peccato LODEL, Hernández. Evaluasi kualitas hidup pasien adolescent idiopathic scoliosis post-OP menggunakan instrumen SF-36 di RS Wahidin Sudirohusodo. *Appl Microbiol Biotechnol.* 2020;2507(1):1–9.

57. Endarti AT. Kualitas hidup kesehatan: Konsep, model, dan penggunaan. *J Ilm Kesehat.* 2015;7(2):97–108.
58. Zhou T, Guan H, Wang L, Zhang Y, Rui M, Ma A. Health-related quality of life in patients with different diseases measured with the EQ-5D-5L: A Systematic Review. *Front Public Heal.* 2021;9(June).
59. Brazier JE, Mulhern BJ, Bjorner JB, Gandek B, Rowen D, Alonso J, et al. Developing a new version of the SF-6D health state classification system from the SF-36v2: SF-6Dv2. *Med Care.* 2020;58(6):557–65.
60. Arovah NI, Heesch KC. Verification of the reliability and validity of the short form 36 scale in Indonesian middle-aged and older adults. *J Prev Med Public Heal.* 2020;53(3):180–8.
61. Phatama KY, Aziz A, Bimadi MH, Oktafandi IGNA, Cendikiawan F, Mustamsir E. Knee injury and osteoarthritis outcome score: Validity and reliability of an Indonesian version. *Ochsner J.* 2021;21(1):63–7.
62. Adawiyah AR, Suratmi T, W. Rahardjo TB. Kapasitas fungsional dan kualitas hidup lansia wanita dengan osteoarthritis lutut. *J Untuk Masy Sehat.* 2020;4(1):15–30.
63. Dahlan MS. Statistik untuk kedokteran dan kesehatan: Deskriptif, bivariat, dan multivariat, dilengkapi aplikasi dengan menggunakan SPSS. 2019. 159 p.
64. Home PD, Meneghini L, Wendisch U, Ratner RE, Johansen T, Christensen TE, et al. Improved health status with insulin degludec compared with insulin glargine in people with Type1 diabetes. *Diabet Med.* 2012;29(6):716–20.
65. Jatmika G. Hubungan antara asupan energi dan protein terhadap kualitas hidup pada pasien hemodialisis. *Univ Islam Sultan Agung Semarang.* 2020;62–92.
66. Ningrum. Kualitas hidup pasien urolithiasis pada komponen fisik dan komponen mental dengan instrumen Short Form-36 (SF-36). *J Care.* 2016;4(2):53–63.
67. Hakim LN. Urgensi revisi undang-undang tentang kesejahteraan lanjut usia. *Aspir J Masal Sos.* 2020;11(1):43–55.
68. Majlesi J. Patients with chronic musculoskeletal pain of 3–6-Month duration already have low levels of health-related quality of life and physical activity. *Curr Pain Headache Rep.* 2019;23(11).
69. Ilham Wildan Ahmad, Lita Diah Rahmawati THW. Demographic profile, clinical and analysis of osteoarthritis patients in Surabaya. *Biomol Heal Sci J.* 2018;1(1):34.
70. Abdoos M, Salavati M, Mosallanezhad Z, Fasihniah H, Abolhasani H, Azadi F, et al. The relationship between demographic and occupational characteristics and disability severity in patients with knee osteoarthritis. *Phys Treat - Specif Phys Ther.* 2020;10(1):1–6.

71. Moretti B, Spinarelli A, Varrassi G, Massari L, Gigante A, Iolascon G, et al. Influence of sex and gender on the management of late-stage knee osteoarthritis. *Musculoskelet Surg.* 2022;106(4):457–67.
72. Peshkova M, Lychagin A, Lipina M, Di Matteo B, Anzillotti G, Ronzoni F, et al. Gender-related aspects in osteoarthritis development and progression: A Review. *Int J Mol Sci.* 2022;23(5).
73. Carlson E. Risk of knee osteoarthritis associated with high heel use risk of knee osteoarthritis associated with high heel use. *WWU Honor Progr Sr Proj.* 2020;1–17.
74. Sinatti P, Sánchez Romero EA, Martínez-Pozas O, Villafañe JH. Effects of patient education on pain and function and its impact on conservative treatment in elderly patients with pain related to hip and knee Osteoarthritis: A Systematic Review. *Int J Environ Res Public Health.* 2022;19(10):1–17.
75. Goff AJ, De Oliveira Silva D, Merolli M, Bell EC, Crossley KM, Barton CJ. Patient education improves pain and function in people with knee osteoarthritis with better effects when combined with exercise therapy: a systematic review. *J Physiother.* 2021;67(3):177–89.
76. Minaković I, Svorcan JZ, Janković T, Glomazić H, Smuđa M, Živanović D, et al. Influence of risk factors on the well-being of elderly women with knee osteoarthritis. *Medicina (Kaunas).* 2023;59(8):2–11.
77. Quicke JG, Conaghan PG, Corp N, Peat G. Osteoarthritis year in review 2021: epidemiology & therapy. *Osteoarthr Cartil.* 2022;30(2):196–206.
78. Lee JY, Han K, Park YG, Park SH. Effects of education, income, and occupation on prevalence and symptoms of knee osteoarthritis. *Sci Rep.* 2021;11(1):1–8.
79. Ahmad IW, Rahmawati LD, Wardhana TH. Demographic profile, clinical and analysis of osteoarthritis patients in Surabaya. *Biomol Heal Sci J.* 2018;1(1):34.
80. Oo WM, Hunter DJ. Repurposed and investigational disease-modifying drugs in osteoarthritis (DMOADs). *Ther Adv Musculoskelet Dis.* 2022;14(X):1–29.
81. Lambova SN. Knee osteoarthritis—how close are we to disease-modifying treatment: Emphasis on Metabolic Type Knee Osteoarthritis. *Life.* 2023;13(1):1–8.
82. Georgiev T, Angelov AK. Modifiable risk factors in knee osteoarthritis: treatment implications. *Rheumatol Int.* 2019;
83. Khan B, Khan OY, Zehra S, Azhar A, Fatima S. Association between obesity and risk of knee osteoarthritis. *Pak J Pharm Sci.* 2020;33(1):295–8.
84. DeRogatis M, Anis HK, Sodhi N, O. Ehiorobo J, Chughtai M, Bhave A, et al. Non-operative treatment options for knee osteoarthritis. *Ann Transl Med.* 2019;7(S7):S245–S245.

85. Yokota A, Maeshima E, Sasaki K, Ooi T, Sainoh T, Hosokawa H. Physical functions associated with health-related quality of life in older adults diagnosed with knee osteoarthritis. *J Phys Ther Sci.* 2023;35(1):60–5.
86. Asif T, Ali Rana A, Ahmed Zahoor I, Ghaffar N, Ahmad I, Idrees Q. Quality of life in patients with knee osteoarthritis. *Ther (Journal Ther Rehabil Sci.* 2022;28–31.
87. Odole A, Ekediegwu E, Ekechukwu END, Uchenwoke C. Correlates and predictors of pain intensity and physical function among individuals with chronic knee osteoarthritis in Nigeria. *Musculoskelet Sci Pract.* 2019;39:150–6.
88. Tarigan GJ, Rante SDT, Pakan PD. Hubungan intensitas nyeri dengan kualitas hidup pasien osteoarthritis lutut. *Cendana Med J.* 2019;17(2):267–72.
89. Mohebi S, Parham M, Sharifirad G, Gharlipour Z. Social support and self-care behavior study. 2018;(January):1–6.
90. Kooranian F, ParsaYekta Z, Rassouli M. Explaining the concept of self-care competence and its dimensions in elderly women with knee osteoarthritis in Iran: A qualitative study. *Ethiop J Health Sci.* 2023;33(1):151–62.
91. Siviero P, Veronese N, Smith T, Stubbs B, Limongi F, Zambon S, et al. Association between osteoarthritis and social isolation: data from the EPOSA Study. *J Am Geriatr Soc.* 2020;68(1):87–95.
92. Otoshi K, Kikuchi S, Otani K, Sonobe T, Sekiguchi M, Konno S. Potential influencing factor on health-related quality of life in Japanese with knee osteoarthritis: the Locomotive syndrome and Health outcome in Aizu cohort Study (LOHAS). *J Exp Orthop.* 2023;10(1):1–9.
93. Anand Govind Joshi, Ambali MP OSK. A study to determine the effects of physical, psychological , and socio-emotional factors on people with knee osteoarthritis who work in various occupations. *J Coast Med.* 2023;11(October 2022).
94. Condon SE, Parmelee PA, Smith DM. Examining emotional intelligence in older adults with chronic pain: a factor analysis approach. *Aging Ment Heal.* 2021;25(2):213–8.
95. Zainal F. Zakaria WMZ. Study on health related quality of life among knee osteoarthritis patients. *Asian J Med Heal Sci.* 2019;2(1):41.