

## Daftar Pustaka

- [1] A. A. Azmi and M. A. A. Aziz, "Mesoporous adsorbent for CO<sub>2</sub> capture application under mild condition: A review," *J Environ Chem Eng*, vol. 7, no. 2, p. 103022, Apr. 2019, doi: 10.1016/j.jece.2019.103022.
- [2] N. Putri Halimah and H. Yanto, "Determinant of Carbon Emission Disclosure at Mining Companies Listed in Indonesia Stock Exchange," *KnE Social Sciences*, vol. 3, no. 10, p. 127, Oct. 2018, doi: 10.18502/kss.v3i10.3124.
- [3] F. F. Zaemi and R. C. Rohmana, "Carbon Capture, Utilization, and Storage (CCUS) untuk Pembangunan Berkelanjutan: Potensi dan Tantangan di Industri Migas Indonesia," 2021.
- [4] P. D. Dissanayake, S. You, A. D. Igalavithana, and Y. Xia, "Biochar-based adsorbents for carbon dioxide capture," *Renewable and Sustainable Energy Reviews*, vol. 119. Elsevier Ltd, Mar. 01, 2020. doi: 10.1016/j.rser.2019.109582.
- [5] W. Hao, E. Björkman, M. Lilliestråle, and N. Hedin, "Activated carbons prepared from hydrothermally carbonized waste biomass used as adsorbents for CO<sub>2</sub>," *Appl Energy*, vol. 112, pp. 526–532, Dec. 2013, doi: 10.1016/j.apenergy.2013.02.028.
- [6] X. Zhang, Y. Huang, H. Gao, X. Luo, Z. Liang, and P. Tontiwachwuthikul, "Zeolite catalyst-aided tri-solvent blend amine regeneration: An alternative pathway to reduce the energy consumption in amine-based CO<sub>2</sub> capture process," *Appl Energy*, vol. 240, pp. 827–841, Apr. 2019, doi: 10.1016/j.apenergy.2019.02.089.
- [7] M. Mohamedali, D. Nath, H. Ibrahim, and A. Henni, "Review of Recent Developments in CO<sub>2</sub> Capture Using Solid Materials: Metal Organic Frameworks (MOFs)," in *Greenhouse Gases*, InTech, 2016. doi: 10.5772/62275.

- [8] Z. H. Lee, K. T. Lee, S. Bhatia, and A. R. Mohamed, "Post-combustion carbon dioxide capture: Evolution towards utilization of nanomaterials," *Renewable and Sustainable Energy Reviews*, vol. 16, no. 5, pp. 2599–2609, Jun. 2012, doi: 10.1016/j.rser.2012.01.077.
- [9] B. Petrovic, M. Gorbounov, and S. Masoudi Soltani, "Influence of surface modification on selective CO<sub>2</sub> adsorption: A technical review on mechanisms and methods," *Microporous and Mesoporous Materials*, vol. 312, p. 110751, Jan. 2021, doi: 10.1016/j.micromeso.2020.110751.
- [10] C. H. Yu, C. H. Huang, and C. S. Tan, "A review of CO<sub>2</sub> capture by absorption and adsorption," *Aerosol and Air Quality Research*, vol. 12, no. 5, pp. 745–769, Oct. 2012. doi: 10.4209/aaqr.2012.05.0132.
- [11] B. Suryawan, "Karakteristik Zeolit Indonesia sebagai Adsorben Uap Air," *Teknik Mesin Universitas Indonesia*, 2004.
- [12] D. W. O'Connell, C. Birkinshaw, and T. F. O'Dwyer, *Heavy metal adsorbents prepared from the modification of 90: cellulose A review*, vol. 99. 2008.
- [13] S. Siahaan, M. Hutapea, and R. Hasibuan, "Penentuan Kondisi Optimum Suhu dan Waktu Karbonisasi pada Pembuatan Arang dari Sekam Padi," *Jurnal Teknik Kimia USU*, vol. 2, no. 1, 2013.
- [14] A. Subkhan, "Kajian Emisi Karbondioksida (CO<sub>2</sub>) Dari Pemanfaatan Energi Rumah Tangga Di Kelurahan Candi Kota Semarang," Universitas Negeri Semarang, Semarang, 2017.
- [15] F. K. Lutgens and E. J. Tarbuck, *The Atmosphere an Introduction to Meteorology*. New Jersey: Prentice-Hall, 1979.
- [16] G. W. Vanloon and J. D. Stephen, *Environmental Chemistry a Global Perspective*. New York: Oxford University Press, 2011.
- [17] R. G. Astari, "Studi Jejak Karbon dari Aktivitas Permukiman di Kecamatan Pademangan Kotamadya Jakarta Utara," *Fakultas Teknik Program Studi Teknik Lingkungan*, 2012.

- [18] LHK, *Pedoman Teknis Penyusunan Inventarisasi Emisi Pencemar Udara di Perkotaan*. Jakarta: Kementerian Lingkungan Hidup, 2013.
- [19] W. Astuti, *Adsorpsi Menggunakan Material Berbasis Lignoselulosa*, 1st ed. Semarang: Unnes Press, 2018.
- [20] J. W. Hassler, *Purification With Activated Carbon: Industrial Commercial, Environmental*. New York: Chemical Publishing Co. Inc, 1974.
- [21] R. L. Culp and G. L. Culp, *Hand Book of Public Water System*. New York: Mc Grawhill, 1986.
- [22] R. Han, W. Zou, W. Yu, and S. Cheng, "Biosorption of Methylene Blue from Aqueous Solution by Fallen Phoenix Tree's Leaves," *J Hazard Mater*, pp. 156–162, 2007.
- [23] C. Supriyanto and Muzakky, "Proses Desorpsi Logam Berat Pada Sedimen Sungai Daerah Muria Dengan Pelarut Asam," *J.Iptek Nuklir Ganendra*, vol. 13, no. 1, pp. 11–18, 2010.
- [24] F. Firdiyono, M. Handayani, E. Sulistiyono, and D. I. Antoro, "Percobaan Pendahuluan Perbandingan Daya Serap Unsur Minor Dalam Larutan Natrium Silikat," *Majalah Metalurgi*, vol. 27, no. 1, pp. 15–26, 2012.
- [25] M. T. Sembiring and T. S. Sinaga, "Arang Aktif (Pengenalan dan Proses Pembuatannya)," *Universitas Sumatera Utara Digital Library*, 2003.
- [26] S. Sahraeni, I. Syahrir, and Bagus, "Aktivasi Kimia Menggunakan NaCl pada Pembuatan Karbon Aktif dari Tanah Gambut," *Prosiding Seminar Nasional Penelitian & Pengabdian Kepada Masyarakat*, pp. 145–150, 2019.
- [27] S. A. Saragih, "Pembuatan dan Karakterisasi Karbon Aktif dari Batubara Riau Sebagai Adsorben," *Universitas Indonesia*, 2008.
- [28] R. M. Ali, T. Y. Hendrawati, Ismiyati, and N. H. Fithriyah, "Pengaruh Jenis Adsorben Terhadap Efektifitas Penurunan Kadar Timbal Limbah Cair Recycle Aki Bekas," vol. 12, no. 1, 2020, doi: 10.24853/jurtek.12.1.87-92.

- [29] A. Chandra, A. Miryanti, L. B. Widjaja, and A. Pramudita, "Isolasi dan Karakterisasi Silika dari Sekam Padi," Lembaga Penelitian dan Pengabdian kepada Masyarakat, Universitas Katolik Prahayangan, Bandung, 2012.
- [30] A. H. Surest, J. A. F. Kasih, and A. Wisanti, "Pengaruh Suhu, Konsentrasi Zat Aktivator Dan Waktu Aktivasi Terhadap Daya Serap Karbon Aktif Dari Tempurung Kemiri," *Jurnal Teknik Kimia*, vol. 15, no. 2, 2008.
- [31] R. A. Rasyid, Erdawati, and D. Darwis, "Pengaruh Penambahan Biokar Sekam Padi Terhadap Penyerapan Gas CO<sub>2</sub> (Carbon Dioxide) Dan Kuat Tekan Pada Plester Dinding," *JRSKT - Jurnal Riset Sains dan Kimia Terapan*, vol. 8, no. 1, pp. 10–22, Oct. 2019, doi: 10.21009/jrskt.081.02.
- [32] A. Febryanti, A. W. Wahab, and Maming, "Pemanfaatan Karbon Aktif Sekam Padi Sebagai Adsorben Emisi Gas Buang Pada Sepeda Motor," *Jurusan Kimia, FMIPA, Universitas Hasanuddin Makassar, Sulawesi Selatan*, 2020.
- [33] S. He *et al.*, "Facile preparation of N-doped activated carbon produced from rice husk for CO<sub>2</sub> capture," *J Colloid Interface Sci*, vol. 582, pp. 90–101, Jan. 2021, doi: 10.1016/j.jcis.2020.08.021.
- [34] N. Hossain, S. Nizamuddin, G. Griffin, P. Selvakannan, N. M. Mubarak, and T. M. I. Mahlia, "Synthesis and characterization of rice husk biochar via hydrothermal carbonization for wastewater treatment and biofuel production," *Sci Rep*, vol. 10, no. 1, Dec. 2020, doi: 10.1038/s41598-020-75936-3.
- [35] R. B. Istiningrum, E. A. Priyadi, L. A. Sulfiyah, and D. Nafisah, "Pemanfaatan Abu Sekam Padi untuk Pemurnian Bahan Baku dan Biodiesel dari Minyak Jelantah," *Jurnal Sains dan Teknologi*, vol. 6, 2017.
- [36] G. Perwira, R. Desita, I. P. Rizky, A. Fajrudin, and A. Pujiastuti, "Analisis Luas Permukaan Arang dengan Menggunakan Metoda BET," *Jurusan Kimia FMIPA Universitas Negeri Semarang*, pp. 1–9, 2014.



- [37] Y. F. Huang, P. te Chiueh, and S. L. Lo, "CO<sub>2</sub> adsorption on biochar from co-torrefaction of sewage sludge and leucaena wood using microwave heating," in *Energy Procedia*, Elsevier Ltd, 2019, pp. 4435–4440. doi: 10.1016/j.egypro.2019.01.772.
- [38] Y. Guangzhi, Y. Jinyu, Y. Yuhua, T. Zhihong, Y. DengGuang, and Y. Junhe, "Preparation and CO<sub>2</sub> adsorption properties of porous carbon from camphor leaves by hydrothermal carbonization and sequential potassium hydroxide activation," *RSC Adv*, vol. 7, no. 7, pp. 4152–4160, 2017, doi: 10.1039/c6ra25303b.
- [39] E. Diaz, F. J. Manzano, J. Villamil, J. J. Rodriguez, and A. F. Mohedano, "Low-cost activated grape seed-derived hydrochar through hydrothermal carbonization and chemical activation for sulfamethoxazole adsorption," *Applied Sciences (Switzerland)*, vol. 9, no. 23, Dec. 2019, doi: 10.3390/app9235127.
- [40] V. Benedetti, E. Cordioli, F. Patuzzi, and M. Baratieri, "CO<sub>2</sub> Adsorption study on pure and chemically activated chars derived from commercial biomass gasifiers," *Journal of CO<sub>2</sub> Utilization*, vol. 33, pp. 46–54, Oct. 2019, doi: 10.1016/j.jcou.2019.05.008.
- [41] F. Shen, Y. Wang, L. Li, K. Zhang, R. L. Smith, and X. Qi, "Porous carbonaceous materials from hydrothermal carbonization and KOH activation of corn stover for highly efficient CO<sub>2</sub> capture," *Chem Eng Commun*, vol. 205, no. 4, pp. 423–431, Apr. 2018, doi: 10.1080/00986445.2017.1367671.