

DAFTAR PUSTAKA

1. Holden BA, Fricke TR, Wilson DA, et al. Global Prevalence of Myopia and High Myopia and Temporal Trends from 2000 through 2050. In: *Ophthalmology*. 2016; 123: pp 1036–1042.
2. Tan NYQ, et al. Glaucoma in myopia: diagnostic dilemmas. *Br J Ophthalmol* 2019;0:1–9.
3. World Health Organization. World Report of Vision. Geneva, Switzerland: WHO. 2019. pp 1-180.
4. Allison K, Patel D, Alabi O. Epidemiology of Glaucoma: the Past, Present, and Predictions for the Future. *Cureus* 12(11). 2020; p. 1-9.
5. Peta Jalan Penanggulangan gangguan penglihatan di Indonesia Tahun 2017-2030. Jakarta : Kementerian Kesehatan RI. 2018.
6. Rapuano CJ, Stout JT, McCannel CA. Introduction to Glaucoma: Terminology, Epidemiology and Genetics. *Glaucoma. Basic and Clinical Science Course 2020-2021*. San Fransisco: American Academy of Ophthalmology. 2020; p.3-13.
7. Maiciulaitiene R, Januleviciene I. Correlation Between Structure and Function in Glaucomatous Damage. *Biophysical Properties in Glaucoma*. Switzerland: Springer, 2019: pp 145-9.
8. Shin JW, Song MK, Sung KR, Longitudinal Macular Ganglion Cell–Inner Plexiform Layer Measurements to Detect Glaucoma Progression in High Myopia, *American Journal of Ophthalmology*. 2020.
9. Kim YK, Yoo BW, Jeoung JW, et al. Glaucoma-Diagnostic Ability of Ganglion Cell-Inner Plexiform Layer Thickness Difference Across Temporal Raphe in Highly Myopic Eyes GCIPL Hemifield Test in Highly Myopic Glaucoma. *Investigative Ophthalmology & Visual Science* 2016;57(14):5856-63.
10. Shoji T, Sato H, Ishida M, et al. Assessment of glaucomatous changes in subjects with high myopia using spectral domain optical coherence tomography. *Invest Ophthalmol Vis Sci* 2011;52(2):1098-102.
11. Kumar J, Verma A, Dwivedi S. Central Corneal Thickness in Adult Indians And its Effect on Glaucoma Progression: the Bundelkhand Region Glaucoma Study. *IOSR Journal of Dental and Medical Sciences*. Volume 16 Issue 5. 2017; p. 1-3.
12. Garcia M, Medina M, et al. Central corneal thickness, intraocular pressure and degree of myopia in adult myopic population aged 20 to 40 years in Southeast Spain: determination and relationships. *Clin Ophthalmol*. 2011; p. 249-258.

13. Rapuano CJ, Stout JT, McCannel CA. Structure and Function of the External eye and Cornea. External Disease and Cornea. Basic and Clinical Science Course 2020-2021. San Fransisco: American Academy of Ophthalmology. 2020; p. 15-43.
14. Ismaili M, Kaçaniku G, Spahiu K, Hoxha G, et al. Determination of Central Corneal Thickness in Patients with Refractive Anomalies and Emmetropy. *Open Journal of Ophthalmology*.2019. 9, 35-46.
15. Gordon MO, Kass MA. What We Have Learned From the Ocular Hypertension Treatment Study. *American Journal of Ophthalmology*, 189, xxiv–xxvii. 2018.
16. Wang WW, Wang HZ, Liu JR, et al. Diagnostic ability of ganglion cell complex thickness to detect glaucoma in high myopia eyes by Fourier domain optical coherence tomography. *Int J Ophthalmol*. 2018;11:791–6.
17. Belovay GW, Goldberg I. The thick and thin of the central corneal thickness in glaucoma. *Eye*. The Royal College of Ophthalmologists. 2018; p. 915-923.
18. Jiravarnsirikul A, et all. Ganglion Cell Inner Plexiform Layer Thickness Measured Cirrus High Definition Optical Coherence Tomography Enhances Glaucoma Diagnosis In Patients With Moderate or High Miopia. *Siriraj Medical Journal*. 2022. Vol 74, No.5.
19. Pratiwi A, Ichsan AM, Muhiddin HS. Ganglion Cell Complex thickness as an early predictor of microstructural changes in varying degrees of myopia in comparison with Retinal Nerve Fiber Layer (RNFL) thickness. *Bali Medical Journal* 7(2): 1-5. 2018.
20. Shin JW, Sung KR, Park SW. Patterns of Progressive Ganglion Cell-Inner Plexiform Layer Thinning in Glaucoma Detected by OCT. *Ophthalmology* 2018;125(10):1515-25.
21. Kocamiş Ö, Temel E, Ahi K, et al. Relationship between central corneal thickness and ganglion cell complex thickness in mild to moderate myopia. *Research gate*. 2022.
22. Nemeth J, Tapaszto B, Aclimandos WA. Update and Guidance on Management of Myopia. European Society of Ophthalmology in cooperation with International Myopia Institute. In: *European Journal of Ophthalmology*. 2021: pp 1-31.
23. Rapuano CJ, Stout JT, McCannel CA. Optics of the Human Eye. In: *Clinical Optics*. San Fransisco: American Academy of Ophthalmology. 2020. pp 123-129.
24. COMET Group. Myopia Stabilization and Associated Factors among Participants in the Correction of Myopia Evaluation Trial (COMET). In: *Invest Ophthalmol Vis Sci*. 2013; 54: pp 7871–7884.

25. Morgan IG, French AN, Rose KA. Risk Factors for Myopia: Putting Causal Pathways into a Social Context. In: Updates on Myopia. Singapore: Springer. 2020. pp 133-161.
26. Troilo D, Smith EL III, Nickla DL, et al. IMI-experimental models of Emmetropization and Myopia. In: Invest Ophthalmol Vis Sci. 2019; 60: pp 31–88.
27. Lam CSY, Tang WC, Tse DY, et al. Defocus Incorporated Multiple Segments (DIMS) Spectacle Lenses Slow Myopia Progression: A 2-year Randomised Clinical Trial. In: Br J Ophthalmol. 2020; 104: pp 363–368.
28. Jiang Z, Shen M, Mao G, et al. Association between corneal biomechanical properties and myopia in Chinese subjects. *Eye*, 25(8), 1083–1089. 2011.
29. Tham YC, Li X, Wong TY, et al. Global prevalence of glaucoma and projections of glaucoma burden through 2040: A Systematic review and meta-analysis. *American Academy of Ophthalmology*. Elsevier. 2014; p. 2081-90.
30. Gordon MO, Kass MA. What We Have Learned From the Ocular Hypertension Treatment Study. *American Journal of Ophthalmology*, 189, xxiv–xxvii. 2018.
31. Zhang L, Wang Y, Huang W, Huang D, Gao R, Jin Y. Corneal biomechanical properties in healthy and myopic eyes measured by Scheimpflug imaging and the Corvis ST. *PLoS One*. 2017;12(4):e0174757.
32. Qiu K, Lu X, Zhang R, Wang G. Relationship of corneal hysteresis and optic nerve parameters in healthy myopic subjects. *Scientific reports*. 2017. 7:17538.
33. Valdez JE, Hernandez JC, Lozano JF, et al. Correlation of age, corneal curvature and spherical equivalent with central corneal thickness. *Revista Mexicana de Oftalmologia*. Elsevier. 2016; 1-5.
34. Carbonaro F, Hysi PG, Fahy SJ, et al. Optic disc planimetry, corneal hysteresis, central corneal thickness, and intraocular pressure as risk factors for glaucoma. *Am J Ophthalmol*. 2014 Feb;157(2):441-6.
35. Chan E, Yeh K, Moghimi S, et al. Changes in corneal biomechanics and glaucomatous visual field loss. *J Glaucoma*. 2021. May 1;30(5):e246-e251.
36. Hou HW, Lin C, Leung CK. Integrating Macular Ganglion Cell Inner Plexiform Layer and Parapapillary Retinal Nerve Fiber Layer Measurements to Detect Glaucoma Progression. *Ophthalmology* 2018;125(6):822-31.
37. Dong ZM, Wollstein G, Schuman JS. Clinical utility of optical coherence tomography in glaucoma. *Investig Ophthalmol Vis Sci*. 2016; p. 556–67.
38. Yadav N, Sahai A, Sharma RK, et al. Reliability of OCT Assisted RNFL Thickness In diagnosing Glaucoma In High Myopia. *DJO* 2020;31: 47-50.

39. Al Saad M, Shehadeh A, Meqbil J, Elubous K, Qablawi M, Abu-Yaghi N. Relationship Between Central Corneal Thickness and Ganglionic-Inner Plexiform Cell Layer and Retinal Nerve Fibre Layer Thickness in Normal Subjects. *Clin Ophthalmol*. 2021 Apr 28;15:1809–1812.
40. Ganekal S, Sadhwini MH, Kagathur S. Effect of myopia and optic disc area on ganglion cell-inner plexiform layer and retinal nerve fiber layer thickness. *Indian J Ophthalmol*. 2021;69:1820–4.
41. Baghdasaryan E, Huang X, Marion MK, et al. *Reproducibility of Central Corneal Thickness Measurement in Normal Eyes Using the Zeiss Cirrus 5000 HD-OCT and Pentacam HR*. *The Open Ophthalmology Journal*. Vol 12.2018.p. 1–12.
42. Zeiss. CIRRUS HD-OCT User Manual-Models 5000. Carl Zeiss Meditec. 2015.
43. Rapuano CJ, Stout JT, McGannel CA. Optical Coherence Tomography for Glaucoma Diagnosis. *Glaucoma Basic and Clinical Science Course 2020–2021*. San Francisco: American Academy of Ophthalmology. 2020; p.74–85.
44. Gupta C, et. al. A Clinical Study of Myopia for Evaluation of Retinal Nerve Fibre Layer Thickness Using Spectral Domain OCT. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS)*, 20(05). 2021, pp. 27–32.
45. Rajeshwari A, Malathi VK. An observational study of the correlation between axial length and retinal nerve fibre layer thickness in myopic eyes in a tertiary care centre in South India. *TNOA J Ophthalmic Sci Res* 2022;60:235-9.
46. Sezgin Akcay BI, Gunay BO, Kardes E. et al Evaluation of the Ganglion Cell Complex and Retinal Nerve Fiber Layer in Low, Moderate, and High Myopia: A Study by RTVue Spectral Domain Optical Coherence Tomography. *Semin Ophthalmol*. 2017;32:682–8.
47. Arranz-Marquez E, Lauzirika G, Teus MA, et al. Thinner retinal nerve fibre layer in healthy myopic eyes with thinner central corneal thickness. *Graefes Arch Clin Exp Ophthalmol*. 2020;258:2477–81.
48. Zereid FM, Osuagwu UL. Myopia and regional variations in retinal thickness in healthy eyes. *J Ophthalmic Vis Res*. 2020;15:178–86.
49. Choi YJ, Jeoung JW, Park KH, Kim DM. Glaucoma detection ability of ganglion cell-inner plexiform layer thickness by spectral-domain optical coherence tomography in high myopia. *Invest Ophthalmol Vis Sci* 2013;54(3):2296–304.
50. Shin JW, Sung KR, Song MK. Ganglion Cell-Inner Plexiform Layer and Retinal Nerve Fiber Layer Changes in Glaucoma Suspects Enable Prediction of Glaucoma Development. *Am J Ophthalmol* 2020;210:26–34.
51. Sun MT, Tran M, Singh K, Chang R, Wang H, Sun Y. Glaucoma and Myopia:

Diagnostic Challenges. *Biomolecules* 2023, 13, 562.

52. Ang M, Wong TY. Update on Myopia A Clinical Perspective. Singapore: Springer.2020.
53. Saheem S, Ahmad S, Ullah S, Firdous M, Qayyum S. Frequency of moderate to high myopia in primary open angle-glaucoma in Tertiary Care Hospital. *JSTMU*. 2022; 5(2):69-74.
54. Lee SS, Mackey DA. Prevalence and Risk Factors of Myopia in Young Adults: Review of Findings From the Raine Study. *Front. Public Health*. 2022.10:861044.
55. Saminan, Efek Bekerja Dalam Jarak Dekat Terhadap Kejadian Miopia. *Jurnal Kedokteran Syiah Kuala* Volume 13 Nomor 3 Desember 2013
56. Hayatillah A. Prevalensi Miopia dan Faktor- faktor yang mempengaruhinya pada mahasiswa program studi Pendidikan Dokter UIN Syarif Hidayatullah Jakarta Tahun 2011.
57. Ihsanti D, et al. Hubungan antara usia dan jenis kelamin terhadap kelainan refraksi pada anak di RS Mata Cicendo Bandung. Universitas Islam Bandung. 2014.
58. Enthofen C, et al. Gender predisposition to myopia shifts to girls in the young generation. *Investigative Ophthalmology & Visual Science* June 2021, Vol.62, 2331
59. Tricard D, Marillet S, Ingrand P, *et al*. Progression of myopia in children and teenagers: a nationwide longitudinal study. *Br J Ophthalmol*. 2020-318256.
60. Lee JY, Sung KR, Han S, Na JH. Effect of myopia on the progression of primary open-angle glaucoma. *Invest Ophthalmol Vis Sci*. 2015;56:1775–1781.
61. Thatsnarong D. Correlation between Retinal Nerve Fiber Layer Thickness and Central Corneal Thickness in Healthy Subjects. *J Med Assoc Thai* 2015; 98 (7): 693-7
62. Elijah et al. Association between myopia and central corneal thickness among patients in a tertiary hospital in south-south Nigeria. *Adv Ophthalmol Vis Syst*. 2016;5(2):221–223.
63. Chang RT, Kuldev S. Myopia and glaucoma: diagnostic and therapeutic challenges. *Curr Opin Ophthalmol*. 2013. 24:96 – 101.
64. Zhou P, et al. Thin Central Corneal Thickness May Be a Risk Factor for Myopia Progression in Children. *Hindawi Journal of Ophthalmology* Volume 2023, Article ID 3815863, 7 pages
65. Rakesh Ks, Anuradha P. The Correlation of Central Corneal Thickness (CCT)

To Degree of Myopia and Compare It with Emmetropes. *International Journal of Innovative Science and Research Technology* Volume 4, Issue 9, September – 2019.

66. Mimouni M, Flores V, Shapira Y, Graffi S, et al. Correlation between central corneal thickness and myopia. *International Ophthalmology*. 2017.
67. Wang AY, Lee PY, Bui BV, et al. Retinal ganglion cells in glaucoma In Potential mechanisms of retinal ganglion cell type-specific vulnerability in glaucoma. *Clin Exp Optom* 2020; 103: 562–571.
68. M. Almasieh, et al. The molecular basis of retinal ganglion cell death in glaucoma. *Progress in Retinal and Eye Research* 31. 2012. 152e181
69. Hesham F.Sh. Tawfik, et al. Prevalence of Glaucoma among High Myopic Patients. *Med. J. Cairo Univ., Vol. 90, No. 1, March: 135-143, 2022.*
70. Hirooka et al. Estimating the rate of retinal ganglion cell loss to detect glaucoma progression An observational cohort study. *Medicine*. 2016. 95:30
71. Smith CA, Vianna JR, Chauhan BC. Assessing retinal ganglion cell damage. *Eye*. 2017. 31, 209–217.
72. Rolle et al. Diagnostic ability of OCT parameters and retinal ganglion cells count in identification of glaucoma in myopic preperimetric eyes. *BMC Ophthalmology*. 2020. 20:373
73. Scuderi et all. Ganglion Cell Complex Analysis in Glaucoma patients:What it can tel us?. *Eye and Brain* 2020:12.
74. Hwang YH, et al. Macular Ganglion Cell Analysis for Early Detection of Glaucoma. *American Academy of Ophthalmology*. 2014;:-1e8.
75. Qiu et al. Association between Myopia and Glaucoma in the United States Population. *Invest Ophthalmol Vis Sci*. 2013;54:830– 835.
76. Wang YX, Yang H, Wei CC, et al. High myopia as risk factor for the 10-year incidence of open-angle glaucoma in the Beijing Eye Study. *Br J Ophthalmol* 2023;107:935–940.
77. Divya K, Ganesh MR, Sundar D. Relationship between myopia and central corneal thickness – A hospital based study from South India. *Kerala J Ophthalmol* 2020;32:45-50.
78. Kotb M, Eissa SA. Correlation between myopic refractive error, corneal power and central corneal thickness in the adult Egyptian population. *Clinical Ophthalmology* 2021;15 1557–1566.