

DAFTAR PUSTAKA

- (WHO) (2020). transmission virus causing COVID-19: implications for IPC precaution recommendations. *World Health Organization*;
- Abreu, A. P. de, Moura Neto, J. A., et al (2020). Recommendations from the Brazilian Society of Nephrology regarding the use of cloth face coverings, by chronic kidney patients in dialysis, during the new coronavirus pandemic (Covid-19). *J*
- Al-Amad, S. H., Awad, M. A., Edher, F. M., et al (2017). The effect of rubber dam on atmospheric bacterial aerosols during restorative dentistry. *Journal of Infection and Public Health*.
- Association, A. D. (2021). *OSHA Guidance Summary : Dentistry Workers and Employers OSHA Guidance Summary : Dentistry Workers and Employers*.
- Avasthi, A. (2018). High Volume Evacuator (HVE) in reducing aerosol- an exploration worth by clinicians. *Journal of Dental Health, O*
- Bahl, P., Doolan, C., de Silva, C., et al (2020). Airborne or Droplet Precautions for Health Workers Treating Coronavirus Disease 2019?
- Centers for Disease Control and Prevention. (2020). *Guidance for Dental Settings*.
- Challacombe, S. J., Sunkaraneni, V. S., & Combes, J. (2020).
- Challacombe Stephen J (2020). *British Dental Journal*. Yodium Povidone
- Chen, Z. M., Fu, J. F., Shu, Q., et al (2020). Diagnosis and treatment recommendations for pediatric respiratory infection caused by the 2019 novel coronavirus. *I*
- Choi, J. O., Choi, Y. J., et al (2018). Study on the prevention of cross-infection by aerosols during scaling.
- Day, D. B., Xiang, J., Mo, J., et al (2018). Combined use of an electrostatic precipitator and a high-efficiency particulate air filter in building ventilation
- Deery, C. (2020). The COVID-19 pandemic: implicatioans for dental eaducation. In *Evidence-Based Dentistry*. <https://doi.org/10.1038d/s41432-020-0089-3>
- Falahchai, M., Babae Hemdmati, Y., et al (2020). Dental care dmadnagement duridng the COVID-19 outbreak. In *Specdial Care in Dentistry*. <https://doi.org/10.1111/scd.12523>

Firdausy, A.F., (2021). *Covidpedia* (Vol.4,Issue 3).

Furkan, Rusdin, dan Shandi, S. A. (2021). Menjaga Daya Tahan Tubuh Dengan Olahraga Saat Pandemi Corona Covid-19. In *Jurnal Ilmu Sosial dan Pendidikan* (Vol. 5, Issue 1, pp. 424–430). <http://ejournal.msandalafgdsnursa.org/index.php/sf/fJISfsIP/asfricle/view/1748>

Ge, Z. yu, Yang, L. ming, Xia, J. jia, et al (2020). Possible aerosol transmission of COVID-19 and special precautions in dentistry. In *Journal of Zhejiang Univesfarsitafy: Sciafenfce Bfa*. <https://doi.orfsafg/1fa0.163fa1/jzfaus.B2fa010010>

Gugus Tugas Penanganan Covid-19. (2020). Standar Alat Pelindung Diri (APD) untuk Penanganan Covid-19 di Indonesia.

Holloman, J. L., Mauriello, S. M., et a; (2015). Comparison of suction device with saliva ejector for aerosol and spatter reduction during ultrasonic scaling. *Journal of the American Dental Association*. <https://doi.orsvg/1vsvdsvsv0.101vdsvdvs6/j.vdvsvasvdaj.201ds4.10.0vsvd01>

Honda, H., & Iwata, K. (2016). Personal protective equipment and improving compliance among healthcare workers in high-risk settings. In *Current Opinion in Infectious Diseases*. <https://doi.org/1dvdsvvvsxvdsvs97/QCsvdsvsv>

Huang, C., Wang, Y., Li, X., et al (2020). Clinical features of patients infected with 2019 nhttps://doi.org/10.10cscs16/S014cac0-673df6(20)3sd0183-5rrg

Ibrahim, N. K., Alwafi, H. A., Sasdngoof, S. O., et al(2017). Cross-infection and infection control in dentistry:

IDI, P. (2020). Pedoman Standar untuk Perlindungan Dokter di Era Covid-19. In *Ikatan Dokter Indonesia*. 

Jamal, M., Shah, M., et al (2020). Overview of transnational recommendations for COVID-19 transmission control in dental care settings. *Oral Diseases*. <https://doi.org/10.1111/odi.13431>

Janjua, P. Z., Samad, G., Khan, N., et al (2017). peraturan menteri kesehatan no 27 tn 2017 pedoman PPI. *Jurnal Sains Dan Seni ITS*.

Kamate, S. K., Sharma, S., Thakar, S., et al (2020). Assessing knowledge, attitudes and practices of dental practitioners regarding the covid-19 pandemic: <https://doi.orsg/10.17sfs219/DMP/119743>

Kariwa, H., Fujii, N., dan Takashima, I. (2006). Inactivation of SARS coronavirus by means of povidone-iodine, physical conditions and chemical reagents.

Dermatology, 212(SUPPL. 1), 119–123. <https://doi.org/10.1159/000089211>

Kemendes. (2020). Standar Alat Pelindung Diri (APD) dalam Manajemen Penanganan Covid-19. *Situs Direktorat Jenderal Kefarmasian Dan Alat Kesehatan - Kementerian Kesehatan Republik Indonesia*.

World Health Organization, W. (2020c). Anjuran mengenai penggunaan masker dalam konteks COVID-19. *World Health Organization*.

Yue, L. (2020). Ventilation in the Dental Clinic: An Effective Measure to Control Droplets and Aerosols during the Coronavirus Pandemic and Beyond. *The* <https://doi.org/10.3290/j.cdgdsgdgvvjd.a447343w22346>

Zemouri, C., De Soet, H., Crielaard, W., & Laheij, A. (2017). A scoping review on bio-Aerosols in healthcare & the dental environment. *PLoS ONE*. <https://doi.org/10.1371/journal.pone.017843242334007>

