

## DAFTAR PUSTAKA

- [1] S. M. Ieee, *IEEE Recommended Practices and Requirements for Harmonic Control in Electrical Power Systems*. New York: the Institute of Electrical and Electronics Engineers, 1992.
- [2] A. R. Hambley, *Electrical Engineering: Principles and Applications.*, Seventh. New jersey: Pearson Education, 2016.
- [3] S. Mikkili and A. K. Panda, *Power Quality Issues: Current Harmonics*. Boca Raton: Taylor & Francis Group, 2016.
- [4] G. N. On, *Control Of Harmonics In Electrical Power Systems*. New York: American Bureau of Shipping, 2006.
- [5] M. Norhisam, A. Saadon, R. N. Firdaus, I. Aris, and S. M. Bashi, "The three phase rectifier with harmonic injection current," *Proceeding 2010 IEEE Student Conf. Res. Dev. (SCORED 2010)*, pp. 397–400, 2010, doi: 10.1109/SCORED.2010.5704030.
- [6] M. Adhikari, L. P. Ghimire, Y. Kim, P. Aryal, and S. B. Khadka, "Identification and Analysis of Barriers against Electric Vehicle Use," *Sustainability*, no. 12, pp. 1–20, 2020, doi: 10.3390/su12124850.
- [7] G. Krishna, "Understanding and identifying barriers to electric vehicle adoption through thematic analysis," *Transp. Res. Interdiscip. Perspect.*, vol. 10, pp. 1–9, Jun. 2021, doi: 10.1016/j.trip.2021.100364.
- [8] B. Singh, B. N. Singh, A. Chandra, K. Al-Haddad, A. Pandey, and D. P. Kothari, "A review of three-phase improved power quality ac-dc converters," *IEEE Trans. Ind. Electron.*, vol. 51, no. 3, pp. 641–660, Jun. 2004, doi: 10.1109/TIE.2004.825341.
- [9] M. Safayatullah, M. T. Elrais, S. Ghosh, R. Rezaii, and I. Batarseh, "A Comprehensive Review of Power Converter Topologies and Control Methods for Electric Vehicle Fast Charging Applications," *IEEE Access*, vol. 10, pp. 40753–40793, 2022, doi: 10.1109/ACCESS.2022.3166935.
- [10] C. Sudjoko, "Strategi Pemanfaatan Kendaraan Listrik Berkelanjutan Sebagai Solusi Untuk Mengurangi Emisi Karbon," *J. Paradig. J. Multidisipliner Mhs. Pascasarj. Indones.*, vol. 2, no. 2, pp. 54–68, 2021.
- [11] Hyundai, "4 Jenis Mobil Listrik dan Cara Kerjanya," *Hyundai*, 2022. <https://www.hyundai.com/id/id/hyundai-story/articles/4-jenis-mobil-listrik-dan-cara-kerjanya-0000000069> (accessed Oct. 19, 2023).
- [12] A. Kuperman, U. Levy, J. Goren, A. Zafransky, and A. Savernin, "Battery

charger for electric vehicle traction battery switch station,” *IEEE Trans. Ind. Electron.*, vol. 60, no. 12, pp. 5391–5399, 2013, doi: 10.1109/TIE.2012.2233695.

- [13] J. G. Pinto, S. Member, V. Monteiro, and S. Member, “On-Board Reconfigurable Battery Charger for Electric Vehicles with Traction-to-Auxiliary Mode,” *IEEE Trans. Veh. Technol.*, vol. 63, no. 3, pp. 1104–1116, 2013, doi: 10.1109/TVT.2013.2283531.
- [14] Z. Wang, T. Z. E. W. Ching, S. Member, S. Huang, H. Wang, and T. A. O. Xu, “Challenges Faced by Electric Vehicle Motors and Their Solutions,” *IEEE Access*, vol. 9, pp. 5228–5249, 2021, doi: 10.1109/ACCESS.2020.3045716.
- [15] W. Cai, X. Wu, M. Zhou, Y. Liang, and Y. Wang, “Review and Development of Electric Motor Systems and Electric Powertrains for New Energy Vehicles,” *Automot. Innov.*, vol. 4, no. 1, pp. 3–22, Feb. 2021, doi: 10.1007/s42154-021-00139-z.
- [16] Ahmad, A. F. Farizy, and D. A. Asfani, “Desain Sistem Monitoring State of Charge Baterai pada Charging Station Mobil Listrik Berbasis Fuzzy Logic Dengan Mempertimbangkan Temperature,” *J. Tek. ITS*, vol. 5, no. 2, pp. B278–B282, 2016.
- [17] S. M. A. S. Bukhari, J. Maqsood, M. Q. Baig, S. Ashraf, and T. A. Khan, “Comparison of Characteristics-Lead Acid, Nickel Based, Lead Crystal and Lithium Based Batteries,” *2015 17th UKSim-AMSS Int. Conf. Model. Simul.*, pp. 444–450, 2016, doi: 10.1109/UKSim.2015.69.
- [18] P. Manimekalai, R. Harikumar, and S. Raghavan, “An Overview of Batteries for Photovoltaic (PV) Systems,” *Int. J. Comput. Appl.*, vol. 82, no. 12, pp. 28–32, 2013, doi: 10.5120/14170-2299.
- [19] R. Ahmed, “Modeling and State of Charge Estimation of Electric Vehicle Batteries,” McMaster, 2014.
- [20] X. Cui, W. Shen, Y. Zhang, and C. Hu, “A Fast Multi-Switched Inductor Balancing System Based on a Fuzzy Logic Controller for Lithium-Ion Battery Packs in Electric Vehicles,” *Energies*, vol. 10, no. 7, pp. 1–18, 2017, doi: 10.3390/en10071034.
- [21] Y. Su, “Switching-based state-of-charge estimation of lithium-ion batteries,” Rochester Institute of Technology, 2011.
- [22] I. W. Djatmiko, *Bahan Ajar Elektronika Daya*. Yogyakarta: Universitas Negeri Yogyakarta, 2010.
- [23] M. H. Rashid, *Power Electronics Handbook*, Third. Pensacola: Butterworth–

Heinemann, 2007.

- [24] G. A. Ramos Fuentes, J. A. Cifuentes Quintero, and I. D. Melo Lagos, "High performance control of a three-phase PWM rectifier using odd harmonic high order repetitive control," *DYNA*, vol. 83, no. 198, pp. 27–36, 2016, doi: 10.15446/dyna.v83n198.53276.
- [25] M. P. Kazmierkowski, F. Blaabjerg, and R. Krishnan, *Control in Power Electronics : Selected Problems*. USA: Academic Press, 2002.
- [26] M. Nikouei, "Design and Evaluation of the Vienna Rectifier for a 5MW Wind Turbine System," Chalmers University of Technology, 2013.
- [27] S. Riyadi, *Konverter Statis : Chopper dan PWM Rectifier serta Aplikasinya*. Semarang: Universitas Katolik Soegijapranata, 2018.
- [28] M. Ai, D. Yang, and Z. Liang, "Study on composite Control of Three-phase three-level Vienna rectifier," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 558, no. 5, 2020, doi: 10.1088/1755-1315/558/5/052008.
- [29] J. Arrillaga and N. R. Watson, *Power System Harmonics*, Second., vol. 3. University of Canterbury, Christchurch, New Zealand: John Wiley & Sons, Inc, 2003.
- [30] C. Sankaran, *Power quality*. Washington DC: CRC Press, 2002.
- [31] IEEE, *IEEE Recommended Practices and Requirement Harmonik Control in Electric Power System*. New York: IEEE Inc, 2014.
- [32] Infineon Technologies AG, "Different PWM Waveforms Generation for 3-Phase AC Induction Motor with XC164CS," pp. 1–23, 2006.

