

DAFTAR PUSTAKA

- Aditya, JP, Bhartiya, P & Bhartiya, A 2011, ‘Genetic variability, heritability, and character association for yield and component characters in soybean (*G. max* (L.) Merrill)’, *J. Central Europ. Agric.*, vol. 12, no. 1, pp. 27-34.
- Afdi, E., Zulifwadi, Artati, F., dan Garna, S. 2005. Kajian umur panen Kubis Singgalang. *Prosiding Seminar Nasional Teknologi Inovatif Pascapanen untuk Pengembongan Industri Berbasis Pertanian*. Payakumbuh, 2005.
- Akhalkatsi, M., Otte, A., Togonidze, N., Bragvadze, T., Asanidze, A., Aranuli, G., Chikhelidze, N., and Mazanihvili, L. 2017. *Agrobiodiversity and genetic erosion of crop varieties and plant resources in the Central Great Caucasus*. Ann Agrarian Sci, 15: 11-16.
- Allard, RW 1960, *Principle of Plant Breeding*, John Wiley and Sons Inc., New York, USA.
- Altieri, A.M., and Merrick, L. 1987. In situ conservation of crop genetic resources through maintenance of traditional farming systems. *Econ Bot J.*, 41(1): 86–96
- Anggereini, E. 2008. Random Amplified Polymorphic Dna(Rapd), Suatu Metode Analisis DNA Dalam Menjelaskan Berbagai Fenomena Biologi. *Biospecies*, 1(2): 73-76.
- Balkaya, A., Yanmaz, R., Apaydin, A., and Kar, H. 2005. Morphological characterisation of white head cabbage (*Brassica oleracea* var. *capitata* subvar. *alba*) genotypes in Turkey. *New Zeal J Crop Hort Sci*, 33: 333-341.
- Bardakchi, F. 2001. Random Amplified Polymorphic DNA (RAPD) Markers. *Turk J Biol*. Vol 25: 185-196.
- Bakoumé, C., Wickneswari, R., Rajanaidu, N., Kushairi, A., Amblard, P., & Billotte, N. (2007). Allelic diversity of natural oil palm (*Elaeis guineensis* Jacq.) populations detected by microsatellite markers: Implications for conservation. *Plant Genetic Resources*, 5(2), 104-107.
- Brown, A.H.D. 2008. *Indicators of Genetic Diversity, Genetic Erosion and Genetic Vulnerability for Plant Genetic Resources for Food and Agriculture*. Biodiversity International, Rome, Italy.
- Brush, B.S. 1995. In Situ Conservation of Landraces in Centers of Crop Diversity. *Crops Sci Intl J.*, 35(2): 346-354.

- Buza, L., Young., and Thrall, A. 2000. Genetic erosion, inbreeding and reduced fitness in fragmented populations of the endangered tetraploid pea *Swainsona recta*. *Biol Conserv*, 93: 177-186
- Cebolla-Cornejo, J., Soller, S., and Nuez, F. 2007. Genetic erosion of traditional varieties of vegetable crops in Europe : tomato cultivation in Valencia (Spain) as a case study. *Intl J Pl Produc*, 1(2): 113-128.
- Cerquiera-Silva, C.B., F.G. Faleiro, O. Nunes de Jesus, E.S. Lisboa Dos Santos and A. Pereira de Souza. 2015. The genetic diversity, conservation, and use of passion fruit (*Passiflora* spp.). In: Sustainable Development and Biodiversity 8: Genetic Diversity and Erosion in Plants. Springer International Publishing. 2 (1) : .215-231.
- Crockett, P.A., Lee, C.K., Singh, M.B., and Bhalla, P.L. 2002. Genetic purity analysis of hybrid broccoli (*Brassica oleracea* var. *italica*) seeds using RAPD PCR. *Aust J Agric Res*, 53: 51-54.
- Dickron, M.H., Wallace, D.H. 1986. *Cabbage Breeding*, In : *Breeding Vegetable Crops*. Basset MJ (ed). 395-432
- Divaret, I., Margalé, E., and Thomas, G. 1999. RAPD markers on seed bulks efficiently assess the genetic diversity of a *Brassica oleracea* L. collection. *Theor App Gen*, 98(6-7): 1029–1035.
- Doyle, J.J., and Doyle, J. L. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochem Bull*, 19: 11-15.
- Fadda, C., Jarvis, D.I., and De Santis, P. 2011. Demage, diversity and genetic vulnerability: The role of crop genetic diversity in agricultural production system. *Proceed Intl Symp, 15-17 February 2011, Rabat, Marocco*. p: 1-3.
- Faltusová, Z., Kučera, L., Ovesná, J. 2011. Genetic diversity of *Brassica oleracea* var. *capitata* gene bank accessions assessed by AFLP. *Electr J Biotechn*, 14(3): 1-10.
- Finkeldey, R. 2005. *An Introduction To Tropical Forest Genetics: Molekuler Basic The Gene As A Function Unit*. Institute Of Forest Genetics And Forest Tree Breeding. Germany.
- Gupta, D., Kour, H., Singh, A., and Sharma, S. 2016. Fingerprinting of broccoli (*Brassica oleracea* var. *italica*) varieties using RAPD markers. *Imperial J Interdisciplinary Res*, 2(10): 884-890.
- Gupta, SK & Verma, SR 2000, ‘Variability, heritability, and genetic advance under normal and rainfed conditions in durum wheat (*Triticum durum* Desf)’, *Indian J. Agric. Res.*, vol. 34, no. 2, pp. 122-25.

- Hammer, K., and Teklu, Y. 2008. Plant genetic resources: Selected issues from genetic erosion to genetic engeneering. *J Agric Rural Devel Trop Subtrop*, 109(1): 15-50.
- Hamilton, M. B. 2009. *Population genetics*. Wiley-Blackwell. Hoboken, USA.
- Handoyo D. dan A. Rudiretna .2001. Prinsip Umum Dan Pelaksanaan Polymerase Chain Reaction (PCR).*Unitas*,9 (1): 17-29
- Hidayat, I.M, Anggoro, dan Muhamarram. A. 2004. Kubis Lokal Berpotensi Menunjang Subsitusi Impor Benih Kubis Hibrida. BALITSA, Bandung. p:1-8
- Hussein, E.H.A., S.MM. Abdalla, N.A.Awad and M.S.Hussein. 2003. Assesment of genetic variability and genotyping of some Citrus accessions using moleculer markers. *Arab J. Biotech.* 7(1):23-36.
- Janko C, Jelica GV, Svedlana G. Local cabbage (*Brassica oleracea* var. *capitata* L.) populationsfrom Serbian Province of Vojvodina. *Afr. J Biotech.* 2011. 10(27): 5281-5285
- Joshi, M. and Deshpande J.D. 2011. Polymerase Chain Reaction: Methods, Principles and Application. *International Journal of Biomedical Research.* 2(1): 81-97.
- Kaur, R., Shivani, Saxena, B., Kanwar, H.S., Dahro, N.P., Majeed, S., and Sharma, D.R. 2009. Detecting RAPD markers associated black rot resistaance in cabbage (*Brassica oleraceavar. capitata*). *Fruit, Vegetable and Cereal Sci Biotechnol*, 3(1): 12-15.
- Keller, G.B., Mdiga, H., and Maass, B.L. 2005. Diversity and genetic erosion of traditional vegetables in tanzania from the farmer's point of view. *Pl Gen Resour*, 3(3): 400-413.
- Kelley K. Genetic variability in *Hydrastiscanadensis* L. using RAPD analysis. Master Theses. University Massachusetts Amherst. 2014. <https://scholarwork.umass.edu/theses>
- Khanuja, S.P.S., Shasany, A.K., Daroker, M.P., Kumar, S., 1998. DNA fingerprinting of plant genetic resources: the need of time. *J. Med. Arom. Pl. Sci.* 20, 348–351.
- Koiruningtias, A.P., Andy, S. 2018. Genetic and Phenotypic Variability of 3 Lines F6 Generation of Purple beans (*Phaseolus vulgaris* L) In Lowland. Brawijaya University
- Kumar, KM & Kamendra, S. 2009. ‘Studies on genetic variability, character association and path coefficient for seed yield and its contributing traits in sybean (*Glycine max* (L.) Merrill)’, *Legume Res.*, vol. 32, no. 1, pp. 70-3.

- Langga, FI., M.Restu dan T. Kuswinanti. 2012. *Optimization of Temperature and Length of Incubation in Extracting Bitti Plant (Vitexcofassus Reinw.) Dna and Genetic Variety Analysis with RAPD-PCR.* Master Theses. Hassanudin University
- Lanner-Herrera, C. , Gustafeson, M., Filt, A.S., and T. Bryngelsson. 1996. Diversity in natural populations of wild *Brassica oleracea* as estimated by isozyme and RAPD analysis. *Gen Resour Crop Evol*, 43(1):13-23.
- Lazaro, A., and Anguinagalde, I. 1998. Genetic diversity on *Brassica oleraceae* L. (Cruciferae) and wild relatives ($2n = 18$) using RAPD markers. *Ann Bot*, 82: 829-833.
- Liu, L., Liu, G., Gong, Y., Dai, W., Wang, Y., Yu, F., Ren, Y. 2007. Evaluation of genetic purity of F1 hybrid seeds in cabbage with RAPD, ISSR, SRAP, and SSR markers, *HortScience*, 42(3):724–727.
- Mangoendidjojo. W. 2003. Dasar-Dasar Pemuliaan Tanaman. Kanisius. Yogyakarta
- Marimbo, R.C. 2004. Usaha Ekspor Sayur-Mayur ke Negari Singa. Dalam: *100 Peluang UKM Terdahsyat*. PT Elex Media Komputindo, Gramedia, Jakarta. p.62
- Martins SR, Vences FJ, Miera LE, Barrosa MR, Carnide F. RAPD analysis of genetic diversity among and within Portuguese landraces of common white bean (*Phaseolus vulgaris* L.). *Sci.Horticul.* 2006. 108: 133-142.
- Martono, B. 2014. *Keragaman aktivitas ekstrak biji bengkuang terhadap ulat krop Crocidofomia pavonana (F)*, Bionatura.Jurnal of life and physical science.6 (2).140-147.
- Montalvo, A.M., S.G. Conard, M.T. Conkle and P.D. Hodgskiss. 1997. Population Structure, Genetic Diversity, And Clone Formation In *Quercus chrysolepis* (Fagaceae). America Journal of Botany. 84 (11): 1553-1564.
- Nei, M. 1973. Analysis of gene diversity in subdivided populations. *Proc Natl Acad Sci*, 70(12): 3321-3323.
- Nybom, H and I.V. Bartish. 2000. Effects of life history traits and sampling strategies on genetic diversity estimates obtained with RAPD markers in plants. *Urban & Fischer Verlag*. 3 (2) : 93-114.
- Petit, J.R., Mousadik, E.A., and Pons, O. 1998. Identifying Populations for Conservation on the Basis of Genetic Markers. *Intl J Biol Conserv*, 12(4): 844–855

- Pinaria, A., A. Baihaki, R. Setiamihardja, dan A.A.Daradjat. 1995. Variabilitas genetik dan heritabilitas karakter-karakter biomassa 53 genotipe kedelai.Zuriat 6(2):88-92.
- Poerba, Y.S, dan Yuzammi. 2008. Pendugaan keragaman genetik *Amorphophallus titanum* Becc. berdasarkan marka Random Amplified Polymorphic DNA. *J Biodiv*,9:103-107.
- Richardson, K.V.A. 2012.Evaluation of the performance of three cabbages (*Brassica oleracea* var. *capitata*) varieties.Gladstone Road Agricultural Centre Crop Research Report, No. 8, Departmen of Agriculture, Nassau, Bahamaas.
- Samec, D.,M. Bogovic.,D. Vincek.,J. Martincik.,B. S. Sondi. 2013. Assesing the autenchity of the white cabbage (*Brassica oleracea* L. Var *capitata f alba*) cv. 'Varazdinski' by moleculer and phtrochemical markers. *Food Researcr International*. 266-272.
- Sa'diyah, N., T.R. Basoeki, A.E. Putri, D. Maretha dan S.D. Utomo. 2009. Korelasi, Keragaman Genetik dan Heritabilitas Karakter Agronomi Kacang Panjang Populasi F3 Keturunan Persilangan Testa Hitam x Lurik. *Jurnal Agrotropika* Vol 14 (1): 37 – 41.
- Sari, W.P., Damanhuri dan Respatijarti. 2014. Variabilit dan Heritability of 10 Genotypes of Chilli (*Capsicum annum* L). *Jurnal Produksi Tanaman* Vol 2 (4): 301-307
- Shannon C. E. and W. Weaver. 1963. *The Mathematical Theory of Communication*. University of Illinois Press, Urbana.s
- Singh, RK & Chaudhary, BD 1979, *Biometrical methods in quantitative genetic analysis*, Kalyani Publisher, Ludhiana- New Delhi
- Singh, S., Sharma, S.R., Kalia, P., Deshmukh, R., Katara, J. Sharma, P., and Sharma, T.R. 2015.Identification of putative DNA markers for desease resistaance breeding in Indian cauliflower (*Brassica oleracea* var. *Botrytis*L.).*Indian J Biotechnol*, 14: 455-460.
- Solin M, Sobir, Nurita T.M. 2013.Keragaman Genetik Populasi Tetua Saudara Kandung (SIBS) Kelapa Sawit Dura Deli Berdasarkan Penanda DNA Mikrosatelit.*Bogor Agriculture Institute*
- Stansfield. W.D. 1991. Theory and Problem of Genetics. The Third Edition. Schaum's Outline Series. Mc Graw-Hill Inc. Singapore.
- Suprapto dan N. Kairudin. 2007. Variasi Genetik. Heritabilitas. Tindak Genda Kemajuan Genetik Kedelai (*Glycine max* Merrill) pada Ultisol. ISSN 1411-0067. *Jurnal Ilmu-ilmu Pertanian Indonesia*. 9(2):183-190.

- Tanksley dan McCouch . 1997. Seed Banks and Molecular Maps: Unlocking Genetic Potential from the Wild. Vol. 277, Issue 5329, pp. 1063-1066 DOI: 10.1126/science.277.5329.1063
- Thormann, I., and Engels, J.M.M. 2015. Genetic Diversity and Erosion: A Global Perspective. In: Ahuja M., Jain S. (eds),*Genetic Diversity and Erosion in Plants. Sustainable Development and Biodiversity*, vol 7. Springer, Cham. p: 263-294.
- Tilwari A, Chauhan D, Sharma R, Sigh R. Assessment of genetic variations among medicinal plant *Casia tora* from different geographic regions of central India using RAPD marker. *Med. Aromat. Plant.* 2016. 5(6):2-7. doi: 10.4172/2167-0412.1000276
- Trustinah dan R. Iswanto. 2013. Keragaman bahan genetik galur kacang hijau. hlm. 465-472. Dalam A.A.Rahmiana, E. Yusnawan, A. Taufiq, Sholihin,Suharsono, T. Sundari, dan Hermanto (eds.) Prosiding Inovasi Teknologi dan Kajian Ekonomi Komoditas Aneka kacang dan Umbi mendukung Empat Sukses Kementan. Bogor: Pusat Penelitian dan Pengembangan Tanaman Pangan.
- Utami A., R. Meryalita.,N.A, Prihatin. 2012. Variation Methods of DNA Isolation From Leaf of Temulawak (*Curcuma xanthorrhiza* Roxb.). Prosiding Seminar Nasional Kimia Unesa. Surabaya. Pusat Studi Biofarmaka IPB. C-211
- Van de Wouw, M., Kik, C., van Hintum, F., van Treuren, F., and Visser, B. 2009. Genetic erosion in crops: concept, research, results and challenges. *Plant Genetic Resources: Characterization and Utilization*, 8(1): 1–15.
- Watson-Jones, J.S., Maxted, N., and Forl-Lloyd, V. 2006. Population baseline data for monitoring genetic diversity loss for 2010: A case study for *Brassica* species in the UK. *Biol Conserv*, 132(4): 490-499.
- Williams, J.G.K., A.R. Kubelik, K.J., Livaks, J.A, Rafalski, and S.V., Tingey. 1990. The identification of duplicate accessions within a rice germplasm collection using RAPD analysis. *Theor. Appl. Genet.* 90: 1049-1055.
- Yeh, F. C., R. C. Yang, dan T. Boyle. 1997. POPGENE, the user-friendly shareware for population genetic analysis. *Molecular Biology and Biotechnology* Centre University of Alberta, Canada. <http://www.ualberta.ca/fyeh>
- Zhang, J., and Zhang, L.G. 2014. Evaluation of genetic diversity in Chinese kale (*Brassica oleracea*L.var. *alboglabra* Bailey) using rapid`amplified polymorphic DNA and sequence-related amplified polymorphism markers. *Gen Mol Res*, 13(2): 3567-3576.
- Zeist, A.R., Piva, R., Resende, J.T.V., Silva, I.F.L., Athanázio, J.C., Rodrigues, J.D. 2017. Physiological and agronomic traits of cabbage plants hybrid Fuyutoyo ® sprayed with plant growth regulators. *Hortic. Bras.* 35(2): 210-215.

Zutić, I., J. Borosić, N. Dobričević, N. Toth, and Novak, B. 2007. Agronomic traits of cabbage cultivars for Sauerkraut production. *III Balkan Symposium on Vegetables and Potatoes*, 1 January, 2007, Bursa, Turkey.

