

DAFTAR PUSTAKA

- Adeniyi, A. G., & Ighalo, J. O. (2019). Biosorption of pollutants by plant leaves: An empirical review. *Journal of Environmental Chemical Engineering*, 7(3). <https://doi.org/10.1016/j.jece.2019.103100>
- Adi, P., Kusumastuti, I., & Anida, . (2012). Pengaruh Pemberian Tepung Bekicot Terhadap Kadar Total Protein Darah Pada Rattus Nove Rgicus Strain Wistar Dengan Diet Non Protein. In *Saintika Medika* (Vol. 6, Issue 1). <https://doi.org/10.22219/sm.v6i1.1006>
- Akpmie, K. G., & Conradie, J. (2020). Biogenic and chemically synthesized Solanum tuberosum peel–silver nanoparticle hybrid for the ultrasonic aided adsorption of bromophenol blue dye. *Scientific Reports*, 10(1), 1–19. <https://doi.org/10.1038/s41598-020-74254-y>
- Al-Ghouti, M. A., & Al-Absi, R. S. (2020). Mechanistic understanding of the adsorption and thermodynamic aspects of cationic methylene blue dye onto cellulosic olive stones biomass from wastewater. *Scientific Reports*, 10(1), 1–18. <https://doi.org/10.1038/s41598-020-72996-3>
- Allou, N. B., Eroi, N. S., Tigori, M. A., Atheba, P., & Trokourey, A. (2023). Production and Characterization of Green Biosorbent Based on Modified Corn Cob Decorated Magnetite Nanoparticles. *Journal of Materials Science and Chemical Engineering*, 11(02), 1–12. <https://doi.org/10.4236/msce.2023.112001>
- Al-Maliky, E. A., Gzar, H. A., & Al-Azawy, M. G. (2021). Determination of Point of Zero Charge (PZC) of Concrete Particles Adsorbents. *IOP Conference Series: Materials Science and Engineering*, 1184(1), 012004. <https://doi.org/10.1088/1757-899x/1184/1/012004>
- Anuar, F. I., Hadibarata, T., Muryanto, Yuniarto, A., Priyandoko, D., & Sari, A. A. (2019). Innovative chemically modified biosorbent for removal of Procion Red. *International Journal of Technology*, 10(4), 776–786. <https://doi.org/10.14716/ijtech.v10i4.2398>
- Benbettaïeb, N., Gay, J. P., Karbowiak, T., & Debeaufort, F. (2016). Tuning the Functional Properties of Polysaccharide–Protein Bio-Based Edible Films by

- Chemical, Enzymatic, and Physical Cross-Linking. *Comprehensive Reviews in Food Science and Food Safety*, 15(4), 739–752. <https://doi.org/10.1111/1541-4337.12210>
- Berber-villamar, N. K., Rosa, A., Morales-barrera, L., Flores-ortiz, M., Cristiani-urbina, E., & Cha, G. M. (2018). *Corn cob as an effective, eco-friendly, and economic biosorbent for removing the azo dye Direct Yellow 27 from aqueous solutions*. 1–30.
- Chaidir, Z., Sagita, D. T., Zein, R., & Munaf, E. (2015). Bioremoval of methyl orange dye using durian fruit (*Durio zibethinus*) Murr seeds as biosorbent. *Journal of Chemical and Pharmaceutical Research*, 7(1), 589–599.
- Dąbrowski, A. (2001). Adsorption - From theory to practice. *Advances in Colloid and Interface Science*, 93(1–3), 135–224. [https://doi.org/10.1016/S0001-8686\(00\)00082-8](https://doi.org/10.1016/S0001-8686(00)00082-8)
- Dada, A. O., Adekola, F. A., Odebunmi, E. O., Dada, F. E., Bello, O. M., Akinyemi, B. A., Bello, O. S., & Umukoro, O. G. (2020). Sustainable and low-cost *Ocimum gratissimum* for biosorption of indigo carmine dye: kinetics, isotherm, and thermodynamic studies. *International Journal of Phytoremediation*, 0(0), 1524–1537. <https://doi.org/10.1080/15226514.2020.1785389>
- Dahiru, M., Zango, Z. U., & Haruna, M. A. (2018). Cationic Dyes Removal Using Low-Cost Banana Peel Biosorbent. *American Journal of Materials Science*, 8(2), 32–38. <https://doi.org/10.5923/j.materials.20180802.02>
- Dey, S., Basha, S. R., Babu, G. V., & Nagendra, T. (2021). Characteristic and biosorption capacities of orange peels biosorbents for removal of ammonia and nitrate from contaminated water. *Cleaner Materials*, 1(April), 100001. <https://doi.org/10.1016/j.clema.2021.100001>
- Essekri, A., Hsini, A., Naciri, Y., Laabd, M., Ajmal, Z., Ouardi, M. El, & Addi, A. A. (2020). Novel citric acid-functionalized brown algae with a high removal efficiency of crystal violet dye from colored wastewaters: insights into equilibrium, adsorption mechanism, and reusability. *International Journal of Phytoremediation*, 0(0), 1–11. <https://doi.org/10.1080/15226514.2020.1813686>

- Ferreira, R. M., de Oliveira, N. M., Lima, L. L. S., Campista, A. L. D. M., & Stapelfeldt, D. M. A. (2019). Adsorption of indigo carmine on Pistia stratiotes dry biomass chemically modified. *Environmental Science and Pollution Research*, 26(28), 28614–28621. <https://doi.org/10.1007/s11356-018-3752-x>
- Harrelkas, F., Azizi, A., Yaacoubi, A., Benhammou, A., & Pons, M. N. (2009). Treatment of textile dye effluents using coagulation-flocculation coupled with membrane processes or adsorption on powdered activated carbon. *Desalination*, 235(1–3), 330–339. <https://doi.org/10.1016/j.desal.2008.02.012>
- Hevira, L., Rahmi, A., Zein, R., Zilfa, Z., & Rahmayeni, R. (2020). The fast and of low-cost-adsorbent to the removal of cationic and anionic dye using chicken eggshell with its membrane. *Mediterranean Journal of Chemistry*, 10(3), 294–301. <https://doi.org/10.13171/mjc020032612711h>
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., & Zein, R. (2020). Biosorption of indigo carmine from aqueous solution by Terminalia Catappa shell. *Journal of Environmental Chemical Engineering*, 8(5), 104290. <https://doi.org/10.1016/j.jece.2020.104290>
- Iqhrammullah, M., Marlina, & Nur, S. (2020). Adsorption Behaviour of Hazardous Dye (Methyl Orange) on Cellulose- Acetate Polyurethane Sheets Adsorption Behaviour of Hazardous Dye (Methyl Orange) on Cellulose-Acetate Polyurethane Sheets. <https://doi.org/10.1088/1757-899X/845/1/012035>
- Jehemat, A., & Koni, T. N. I. (2013). Tepung Bekicot sebagai Sumber Protein Pengganti Tepung Ikan dalam Ransum Ayam Pedaging. *Jurnal Veteriner*, 111–117. <https://ojs.unud.ac.id/index.php/jvet/article/download/6227/4719>
- Kashyap, J., Ashraf, S. M., & Riaz, U. (2017). Highly Efficient Photocatalytic Degradation of Amido Black 10B Dye Using Polycarbazole-Decorated TiO₂ Nanohybrids. *ACS Omega*, 2(11), 8354–8365. <https://doi.org/10.1021/acsomega.7b01154>
- Kassimi, A. El. (2021). High Efficiency of Natural Safiot Clay to Remove Industrial Dyes from Aqueous Media : Kinetic , Isotherm Adsorption and Thermodynamic Studies. February. <https://doi.org/10.33263/BRIAC115.1271712731>
- Kesraoui, A., Selmi, T., Seffen, M., & Brouers, F. (2017). Influence of alternating

current on the adsorption of indigo carmine. *Environmental Science and Pollution Research*, 24(11), 9940–9950. <https://doi.org/10.1007/s11356-016-7201-4>

Khandaker, S., Toyohara, Y., Kamida, S., & Kuba, T. (2018). Adsorptive removal of cesium from aqueous solution using oxidized bamboo charcoal. *Water Resources and Industry*, 19(January), 35–46. <https://doi.org/10.1016/j.wri.2018.01.001>

Kurniawati, D., Fasa, L. R., & Smith, H. (2021). *Effect of Contact Time Adsorption of Rhodamine B , Methyl Orange and Methylene Blue Colours on Langsat Shell with Batch Methods*. <https://doi.org/10.1088/1742-6596/1788/1/012008>

Laksono, F. B. (2014). Pemanfaatan Kulit Kapok Sebagai Karbon Aktif Untuk Penyerapan Logam Cu Dan Cr Pada Limbah Elektroplating. *Teknik Kimia* Vol.8, 8(2), 41–44.

Maurya, N. S., Mittal, A. K., Cornel, P., & Rother, E. (2006). Biosorption of dyes using dead macro fungi: Effect of dye structure, ionic strength and pH. *Bioresource Technology*, 97(3), 512–521. <https://doi.org/10.1016/j.biortech.2005.02.045>

Michalak, I., Chojnacka, K., & Witek-Krowiak, A. (2013). State of the art for the biosorption process - A review. *Applied Biochemistry and Biotechnology*, 170(6), 1389–1416. <https://doi.org/10.1007/s12010-013-0269-0>

Mohan. (2003). *A guide for the preparation and use of buffers in biological systems*.

Musah, M., Azeh, Y., Mathew, J., Umar, M., Abdulhamid, Z., & Muhammad, A. (2022). Adsorption Kinetics and Isotherm Models: A Review. *Caliphate Journal of Science and Technology*, 4(1), 20–26. <https://doi.org/10.4314/cajost.v4i1.3>

Ngaha, M. C. D., Njanja, E., Doungmo, G., Tamo Kamdem, A., & Tonle, I. K. (2019). Indigo Carmine and 2,6-Dichlorophenolindophenol Removal Using Cetyltrimethylammonium Bromide-Modified Palm Oil Fiber: Adsorption Isotherms and Mass Transfer Kinetics. *International Journal of Biomaterials*, 2019. <https://doi.org/10.1155/2019/6862825>

- Nindjio, G. F. K., Tagne, R. F. T., Jiokeng, S. L. Z., Fotsop, C. G., Bopda, A., Doungmo, G., Temgoua, R. C. T., Doench, I., Njoyim, E. T., Tamo, A. K., Osorio-Madrado, A., & Tonle, I. K. (2022). Lignocellulosic-Based Materials from Bean and Pistachio Pod Wastes for Dye-Contaminated Water Treatment: Optimization and Modeling of Indigo Carmine Sorption. *Polymers*, *14*(18). <https://doi.org/10.3390/polym14183776>
- Nurazzi, N. M., Asyraf, M. R. M., & Rayung, M. (2021). *Thermogravimetric Analysis Properties of Cellulosic Natural Fiber Polymer Composites: A Review on Influence of*.
- Olas, B., Bialecki, J., & Brys, M. (2021). The Effects of Natural and Synthetic Blue Dyes on Human Health: A Review of Current Knowledge and Therapeutic Perspectives. *Advances in Nutrition*. <https://doi.org/10.1093/advances/nmab081>
- Ovis, D. (2022). *Bekicot (Achatina Fulica) Sebagai Pakan untuk Tambahan Semen Semen untuk Meningkatkan Kualitas Domba (Ovis Aries) Snail (Achatina as Supplementary of Rams*. *40*(3).
- Pereira, L., & Alves, M. (2012). *Dyes — Environmental Impact and Remediation Dyes-Environmental Impact and Remediation* (Issue February 2016). <https://doi.org/10.1007/978-94-007-1591-2>
- Perwitasari, D. S., Ardian, Y., Pracesa, Y., Pangestu, M. A., & Sampe Tola, P. (2021). Langmuir and Freundlich Isotherm Approximation on Adsorption Mechanism of Chrome Waste by Using Tofu Dregs. *International Conference Eco-Innovation in Science, Engineering, and Technology*, *1*(1), 106–112. <http://dx.doi.org/10.11594/nstp.2021.1417>
- Pratiwi, R. H. (2014). Potensi kapuk randu (Ceiba Pentandra Gaertn.) dalam penyediaan obat herbal. *WIDYA Kesehatan Dan Lingkungan*, *1*(1), 53–60. <https://media.neliti.com/media/publications/36809-ID-potensi-kapuk-randu-ceiba-pentandra-gaertn-dalam-penyediaan-obat-herbal.pdf>
- Ramadhani, P., Chaidir, Z., Zilfa, Tomi, Z. B., Rahmiarti, D., & Zein, R. (2020). Shrimp shell (Metapenaeus monoceros) waste as a low-cost adsorbent for metanil yellow dye removal in aqueous solution. *Desalination and Water Treatment*, *197*, 413–423. <https://doi.org/10.5004/dwt.2020.25963>

- Ramalingam, S., Parthiban, L., & Rangasamy, P. (2014). Biosorption Modeling with Multilayer Perceptron for Removal of Lead and Zinc Ions Using Crab Shell Particles. *Arabian Journal for Science and Engineering*, 39(12), 8465–8475. <https://doi.org/10.1007/s13369-014-1412-0>
- Ramesh, T. N., & Pavagada Sreenivasa, V. (2015). Removal of Indigo Carmine Dye from Aqueous Solution Using Magnesium Hydroxide as an Adsorbent. *Journal of Materials*, 2015(i), 1–10. <https://doi.org/10.1155/2015/753057>
- Rapo, E., & Tonk, S. (2021). Factors Affecting Synthetic Dye Adsorption; Desorption Studies: A Review of Results from the Last Five Years. *Molecules*, 26, 5419–5450.
- Saha, P. Das, Bhattacharya, P., Sinha, K., & Chowdhury, S. (2013). Biosorption of Congo red and Indigo carmine by nonviable biomass of a new *Dietzia* strain isolated from the effluent of a textile industry. *Desalination and Water Treatment*, 51(28–30), 5840–5847. <https://doi.org/10.1080/19443994.2012.762589>
- Sahmoune, M. N. (2019). Evaluation of thermodynamic parameters for adsorption of heavy metals by green adsorbents. *Environmental Chemistry Letters*, 17(2), 697–704. <https://doi.org/10.1007/s10311-018-00819-z>
- Sahu, S., Pahi, S., Tripathy, S., Singh, S. K., Behera, A., Sahu, U. K., & Patel, R. K. (2020). Adsorption of methylene blue on chemically modified lychee seed biochar: Dynamic, equilibrium, and thermodynamic study. *Journal of Molecular Liquids*, 315, 113743. <https://doi.org/10.1016/j.molliq.2020.113743>
- Samat, J. H., Shahri, N. N. M., Abdullah, M. A., Suhaimi, N. A. A., Padmosoedarso, K. M., Kusriani, E., Mahadi, A. H., Hopley, J., & Usman, A. (2021). Adsorption of Acid Blue 25 on Agricultural Wastes: Efficiency, Kinetics, Mechanism, and Regeneration. *Air, Soil and Water Research*, 14. <https://doi.org/10.1177/11786221211057496>
- Shi, B., Li, G., Wang, D., Feng, C., & Tang, H. (2007). Removal of direct dyes by coagulation: The performance of preformed polymeric aluminum species. *Journal of Hazardous Materials*, 143(1–2), 567–574. <https://doi.org/10.1016/j.jhazmat.2006.09.076>

- Sitorus, C., Sukeksi, L., & Sidabutar, A. J. (2018). Ekstraksi Kalium dari Kulit Buah Kapuk (Ceiba petandra). *Jurnal Teknik Kimia USU*, 7(2), 17–22. [http://download.garuda.kemdikbud.go.id/article.php?article=1434032&val=4138&title=Ekstraksi Kalium Dari Kulit Buah Kapuk Ceiba petandra](http://download.garuda.kemdikbud.go.id/article.php?article=1434032&val=4138&title=Ekstraksi%20Kalium%20Dari%20Kulit%20Buah%20Kapuk%20Ceiba%20petandra)
- Sudiarta, I. W., Prameswari, A. A. S. D., & S. Negara, I. M. (2022). Biosorpsi Cr(III) Oleh Biosorben Kulit Kapuk (Ceiba Pentandra (L.) Gaertn) Teraktivasi Asam Nitrat. *Jurnal Kimia*, 16(1), 93. <https://doi.org/10.24843/jchem.2022.v16.i01.p12>
- Suryadi, U., Imam, S., & Ahmad, A. F. (2021). Protein hidrolisat daging bekicot (Achatina fulica) sebagai pengurang penggunaan tepung ikan terhadap performa ayam kampung super. *Jurnal Ilmu Peternakan Terapan*, 5(1), 37–42. <https://doi.org/10.25047/jipt.v5i1.2485>
- Tan, K. B., Vakili, M., Horri, B. A., Poh, P. E., Abdullah, A. Z., & Salamatinia, B. (2015). Adsorption of dyes by nanomaterials: Recent developments and adsorption mechanisms. *Separation and Purification Technology*, 150, 229–242. <https://doi.org/10.1016/j.seppur.2015.07.009>
- Tehrim, A., Dai, M., Wu, X., Muhammad, M., Ali, I., Ahsan, M., & Rong, A. (2021). Citric acid modified waste cigarette filters for adsorptive removal of methylene blue dye from aqueous solution. *September 2020*, 1–12. <https://doi.org/10.1002/app.50655>
- Tiotsop Kuete, I. H., Tchuiwon Tchuiwon, R. D., Bopda, A., Sadeu Ngakou, C., Nche, G. N. A., & Gabche Anagho, S. (2022). Adsorption of Indigo Carmine onto Chemically Activated Carbons Derived from the Cameroonian Agricultural Waste Garcinia cola Nut Shells and Desorption Studies. *Journal of Chemistry*, 2022. <https://doi.org/10.1155/2022/1236621>
- Wahidatun, K. W., Krisdiyanto, D., & Nugraha, I. (2015). Kestimbangan , Kinetika , dan Termodinamika Adsorpsi Logam Cr(VI) pada Zeolit Alam dari Klaten yang Teraktivasi Asam Sulfat. *Sains Dan Terapan Kimia*, 9(1), 1–11.
- Wang, S., Chen, W., & Zhang, C. (2021). Efficient and selective adsorption of cationic dyes with regenerated cellulose. *Chemical Physics Letters*.
- Wang, J., & Guo, X. (2020). Adsorption isotherm models: Classification, physical meaning, application and solving method. *Chemosphere*, 258, 127279.

<https://doi.org/10.1016/j.chemosphere.2020.127279>

- Wijayanti, I. E., & Kurniawati, E. A. (2019). Studi Kinetika Adsorpsi Isoterm Persamaan Langmuir dan Freundlich pada Abu Gosok sebagai Adsorben. *EduChemia (Jurnal Kimia Dan Pendidikan)*, 4(2), 175. <https://doi.org/10.30870/educhemia.v4i2.6119>
- You, A., Be, M. A. Y., & In, I. (2021). *Optimization of pH and contact time adsorption of banana peels as adsorbent of Co (II) and Ni (II) from liquid solutions. 070007(March)*.
- Zein, R., Hevira, L., Zilfa, Rahmayeni, Fauzia, S., & Ighalo, J. O. (2022). The improvement of indigo carmine dye adsorption by Terminalia catappa shell modified with broiler egg white. *Biomass Conversion and Biorefinery*, 0123456789. <https://doi.org/10.1007/s13399-021-02290-3>
- Zein, R., Nofita, D., Refilda, R., & Aziz, H. (2019). Penyerapan Timbal(II) dan Cadmium(II) di dalam Larutan Menggunakan Limbah Kulit Buah Kapuk. *Chimica et Natura Acta*, 7(1), 37. <https://doi.org/10.24198/cna.v7.n1.20813>
- Zein, R., Purnomo, J. S., Ramadhani, P., Alif, M. F., & Safni, S. (2022). Lemongrass (*Cymbopogon nardus*) leaves biowaste as an effective and low-cost adsorbent for methylene blue dyes removal: isotherms, kinetics, and thermodynamics studies. *Separation Science and Technology (Philadelphia)*, 57(15), 2341–2357. <https://doi.org/10.1080/01496395.2022.2058549>
- Zein, R., Ramadhani, P., Aziz, H., & Suhaili, R. (2019). Pensi shell (*Corbicula moltipkiana*) as a biosorbent for metanil yellow dyes removal: pH and equilibrium model evaluation. *Jurnal Litbang Industri*, 15–22.
- Zein, R., Satrio Purnomo, J., Ramadhani, P., Safni, Alif, M. F., & Putri, C. N. (2023). Enhancing sorption capacity of methylene blue dye using solid waste of lemongrass biosorbent by modification method. *Arabian Journal of Chemistry*, 16(2), 104480. <https://doi.org/10.1016/j.arabjc.2022.104480>
- Zilfa, Rahmayeni, Stiadi, Y., & Adril. (2018). Utilization of natural zeolite clinoptilolite-Ca as a support of ZnO catalyst for congo-red degradation and congo-red waste applications with photolysis. *Oriental Journal of Chemistry*, 34(2), 887–893. <https://doi.org/10.13005/ojc/340237>