

## DAFTAR PUSTAKA

1. Kellum JA, Romagnani P, Ashuntantang G, Ronco C, Zarbock A, Anders HJ. Acute kidney injury. *Nat Rev Dis Prim.* 2021;7(1).
2. Ronco C, Bellomo R, Kellum JA. Acute kidney injury. *Lancet.* 2019;394(10212):1949–64.
3. Wang J, Zhang C, Liu Z, Bai Y. Risk factors of contrast-induced nephropathy after percutaneous coronary intervention: a retrospective analysis. *J Int Med Res.* 2021 Apr;49(4):3000605211005972.
4. Modi K, Padala SA, Gupta M. Contrast-Induced Nephropathy. *StatPearls.* 2023;1–9.
5. Ribitsch W, Schilcher G, Quehenberger F, Pilz S, Portugaller RH, Truschnig-Wilders M, et al. Neutrophil gelatinase-associated lipocalin (NGAL) fails as an early predictor of contrast induced nephropathy in chronic kidney disease (ANTI-CI-AKI study). *Sci Rep.* 2017 Jan;7:41300.
6. Mandal A, Paudel MS, Kafle P, Khalid M, Bhattarai B, Kanth R, et al. Contrast-induced Nephropathy Following Percutaneous Coronary Intervention at a Tertiary Cardiac Center in Nepal. *Cureus.* 2018 Sep;10(9):e3331.
7. Filiopoulos V, Biblaki D, Lazarou D, Chrisis D, Fatourou M, Lafoyianni S, et al. Plasma neutrophil gelatinase-associated lipocalin (NGAL) as an early predictive marker of contrast-induced nephropathy in hospitalized patients undergoing computed tomography. *Clin Kidney J.* 2013 Dec;6(6):578–83.
8. Baydar O, Kilic A. CHA2DS2-VASC Score Predicts Risk of Contrast-Induced Nephropathy in Non-ST Elevation Myocardial Infarction Patients Undergoing Percutaneous Coronary Interventions. *Kidney Dis (Basel, Switzerland).* 2019 Oct;5(4):266–71.
9. Chaudhary AK, Pathak V, Kunal S, Shukla S. CHA2DS2-VASc score as a novel predictor for contrast-induced nephropathy after percutaneous coronary intervention in acute coronary syndrome. *Indian Heart J.* 2019;71(4):303–8.
10. Gameiro J, Fonseca JA, Jorge S, Lopes JA. Acute kidney injury definition

- and diagnosis: A narrative review. *J Clin Med*. 2018;7(10):1–13.
11. Ricci Z, Romagnoli S. Acute Kidney Injury: Diagnosis and Classification in Adults and Children. *Contrib Nephrol*. 2018;193:1–12.
  12. Chandiramani R, Cao D, Nicolas J, Mehran R. Contrast-induced acute kidney injury. *Cardiovasc Interv Ther*. 2020;35(3):209–17.
  13. Mehran R, Dangas GD, Weisbord SD. Contrast-Associated Acute Kidney Injury. *N Engl J Med*. 2019;380(22):2146–55.
  14. Zuk A, Bonventre J.V. Acute kidney injury. *Annu Rev Med*. 2016;67:293–307.
  15. Morcos R, Kucharik M, Bansal P, Al Taii H, Manam R, Casale J, et al. Contrast-Induced Acute Kidney Injury: Review and Practical Update. *Clin Med Insights Cardiol*. 2019;13(Table 1).
  16. Thomas ME, Blaine C, Dawnay A, Devonald MAJ, Ftouh S, Laing C, et al. The definition of acute kidney injury and its use in practice. *Kidney Int*. 2015;87(1):62–73.
  17. Levey AS, James MT. Annals graphic medicine - The problem list. *Ann Intern Med*. 2017;167(9):ITC65–79.
  18. Kulvichit W, Kellum JA, Srisawat N. Biomarkers in Acute Kidney Injury. Second Edi. Vol. 37, *Critical Care Clinics*. Elsevier Inc.; 2021. 385–398 p.
  19. Ostermann M, Joannidis M. Acute kidney injury 2016: Diagnosis and diagnostic workup. *Crit Care*. 2016;20(1):1–13.
  20. Samadian F, Dalili N, Mahmoudieh L, Ziaei S. Contrast-induced nephropathy: Essentials and concerns. *Iran J Kidney Dis*. 2018;12(3):135–41.
  21. Zhang F, Lu Z, Wang F. Advances in the pathogenesis and prevention of contrast-induced nephropathy. *Life Sci*. 2020;259(September):118379.
  22. Hossain MA, Costanzo E, Cosentino J, Patell C, Qaisar H, Singh V, et al. of Kidney Diseases and Transplantation Review Article Contrast-Induced Nephropathy: Pathophysiology, Risk Factors, and Angiology. 2018;29(1):1–9.
  23. Moore PK, Hsu RK, Liu KD. Management of Acute Kidney Injury: Core Curriculum 2018. *Am J Kidney Dis*. 2018;72(1):136–48.

24. Lohani S, Rudnick MR. Contrast Media—Different Types of Contrast Media, Their History, Chemical Properties, and Relative Nephrotoxicity. *Interv Cardiol Clin.* 2020;9(3):279–92.
25. Ozkok S, Ozkok A. Contrast-induced acute kidney injury: A review of practical points. *World J Nephrol.* 2017;6(3):86.
26. Mamoulakis C, Tsarouhas K, Fragkiadoulaki I, Heretis I, Wilks MF, Spandidos DA, et al. Contrast-induced nephropathy: Basic concepts, pathophysiological implications and prevention strategies. *Pharmacol Ther.* 2017;180:99–112.
27. Rogers DC, Tadi P. *Intravenous Contrast.* In Treasure Island (FL); 2023.
28. Khalfallah M, Allaithy A, Maria DA. Incidence, predictors and outcomes of contrast induced nephropathy in patients with ST elevation myocardial infarction undergoing primary percutaneous coronary intervention. *Glob Heart.* 2021;16(1):3–10.
29. He H, Chen XR, Chen YQ, Niu TS, Liao YM. Prevalence and Predictors of Contrast-Induced Nephropathy (CIN) in Patients with ST-Segment Elevation Myocardial Infarction (STEMI) Undergoing Percutaneous Coronary Intervention (PCI): A Meta-Analysis. *J Interv Cardiol.* 2019;2019.
30. Kumar D, Liaquat H, Sial JA, Saghir T, Kumari R, Kumar H, et al. Risk Factors Associated With Contrast-Induced Nephropathy after Primary Percutaneous Coronary Intervention. *Cureus.* 2020;12(8):8–15.
31. Ronco C, Stacul F, McCullough PA. Subclinical acute kidney injury (AKI) due to iodine-based contrast media. *Eur Radiol.* 2013;23(2):319–23.
32. Syadiah AR, Febrina E, Levita J. Review Neutrophil Gelatinase-Associated Lipocalin ( NGAL ): Perannya sebagai Biomarker pada Kerusakan Ginjal Akut. *J Sains Farm Klin.* 2021;8(1):35–42.
33. Martensson J, Bellomo R. The Rise and Fall of NGAL in Acute. *Blood Purif.* 2014;37:304–10.
34. Reyes LF, Severiche-bueno DF, Bustamante CA, Murillo S, Soni NJ, Poveda M, et al. Serum levels of neutrophil Gelatinase associated Lipocalin ( NGAL ) predicts hemodialysis after coronary angiography in high risk patients with acute coronary syndrome. *BMC Nephrol.* 2020;21(143):1–9.

35. Jia X, Levine GN, Birnbaum Y. The CHA2DS2 -VASc score : Not as simple as it seems. *Int J Cardiol.* 2018;257:92–6.
36. Cicek G, Yıldırım E. CHA2DS2-VASc score predicts contrast-induced nephropathy in patients with ST-segment elevation myocardial infarction, who have undergone primary percutaneous coronary intervention. *Kardiol Pol (Polish Hear Journal).* 2018;76(1):91–8.
37. Chahal RS, Chukwu CA, Kalra PR, Kalra PA. Heart failure and acute renal dysfunction in the cardiorenal syndrome. *Clin Med [Internet].* 2020 Mar;20(2):146–50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/32188648>
38. Holgado JL, Lopez C, Fernandez A, Sauri I, Uso R, Trillo JL, et al. Acute kidney injury in heart failure: a population study. *ESC Hear Fail [Internet].* 2020 Apr;7(2):415–22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/32059081>
39. Basile DP, Anderson MD, Sutton TA. Pathophysiology of acute kidney injury. *Compr Physiol [Internet].* 2012 Apr;2(2):1303–53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23798302>
40. Bidani AK, Griffin KA. Pathophysiology of hypertensive renal damage: implications for therapy. *Hypertens (Dallas, Tex 1979) [Internet].* 2004 Nov;44(5):595–601. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15452024>
41. Abdel-Kader K, Palevsky PM. Acute kidney injury in the elderly. *Clin Geriatr Med [Internet].* 2009 Aug;25(3):331–58. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19765485>
42. Chao CT, Tsai HB, Lin YF, Ko WJ. Acute kidney injury in the elderly: Only the tip of the iceberg. *J Clin Gerontol Geriatr [Internet].* 2014 Mar;5(1):7–12. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S2210833513000324>
43. Kaur A, Sharma GS, Kumbala DR. Acute kidney injury in diabetic patients: A narrative review. *Medicine (Baltimore) [Internet].* 2023 May 26;102(21):e33888. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/37233407>

44. Privratsky JR, Fuller M, Raghunathan K, Ohnuma T, Bartz RR, Schroeder R, et al. Postoperative Acute Kidney Injury by Age and Sex: A Retrospective Cohort Association Study. *Anesthesiology* [Internet]. 2023 Feb 1;138(2):184–94. Available from: <https://pubs.asahq.org/anesthesiology/article/138/2/184/137235/Postoperative-Acute-Kidney-Injury-by-Age-and-Sex-A>
45. Neugarten J, Golestaneh L. Female sex reduces the risk of hospital-associated acute kidney injury: a meta-analysis. *BMC Nephrol* [Internet]. 2018 Dec 8;19(1):314. Available from: <https://bmcnephrol.biomedcentral.com/articles/10.1186/s12882-018-1122-z>
46. Lima-Posada I, Portas-Cortés C, Pérez-Villalva R, Fontana F, Rodríguez-Romo R, Prieto R, et al. Gender Differences in the Acute Kidney Injury to Chronic Kidney Disease Transition. *Sci Rep* [Internet]. 2017 Sep 25;7(1):12270. Available from: <https://www.nature.com/articles/s41598-017-09630-2>
47. Al-Maimoony T, Al-Sageer N, Alnajjar M, Ali Kaid MG, Rajeh M, Al-Motarreb AL. Clinical Characteristics and Outcome of Percutaneous Coronary Intervention in Yemeni Patients. *Heart Views* [Internet]. 2023;24(2):93–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/37305329>
48. Panduranga P, Al-Rashidi M, Al-Hajri F. n-Hospital and One-Year Clinical Outcome of Percutaneous Coronary Intervention in a Tertiary Hospital in Oman: Oman PCI Registry. *Oman Med J* [Internet]. 2017 Jan 4;32(1):54–61. Available from: <http://omjournal.org/articleDetails.aspx?coType=1&ald=1859>
49. Fokkema ML, James SK, Albertsson P, Aasa M, Åkerblom A, Calais F, et al. Outcome after percutaneous coronary intervention for different indications: long-term results from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). *EuroIntervention* [Internet]. 2016 Jun;12(3):303–11. Available from: [http://www.pcronline.com/eurointervention/100th\\_issue/50](http://www.pcronline.com/eurointervention/100th_issue/50)
50. Konishi H, Miyauchi K, Kasai T, Tsuboi S, Ogita M, Naito R, et al. Long-

- term prognosis and clinical characteristics of young adults ( $\leq 40$  years old) who underwent percutaneous coronary intervention. *J Cardiol* [Internet]. 2014;64(3):171–4. Available from: <https://www.sciencedirect.com/science/article/pii/S0914508713003961>
51. Ioanna K, B. LM, Yiran Z, W. SP, Clemens von B, C. SP, et al. Long-Term Outcomes in Women and Men Following Percutaneous Coronary Intervention. *J Am Coll Cardiol* [Internet]. 2020 Apr 14;75(14):1631–40. Available from: <https://doi.org/10.1016/j.jacc.2020.01.056>
52. Yasmin F, Kumar S, Singh M, Sagar, Kumar K, Parkash O, et al. Gender-based differences in primary percutaneous coronary intervention in patients with myocardial infarction from a developing country: A retrospective cohort study. *Ann Med Surg* [Internet]. 2022 Apr;76. Available from: <https://journals.lww.com/10.1016/j.amsu.2022.103532>
53. Andriani M, Zulkifli, Puspita Y, Theodorus. Sensitifitas dan Spesifitas *Neutrophil Gelatinase Associated Lipocalin* sebagai Penanda Dini *Acute Kidney Injury* pada Pasien ICU dan HCU. *Anesthesia & Critical Care*. 2015;31(1):272-278. Available from: <https://macc.perdatin.org/index.php/my-journal/article/view/48>
- 54 Petrova I, Alexandrov A, Vladimirov G, Mateev H, Bogov I, Paskaleva I, Gotcheva N. *NGAL as Biomarker of Clinical and Subclinical Damage of Kidney Function after Coronary Angiography*. *Diagnostics*. 2023;13(1180):1-19. Available from: <https://doi.org/10.3390/diagnostics13061180>
55. Cicek G, Yildirim E. CHA2DS2-VASc score predicts contrast-induced nephropathy in patients with ST-segment elevation myocardial infarction, who have undergone primary percutaneous coronary intervention. *Kardiologia Pol (Polish Hear Journal)* [Internet]. 2018;76(1):91–8. Available from: [https://journals.viamedica.pl/kardiologia\\_polska/article/view/KP.a2017.0177](https://journals.viamedica.pl/kardiologia_polska/article/view/KP.a2017.0177)
56. Parlindungan HW, Hasan R, Andra CA, Akbar NZ, Nasution AN, Hasan H, Lubis AC, Napitupulu BG. Nilai Skor CHA2DS2-VAS-HSF sebagai Prediktor Kejadian Nefropati yang Diinduksi Kontras pada Pasien Sindroma

Koroner Akut yang Menjalani Prosedur Intervensi Koroner Perkutan. Indonesian Journal of Cardiology. 2018;38:60-67.

57. Kafkas, N., Demponeras, C., Zoubouloglou, F., Spanou, L., Babalis, D., & Makris, K. (2012). Serum levels of gelatinase associated lipocalin as indicator of the inflammatory status in coronary artery disease. International journal of inflammation, 2012.
58. McIlroy, D. R., Farkas, D., Matto, M., & Lee, H. T. (2015). Neutrophil gelatinase-associated lipocalin combined with delta serum creatinine provides early risk stratification for adverse outcomes after cardiac surgery: a prospective observational study. Critical care medicine, 43(5), 1043.

