

DAFTAR PUSTAKA

- Abdillah, M., & Suprpto. (2022). Characterization and Modification of Corn Starch (*Zea mays* [L.]) and HPMC with Sodium Tripolyphosphate as Crosslinking Agent. *Urecol Journal. Part C: Health Sciences*, 2(2), 77–78. <https://doi.org/10.4337/9781786436573.00013>
- Abegunde, S. M., Idowu, K. S., Adejuwon, O. M., & Adeyemi-Adejolu, T. (2020). A review on the influence of chemical modification on the performance of adsorbents. *Resources, Environment and Sustainability*, 1(July), 100001. <https://doi.org/10.1016/j.resenv.2020.100001>
- Agarwal, A., Upadhyay, U., Sreedhar, I., Singh, S. A., & Patel, C. M. (2020). A review on valorization of biomass in heavy metal removal from wastewater. *Journal of Water Process Engineering*, 38(September), 101602. <https://doi.org/10.1016/j.jwpe.2020.101602>
- Ahmad, R., & Ansari, K. (2021). Enhanced sequestration of methylene blue and crystal violet dye onto green synthesis of pectin modified hybrid (Pect/AILP-Kal) nanocomposite. *Process Biochemistry*, 111(P2), 132–143. <https://doi.org/10.1016/j.procbio.2021.10.009>
- Amaku, J. F., Nnaji, J. C., Ogundare, S. A., Akpomie, K. G., Ngwu, C. M., Chukwuemeka-Okorie, H. O., Zubairu, S. M., Ugwu, B. I., Odoemelam, S. A., & Conradie, J. (2021). Chrysophyllum albidum stem bark extract coated tillite adsorbent for the uptake of Cr(VI): thermodynamic, kinetic, isotherm, and reusability. *Biomass Conversion and Biorefinery*, 13(6), 4865–4877. <https://doi.org/10.1007/s13399-021-01489-8>
- Amin, N., Sabli, N., Izhar, S., & Yoshida, H. (2019). Sago wastes and its applications. *Science And Technology*, 27(4), 1841–1862.
- Amode, J. O., Santos, J. H., Md. Alam, Z., Mirza, A. H., & Mei, C. C. (2016). Adsorption of methylene blue from aqueous solution using untreated and treated (*Metroxylon* spp.) waste adsorbent: equilibrium and kinetics studies. *International Journal of Industrial Chemistry*, 7(3), 333–345. <https://doi.org/10.1007/s40090-016-0085-9>
- Amoo, T. E., Amoo, K. O., Adeeyo, O. A., & Ogidi, C. O. (2022). Kinetics and Equilibrium Studies of the Adsorption of Copper(II) Ions from Industrial Wastewater Using Activated Carbons Derived from Sugarcane Bagasse. *International Journal of Chemical Engineering*. <https://doi.org/10.1155/2022/6928568>
- Bahrani, M., Amiri, M. J., & Bagheri, F. (2020). Optimization of crystal violet adsorption by chemically modified potato starch using response surface methodology. *Pollution*, 6(1), 159–170. <https://doi.org/10.22059/POLL.2019.288467.674>
- Basharat, S., Rehman, R., Mahmud, T., Basharat, S., & Mitu, L. (2020). Tartaric Acid-Modified *Holarrhena antidysenterica* and *Citrullus colocynthis* Biowaste for Efficient Eradication of Crystal Violet Dye from Water. *Journal of Chemistry*, 18. <https://doi.org/https://doi.org/10.1155/2020/8862167>
- Cheruiyot, G. K., Wanyonyi, W. C., Kiplimo, J. J., & Maina, E. N. (2019). Adsorption of toxic

crystal violet dye using coffee husks: Equilibrium, kinetics and thermodynamics study. *Scientific African*, 5, 1–11. <https://doi.org/10.1016/j.sciaf.2019.e00116>

Dinata, M. (2023). Diversity and use of Sago (*Metroxylon sagu* Rottb .) from Meranti Islands as Road Reinforcement. *Research Square*, 1–14. <https://doi.org/https://doi.org/10.21203/rs.3.rs-2632151/v1> License:

Dinh, V. P., Huynh, T. D. T., Le, H. M., Nguyen, V. D., Dao, V. A., Hung, N. Q., Tuyen, L. A., Lee, S., Yi, J., Nguyen, T. D., & Tan, L. V. (2019). Insight into the adsorption mechanisms of methylene blue and chromium(III) from aqueous solution onto pomelo fruit peel. *RSC Advances*, 9(44), 25847–25860. <https://doi.org/10.1039/c9ra04296b>

Donkadokula, N. Y., Kola, A. K., Naz, I., & Saroj, D. (2020). A review on advanced physico-chemical and biological textile dye wastewater treatment techniques. *Reviews in Environmental Science and Biotechnology*, 19(3), 543–560. <https://doi.org/10.1007/s11157-020-09543-z>

Eletta, O. A. A., Adeniyi, A. G., Ighalo, J. O., Onifade, D. V., & Ayandele, F. O. (2020). Valorisation of Cocoa (*Theobroma cacao*) pod husk as precursors for the production of adsorbents for water treatment. *Environmental Technology Reviews*, 9(1), 20–36. <https://doi.org/10.1080/21622515.2020.1730983>

Enenebeaku, C. K., Okorochoa, N. J., Enenebeaku, U. E., & Onyeachu, B. I. (2017). Adsorption of Methylene Blue Dye onto Bush Cane Bark Powder. *International Letters of Chemistry, Physics and Astronomy*, 76, 12–26. <https://doi.org/10.18052/www.scipress.com/ILCPA.76.12>

Espinoza, I., Sandoval-Pauker, C., Guerrero, L. R., Jentsch, P. V., & Bisesti, F. M. (2020). Fenton process combined with precipitation for the removal of Direct Blue 1 dye: A new approach. *Journal of the Serbian Chemical Society*, 85(4), 547–558. <https://doi.org/10.2298/JSC190804119E>

Essekri, A., Aarab, N., Hsini, A., Ajmal, Z., Laabd, M., El Ouardi, M., Ait Addi, A., Lakhmiri, R., & Albourine, A. (2022). Enhanced adsorptive removal of crystal violet dye from aqueous media using citric acid modified red-seaweed: experimental study combined with RSM process optimization. *Journal of Dispersion Science and Technology*, 43(9), 1359–1372. <https://doi.org/10.1080/01932691.2020.1857263>

Essekri, A., Haki, M. A., Laabd, M., Addi, A. A., Lakhmiri, R., & Albourine, A. (2023). Citric acid-functionalized Acacia pods as a robust biosorbent for decontamination of wastewater containing crystal violet dye: Experimental study combined with statistical optimization. *Chemical Engineering Research and Design*, 195, 390–403. <https://doi.org/10.1016/j.cherd.2023.05.044>

Fauzia, S., Aziz, H., Dahlan, D., Namieśnik, J., & Zein, R. (2019). Adsorption of Cr(VI) in aqueous solution using sago bark (*metroxylon sagu*) as a new potential biosorbent. *Desalination and*

Water Treatment, 147, 191–202. <https://doi.org/10.5004/dwt.2019.23577>

- Fauzia, S., Aziz, H., Dahlan, D., & Zein, R. (2018). Study of equilibrium, kinetic and thermodynamic for removal of Pb(II) in aqueous solution using Sago bark (Metroxylon sago). *AIP Conference Proceedings*, 2023(Ii). <https://doi.org/10.1063/1.5064078>
- Fauzia, S., Aziz, H., Dahlan, D., & Zein, R. (2019). The feasibility of Sago Bark (Metroxylon sago) IN Cu(II) removal: Batch and fixed bed column evaluation. *Rasayan Journal of Chemistry*, 12(4), 1889–1900. <https://doi.org/10.31788/RJC.2019.1245444>
- Franco, D. S. P., Fagundes, J. L. S., Georgin, J., Salau, N. P. G., & Dotto, G. L. (2020). A mass transfer study considering intraparticle diffusion and axial dispersion for fixed-bed adsorption of crystal violet on pecan pericarp (*Carya illinoensis*). *Chemical Engineering Journal*, 397(May), 125423. <https://doi.org/10.1016/j.cej.2020.125423>
- Ghazali, A., Shirani, M., Semnani, A., Zare-Shahabadi, V., & Nekoeinia, M. (2018). Optimization of crystal violet adsorption onto Date palm leaves as a potent biosorbent from aqueous solutions using response surface methodology and ant colony. *Journal of Environmental Chemical Engineering*, 6(4), 3942–3950. <https://doi.org/10.1016/j.jece.2018.05.043>
- Gopi, S., Pius, A., & Thomas, S. (2016). Enhanced adsorption of crystal violet by synthesized and characterized chitin nano whiskers from shrimp shell. *Journal of Water Process Engineering*, 14, 1–8. <https://doi.org/10.1016/j.jwpe.2016.07.010>
- Gul, A., Muhammad, S., Nawaz, S., Munir, S., Rehman, K. U., Ahmad, S., & Humphrey, O. S. (2022). *Ficus religiosa* bark an efficient adsorbent for Alizarin Red S dye: Equilibrium and kinetic analysis. *Journal of the Iranian Chemical Society*, 19(5), 1737–1746. <https://doi.org/10.1007/s13738-021-02413-7>
- Hanafi, M. F., Harun, N. F. C., Sapawe, N., & Raidin, A. (2020). Electrobiosynthesis of NiO using rambutan leaves for photodegradation of remazol brilliant blue dye. *Malaysian Journal of Analytical Sciences*, 24(2), 227–235.
- Harrelkas, F., Azizi, A., Yaacoubi, A., Benhammou, A., & Pons, M. N. (2009). Treatment of textile dye effluents using coagulation-flocculation coupled with membrane processes or adsorption on powdered activated carbon. *Desalination*, 235(1–3), 330–339. <https://doi.org/10.1016/j.desal.2008.02.012>
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., Aziz, H., & Zein, R. (2021). Terminalia catappa shell as low-cost biosorbent for the removal of methylene blue from aqueous solutions. *Journal of Industrial and Engineering Chemistry*, 97, 188–199. <https://doi.org/10.1016/j.jiec.2021.01.028>
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., & Zein, R. (2020). Biosorption of indigo carmine from aqueous solution by Terminalia Catappa shell. *Journal of Environmental Chemical Engineering*, 8(5), 104290. <https://doi.org/10.1016/j.jece.2020.104290>
- Homagai, P. L., Poudel, R., Poudel, S., & Bhattarai, A. (2022). Adsorption and removal of crystal

violet dye from aqueous solution by modified rice husk. *Heliyon*, 8(4), e09261. <https://doi.org/10.1016/j.heliyon.2022.e09261>

Igwegbe, C. A., Onukwuli, O. D., Ighalo, J. O., & Okoye, P. U. (2020). Adsorption of Cationic Dyes on Dacryodes edulis Seeds Activated Carbon Modified Using Phosphoric Acid and Sodium Chloride. *Environmental Processes*, 7(4), 1151–1171. <https://doi.org/10.1007/s40710-020-00467-y>

Keereerak, A., & Chinpa, W. (2020). A potential biosorbent from Moringa oleifera pod husk for crystal violet adsorption: Kinetics, isotherms, thermodynamic and desorption studies. *ScienceAsia*, 46(2), 186–194. <https://doi.org/10.2306/SCIENCEASIA1513-1874.2020.034>

Kumar, A., Singh, R., Upadhyay, S. K., Kumar, S., & Charaya, M. U. (2021). The Removal of Toxic Dyes From Industrial Effluent Using Phytobiomass - a Review. *Plant Archives*, 21(table 1), 2184–2185.

Lairini, S., El Mahtal, K., Miyah, Y., Tanji, K., Guissi, S., Boumchita, S., & Zerrouq, F. (2017). The adsorption of Crystal violet from aqueous solution by using potato peels (*Solanum tuberosum*): Equilibrium and kinetic studies. *Journal of Materials and Environmental Science*, 8(9), 3252–3261.

Langmuir, I. (1918). The Adsorption of Gases on Plane Surfaces of Glass, Mica and Platinum. *The Research Laboratory of the General Electric Co*, 60(2), 467–475. <https://doi.org/10.1021/ja01269a066>

Lestari, P., Istikowati, W. T., Heri, D., Yanto, Y., Fatiasari, W., Ningrum, S., Masyarakat, K., & Mangkurat, U. L. (2022). Analisis Kandungan Kimia Kulit Batang Sagu (*Metroxylon sagu* Rottb .). *Jurnal Sylva Scientiae*, 05(2), 187–193.

Lim, L. B. L., Priyantha, N., & Mansor, N. H. M. (2015). Artocarpus altilis (breadfruit) skin as a potential low-cost biosorbent for the removal of crystal violet dye: equilibrium, thermodynamics and kinetics studies. *Environmental Earth Sciences*, 73(7), 3239–3247. <https://doi.org/10.1007/s12665-014-3616-8>

Litefti, K., Freire, M. S., Stitou, M., & González-Álvarez, J. (2019). Adsorption of an anionic dye (Congo red) from aqueous solutions by pine bark. *Scientific Reports*, 9(1), 1–11. <https://doi.org/10.1038/s41598-019-53046-z>

Menkiti, M. C., Aniagor, C. O., Agu, C. M., & Ugonabo, V. I. (2018). Effective Adsorption of Crystal Violet Dye from an Aqueous Solution Using Lignin-Rich Isolate from Elephant Grass. *Water Conservation Science and Engineering*, 3(1), 33–46. <https://doi.org/10.1007/s41101-017-0040-4>

Mohan, C. (2003). *A guide for the preparation and use of buffers in biological systems*. CALBIOCHEM, A brand of EMD Biosciences, Inc.

- Mojtabavi, S., Khoshayand, M. R., Fazeli, M. R., Samadi, N., & Faramarzi, M. A. (2020). Combination of thermal and biological treatments for bio-removal and detoxification of some recalcitrant synthetic dyes by betaine-induced thermostabilized laccase. *Environmental Technology and Innovation*, 20, 101046. <https://doi.org/10.1016/j.eti.2020.101046>
- Nappu, M. B., Wahid, A., & Maintang. (2013). Morfologi dan Potensi beberapa jenis tanaman Sagu. *Mewujudkan Kedaulatan Pangan Melalui Penerapan Inovasi Teknologi Pertanian Spesifik Lokasi Pada Kawasan Pertanian*, 679–688.
- Omer, A. salah, El Naeem, G. A., Abd-Elhamid, A. I., Farahat, O. O. M., El-Bardan, A. A., Soliman, H. M. A., & Nayl, A. A. (2022). Adsorption of crystal violet and methylene blue dyes using a cellulose-based adsorbent from sugercane bagasse: characterization, kinetic and isotherm studies. *Journal of Materials Research and Technology*, 19, 3241–3254. <https://doi.org/10.1016/j.jmrt.2022.06.045>
- Pang, X., Sellaoui, L., Franco, D., Dotto, G. L., Georgin, J., Bajahzar, A., Belmabrouk, H., Ben Lamine, A., Bonilla-Petriciolet, A., & Li, Z. (2019). Adsorption of crystal violet on biomasses from pecan nutshell, para chestnut husk, araucaria bark and palm cactus: Experimental study and theoretical modeling via monolayer and double layer statistical physics models. *Chemical Engineering Journal*, 378(June). <https://doi.org/10.1016/j.cej.2019.122101>
- Putri, K. N. A., Keereerak, A., & Chinpa, W. (2020). Novel cellulose-based biosorbent from lemongrass leaf combined with cellulose acetate for adsorption of crystal violet. *International Journal of Biological Macromolecules*, 156, 762–772. <https://doi.org/10.1016/j.ijbiomac.2020.04.100>
- Ramadhani, P., Chaidir, Z., Zilfa, Tomi, Z. B., Rahmiarti, D., & Zein, R. (2020). Shrimp shell (*Metapenaeus monoceros*) waste as a low-cost adsorbent for metanil yellow dye removal in aqueous solution. *Desalination and Water Treatment*, 197, 413–423. <https://doi.org/10.5004/dwt.2020.25963>
- Ramadhani, P., Chaidir, Z., Zilfa, Z., Fauzia, S., & Zein, R. (2022). Isolation of chitosan from shrimp shell (*Metapenaeus monoceros*) as adsorbent for removal of metanil yellow dyes. *Journal of the Iranian Chemical Society*, 19(4), 1369–1383. <https://doi.org/10.1007/s13738-021-02385-8>
- Riry, R. B. (2022). Karakteristik Sagu di Kepulauan Maluku (Taksonomi, Morfologi, Jenis dan Produktivitas). *Jurnal Jendela Pengetahuan*, 15(1), 27–37.
- Sahu, S., Pahi, S., Tripathy, S., Singh, S. K., Behera, A., Sahu, U. K., & Patel, R. K. (2020). Adsorption of methylene blue on chemically modified lychee seed biochar: Dynamic, equilibrium, and thermodynamic study. *Journal of Molecular Liquids*, 315, 113743. <https://doi.org/10.1016/j.molliq.2020.113743>
- Said, H. A., Bourhim, I. A., Ouarga, A., Iraola-arregui, I., Lahcini, M., & Barroug, A. (2023). Sustainable phosphorylated microcrystalline cellulose toward enhanced removal performance of methylene blue. *International Journal of Biological Macromolecules*, 225, 1107–1118. <https://doi.org/10.1016/j.ijbiomac.2022.11.172>

- Siruru, H., Syafii, W., Wistara, I. N. J., & Pari, G. (2019). Characteristics of Metroxylon rumphii (Pith and bark waste) from Seram Island, Maluku, Indonesia. *Biodiversitas*, 20(12), 3517–3526. <https://doi.org/10.13057/biodiv/d201208>
- Sposito G. (1980). Derivation or the Freundlich equation for ion exchange reactions in soils. *Soil Science Society of America Journal*, 44, 652–654.
- Sultana, S., Islam, K., Hasan, M. A., Khan, H. M. J., Khan, M. A. R., Deb, A., Al Raihan, M., & Rahman, M. W. (2022). Adsorption of crystal violet dye by coconut husk powder: Isotherm, kinetics and thermodynamics perspectives. *Environmental Nanotechnology, Monitoring and Management*, 17(January), 100651. <https://doi.org/10.1016/j.enmm.2022.100651>
- Takabi, A. S., Shirani, M., & Semnani, A. (2021). Apple stem as a high performance cellulose based biosorbent for low cost and eco-friendly adsorption of crystal violet from aqueous solutions using experimental design: Mechanism, kinetic and thermodynamics. *Environmental Technology and Innovation*, 24, 101947. <https://doi.org/10.1016/j.eti.2021.101947>
- Thirunavukkarasu, A., Muthukumar, K., & Nithya, R. (2018). Adsorption of acid yellow 36 onto green nanoceria and amine functionalized green nanoceria: Comparative studies on kinetics, isotherm, thermodynamics, and diffusion analysis. *Journal of the Taiwan Institute of Chemical Engineers*, 93, 211–225. <https://doi.org/10.1016/j.jtice.2018.07.006>
- Wei, Y., Cheng, X., Ding, A., & Xu, J. (2020). Magnesium Silicate Polymer as a Coagulant for Reactive Dye Removal from Wastewater. *ACS Omega*, 5(40), 26094–26100. <https://doi.org/10.1021/acsomega.0c03625>
- Yagub, M. T., Sen, T. K., Afroze, S., & Ang, H. M. (2014). Dye and its removal from aqueous solution by adsorption. *Advances in Colloid and Interface Science*, 209, 172–184. <https://doi.org/10.1016/j.cis.2014.04.002>
- Youssef, H. M., El-Dafrawy, S. M., Badran, E. A., & El-Defrawy, M. M. (2022). Adsorptive performance of chemically treated olive pomace for the removal of crystal violet from aqueous solutions: characterisation, optimisation, regeneration and isotherm studies. *International Journal of Environmental Analytical Chemistry*, 102(19), 8019–8036. <https://doi.org/10.1080/03067319.2020.1843647>
- Zein, R., Akmal, C., Safni, S., Fauzia, S., & Ramadhani, P. (2023). Banana Stem (Musa balbisiana Colla) as Potential Biosorbent to Remove Methylene Blue Dye in Wastewater: Isotherm, Kinetic, Thermodynamic Studies and Its Application. *Applied Environmental Research*, 45(3). <https://doi.org/10.35762/AER.2023015>
- Zein, R., Chaidir, Z., Zilfa, Z., Fauzia, S., & Ramadhani, P. (2022). Isotherm and Kinetic Studies on the Adsorption Behavior of Metanil Yellow Dyes onto Modified Shrimp Shell-Polyethylenimine (SS-PEI). *Jurnal Kimia Valensi*, 8(1), 10–22. <https://doi.org/10.15408/jkv.v8i1.22566>
- Zein, R., Purnomo, J. S., Ramadhani, P., Alif, M. F., & Safni, S. (2022). Lemongrass

(*Cymbopogon nardus*) leaves biowaste as an effective and low-cost adsorbent for methylene blue dyes removal: isotherms, kinetics, and thermodynamics studies. *Separation Science and Technology (Philadelphia)*, 00(00), 1–17. <https://doi.org/10.1080/01496395.2022.2058549>

Zein, R., Satrio Purnomo, J., Ramadhani, P., Safni, Alif, M. F., & Putri, C. N. (2023). Enhancing sorption capacity of methylene blue dye using solid waste of lemongrass biosorbent by modification method. *Arabian Journal of Chemistry*, 16(2), 104480. <https://doi.org/10.1016/j.arabjc.2022.104480>

Zein, R., Tomi, Z. B., Fauzia, S., & Zilfa, Z. (2020a). Modification of rice husk silica with bovine serum albumin (BSA) for improvement in adsorption of metanil yellow dye. *Journal of the Iranian Chemical Society*, 17(10), 2599–2612. <https://doi.org/10.1007/s13738-020-01955-6>

