

**KARAKTERISTIK PENDERITA GINEKOMASTIA DI
LABORATORIUM PATOLOGI ANATOMI FAKULTAS
KEDOKTERAN UNIVERSITAS ANDALAS**



Pembimbing :

**Prof. Dr. dr. Eryati Darwin, PA(K)
Dr. Adrial, M.Kes**

**FAKULTAS KEDOKTERAN
UNIVERSITAS ANDALAS
PADANG
2023**

ABSTRACT

CHARACTERISTICS OF GYNECOMASTIA PATIENTS AT ANATOMY PATHOLOGY LABORATORY OF THE FACULTY OF MEDICINE, ANDALAS UNIVERSITY

By

***Rezki Zamri, Eryati Darwin, Adrial, Aswiyanti Asri, Nice
Rachmawati Masnadi, Siti Nurhajjah***

Gynecomastia is a condition that occurs in men and is a proliferation of breast tissue in men that extends concentrically and symmetrically from the nipple. This study aims to determine the characteristics of gynecomastia patients in the Anatomical Pathology Laboratory of the Faculty of Medicine, Andalas University for the 2016-2020 period.

This study was retrospective descriptive with total sampling technique using secondary data from medical records. Samples included all gynecomastia patients in 2016-2020 who were fulfilled inclusion criteria and no exclusion criteria with a total of 38 patients.

The results of the study showed that the largest age group was 17-25 years (34.2%), followed by the 12-16 years group (26.3%), the location of the largest mass was unilateral sinistra (50%), followed by unilateral dextra (47.4%), and the largest mass size was in the range 2.00-3.99 cm (48.7%).

The conclusion of this study is that the incidence of gynecomastia is mostly found in the adolescent age group and generally occurs unilaterally.

Keywords : gynecomastia, characteristics, clinical

ABSTRAK
KARAKTERISTIK PENDERITA GINEKOMASTIA DI
LABORATORIUM PATOLOGI ANATOMI FAKULTAS
KEDOKTERAN UNIVERSITAS ANDALAS

Oleh

Rezki Zamri, Eryati Darwin, Adrial, Aswiyanti Asri, Nice
Rachmawati Masnadi, Siti Nurhajjah

Ginekomastia adalah suatu kondisi yang terjadi pada pria dan merupakan suatu proliferasi jaringan payudara pada laki-laki yang memanjang secara konsentris dan simetris dari puting susu. Penelitian ini bertujuan untuk mengetahui karakteristik penderita ginekomastia di Laboratorium Patologi Anatomi Fakultas Kedokteran Universitas Andalas tahun 2016-2020.

Jenis penelitian ini adalah deskriptif retrospektif dengan teknik *total sampling* menggunakan data sekunder berupa rekam medis. Sampel penelitian ini adalah pasien ginekomastia dari tahun 2016 hingga 2020 yang memenuhi kriteria inklusi dan tidak terdapat kriteria eksklusi dengan total 38 pasien.

Hasil penelitian menunjukkan kelompok usia terbanyak adalah kelompok 17-25 tahun (34,2%), diikuti oleh kelompok 12-16 tahun (26,3%), lokasi massa terbanyak yaitu unilateral sinistra (50%), diikuti oleh unilateral dekstra (47,4%), dan ukuran massa terbanyak berada pada rentang 2,00-3,99 cm (48,7%).

Kesimpulan penelitian ini adalah kejadian ginekomastia sebagian besar ditemukan pada kelompok usia remaja dan umumnya terjadi secara unilateral.

Kata Kunci : ginekomastia, karakteristik, klinis