

## DAFTAR PUSTAKA

- [1] K. Khomsianti, "Perancangan Bandpass Filter Untuk Mobile Wimax Pada Frekuensi 2,3 GHz," *Universitas Indonesia*, 2009, [Online]. Available: <https://lontar.ui.ac.id/detail?id=20248942&lokasi=lokal>
- [2] R. Fernandez, T. Putra, H. Andre, and Firdaus, "A Circular Patch Microstrip Antenna with Partial Ground Plane for WiMAX and WLAN Applications," *IOP Conf Ser Mater Sci Eng*, vol. 1041, no. 1, p. 012018, 2021, doi: 10.1088/1757-899x/1041/1/012018.
- [3] A. R. Zhafiri and L. O. Nur, "Desain Dan Realisasi Band Pass Filter Mikrostrip Square Open Loop Untuk Aplikasi Radar Pita Frekuensi – C," *eProceedings of Engineering*, vol. 6, no. 1, pp. 517–523, 2019.
- [4] A. T. Lestari, D. Arseno, and Y. Wahyu, "Pengaruh Ukuran Gap Antar Resonator Pada Perancangan Coupled Edge Bandpass Filter," *Prosiding Seniati*, vol. 4, no. 2, pp. 297–302, 2018, [Online]. Available: <https://ejournal.itn.ac.id/index.php/seniati/article/view/1380>
- [5] Y. Rasyid, "PERANCANGAN FILTER BAND PASS MIKROSTRIP PADA FREKUENSI 5 , 8 GHZ MENGGUNAKAN PARALLEL EDGE COUPLED LINE UNTUK APLIKASI FIXED WIMAX," *Universitas Andalas*, 2022, [Online]. Available: <http://scholar.unand.ac.id/121581/>
- [6] D. S. Caniago, A. A. Muayyadi, Y. Wahyu, F. T. Elektro, U. Telkom, and L. I. Pengetahuan, "Perancangan dan Realisasi Bandpass Filter dengan Menggunakan Metode Hairpin Line Untuk Frekuensi Kerja 5,800 GHz-5,900 GHz," *eProceedings of engineering*, vol. 5, no. 1, pp. 713–720, 2018.
- [7] T. Mira, Sutrisno, and Hanny Madiawati, "Desain Band Pass Filter pada Frekuensi X-Band Menggunakan Metode Square Resonator untuk Aplikasi Radar Navigasi," *Jurnal Teknik: Media Pengembangan Ilmu dan Aplikasi Teknik*, vol. 21, no. 2, pp. 135–143, 2023, doi: 10.55893/jt.vol21no2.456.
- [8] N. Valentino, E. Safrianti, and L. O. S, "Desain Band Pass Filter Untuk Jaringan WiMAX 3.5 GHz," *Jom FTEKNIK*, vol. 2, no. 1, pp. 1–11, 2015.
- [9] A. Basit, A. Daraz, M. I. Khan, F. Zubir, S. A. AlQahtan, and G. Zhang, "Design and Modelling of a Compact Triband Passband Filter for GPS, WiMAX, and Satellite Applications with Multiple Transmission Zero's," *Fractal and Fractional*, vol. 7, no. 7, 2023, doi: 10.3390/fractalfract7070511.

- [10] J.-S. Hong, *Microstrip Filters for RF/Microwave Applications*. Canada, United States: John Wiley & Sons, Inc., Hoboken, New Jersey., 2011.
- [11] F. Farida, “Optimasi Lowpass Filter Mikrostrip Frekuensi 10,6 GHz dengan Metode Step-Impedansi,” *Jurnal Sustainable: Jurnal Hasil Penelitian dan Industri Terapan*, vol. 6, no. 2, pp. 89–95, 2017.
- [12] B. Prasetya, Y. S. Rohmah, D. A. Nurmantris, S. Mulyawati, and R. Dipayana, “Band pass filter comparison of hairpin line and square open-loop resonator method for digital tv community,” *Bulletin of Electrical Engineering and Informatics*, vol. 10, no. 1, pp. 101–110, 2020, doi: 10.11591/eei.v10i1.2003.
- [13] T. Triprijoetomo and T. Supriyanto, “Perancangan Wideband Band Pass Filter (BPF) dengan Metamaterial Mikrostrip Frekuensi 1,78 GHz – 3,38 GHz,” *Setrum : Sistem Kendali-Tenaga-elektronika-telekomunikasi-komputer*, vol. 4, no. 1, p. 18, 2016, doi: 10.36055/setrum.v4i1.461.
- [14] R. Fernandez and F. A. Pratama, “Penggunaan Dual-Layer Substrate untuk Meningkatkan Bandwidth Antena Mikrostrip pada Frekuensi LTE,” *Jurnal Nasional Teknik Elektro*, vol. 7, no. 2, p. 117, 2018, doi: 10.25077/jnte.v7n2.505.2018.
- [15] F. Farida and E. Setijadi, “Perancangan Filter Bandpass dengan Teknik Penggabungan Filter Lowpass dan Highpass,” *Jurnal Sustainable: Jurnal Hasil Penelitian dan Industri Terapan*, vol. 7, no. 1, pp. 32–38, 2018, doi: 10.31629/sustainable.v7i1.436.
- [16] H. Andre and U. Khayam, “Antena Kupu - Kupu Sebagai Sensor Ultra High Frequency (UHF) Untuk Mendeteksi Partial Discharge Pada Gas Insulation Substation,” *Jurnal Nasional Teknik Elektro*, vol. 2, no. 2, pp. 8–17, 2013, doi: 10.20449/jnte.v2i2.69.
- [17] Baharuddin, A. Bhaskara, A. Luthfi, R. Angraini, and H. Yazid, “The Effect of Using Array Technique on Semi-Circular Patch Microstrip Antenna with 2.4 GHz Frequency in Supporting Wireless Body Area Network Technology,” *Jurnal Nasional Teknik Elektro*, vol. 3, 2022, doi: 10.25077/jnte.v11n3.1075.2022.
- [18] H. Herudin, “Perancangan Antena Mikrostrip Frekuensi 2,6 GHz untuk Aplikasi LTE (Long Term Evolution),” *Setrum : Sistem Kendali-Tenaga-elektronika-telekomunikasi-komputer*, vol. 1, no. 1, p. 41, 2016, doi: 10.36055/setrum.v1i1.469.
- [19] H. Andre, “Antena Wideband Planar Bowtie untuk Pemanenan Energi Gelombang Televisi Elektromagnetik Terrestrial,” *Jurnal Nasional Teknik Elektro*, vol. 7, no. 2, p. 109, 2018, doi: 10.25077/jnte.v7n2.498.2018.

- [20] E. Natanael, D. Arseno, and E. Edwar, "Desain Dan Realisasi Filter Square Loop Pada Pita Frekuensi C-band Untuk Synthetic Aperture Radar (sar)," *eProceedings of Engineering*, vol. 6, no. 2, pp. 3711–3718, 2019.
- [21] A. O. Nwajana and E. R. Obi, "Application of Compact Folded-Arms Square Open-Loop Resonator to Bandpass Filter Design," *Micromachines (Basel)*, vol. 14, no. 2, 2023, doi: 10.3390/mi14020320.
- [22] N. T. Anggraini, Elisma, and H. Arisesa, "Band Menggunakan Metode Square Open Loop Resonator Untuk Aplikasi Radar Pengawas Pantai," *Industrial Research Workshop and National Seminar*, pp. 4–5, 2021.
- [23] R. Y. Aditya, "PERANCANGAN MICROSTRIP BAND PASS FILTER PADA FREKUENSI 3,3 GHZ DENGAN MENGGUNAKAN DEFECTED GROUND STRUCTURE," *Universitas Mercu Buana*, 2016, [Online]. Available: <https://repository.mercubuana.ac.id/2991/>
- [24] P. MUBARAK SANI M ELLIS, *ANTENNA DESIGN GUIDE*. Kumasi, Ghana: Antenna Group, 2021.
- [25] R. Fernandez, F. Ra'id, H. Andre, Baharuddin, and Firdaus, "The use of edge cut on microstrip antenna patch with the modified partial ground plane for bandwidth enhancement," *IOP Conf Ser Mater Sci Eng*, vol. 1041, no. 1, p. 012017, 2021, doi: 10.1088/1757-899x/1041/1/012017.
- [26] D. Arseno, "Filter Bandpass Mikrostrip X-Band Untuk Radar Cuaca X-Band Microstrip Bandpass Filter for Weather Radar," *eProceedings of Engineering*, vol. 6, no. 1, pp. 726–733, 2018.
- [27] S. A. Suzanthi, E. Sulaeman, and K. Kunci, "Simulasi dan Analisis Differential Bandpass Filter Berbasis Six Coupled Dual Mode Open Loop Resonator pada Frekuensi 1800 MHz," *Industrial Research Workshop and National Seminar*, pp. 4–5, 2021.
- [28] R. Anisa, M. R. Hidayat, and T. Praludi, "Band-Pass Filter Microstrip at 3 GHz Frequency Using Square Open-Loop Resonator for S-Band Radar Applications," *Jurnal Elektronika dan Telekomunikasi (JET)*, vol. 20, no. 2, pp. 53–59, 2020, doi: 10.14203/jet.v20.53-59.
- [29] A. Setiawan, T. Hariyadi, and B. Mulyanti, "Rancang Bangun Band Pass Filter Mikrostrip Hairpin dengan Open Stub dan Defected Ground Structure (DGS) untuk Frekuensi UMTS 3G (1920-1980 MHz)," *Electrans*, vol. 13, no. 2, pp. 107–118, 2014.