

DAFTAR PUSTAKA

- Acquaah, G. (2004). *Understanding Biotechnology*. New Jersey: Person Education Inc
- Adie, M. M. & Krisnawati, A. (2016). *Biologi Tanaman Kedelai*. Malang: Balitkabi. 29 hal.
- Adisarwanto, T. & R. Wudianto. (2002). *Meningkatkan Hasil Panen Kedelai di Lahan Sawah - Kering - Pasang Surut*. Jakarta : Penebar Swadaya.
- Adisarwanto, T. (2008). *Budidaya Kedelai Tropika*. Jakarta: Penebar Swadaya.
- Aldillah, R. (2015). Proyeksi produksi dan konsumsi kedelai Indonesia. *Jurnal Ekonomi Kuantitatif Terapan*, 8(1), 9-23.
- Atman. (2014). *Produksi Kedelai: Strategi Meningkatkan Produksi Kedelai Melalui PTT*. Yogyakarta: Graha Ilmu. 141 hal.
- [BPS] Badan Pusat Statistik. (2022). Perkembangan Konsumsi dan Impor Kedelai Indonesia. <https://www.bps.go.id/> diakses 30 Januari 2023.
- Bailey, A. R., Boerma, H. R., & Parrot, W. A. (1993). Genotype effects on proliferative embryogenesis and plant regeneration of soybean. *In Vitro Cellular & Development Biology – plant*, 29(3), 102-108.
- Benmahioul, B., Kaid-Harche, M., & Florence, D. (2012). Influence of activated charcoal on in vitro embryo germination and growth of planlets of pistachio (*Psitacia vera L.*). *IJSN*, 3(3), 613-616.
- Birnadi, S. B. (2014). Pengaruh pengolahan tanah dan pupuk organik bokashi terhadap pertumbuhan dan hasil tanaman kedelai (*Glycine max L.*) kultivar Wilis. *Jurnal Istek*, 8(1).
- Buckseth, T., Singh, R. K., Sharma, A. K., Sharma, S., Moudgil, V., & Saraswati, A. (2018). Optimization of activated charcoal on in vitro growth and development of potato (*Solanum tuberosum L.*). *Int. J. Curr. Microbiol. Appl. Sci*, 7, 3543-3548.
- Chen, X. W., Shao, L., Liang, L., & Pan, Z. T. (2012). Effect of activated charcoal on rooting in tissue culture seedling of *Begonia fimbriatipula* on Dinghushan Mountain. *Journal of Chinese Medicinal Materials*, 35(9), 1369-1373.
- Dwiyani, R. (2015). *Kultur Jaringan Tanaman*. Denpasar Barat: Pelawa Sari Percetakan dan Penerbit. 75 hal.
- Fathur, A. R., Agus. P., A. Husni., & Diny Dinarti. (2017). Embriogenesis dan Desikasi Embrio Somatik Jeruk Keprok Batu 55 (*Citrus reticulata Blanco*) untuk Meningkatkan Frekuensi Perkecambahan. *Hortikultura Indonesia*, 8(2), 79-87.

- Fathy, H. M., Abou El-Leel, O. F., & Amin, M. A. (2018). Micropropagation and biomass production of *Rubus fruticosus* L.(blackberry) plant. *Middle East J. Appl. Sci*, 8, 1215-1228.
- Ferziana, F. (2013). Pengaruh tripton dan arang aktif pada pembesaran bibit anggrek *Phalaenopsis* in vitro. *Jurnal Penelitian Pertanian Terapan*, 13(1).
- Habibah, N. A., Rahayu, E. S., & Anggraito, Y. U. (2021). *Buku Ajar Kultur Jaringan Tumbuhan*. Yogyakarta: Deepublish.
- Hapsono, D., & Yusnita. (2018). *Kultur Jaringan Teori dan Praktik*. Yogyakarta: ANDI
- Herawan, T., Na'iem, M., Indrioko, S., & Indrianto, A. (2015). Kultur Jaringan Cendana (*Santalum album* L.) Menggunakan Eksplan Mata Tunas. *Jurnal Pemuliaan Tanaman Hutan*, 9(3), 177-188.
- Heriansyah, P., Sagiarti, T., & Rover, R. (2014). Pengaruh Pemberian Myoinositol Dan Arang Aktif Pada Media Sub Kultur Jaringan Tanaman Anggrek (*Dendrobium* sp). *Jurnal Agroteknologi*, 5(1), 9-16.
- Huynh, H. N., Lal, S. K., Singh, S. K., Prabhu, K. V., & Talukdar, A. (2015). High frequency regeneration in soybean [*Glycine max* (L.) Merrill.] through direct somatic embryogenesis from immature cotyledons. *Indian Journal of Plant Physiology*, 20(3), 232-239.
- Ikeuchi, M., Sugimoto, K., & Iwase, A. (2013). Plant callus: mechanisms of induction and repression. *The plant cell*, 25(9), 3159-3173.
- Imelda, M., Wulansari, A., & Sari, L. (2018). Perbanyak In Vitro Pisang Kepok var. Unti Sayang Tahan Penyakit Darah Melalui Proliferasi Tunas. *Jurnal Bioteknologi & Biosains Indonesia*, 5(1), 36-44.
- Irham, M. F., Fitri, Y., Akari, E., & Setyo, D. U. (2014). Regenerasi *In Vitro* Empat Varietas Kedelai (*Glycine max* [L.] Merr.) Melalui Organogenesis Menggunakan Eksplan Biji yang Diimbibisi dan Dikecambahkan. *Jurnal Agrotek Tropika*, 2(2), 252-257.
- Khumaida, N., & Handayani, T. (2010). Induksi dan proliferasi kalus embriogenik pada beberapa genotipe kedelai. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 38(1), 19-24.
- Khumaida, N., Riyadi, A., Sopandie, D., & Ardie, S. W. (2012). Genotype specific on somatic embryo and germination of soybean. *Prosiding Seminar Nasional Sumber Daya Genetik dan Pemuliaan Tanaman*, 105, 412-421.
- Kim, D. H., Kang, K. W., Enkhtaivan, G., Jan, U., & Sivanesan, I. (2019). Impact of activated charcoal, culture medium strength and thidiazuron on non-symbiotic in vitro seed germination of *Pecteilis radiata* (Thunb.) Raf. *South African Journal of Botany*, 124, 144-150.
- Komamine, A., Kawahara, R., Matsumoto, M., Sunabori, S., Toya, T., Fujiwara, A., & Fujimura, T. (1992). Mechanisms of somatic embryogenesis in cell cultures: physiology, biochemistry, and molecular biology. *In Vitro Cellular & Developmental Biology-Plant*, (28), 11-14.

- Krisnawati, A. (2017). Kedelai sebagai Sumber Pangan Fungsional. *Iptek Tanaman Pangan*, 1(12).
- Lestari, E. G. (2011). Peranan Zat Pengatur Tumbuh dalam Perbanyakkan Tanaman melalui Kultur Jaringan. *Agro Biogen*, (1), 63-68.
- Lestari, A. (2021). Induksi embrio somatik tiga varietas kedelai (*Glycine max* (L) Merrill) dengan pemberian berbagai konsentrasi 2,4-D secara in vitro. [Skripsi]. Universitas Andalas.
- Li H. Y., Zhu Y. M., Chen Q., Conner R. L., Ding X. D., Li J., *et al.* (2004). Production of transgenic soybean plants with two anti-fungal protein genes via *Agrobacterium* and particle bombardment. *Biol Plant*. 48, 367–74.
- Loganathan, M., Maruthasalam, S., Shiu, L. Y., Lien, W. C., Hsu, W. H., Lee, P. F., Yu, C. W., & Lin, C. H. (2010). Regeneration of soybean (*Glycine max* L. Merrill) through direct somatic embryogenesis from the immature embryonic shoot tip. *In Vitro – Cellular and Developmental Biology – Plant*. 46(3), 265-273.
- López-Pérez, A. J., & Martínez, J. A. (2015). In vitro root induction improvement by culture in darkness for different globe artichoke cultivars. *In Vitro Cellular & Developmental Biology-Plant*, 51, 160-165.
- Machanda, P., & Gosal, S. (2012). Effect of Activated Charcoal, Charbon Sources and Gelling Agents on Direct Somatic Embryogenesis and Regeneration in Sugarcane via Leaf Roll Segments. *Sugar Tech*, 14(2), 168-173.
- Mahmoud, O., & Kosar, M. (2013). Regeneration and histological of plants derived from leaf explants in vitro culture of strawberry. *International Journal of Agriculture and Crop Sciences (IJACS)*, 5(9), 943-950.
- Marliah, A. T. Hidayat, & N. Husna. (2012). Pengaruh varietas dan jarak tanam terhadap pertumbuhan kedelai (*Glycine Max* (L.) Merrill). Banda. *Agrista*. 16(1), 22-28.
- Montalbán, I. A., De Diego, N., & Moncaleán, P. (2010). Bottlenecks in *Pinus radiata* somatic embryogenesis: improving maturation and germination. *Trees*, 24(6), 1061-1071.
- Murashige, T., & Skoog, F. (1962). A revised medium for rapid growth and bio assays with tobacco tissue cultures. *Physiologia plantarum*, 15(3), 473-497.
- Nastiti, D. H. (2022). Induksi Embri SOMatik Sekunder Kedelai (*Glycine max* (L.) Merrill) Varietas Dega dengan Pemberian Kombinasi 2,4 D dan NAA secara In Vitro. [Skripsi]. Universitas Andalas.
- Nguyen, T. T., Nguyen, T. D., Dao, X. T., Chu, T. D., & Ngo, X. B. (2018). In vitro propagation of a Vietnam endemic lady's slipper orchid (*Paphiopedilum vietnamense* O. Gruss & Perner). *Journal of Horticulture and Plant Research*, 1, 1-8.
- Nofitahesti, I., & Daryono. B. S. (2016). Karakter Fenotipe Kedelai (*Glycine max* (L.) Merr.) Hasil Poliploidasi dengan Kolkisin. *Jurnal Sains dan Pendidikan Sains*, 5(2), 90-98.

- Nurilmala, F. (2018). *Buku ajar kultur jaringan tanaman*. Bogor: Universitas Nusa Bangsa. 106 hal.
- Pan, M. J., & Staden, J. van. (1998). The use of charcoal in *in vitro* culture. *Plant Growth Regulation*, 26(3), 155–163.
- Pan, M. (2000). *The effect of charcoal on tissue morphogenesis in vitro*. University of Natal Pietermaritzburg.
- Purnamaningsih, R. (2002). Regenerasi tanaman kedelai melalui embryogenesis somatic dan beberapa gen yang mengendalikan. *Buletin AgroBio*, 5(2), 55-58.
- Quiroz-Figueroa, F. R., Rojas-Herrera, R., Galaz-Avalos, R. M., & Loyola-Vargas, V. M. (2006). Embryo production through somatic embryogenesis can be used to study cell differentiation in plants. *Plant Cell, Tissue and Organ Culture*, 86, 285-301.
- Puspita, A. (2017). *Potensi Biosida Ekstrak Akar dan Batang Pisang Kepok Untuk Pertumbuhan Biji Kacang Hijau Secara In Vitro*. [Skripsi]. Universitas Muhammadiyah Surakarta.
- Ribeiro, A. D. S., de Figueiredo, A. J. R., Tormen, G. C. R., da Silva, A. L. L., Campos, W. F., & Brondani, G. E. (2020). Clonal bamboo production based on *in vitro* culture. *Bioscience Journal*, 36(4).
- Rukmi. (2011). *Pengaruh Pemupukan Kalium dan Fosfat Terhadap Pertumbuhan dan Hasil Kedelai*. Jawa Tengah: Universitas Muria Kudus.
- Salaün, C., Lepiniec, L., & Dubreucq, B. (2021). Genetic and molecular control of somatic embryogenesis. *Plants*, 10(7), 1467.
- Sami, A. M., Hashish, K. I., Sawsan, S. S., & Lobna, S. T. (2016). *In vitro* propagation protocol of *Hibiscus syriacus* L. plants. *Int. J. PharmTech Research*, 9, 178-186.
- Somantri, R.U. (2014). *Optimalisasi Lahan Sub Optimal untuk Pengembangan Kedelai di Sumatera Selatan Melalui Penerapan Inovasi Teknologi. Prosiding Seminar Nasional Lahan Suboptimal, Palembang*. ISBN : 979-587-529-9.
- Subban, P., Kutsher, Y., Evenor, D., Belausov, E., Zemach, H., Faigenboim, A., Bocobza, S., Michael, P. T., & Reuveni, M. (2020). Shoot regeneration is not a single cell event. *Plants*, 10(1), 58.
- Thomas, T. D. (2008). The role of activated charcoal in plant tissue culture. *Biotechnology advances*, 26(6), 618-631.
- Von Aderkas, P., Label, P., & Lelu, M. A. (2002). Charcoal affects early development and hormonal concentrations of somatic embryos of hybrid larch. *Tree Physiology*, 22(6), 431-434.
- Van Winkle, S. C., Johnson, S., & Pullman, G. S. (2003). The impact of Gelrite and activated carbon on the elemental composition of two conifer embryogenic tissue initiation media. *Plant Cell Reports*, 21, 1175-1182.

- Villa, F., Pasqual, M., & da Silva, E. F. (2014). Micropropagation of orchid hybrids in knudson culture medium with addition of vitamins of MS culture medium, benzilaminopurine and activated charcoal. *Semina: Ciências Agrárias (Londrina)*, 35(2), 683-693.
- Widoretno, W., & Arumningtyas, E. L. (2003). Metode Induksi Pembentukan Embrio Somatik dari Kotiledon dan Regenerasi Plantlet Kedelai Secara In Vitro In Vitro Methods for Inducing Somatic Embryos of Soybean and Plantlet Regeneration. *Hayati*. 10(1), 19–24.
- Yang, X., & Zhang, X. (2010). Regulation of somatic embryogenesis in higher plants. *Critical Reviews in Plant Science*, 29(1), 36-57.
- Zulkarnain. (2018). *Kultur Jaringan Tanaman: Solusi Perbanyak Tanaman Budidaya*. Jakarta: PT. Bumi Aksara. 250 hal.

