

## DAFTAR PUSTAKA

- Ainsworth, E. A., & Gillespie, K. M. (2007). Estimation of total phenolic content and other oxidation substrates in plant tissues using Folin–Ciocalteu reagent. *Nature Protocols*, 2(4), 875–877. <https://doi.org/10.1038/nprot.2007.102>
- Akar, Z., Küçük, M., & Doğan, H. (2017). A new colorimetric DPPH• scavenging activity method with no need for a spectrophotometer applied on synthetic and natural antioxidants and medicinal herbs. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 32(1), 640–647. <https://doi.org/10.1080/14756366.2017.1284068>
- Albuquerque, B. R., Heleno, S. A. 8., Oliveira, M. B. P. P., Barros, L., & Ferreira, I. C. F. R. (2021). Phenolic compounds: Current industrial applications, limitations and future challenges. In *Food and Function* (Vol. 12, Issue 1, pp. 14–29). Royal Society of Chemistry. <https://doi.org/10.1039/d0fo02324h>
- Alishir, A., & Kim, K. H. (2021). Antioxidant phenylpropanoid glycosides from ginkgo biloba fruit and identification of a new phenylpropanoid glycoside, ginkgopanoside. *Plants*, 10(12). <https://doi.org/10.3390/plants10122702>
- Almawash, S., Mohammed, A. M., El Hamd, M. A., & Osman, S. K. (2023). Injectable Hydrogels Based on Cyclodextrin/Cholesterol Inclusion Complexation and Loaded with 5-Fluorouracil/Methotrexate for Breast Cancer Treatment. *Gels*, 9(4). <https://doi.org/10.3390/gels9040326>
- Andrew, M., & Jayaraman, G. (2020). Structural features of microbial exopolysaccharides in relation to their antioxidant activity. *Carbohydrate Research*, 487, 107881. <https://doi.org/10.1016/j.carres.2019.107881>
- Antolovich, M., Prenzler, P. D., Patsalides, E., McDonald, S., & Robards, K. (2002). Methods for testing antioxidant activity. In *Analyst* (Vol. 127, Issue 1, pp. 183–198). Royal Society of Chemistry. <https://doi.org/10.1039/b009171p>
- Apak, R. (2019). Current Issues in Antioxidant Measurement. *Journal of Agricultural and Food Chemistry*, 67(33), 9187–9202. <https://doi.org/10.1021/acs.jafc.9b03657>
- Ashourpour, M., Mostafavi-Hosseini, F., Amini, M., Moghadam, E. S., Kazerouni, F., Arman, S. Y., & Shahsavari, Z. (2021). Pyrazole Derivatives Induce Apoptosis via ROS Generation in the Triple Negative Breast Cancer Cells, MDA-MB-468. *Asian Pacific Journal of Cancer Prevention*, 22(7), 2079–2087. <https://doi.org/10.31557/APJCP.2021.22.7.2079>
- Benzie, I. F. F., & Wachtel-Galor, S. (Eds.). (2011). *Herbal Medicine: Biomolecular and Clinical Aspects* (2nd ed.). CRC Press/Taylor & Francis.
- Biswas, A., Dey, S., Huang, S., Deng, Y., Birhanie, Z. M., Zhang, J., Akhter, D., Liu, L., & Li, D. (2022). A Comprehensive Review of *C. capsularis* and *C. olitorius*: A Source of Nutrition, Essential Phytoconstituents and Pharmacological Activities. *Antioxidants*, 11(7), 1358. <https://doi.org/10.3390/antiox11071358>

- Carmona-Jiménez, Y., García-Moreno, M. V., Igartuburu, J. M., & Garcia Barroso, C. (2014). Simplification of the DPPH assay for estimating the antioxidant activity of wine and wine by-products. *Food Chemistry*, 165, 198–204. <https://doi.org/10.1016/j.foodchem.2014.05.106>
- Carotenuto, A., Fattorusso, E., Lanzotti, V., & Magno, S. (1998). Porric Acids A-C- New Antifungal Dibenzofurans from the Bulbs of Allium Porrum L. *Eur. J. Org. Chem.*, 661–663.
- Chavan, J. J., Gaikwad, N. B., Kshirsagar, P. R., & Dixit, G. B. (2013). Total phenolics, flavonoids and antioxidant properties of three Ceropagia species from Western Ghats of India. *South African Journal of Botany*, 88, 273–277. <https://doi.org/10.1016/j.sajb.2013.08.007>
- Chia, Y. Y., Kanthimathi, M. S., Rajarajeswaran, J., Khoo, K. S., & Cheng, H. M. (2015). Antioxidant, antiproliferative, genotoxic and cytoprotective effects of the methanolic extract of *Padina tetrastromatica* on human breast adenocarcinoma and embryonic fibroblast cell lines. *Frontiers in Life Science*, 8(4), 411–418. <https://doi.org/10.1080/21553769.2015.1051245>
- Chou, T.-C. (2003). Anti-inflammatory and analgesic effects of paeonol in carrageenan-evoked thermal hyperalgesia. *British Journal of Pharmacology*, 139(6), 1146–1152. <https://doi.org/10.1038/sj.bjp.0705360>
- Cicco, N., Lanorte, M. T., Paraggio, M., Viggiano, M., & Lattanzio, V. (2009). A reproducible, rapid and inexpensive Folin–Ciocalteu micro-method in determining phenolics of plant methanol extracts. *Microchemical Journal*, 91(1), 107–110. <https://doi.org/10.1016/j.microc.2008.08.011>
- Comsa, S., Cimpean, A. M., & Raica, M. (2015). The Story of MCF-7 Breast Cancer Cell Line: 40 years of Experience in Research. *Anticancer Research*, 35, 3147–3154.
- Coser, K. R., Wittner, B. S., Rosenthal, N. F., Collins, S. C., Melas, A., Smith, S. L., Mahoney, C. J., Shioda, K., Isselbacher, K. J., Ramaswamy, S., & Shioda, T. (2009). Antiestrogen-resistant subclones of MCF-7 human breast cancer cells are derived from a common monoclonal drug-resistant progenitor. *BIOLOGICAL SCIENCES*, 106(34), 14536–14541.
- Davies, A., Taylor, N. P., Meng Wong, K., Kalimantan Serena Lee, E., Leong, P. K., Hughes, M., Girmansyah, D., Ardi Handoyo, W., Puglisi, C., Wong, W., Lim, K., Abdul Karim, N., Yee Wen, L., & Soh, C. (2012). Articles Regular Features Beyond the Gardens 39 Southeast Asia Botanic Gardens (SEABG) Network Staff Exchange Programme Production Managers. *Gardenwise*. [www.nparks.gov.sg](http://www.nparks.gov.sg)
- Delima, Widowati, L., Siswoyo, H., Nurhayati, Sampurno, O. D., & Halim, F. S. (2020). The Pattern of Herbal Medicine Prescribed by Medical Doctor for 10 Health Problems in Several Cities of Indonesia (Analysis of Jamu Registry 2016 and 2018 Database). *Proceedings of the 4th International Symposium on Health Research (ISHR 2019)*. <https://doi.org/10.2991/ahsr.k.200215.122>
- Do Nascimento, P. G. G., Lemos, T. L. G., Bizerra, A. M. C., Arriaga, A. M. C., Ferreira, D. A., Santiago, G. M. P., Braz-Filho, R., & Costa, J. G. M.

- (2014). Antibacterial and antioxidant activities of ursolic acid and derivatives. *Molecules*, 19(1), 1317–1327. <https://doi.org/10.3390/molecules19011317>
- Efendi, M., Ardiyanto, D., Nur, M., & Nasution, T. (2020). Eksplorasi botani di kawasan submontana Gunung Ketambe, Taman Nasional Gunung Leuser Aceh. Seminar Nasional Masyarakat Biodiversitas Indonesia, 6(1), 583–588. <https://doi.org/10.13057/psnmbi/m060118>
- Eid, H. M., Thong, F., Nachar, A., & Haddad, P. S. (2017). Caffeic acid methyl and ethyl esters exert potential antidiabetic effects on glucose and lipid metabolism in cultured murine insulin-sensitive cells through mechanisms implicating activation of AMPK. *Pharmaceutical Biology*, 55(1), 2026–2034. <https://doi.org/10.1080/13880209.2017.1345952>
- El-Naggar, M. Y., Barakat, K. M., Aly-Eldeen, M. A., Ghoneim, H. B., & Hamdan, A. M. (2021). Veratraldehyde as a food additive produced by the marine isolate streptomyces diastaticus lc360811. *Egyptian Journal of Aquatic Biology and Fisheries*, 25(2), 1–19. <https://doi.org/10.21608/ejabf.2021.156581>
- Estrada-Soto, S., González-Trujano, M. E., Rendón-Vallejo, P., Arias-Durán, L., Ávila-Villarreal, G., & Villalobos-Molina, R. (2021). Antihypertensive and vasorelaxant mode of action of the ethanol-soluble extract from Tagetes lucida Cav. aerial parts and its main bioactive metabolites. *Journal of Ethnopharmacology*, 266. <https://doi.org/10.1016/j.jep.2020.113399>
- Farahmandfar, R., Esmaeilzadeh Kenari, R., Asnaashari, M., Shahrampour, D., & Bakhshandeh, T. (2019). Bioactive compounds, antioxidant and antimicrobial activities of Arum maculatum leaves extracts as affected by various solvents and extraction methods. *Food Science and Nutrition*, 7(2), 465–475. <https://doi.org/10.1002/fsn3.815>
- Feng, Y., Panwar, N., Tng, D. J. H., Tjin, S. C., Wang, K., & Yong, K. T. (2016). The application of mesoporous silica nanoparticle family in cancer theranostics. In *Coordination Chemistry Reviews* (Vol. 319, pp. 86–109). Elsevier. <https://doi.org/10.1016/j.ccr.2016.04.019>
- Fu, X., Chen, J., Xie, R., Zhou, L., Wei, Y., Yuan, C., Huang, L., Hu, Z., Hao, X., & Gu, W. (2022). Phytochemical and chemotaxonomic studies on Paraboea rufescens (Gesneriaceae). *Biochemical Systematics and Ecology*, 102. <https://doi.org/10.1016/j.bse.2022.104414>
- Gao, M.-R., Xu, Q.-D., He, Q., Sun, Q., & Zeng, W.-C. (2019). A theoretical and experimental study: the influence of different standards on the determination of total phenol content in the Folin–Ciocalteu assay. *Journal of Food Measurement and Characterization*, 13(2), 1349–1356. <https://doi.org/10.1007/s11694-019-00050-6>
- Ghasemi, M., Turnbull, T., Sebastian, S., & Kempson, I. (2021). The mtt assay: Utility, limitations, pitfalls, and interpretation in bulk and single-cell analysis. *International Journal of Molecular Sciences*, 22(23). <https://doi.org/10.3390/ijms222312827>

- Ginting, K. B., Purwoko, A., & Simanjuntak, J. (2015). Kearifan Lokal dalam Pengelolaan Hutan Di Desa Serdang Kecamatan Barusjahe, Kabupaten Karo. *Peronema Forestry Science Journal*, 4(4), 186–199.
- Gong, X., Xu, Y., Ren, K., Bai, X., Zhang, C., & Li, M. (2019). Phenylethanoid glycosides from *Paraboea martinii* protect rat pheochromocytoma (PC12) cells from hydrogen peroxide-induced cell injury. *Bioscience, Biotechnology, and Biochemistry*, 83(12), 2202–2212. <https://doi.org/10.1080/09168451.2019.1654359>
- Gulcin, İ. (2020). Antioxidants and antioxidant methods: an updated overview. *Archives of Toxicology*, 94(3), 651–715. <https://doi.org/10.1007/s00204-020-02689-3>
- He, X., Liu, D., & Liu, R. H. (2008). Sodium Borohydride/Chloranil-Based Assay for Quantifying Total Flavonoids. *J. Agric. Food Chem.*, 56(20), 9337–9344. <https://doi.org/10.1021/jf070954>
- Jones, W. P., & Kinghorn, A. D. (2012). Extraction of Plant Secondary Metabolites. In S. D. Sarker & L. Nahar (Eds.), *Natural Products Isolation* (Vol. 864, pp. 341–366). Springer. [https://doi.org/10.1007/978-1-61779-624-1\\_13](https://doi.org/10.1007/978-1-61779-624-1_13)
- Katja, D. G., Harneti, D., Mayanti, T., Nurlelasari, Maharani, R., Shiono, Y., & Supratman, U. (2019). Cytotoxic Steroids From The Stembak of *Chisocheton celebiclus* KOORD. *Jurnal Kimia Valensi*, 5(2), 143–148. <https://doi.org/10.15408/jkv.v5i2.12132>
- Kemkes. (2022). Kanker Payudara Paling Banyak di Indonesia, Kemenkes Targetkan Pemerataan Layanan Kesehatan. Kemkes
- Khoddami, A., Wilkes, M. A., & Roberts, T. H. (2013). Techniques for analysis of plant phenolic compounds. In *Molecules* (Vol. 18, Issue 2, pp. 2328–2375). <https://doi.org/10.3390/molecules18022328>
- Klaunig, J. E., Kamendulis, L. M., & Hocevar, B. A. (2010). Oxidative stress and oxidative damage in carcinogenesis. In *Toxicologic Pathology* (Vol. 38, Issue 1, pp. 96–109). <https://doi.org/10.1177/0192623309356453>
- Korkina, L. G. (2007). Phenylpropanoids as naturally occurring antioxidants: From plant defense to human health. In *Cellular and Molecular Biology* (Vol. 53, Issue 1, pp. 15–25). <https://doi.org/10.1170/T772>
- Kristanti, A. N. (2008). Buku ajar fitokimia. Airlangga Universitas Press.
- Kumar, M., Dahuja, A., Tiwari, S., Punia, S., Tak, Y., Amarowicz, R., Bhoite, A. G., Singh, S., Joshi, S., Panesar, P. S., Prakash Saini, R., Pihlanto, A., Tomar, M., Sharifi-Rad, J., & Kaur, C. (2021). Recent trends in extraction of plant bioactives using green technologies: A review. *Food Chemistry*, 353. <https://doi.org/10.1016/j.foodchem.2021.129431>
- Kumar, S. S., Krishnakumar, K., & John, M. (2022). Flavonoids from the butanol extract of *Carica papaya* L. cultivar “Red Lady” leaf using UPLC-ESI-Q-ToF-MS/MS analysis and evaluation of the antioxidant activities of its fractions. *Food Chemistry Advances*, 1. <https://doi.org/10.1016/j.focha.2022.100126>
- Kushwaha, D., Verma, Y., Ramteke, P. W., & Prasad, V. M. (2020). Evaluation of Total Phenolic and Flavonoids Content and their Relation with Antioxidant

- Properties of *Tagetes patula* Varieties, Through DPPH Assay. International Journal of Current Microbiology and Applied Sciences, 9(2), 2356–2363. <https://doi.org/10.20546/ijcmas.2020.902.268>
- Lee, C. H., Lee, T. H., Ong, P. Y., Wong, S. L., Hamdan, N., Elgharbawy, A. A. M., & Azmi, N. A. (2021). Integrated ultrasound-mechanical stirrer technique for extraction of total alkaloid content from *Annona muricata*. Process Biochemistry, 109, 104–116. <https://doi.org/10.1016/j.procbio.2021.07.006>
- Li, A.-N., Li, S., Zhang, Y.-J., Xu, X.-R., Chen, Y. M., & Li, H. Bin. (2014). Resources and biological activities of natural polyphenols. Nutrients, 6(12), 6020–6047. <https://doi.org/10.3390/nu6126020>
- Li, Q., Zhao, Y., Zhu, X., & Xie, Y. (2021). Antifungal efficacy of paeonol on *Aspergillus flavus* and its mode of action on cell walls and cell membranes. LWT, 149, 111985. <https://doi.org/10.1016/j.lwt.2021.111985>
- Liao, K. H., Lin, Y. S., MacOsko, C. W., & Haynes, C. L. (2011). Cytotoxicity of graphene oxide and graphene in human erythrocytes and skin fibroblasts. ACS Applied Materials and Interfaces, 3(7), 2607–2615. <https://doi.org/10.1021/am200428v>
- López-Munguía, A., Hernández-Romero, Y., Pedraza-Chaverri, J., Miranda-Molina, A., Regla, I., Martínez, A., & Castillo, E. (2011). Phenylpropanoid glycoside analogues: Enzymatic synthesis, antioxidant activity and theoretical study of their free radical scavenger mechanism. PLoS ONE, 6(6). <https://doi.org/10.1371/journal.pone.0020115>
- López-Salazar, H., Camacho-Díaz, B. H., Ávila-Reyes, S. V., Pérez-García, M. D., González-Cortazar, M., Arenas Ocampo, M. L., & Jiménez-Aparicio, A. R. (2019). Identification and quantification of β-Sitosterol β-d-Glucoside of an ethanolic extract obtained by microwave-assisted extraction from *Agave angustifolia* Haw. Molecules, 24(21). <https://doi.org/10.3390/molecules24213926>
- Lv, P., Yu, J., Xu, X., Lu, T., & Xu, F. (2019). Eriodictyol inhibits high glucose-induced oxidative stress and inflammation in retinal ganglion cells. Journal of Cellular Biochemistry, 120(4), 5644–5651. <https://doi.org/10.1002/jcb.27848>
- Ma, S., Zhang, N., Hou, J., Liu, S., Wang, J., Lu, B., Zhu, F., Wei, P., Hong, G., & Liu, T. (2022). Synthesis and Discovery of Ligustrazine–Heterocycle Derivatives as Antitumor Agents. Frontiers in Chemistry, 10. <https://doi.org/10.3389/fchem.2022.941367>
- Madeleine, D. T., Noël, N. J., Theodore, A. A. de, Abdoulaye, H., Emmanuel, T., Laurent, S., Henoumont, C., Leonel, D. T. C., & Tanyi, J. M. (2020). Antioxidant Activity and Chemical Constituents from Stem Bark of *Ficus abutilifolia*. Miq (Moraceae). European Journal of Medicinal Plants, 48–59. <https://doi.org/10.9734/ejmp/2020/v31i1330311>
- Mahmoud, N. A., Hassanein, E. H. M., Bakhite, E. A., Shaltout, E. S., & Sayed, A. M. (2023). Apocynin and its chitosan nanoparticles attenuated cisplatin-induced multiorgan failure: Synthesis, characterization, and biological

- evaluation. *Life Sciences*, 314, 121313. <https://doi.org/10.1016/j.lfs.2022.121313>
- Maqbool, M., Amin Dar, M., Gani, I., & Mir, S. A. (2019). Herbal Medicines As An Alternative Source Of Therapp: A Review. Article in *World Journal of Pharmacy and Pharmaceutical Sciences*, 8(2), 374–380. <https://doi.org/10.20959/wjpps20192-13108>
- Martins, G. R., Monteiro, A. F., do Amaral, F. R. L., & da Silva, A. S. (2021). A validated Folin-Ciocalteu method for total phenolics quantification of condensed tannin-rich açaí (*Euterpe oleracea* Mart.) seeds extract. *Journal of Food Science and Technology*, 58(12), 4693–4702. <https://doi.org/10.1007/s13197-020-04959-5>
- Momeni, R. H., Hussein Abnosi, M., & Eskandari, N. (2020). Quantitative evaluation of human sperm viability using MTT assay: A laboratory study. *International Journal of Reproductive BioMedicine (IJRM)*. <https://doi.org/10.18502/ijrm.v13i11.7966>
- Morsy, N. (2014). Phytochemical analysis of biologically active constituents of medicinal plants. In *Main Group Chemistry* (Vol. 13, Issue 1, pp. 7–21). <https://doi.org/10.3233/MGC-130117>
- Mtaki, K., Kyewalyanga, M. S., & Mtolera, M. S. P. (2020). Assessment of antioxidant contents and free radical-scavenging capacity of chlorella vulgaris cultivated in low cost media. *Applied Sciences (Switzerland)*, 10(23), 1–11. <https://doi.org/10.3390/app10238611>
- Munteanu, I. G., & Apetrei, C. (2021). Analytical methods used in determining antioxidant activity: A review. In *International Journal of Molecular Sciences* (Vol. 22, Issue 7). MDPI AG. <https://doi.org/10.3390/ijms22073380>
- Nguedia, M. Y., Tueche, A. B., Yaya, A. J. G., Yadji, V., Ndinteh, D. T., Njamen, D., & Zingue, S. (2020). Daucosterol from *Crateva adansonii* DC (Capparaceae) reduces 7,12-dimethylbenz(a)anthracene-induced mammary tumors in Wistar rats. *Environmental Toxicology*, 35(10), 1125–1136. <https://doi.org/10.1002/tox.22948>
- Nguyen, L. T. H. (2022). Biological Activities of Paper Mulberry (*Broussonetia papyrifera*): More than a Skin-Lightening Agent. *Cosmetics*, 9(6), 112. <https://doi.org/10.3390/cosmetics9060112>
- Nićiforović, N., & Abramović, H. (2014). Sinapic acid and its derivatives: Natural sources and bioactivity. *Comprehensive Reviews in Food Science and Food Safety*, 13(1), 34–51. <https://doi.org/10.1111/1541-4337.12041>
- Omari, N. El, Jaouadi, I., Lahyaoui, M., Benali, T., Taha, D., Bakrim, S., Meniyi, N. El, Kamari, F. El, Zengin, G., Bangar, S. P., Lorenzo, J. M., Gallo, M., Montesano, D., & Bouyahya, A. (2022). Natural Sources, Pharmacological Properties, and Health Benefits of Daucosterol: Versatility of Actions. In *Applied Sciences (Switzerland)* (Vol. 12, Issue 12). MDPI. <https://doi.org/10.3390/app12125779>
- Osorio-Tobón, J. F. (2020). Recent advances and comparisons of conventional and alternative extraction techniques of phenolic compounds. In *Journal of*

- Food Science and Technology (Vol. 57, Issue 12, pp. 4299–4315). Springer. <https://doi.org/10.1007/s13197-020-04433-2>
- Pavia, D. L., Lampman, G. M., Kriz, G. S., & Vyvyan, J. R. (2014). Introduction to spectroscopy. Cengage Learning.
- Peshin, T., & Kar, H. (2017). Isolation and Characterization of  $\beta$ -Sitosterol-3-O- $\beta$ -D-glucoside from the Extract of the Flowers of *Viola odorata*. British Journal of Pharmaceutical Research, 16(4), 1–8. <https://doi.org/10.9734/bjpr/2017/33160>
- Phongpaichit, S., Nikom, J., Rungjindamai, N., Sakayaroj, J., Hutadilok-Towatana, N., Rukachaisirikul, V., & Kirtikara, K. (2007). Biological activities of extracts from endophytic fungi isolated from *Garcinia* plants. FEMS Immunology and Medical Microbiology, 51(3), 517–525. <https://doi.org/10.1111/j.1574-695X.2007.00331.x>
- Pieretti, S., Saviano, A., Mollica, A., Stefanucci, A., Aloisi, A. M., & Nicoletti, M. (2022). Calceolarioside A, a Phenylpropanoid Glycoside from *Calceolaria* spp., Displays Antinociceptive and Anti-Inflammatory Properties. Molecules, 27(7). <https://doi.org/10.3390/molecules27072183>
- Pohan, N. N., Eddiyanto, Riris, I. D., Razoki, & Juwitaningsih, T. (2022). Antibacterial Properties and Toxicity of Gagatan Harimau (*Paraboea leuserensis* B.L.Burt) Ethanol Extract. The 10th International Conference of the Indonesian Chemical Society (ICICS).
- Puglisi, C. (2011). Final report Expedition to Sumatra.
- Puglisi, C., Yao, T. L., Milne, R., Möller, M., & Middleton, D. J. (2016). Generic recircumscription in the Loxocarpinae (Gesneriaceae), as inferred by phylogenetic and morphological data. Taxon, 65(2), 277–292. <https://doi.org/10.12705/652.5>
- Purba, E. C., Nisyawati, & Silalahi, M. (2016). The ethnomedicine of the Batak Karo people of Merdeka sub-district, North Sumatra, Indonesia. International Journal of Biological Research, 4(2), 181. <https://doi.org/10.14419/ijbr.v4i2.6493>
- Rajavel, T., Mohankumar, R., Archunan, G., Ruckmani, K., & Devi, K. P. (2017). Beta sitosterol and Daucosterol (phytosterols identified in *Grewia tiliaefolia*) perturbs cell cycle and induces apoptotic cell death in A549 cells. Scientific Reports, 7(1). <https://doi.org/10.1038/s41598-017-03511-4>
- Ram, P. T., Yuan, L., Dai, J., Kiefer, T., Klotz, D. M., Spriggs, L. L., & Hill, S. M. (2000). Differential responsiveness of MCF-7 human breast cancer cell line stocks to the pineal hormone, melatonin. In J. Pineal Res (Vol. 28).
- Santoni, A., Efdi, M., & Fadhillah, N. (2023). Profil Fitokimia dan Penentuan Fenolik Total, Flavonoid Total, dan Uji Aktivitas Antioksidan Ekstrak Daun Sungkai (*Peronema canescens* Jack) dari Daerah Kota Padang. Jurnal Kimia Unand, 12(1).
- Schymanski, E. L., Singer, H. P., Slobodnik, J., Ipolyi, I. M., Oswald, P., Krauss, M., Schulze, T., Haglund, P., Letzel, T., Grosse, S., Thomaidis, N. S., Bletsou, A., Zwiener, C., Ibáñez, M., Portolés, T., De Boer, R., Reid, M.

- J., Onghena, M., Kunkel, U., ... Hollender, J. (2015). Non-target screening with high-resolution mass spectrometry: Critical review using a collaborative trial on water analysis. *Analytical and Bioanalytical Chemistry*, 407(21), 6237–6255. <https://doi.org/10.1007/s00216-015-8681-7>
- Seebaluck-Sandoram, R., Lall, N., Fibrich, B., van Staden, A. B., & Mahomoodally, F. (2018). Antibiotic-potentiating activity, phytochemical profile, and cytotoxicity of *Acalypha integrifolia* Willd. (Euphorbiaceae). *Journal of Herbal Medicine*, 11, 53–59. <https://doi.org/10.1016/j.hermed.2017.03.005>
- Shahidi, F., & Zhong, Y. (2015). Measurement of antioxidant activity. *Journal of Functional Foods*, 18, 757–781. <https://doi.org/10.1016/j.jff.2015.01.047>
- Sharma, K. R., & Giri, G. (2022). Quantification of Phenolic and Flavonoid Content, Antioxidant Activity, and Proximate Composition of Some Legume Seeds Grown in Nepal. *International Journal of Food Science*, 2022. <https://doi.org/10.1155/2022/4629290>
- Skalski, B., Pawelec, S., Jedrejek, D., Rolnik, A., Pietukhov, R., Piwowarczyk, R., Stochmal, A., & Olas, B. (2021). Antioxidant and anticoagulant effects of phenylpropanoid glycosides isolated from broomrapes (*Orobanche caryophyllacea*, *Phelipanche arenaria*, and *P. ramosa*). *Biomedicine and Pharmacotherapy*, 139. <https://doi.org/10.1016/j.biopha.2021.111618>
- Stockert, J. C., Horobin, R. W., Colombo, L. L., & Blázquez-Castro, A. (2018). Tetrazolium salts and formazan products in Cell Biology: Viability assessment, fluorescence imaging, and labeling perspectives. In *Acta Histochemica* (Vol. 120, Issue 3, pp. 159–167). Elsevier GmbH. <https://doi.org/10.1016/j.acthis.2018.02.005>
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G., & Kaur, H. (2011). Phytochemical screening and Extraction: A Review. *International Pharmaceutica Scienzia*, 1(1), 98–106. <http://www.ipharmaisciencia.com>
- Torre, L. A., Bray, F., Siegel, R. L., Ferlay, J., Lortet-Tieulent, J., & Jemal, A. (2015). Global cancer statistics, 2012. *CA: A Cancer Journal for Clinicians*, 65(2), 87–108. <https://doi.org/10.3322/caac.21262>
- Tow, W. K., Goh, A. P. T., Sundralingam, U., Palanisamy, U. D., & Sivasothy, Y. (2021). Flavonoid composition and pharmacological properties of *elaeis guineensis* jacq. Leaf extracts: A systematic review. In *Pharmaceuticals* (Vol. 14, Issue 10). MDPI. <https://doi.org/10.3390/ph14100961>
- Tsai, M. L., Lin, C. Di, Khoo, K. A., Wang, M. Y., Kuan, T. K., Lin, W. C., Zhang, Y. N., & Wang, Y. Y. (2017). Composition and bioactivity of essential oil from *citrus grandis* (L.) Osbeck ‘Mato Peiyu’ leaf. *Molecules*, 22(12). <https://doi.org/10.3390/molecules22122154>
- Tungmunnithum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and Other Phenolic Compounds from Medicinal Plants for Pharmaceutical and Medical Aspects: An Overview. *Medicines*, 5(3), 93. <https://doi.org/10.3390/medicines5030093>

- Ueda, J., Tezuka, Y., Banskota, A. H., Tran, Q. Le, Tran, Q. K., Harimaya, Y., Saiki, I., & Kadota Shigetoshi. (2002). Antiproliferative activity of Vietnamese medicinal plants. *Biological and Pharmaceutical Bulletin*, 25(6), 753–760.
- Ulia, R. V., Suryati, & Santoni, A. (2023). Cytotoxic Potential of Essential Oil Isolated from Semambu (*Clibadium surinamense* L) Leaves Against T47D Breast and HeLa Cervical Cancer Cells. *Molekul*, 18(2), 289–299. <https://doi.org/10.20884/1.jm.2023.18.2.7816>
- Ullah, A., Munir, S., Badshah, S. L., Khan, N., Ghani, L., Poulsom, B. G., Emwas, A. H., & Jaremko, M. (2020). Important flavonoids and their role as a therapeutic agent. In *Molecules* (Vol. 25, Issue 22). MDPI AG. <https://doi.org/10.3390/molecules25225243>
- Verdan, M. H., & Stefanello, M. E. A. (2021). Secondary Metabolites and Biological Properties of Gesneriaceae Species. *Chemistry & Biodiversity*, 9, 2701–2731.
- Waks, A. G., & Winer, E. P. (2019). Breast Cancer Treatment: A Review. In *JAMA - Journal of the American Medical Association* (Vol. 321, Issue 3, pp. 288–300). American Medical Association. <https://doi.org/10.1001/jama.2018.19323>
- Wang, X. Q., Peng, Y., Peng, B., Xiao, P.-G., & Liu, Y. (2014). Chemical Constituents of *Paraboea glutinosa*. *Chemistry of Natural Compounds*, 50(5), 952–954. <https://doi.org/10.1007/s10600-014-1130-6>
- Wang, X., Li, L., Bai, Z., Peng, Y., Xiao, P., & Liu, Y. (2011). Five new phenylpropanoid glycosides from *Paraboea glutinosa* (Gesneriaceae). *Journal of Natural Medicines*, 65(2), 301–306. <https://doi.org/10.1007/s11418-010-0493-7>
- Wu, J., Xue, X., Wu, Z., Zhao, H.-L., Cao, H.-M., Sun, D.-Q., Wang, R.-M., Sun, J., Liu, Y., & Guo, R.-C. (2014). Anti-tumor effect of paeonol via regulating NF-κB, AKT and MAPKs activation: A quick review. *Biomedicine & Preventive Nutrition*, 4(1), 9–14. <https://doi.org/10.1016/j.bionut.2013.08.002>
- Xu, Z., Burtt, †B. L., Skog, L. E., & Middleton, D. J. (2008). A Revision of *Paraboea* (Gesneriaceae). *Edinburgh Journal of Botany*, 65(2), 161–347. <https://doi.org/10.1017/S0960428608005106>
- Yan, Z., Zhong, Y., Duan, Y., Chen, Q., & Li, F. (2020). Antioxidant mechanism of tea polyphenols and its impact on health benefits. In *Animal Nutrition* (Vol. 6, Issue 2, pp. 115–123). KeAi Communications Co. <https://doi.org/10.1016/j.aninu.2020.01.001>
- Yao, M., Teng, H., Lv, Q., Gao, H., Guo, T., Lin, Y., Gao, S., Ma, M., & Chen, L. (2021). Anti-hyperglycemic effects of dihydromyricetin in streptozotocin-induced diabetic rats. *Food Science and Human Wellness*, 10(2), 155–162. <https://doi.org/10.1016/j.fshw.2021.02.004>
- Yeo, J. D., & Shahidi, F. (2019). Critical Re-Evaluation of DPPH assay: Presence of pigments affects the results. *Journal of Agricultural and Food Chemistry*, 67(26), 7526–7529. <https://doi.org/10.1021/acs.jafc.9b02462>

- Yuniarti, R., Nadia, S., Alamanda, A., Zubir, M., Syahputra, R. A., & Nizam, M. (2020). Characterization, Phytochemical Screenings and Antioxidant Activity Test of Kratom Leaf Ethanol Extract (*Mitragyna speciosa* Korth) Using DPPH Method. *Journal of Physics: Conference Series*, 1462(1). <https://doi.org/10.1088/1742-6596/1462/1/012026>
- Yuslianti, E. R. (2017). Pengantar Radikal Bebas dan Antioksidan. Deepublish.
- Zanyatkin, I., Stroylova, Y., Tishina, S., Stroylov, V., Melnikova, A., Haertle, T., & Muronetz, V. (2017). Inhibition of Prion Propagation by 3,4-Dimethoxycinnamic Acid. *Phytotherapy Research*, 31(7), 1046–1055. <https://doi.org/10.1002/ptr.5824>
- Zemry, I. H., Hasan, N., Hasbullah, N. I., Nawahwi, M. Z., Azzeme, A. M., Ahmad, S. N. D., & Ariffin, S. (2023). Antioxidant Potential of *Chloranthus erectus* (Chloranthaceae) from various solvents extract. *Journal of Experimental Biology and Agricultural Sciences*, 11(1), 75–80. [https://doi.org/10.18006/2023.11\(1\).75.80](https://doi.org/10.18006/2023.11(1).75.80)
- Zhoa, F., Chen, L., Bi, C., Zhang, M., Jiao, W., & Yao, X. (2013). In vitro anti-inflammatory effect of picrosomal lignan A by the inhibition of iNOS and COX-2 expression in LPS-activated macrophage RAW 264.7 cells. *Molecular Medicine Reports*, 8(5), 1575–1579. <https://doi.org/10.3892/mmr.2013.1663>