

## DAFTAR PUSTAKA

- Abdulkareem, M. H., Abdalsalam, A. H., & Bohan, A. J. (2019). Influence of chitosan on the antibacterial activity of composite coating (PEEK /HAp) fabricated by electrophoretic deposition. *Progress in Organic Coatings*, 130(December 2018), 251–259.  
<https://doi.org/10.1016/j.porgcoat.2019.01.050>
- Adhikari, J., Perwez, M. S., Das, A., & Saha, P. (2021). Development of hydroxyapatite reinforced alginate–chitosan based printable biomaterial-ink. *Nano-Structures and Nano-Objects*, 25, 100630.  
<https://doi.org/10.1016/j.nanoso.2020.100630>
- Akter Jahan, S., Mollah, M. Y. A., Ahmed, S., & Abu Bin Hasan Susan, M. (2017). Nano-Hydroxyapatite Prepared from Eggshell-Derived Calcium-Precursor using Reverse Microemulsions as Nanoreactor. *Materials Today: Proceedings*, 4(4), 5497–5506. <https://doi.org/10.1016/j.matpr.2017.06.005>
- Ali, A., Hasan, A., & Negi, Y. S. (2022). Effect of carbon based fillers on xylan/chitosan/nano-HAp composite matrix for bone tissue engineering application. *International Journal of Biological Macromolecules*, 197(December 2021), 1–11. <https://doi.org/10.1016/j.ijbiomac.2021.12.012>
- Alihosseini, F. (2016). Plant-based compounds for antimicrobial textiles. In *Antimicrobial Textiles*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100576-7.00010-9>
- AlSalhi, M. S., Devanesan, S., Asemi, N. N., & Aldawsari, M. (2023). Construction of SnO<sub>2</sub>/CuO/rGO nanocomposites for photocatalytic degradation of organic pollutants and antibacterial applications. *Environmental Research*, 222, 115370. <https://doi.org/10.1016/j.envres.2023.115370>
- Arokiasamy, P., Al Bakri Abdullah, M. M., Abd Rahim, S. Z., Luhar, S., Sandu, A. V., Jamil, N. H., & Nabiałek, M. (2022). Synthesis methods of hydroxyapatite from natural sources: A review. *Ceramics International*, 48(11), 14959–14979. <https://doi.org/10.1016/j.ceramint.2022.03.064>

- Ashpak Shaikh, A., Rajendra Patil, M., Sonu Jagdale, B., & Ashok Adole, V. (2023). Synthesis and characterization of Ag doped ZnO nanomaterial as an effective photocatalyst for photocatalytic degradation of Eriochrome Black T dye and antimicrobial agent. *Inorganic Chemistry Communications*, 151(March), 110570. <https://doi.org/10.1016/j.inoche.2023.110570>
- Azis, Y., Jamarun, N., Arief, S., & Nur, H. (2015). Facile synthesis of hydroxyapatite particles from cockle shells (*Anadara granosa*) by hydrothermal method. *Oriental Journal of Chemistry*. <https://doi.org/10.13005/ojc/310261>
- Bee, S. L., Mariatti, M., Ahmad, N., Yahaya, B. H., & Abdul Hamid, Z. A. (2019). Effect of the calcination temperature on the properties of natural hydroxyapatite derived from chicken bone wastes. *Materials Today: Proceedings*, 16, 1876–1885. <https://doi.org/10.1016/j.matpr.2019.06.064>
- Bera, M., Gupta, P., & Maji, P. K. (2018). *Facile One-Pot Synthesis of Graphene Oxide by Sonication Assisted Mechanochemical Approach and Its Surface Chemistry*. 902–912. <https://doi.org/10.1166/jnn.2018.14306>
- Castro, M. A. M., Oliveira, T. P., Correia, G. S., Oliveira, M. M., Rangel, J. H. G., Rodrigues, S. F., & Mercury, J. M. R. (2020). Synthesis of hydroxyapatite by hydrothermal and microwave irradiation methods from biogenic calcium source varying pH and synthesis time. *Boletín de La Sociedad Española de Cerámica y Vidrio*. <https://doi.org/10.1016/j.bsecv.2020.06.003>
- Changotra, A., Gupta, R., & Paul, S. (2014). Selective Oxidation of Benzyl Alcohol Over Hydroxyapatite – Supported Au-Pd Nanoparticles. *Journal of Applicable Chemistry*, 3(2), 653–662.
- Chen, B. H., Chen, K. I., Ho, M. L., Chen, H. N., Chen, W. C., & Wang, C. K. (2009). Synthesis of calcium phosphates and porous hydroxyapatite beads prepared by emulsion method. *Materials Chemistry and Physics*. <https://doi.org/10.1016/j.matchemphys.2008.06.040>
- Chen, J., Jiang, Y., Liu, X., Xia, W., Huang, A., Zong, J., Wang, Z., Qian, B., & Donat, F. (2024). One-step synthesis of CaO/CuO composite pellets for enhanced CO<sub>2</sub> capture performance in a combined Ca/Cu looping process via

- a facile gel-casting technique. *Separation and Purification Technology*, 328. <https://doi.org/10.1016/j.seppur.2023.125057>
- Collins Arun Prakash, V., Venda, I., Thamizharasi, V., & Sathya, E. (2020). A comparative study on microemulsion synthesis of hydroxyapatite powders by ionic and Non-Ionic surfactants. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2020.10.026>
- Deno, F., Azis, Y., & Yusnimar. (2019). Pengaruh Suhu Dan pH Terhadap Bentuk Partikel Hidroksiapatit Dari Precipitated Calcium Carbonate (PCC) Kulit Telur Itik Melalui Metode Presipitasi. *Jom Fteknik*, 6, 1–8.
- FAJAR, B. Z. S. (2019). *Hubungan Panjang Berat Kerang Bambu (Solen Spp) Di Perairan Pesisir Pamekasan Pulau Madura* (Issue 2001).
- Ghidan, A. Y., Al-Antary, T. M., & Awwad, A. M. (2016). Green synthesis of copper oxide nanoparticles using Punica granatum peels extract: Effect on green peach Aphid. *Environmental Nanotechnology, Monitoring and Management*, 6, 95–98. <https://doi.org/10.1016/j.enmm.2016.08.002>
- Guan, G., Zhang, L., Zhu, J., Wu, H., Li, W., & Sun, Q. (2021). Antibacterial properties and mechanism of biopolymer-based films functionalized by CuO/ZnO nanoparticles against Escherichia coli and Staphylococcus aureus. *Journal of Hazardous Materials*, 402(July 2020), 123542. <https://doi.org/10.1016/j.jhazmat.2020.123542>
- Haider, A., Haider, S., Han, S. S., & Kang, I. K. (2017). Recent advances in the synthesis, functionalization and biomedical applications of hydroxyapatite: a review. *RSC Advances*, 7(13), 7442–7458. <https://doi.org/10.1039/c6ra26124h>
- Hasnain, M. S., Ahmed, S. A., Behera, A., Alkahtani, S., & Nayak, A. K. (2020). Inorganic materials–alginate composites in drug delivery. In *Alginates in Drug Delivery*. INC. <https://doi.org/10.1016/b978-0-12-817640-5.00010-8>
- Hasnain, M. S., Nayak, A. K., Singh, M., Tabish, M., Ansari, M. T., & Ara, T. J. (2016). Alginate-based bipolymeric-nanobioceramic composite matrices for sustained drug release. *International Journal of Biological Macromolecules*, 83, 71–77. <https://doi.org/10.1016/j.ijbiomac.2015.11.044>

- Hasnain, S., Kiran, V., Kurakula, M., Rao, G. S. N. K., Tabish, M., & Nayak, A. K. (2020). Chapter 15. Use of alginates for drug delivery in dentistry. In *Alginates in Drug Delivery*. INC. <https://doi.org/10.1016/B978-0-12-817640-5.00015-7>
- Hoang, V., Doan, M., Mondal, S., Mai, T., Vo, T., Duong, C., Dat, D., Nguyen, V. T., Park, S., Choi, J., & Oh, J. (2022). Colloids and Surfaces B: Biointerfaces Fluorescence conjugated nanostructured cobalt-doped hydroxyapatite platform for imaging-guided drug delivery application. *Colloids and Surfaces B: Biointerfaces*, 214(December 2021), 112458. <https://doi.org/10.1016/j.colsurfb.2022.112458>
- Huang, A., Dai, H., Wu, X., Zhao, Z., & Wu, Y. (2019). Synthesis and characterization of mesoporous hydroxyapatite powder by microemulsion technique. *Journal of Materials Research and Technology*, 8(3), 3158–3166. <https://doi.org/10.1016/j.jmrt.2019.02.025>
- Huong, L. M., Nam, N. T. H., Dat, N. T., Dat, N. M., Cong, C. Q., Ngan, L. T., Ngan, H. T. K., An, H., Tai, L. T., Hung, P. N. P., Duy, H. K., Minh, N. C. A., Hai, N. D., Tinh, N. T., Thy, L. T. M., & Hieu, N. H. (2023). Antibacterial mechanism of phyto-synthesized CuO-decorated ZnO nanostructure in relation to hydrogen peroxide generation under visible-light condition. *Surfaces and Interfaces*, 40(May). <https://doi.org/10.1016/j.surfin.2023.102988>
- Iliescu, R. I., Andronescu, E., Ghitulica, C. D., Voicu, G., Ficai, A., & Hoteteu, M. (2014). Montmorillonite-alginate nanocomposite as a drug delivery system - Incorporation and in vitro release of irinotecan. *International Journal of Pharmaceutics*, 463(2), 184–192. <https://doi.org/10.1016/j.ijpharm.2013.08.043>
- Ishihara, S., Matsumoto, T., Onoki, T., Uddin, M. H., Sohmura, T., & Nakahira, A. (2010). Regulation of the protein-loading capacity of hydroxyapatite by mercaptosuccinic acid modification. *Acta Biomaterialia*, 6(3), 830–835. <https://doi.org/10.1016/j.actbio.2009.10.019>
- Jadoun, S., Arif, R., Jangid, N. K., & Meena, R. K. (2021). Green synthesis of

- nanoparticles using plant extracts: a review. *Environmental Chemistry Letters*, 19(1), 355–374. <https://doi.org/10.1007/s10311-020-01074-x>
- Jain, S., & Datta, M. (2016). Montmorillonite-alginate microspheres as a delivery vehicle for oral extended release of Venlafaxine hydrochloride. *Journal of Drug Delivery Science and Technology*, 33, 149–156. <https://doi.org/10.1016/j.jddst.2016.04.002>
- Jamarun, N., Azharman, Z., Arief, S., Sari, T. P., Asril, A., & Elfina, S. (2015). Effect of temperature on synthesis of hydroxyapatite from limestone. *Rasayan Journal of Chemistry*.
- Jamarun, N., Caniago, S., Septiani, U., & Prasejati, A. (2024). Synthesis and Characterization of Hydroxyapatite Composite from Cuttlebone ( *Sepia sp.* ) with Chitosan via In Situ as Antibacterial. *ChemistrySelect*, 202303514, 1–8. <https://doi.org/10.1002/slct.202303514>
- Jariya, S. A. I., Padmanabhan, V. P., Kulandaivelu, R., Prakash, N., Mohammad, F., Al-Lohedan, H. A., Paiman, S., Schirhagl, R., Hossain, M. A. M., & Sagadevan, S. (2021). Drug delivery and antimicrobial studies of chitosan-alginate based hydroxyapatite bioscaffolds formed by the Casein micelle assisted synthesis. *Materials Chemistry and Physics*, 272(July), 125019. <https://doi.org/10.1016/j.matchemphys.2021.125019>
- Jarudilokkul, S., Tanthapanichakoon, W., & Boonamnuayvittaya, V. (2007). Synthesis of hydroxyapatite nanoparticles using an emulsion liquid membrane system. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. <https://doi.org/10.1016/j.colsurfa.2006.09.038>
- Javadzadeh, Y., Hamedeyazdan, S., Adibkia, K., Kiafar, F., Zarrintan, M. H., & Barzegar-Jalali, M. (2009). Evaluation of drug release kinetics and physico-chemical characteristics of metronidazole floating beads based on calcium silicate and gas-forming agents. *Pharmaceutical Development and Technology*, 00(00), 090820053614029–10. <https://doi.org/10.1080/10837450903196843>
- Jefry Soclin Sianipar, Yelmida Azis, dan Z. (2016). Sintesis Hidroksiapatit Melalui Precipitated Calcium Carbonate (PCC) Kulit Kerang Darah dengan

Metode Hidrotermal. *Jom FTEKNIK*, Volume 3(No.2), 1–7.

- Karthik, T. V. K., & Villasen, L. S. (2018). Wet chemical synthesis of nanocrystalline hydroxyapatite flakes : effect of pH and sintering temperature on structural and morphological properties. *Royal Society Open Science*, 5(180962).
- Kattimani, V. S., Kondaka, S., & Lingamaneni, K. P. (2016). Hydroxyapatite—Past, Present, and Future in Bone Regeneration. *Bone and Tissue Regeneration Insights*, 7, BTRI.S36138. <https://doi.org/10.4137/btri.s36138>
- Kim, D. H., Jung, Y., Tak, H. J., Kwak, D. H., Ahn, S., & Ko, J. S. (2024). Superhydrophobic, mechanically durable, highly transparent surface covered with CuO/PDMS composite nano-tips using one-step wet oxidation process of Cu/PDMS multilayer. *Applied Surface Science*, 649, 159165. <https://doi.org/https://doi.org/10.1016/j.apsusc.2023.159165>
- Kumar, A. R., & Kalainathan, S. (2008). Growth and characterization of nanocrystalline hydroxyapatite at physiological conditions. *Crystal Research and Technology*. <https://doi.org/10.1002/crat.200711094>
- Kumar, G. S., Govindan, R., & Girija, E. K. (2014). In situ synthesis, characterization and in vitro studies of ciprofloxacin loaded hydroxyapatite nanoparticles for the treatment of osteomyelitis. *Journal of Materials Chemistry B*, 2(31), 5052–5060. <https://doi.org/10.1039/c4tb00339j>
- Kumar, S., Gautam, C., Chauhan, B. S., Srikrishna, S., Yadav, R. S., & Rai, S. B. (2020). Enhanced mechanical properties and hydrophilic behavior of magnesium oxide added hydroxyapatite nanocomposite: A bone substitute material for load bearing applications. *Ceramics International*, March, 0–1. <https://doi.org/10.1016/j.ceramint.2020.03.180>
- Labanni, A., Zulhadjri, Z., Handayani, D., & Ohya, Y. (2019). The effect of monoethanolamine as stabilizing agent in *Uncaria gambir* Roxb . mediated synthesis of silver nanoparticles and its antibacterial activity. *Journal of Dispersion Science and Technology*, 0(0), 1–8. <https://doi.org/10.1080/01932691.2019.1626249>
- Lakrat, M., Jodati, H., Miloud, E., & Evis, Z. (2023). Synthesis and

characterization of pure and Mg , Cu , Ag , and Sr doped calcium-deficient hydroxyapatite from brushite as precursor using the dissolution-precipitation method. *Powder Technology*, 413(October 2022), 118026.

<https://doi.org/10.1016/j.powtec.2022.118026>

Langer, R. (1998). Drug delivery and targeting. In *Nature* (Vol. 392, Issue 6679 SUPPL., pp. 5–10). [https://doi.org/10.1016/s0378-5173\(02\)00260-0](https://doi.org/10.1016/s0378-5173(02)00260-0)

Layrolle, P., Ito, A., & Tateishi, T. (2005). Sol-Gel Synthesis of Amorphous Calcium Phosphate and Sintering into Microporous Hydroxyapatite Bioceramics. *Journal of the American Ceramic Society*.

<https://doi.org/10.1111/j.1151-2916.1998.tb02499.x>

Lin, K., & Chang, J. (2015). Structure and properties of hydroxyapatite for biomedical applications. In *Hydroxyapatite (Hap) for Biomedical Applications* (Vol. 4214, Issue 8). Elsevier Ltd. <https://doi.org/10.1016/b978-1-78242-033-0.00001-8>

Ma, X., Chen, Y., Qian, J., Yuan, Y., & Liu, C. (2016). Controllable synthesis of spherical hydroxyapatite nanoparticles using inverse microemulsion method. *Materials Chemistry and Physics*, 183, 220–229.

<https://doi.org/10.1016/j.matchemphys.2016.08.021>

Magar, M. H., Adole, V. A., Waghchaure, R. H., & Pawar, T. B. (2022). Efficient photocatalytic degradation of eosin blue dye and antibacterial study using nanostructured zinc oxide and nickel modified zinc oxide. *Results in Chemistry*, 4(September), 100537.

<https://doi.org/10.1016/j.rechem.2022.100537>

Mariappan, A., Pandi, P., Beula Rani, K. R., Rajeswarapalanichamy, & Neyvasagam, K. (2022). Study of the photocatalytic and antibacterial effect of Zn and Cu doped hydroxyapatite. *Inorganic Chemistry Communications*, 136(December 2021), 109128. <https://doi.org/10.1016/j.inoche.2021.109128>

Mary Nisha, U., Venkatesh, D., Arulmurugan, S., Kistan, A., Rajeswaran, P., & Siva Karthik, P. (2024). Assessment of solar light sensitive Chitosan integrated CeO<sub>2</sub>-CuO ternary composites for the efficient degradation of Malachite Green, Acid Blue 113 dyes and microbial studies. *Inorganic*

*Chemistry Communications*, 160, 111942.

<https://doi.org/https://doi.org/10.1016/j.inoche.2023.111942>

Matsumoto, T., Okazaki, M., Inoue, M., Yamaguchi, S., Kusunose, T., Toyonaga, T., Hamada, Y., & Takahashi, J. (2004). Hydroxyapatite particles as a controlled release carrier of protein. *Biomaterials*, 25(17), 3807–3812. <https://doi.org/10.1016/j.biomaterials.2003.10.081>

Mitragotri, S., & Lahann, J. (2012). Materials for drug delivery: Innovative solutions to address complex biological hurdles. *Advanced Materials*, 24(28), 3717–3723. <https://doi.org/10.1002/adma.201202080>

Mobika, J., Rajkumar, M., Nithya Priya, V., & Linto Sibi, S. P. (2021). Effect of chitosan reinforcement on properties of hydroxyapatite/silk fibroin composite for biomedical application. *Physica E: Low-Dimensional Systems and Nanostructures*, 131(October 2020). <https://doi.org/10.1016/j.physe.2021.114734>

Nosrati, H., Mamoori, R. S., Dabir, F., Perez, M. C., Rodriguez, M. A., Svend Le, D. Q., & Bünger, C. E. (2019). In situ synthesis of three dimensional graphene-hydroxyapatite nano powders via hydrothermal process. *Materials Chemistry and Physics*, 222(October 2018), 251–255. <https://doi.org/10.1016/j.matchemphys.2018.10.023>

Noviyanti, A. R., Akbar, N., Deawati, Y., Ernawati, E. E., Malik, Y. T., Fauzia, R. P., & Risdiana. (2020). A novel hydrothermal synthesis of nanohydroxyapatite from eggshell-calcium-oxide precursors. *Heliyon*. <https://doi.org/10.1016/j.heliyon.2020.e03655>

Ocando, C., Dinescu, S., Samoila, I., Daniela Ghitulica, C., Cucuruz, A., Costache, M., & Averous, L. (2021). Fabrication and properties of alginate-hydroxyapatite biocomposites as efficient biomaterials for bone regeneration. *European Polymer Journal*, 151(January), 110444. <https://doi.org/10.1016/j.eurpolymj.2021.110444>

Ofudje, E. A., Adeogun, A. I., Idowu, M. A., & Kareem, S. O. (2019). Synthesis and characterization of Zn-Doped hydroxyapatite: scaffold application, antibacterial and bioactivity studies. *Heliyon*, 5(5), e01716.



<https://doi.org/10.1016/j.heliyon.2019.e01716>

- Pàmies, P., & Stoddart, A. (2013). Materials for drug delivery. *Nature Materials*, 12(11), 957. <https://doi.org/10.1038/nmat3798>
- Prekajski Đorđević, M., Maletaškić, J., Stanković, N., Babić, B., Yoshida, K., Yano, T., & Matović, B. (2018). In-situ immobilization of Sr radioactive isotope using nanocrystalline hydroxyapatite. *Ceramics International*, 44(2), 1771–1777. <https://doi.org/10.1016/j.ceramint.2017.10.110>
- Putri, G. E. (Andalas U. (2022). Green Synthesis Nanopartikel Cerium Oksida Menggunakan Ekstrak Daun Kelor (Moringa Oleifera) Dan Modifikasi Dengan Monmorilonit/Kitosan Serta Aplikasi Pada Luka Bakar. Universitas Andalas.
- Roul, J., Mohapatra, R., & Kumar Sahoo, S. (2013). QR Code for Mobile users Preparation, characterization and drug delivery behavior of novel biopolymer/hydroxyapatite nanocomposite beads. *Asian Journal of Biomedical and Pharmaceutical Sciences*, 3(24), 33–38.
- Saha, T., Bin Mobarak, M., Uddin, M. N., Quddus, M. S., Naim, M. R., & Pinky, N. S. (2023). Biogenic synthesis of copper oxide (CuO) NPs exploiting Averrhoa carambola leaf extract and its potential antibacterial activity. *Materials Chemistry and Physics*, 305(January), 127979. <https://doi.org/10.1016/j.matchemphys.2023.127979>
- Saif, S., Tahir, A., Asim, T., & Chen, Y. (2016). Plant mediated green synthesis of CuO nanoparticles: Comparison of toxicity of engineered and plant mediated CuO nanoparticles towards *Daphnia magna*. *Nanomaterials*, 6(11), 1–15. <https://doi.org/10.3390/nano6110205>
- Salim, S. A., Loutfy, S. A., El-Fakharany, E. M., Taha, T. H., Hussien, Y., & Kamoun, E. A. (2021). Influence of chitosan and hydroxyapatite incorporation on properties of electrospun PVA/HA nanofibrous mats for bone tissue regeneration: Nanofibers optimization and in-vitro assessment. *Journal of Drug Delivery Science and Technology*, 62(October 2020), 102417. <https://doi.org/10.1016/j.jddst.2021.102417>
- Saranya, K., Kowshik, M., & Ramanan, S. R. (2011). Synthesis of hydroxyapatite

- nanopowders by sol-gel emulsion technique. *Bulletin of Materials Science*. <https://doi.org/10.1007/s12034-011-0386-8>
- Sathiyavimal, S., Vasantharaj, S., Shanmugavel, M., Manikandan, E., Nguyen-Tri, P., Brindhadevi, K., & Pugazhendhi, A. (2020). Facile synthesis and characterization of hydroxyapatite from fish bones: Photocatalytic degradation of industrial dyes (crystal violet and Congo red). *Progress in Organic Coatings*, 148(July), 105890. <https://doi.org/10.1016/j.porgcoat.2020.105890>
- Seidenstuecker, M., Ruehe, J., Suedkamp, N. P., Serr, A., Wittmer, A., Bohner, M., Bernstein, A., & Mayr, H. O. (2017). Composite material consisting of microporous  $\beta$ -TCP ceramic and alginate for delayed release of antibiotics. *Acta Biomaterialia*, 51, 433–446. <https://doi.org/10.1016/j.actbio.2017.01.045>
- Sekar, S., Eswaran, S., Kolanthai, E., Rajaram, V., & Kalkura, N. (2022). Materials Today : Proceedings Enhanced stability of hydroxyapatite / sodium alginate nanocomposite for effective fluoride adsorption. *Materials Today: Proceedings*, xxx. <https://doi.org/10.1016/j.matpr.2021.12.064>
- Shakti, N., Mandal, T., Das, N. M., Roy, D., Sunder, S., Kumar, S., & Pal, R. (2024). Growth and electrochemical properties of CuO nanowires-ZnO microrods composite. *Hybrid Advances*, 5(December 2023), 100124. <https://doi.org/10.1016/j.hybadv.2023.100124>
- Shirkhazadeh, M. (1998). Direct formation of nanophase hydroxyapatite on cathodically polarized electrodes. *Journal of Materials Science: Materials in Medicine*. <https://doi.org/10.1023/A:1008838813120>
- Sirajudheen, P., Karthikeyan, P., Vigneshwaran, S., M. C, B., & Meenakshi, S. (2021). Complex interior and surface modified alginate reinforced reduced graphene oxide-hydroxyapatite hybrids: Removal of toxic azo dyes from the aqueous solution. *International Journal of Biological Macromolecules*, 175, 361–371. <https://doi.org/10.1016/j.ijbiomac.2021.02.024>
- Sonoda, K., Furuzono, T., Walsh, D., Sato, K., & Tanaka, J. (2002). Influence of emulsion on crystal growth of hydroxyapatite. *Solid State Ionics*.

[https://doi.org/10.1016/S0167-2738\(02\)00730-0](https://doi.org/10.1016/S0167-2738(02)00730-0)

- Stanić, V., Janačković, D., Dimitrijević, S., Tanasković, S. B., Mitrić, M., Pavlović, M. S., Krstić, A., Jovanović, D., & Raičević, S. (2011). Synthesis of antimicrobial monophasic silver-doped hydroxyapatite nanopowders for bone tissue engineering. *Applied Surface Science*, 257(9), 4510–4518. <https://doi.org/10.1016/j.apsusc.2010.12.113>
- Suci, I. A., & Ngapa, Y. D. (2020). Sintesis dan Karakterisasi Hidroksiapatit dari Cangkang Kerang Ale-Ale Menggunakan Metode Presipitasi Double Stirring. *Cakra Kimia*, 8(2), 73–81.
- Sukhodub, L. F., Sukhodub, L. B., Litsis, O., & Prylutsky, Y. (2018). Synthesis and characterization of hydroxyapatite-alginate nanostructured composites for the controlled drug release. *Materials Chemistry and Physics*, 217(June), 228–234. <https://doi.org/10.1016/j.matchemphys.2018.06.071>
- Suresh, S., Ilakiya, R., Kalaiyan, G., Thambidurai, S., Kannan, P., Prabu, K. M., Suresh, N., Jothilakshmi, R., Karthick Kumar, S., & Kandasamy, M. (2020). Green Synthesis of Copper Oxide Nanostructures using *Cynodon dactylon* and *Cyperus rotundus* Grass Extracts for Antibacterial Applications. *Ceramics International*, 46(8), 12525–12537. <https://doi.org/10.1016/j.ceramint.2020.02.015>
- Szcześ, A., Hołysz, L., & Chibowski, E. (2017). Synthesis of hydroxyapatite for biomedical applications. *Advances in Colloid and Interface Science*, 249(April), 321–330. <https://doi.org/10.1016/j.cis.2017.04.007>
- Tiraton, T., Suwantong, O., Chuysinuan, P., Ekabutr, P., Niamlang, P., Khampieng, T., & Supaphol, P. (2022). Biodegradable microneedle fabricated from sodium alginate-gelatin for transdermal delivery of clindamycin. *Materials Today Communications*, 32(August), 104158. <https://doi.org/10.1016/j.mtcomm.2022.104158>
- Türk, S., Altınsoy, ÇelebiEfe, G., Ipek, M., Özacar, M., & Bindal, C. (2017). Microwave-assisted biomimetic synthesis of hydroxyapatite using different sources of calcium. *Materials Science and Engineering C*. <https://doi.org/10.1016/j.msec.2017.03.116>

- Uthiram, C., & Punithavelan, N. (2022). Efficient magnetic and antibacterial properties of CdO/ZnO nanocomposites prepared via facile hydrothermal method. *Journal of King Saud University - Science*, 34(6), 102162.  
<https://doi.org/10.1016/j.jksus.2022.102162>
- Waghchaure, R. H., & Adole, V. A. (2023). Biosynthesis of metal and metal oxide nanoparticles using various parts of plants for antibacterial, antifungal and anticancer activity: A review. *Journal of the Indian Chemical Society*, 100(5), 100987. <https://doi.org/10.1016/j.jics.2023.100987>
- Wahba, M. E. K., El-Enany, N., & Belal, F. (2015). Application of the Stern-Volmer equation for studying the spectrofluorimetric quenching reaction of eosin with clindamycin hydrochloride in its pure form and pharmaceutical preparations. *Analytical Methods*, 7(24), 10445–10451.  
<https://doi.org/10.1039/c3ay42093k>
- Wan, F., Ping, H., Wang, W., Zou, Z., Xie, H., Su, B. L., Liu, D., & Fu, Z. (2021). Hydroxyapatite-reinforced alginate fibers with bioinspired dually aligned architectures. *Carbohydrate Polymers*, 267(April), 118167.  
<https://doi.org/10.1016/j.carbpol.2021.118167>
- Wu, C., Fan, W., Gelinsky, M., Xiao, Y., Chang, J., Friis, T., & Cuniberti, G. (2011). In situ preparation and protein delivery of silicate-alginate composite microspheres with core-shell structure. *Journal of the Royal Society Interface*, 8(65), 1804–1814. <https://doi.org/10.1098/rsif.2011.0201>
- Wulandari, Diana Vanda Wellia, N. J. (2023). The calcination temperature effect on the crystallization and morphology of hydroxyapatite from bamboo shell (Sollen spp.). *AIP Conference Proceedings*, 020016(2588), 1–6.  
<https://doi.org/https://doi.org/10.1063/5.0114309>
- Wulandari, W., Islami, D. M., Wellia, D. V., Emriadi, E., Sisca, V., & Jamarun, N. (2023). The Effect of Alginate Concentration on Crystallinity, Morphology, and Thermal Stability Properties of Hydroxyapatite/Alginate Composite. *Polymers*, 15(614), 1–11.  
<https://doi.org/10.3390/polym15030614>
- Wulandari, W., Wellia, D. V., & Jamarun, N. (2021). The Effect of pH on the

Synthesis and Characterization Hydroxyapatite from Bamboo Shell ( *Sollen spp .* ) with Emulsion Method. *Journal of Applicable Chemistry*, 10(6), 872–879.

Yulizar, Y., & Ayun, Q. (2017). Bio-prospective of *Polyscias fruticosa* leaf extract as redactor and stabilizer of gold nanoparticles formation. *IOP Conference Series: Earth and Environmental Science*, 60(1).

<https://doi.org/10.1088/1755-1315/60/1/012006>

Yulizar, Y., Utari, T., Ariyanta, H. A., & Maulina, D. (2017). Green Method for Synthesis of Gold Nanoparticles Using *Polyscias scutellaria* Leaf Extract under UV Light and Their Catalytic Activity to Reduce Methylene Blue. *Journal of Nanomaterials*, 2017. <https://doi.org/10.1155/2017/3079636>

Zhang, E., Zhao, X., Hu, J., Wang, R., Fu, S., & Qin, G. (2021). Antibacterial metals and alloys for potential biomedical implants. *Bioactive Materials*, 6(8), 2569–2612. <https://doi.org/10.1016/j.bioactmat.2021.01.030>

Zhang, W., Li, Z., Luo, R., Guo, Q., Xu, F., Yang, F., Zhang, M., Jia, L., & Yuan, S. (2023). Design of tandem CuO/CNTs composites for enhanced tetracycline degradation and antibacterial activity. *Separation and Purification Technology*, 306, 122548.

<https://doi.org/https://doi.org/10.1016/j.seppur.2022.122548>

Zhang, X., Hui, Z., Wan, D., Huang, H., Huang, J., Yuan, H., & Yu, J. (2010). Alginate microsphere filled with carbon nanotube as drug carrier. *International Journal of Biological Macromolecules*, 47(3), 389–395. <https://doi.org/10.1016/j.ijbiomac.2010.06.003>

Zheng, Y., Wang, L., Bai, X., Xiao, Y., & Che, J. (2022). Bio-inspired composite by hydroxyapatite mineralization on (bis)phosphonate-modified cellulose-alginate scaffold for bone tissue engineering. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 635(November 2021), 127958. <https://doi.org/10.1016/j.colsurfa.2021.127958>