

DAFTAR PUSTAKA

1. Anshori, F., Priyamurti, H., & Rahyussalim, A. J. Anterior debridement and fusion using expandable mesh cage only for the treatment of paraparesis due to spondylitis tuberculosis: A case report. *International Journal of Surgery Case Reports*. 2020; 77: 191–197.
2. Pandita, A., Madhuripan, N., Pandita, S., & Hurtado, R. M. Challenges and Controversies in the Treatment of Spinal Tuberculosis. *Journal of Clinical Tuberculosis and Other Mycobacterial Diseases*. 2020: 100151.
3. Sharma, A., Chhabra, H. S., Chhabra, T., Mahajan, R., Batra, S., & Sangondimath, G. Demographics of tuberculosis of spine and factors affecting neurological improvement in patients suffering from tuberculosis of spine: a retrospective analysis of 312 cases. *Spinal Cord*. 2016; 55(1): 59–63.
4. Liu Z, Wang J, Chen GZ et al. Clinical characteristics of 1378 in patients with spinal tuberculosis in general hospitals in South-Central China. *BioMed Res Int*. 2019: 9765253.
5. Javed G, Laghari AA, Ahmed SL et al . Development of criteria highly suggestive of spinal tuberculosis. *World Neurosurg*. 2018; 116:e1002–e1006.
6. Kwon SR, Kim TH, Kim TJ, Park W, Shim SC. The Epidemiology and Treatment of Ankylosing Spondylitis in Korea. *J Rheum Dis*. 2022;29(4):193-199.
7. Hasan Khan MN, Jamal AB, Hafeez A, Sadiq M, & Rasool M. U. Is spinal tuberculosis changing with changing time?. *Annals of Medicine and Surgery*. 2021; 66: 102421.
8. Khanna, K., & Sabharwal, S. (2019). *Spinal Tuberculosis: A Comprehensive Review For The Modern Spine Surgeon*. *The Spine Journal*. 2019; 19: 1858-1870.
9. Denkinger CM, Schumacher SG, Gilpin C, Korobitsyn A, Wells WA, Pai M, et al. Guidance for the evaluation of tuberculosis diagnostics that meet the world health organization (WHO) target product profiles: an introduction to who process and study design principles. *J Infect Dis*. 2019; 220: S91–8.
10. World Health Organization. Xpert MTB Implementation Manual. Geneva. 2014

11. Yu, Y., Kong, Y., Ye, J., & Wang, A. Performance of conventional histopathology and GeneXpert MTB/RIF in the diagnosis of spinal tuberculosis from bone specimens: A prospective clinical study. *Clinical Biochemistry*. 2020; 85: 33- 37.
12. Salim DR, Ramdan A, & Alpharian GT. Comparison of Diagnostic Accuracy of Tuberculosis Spondylitis between GeneXpert and Histopathological Examination. *Majalah Kedokteran Bandung*. 2021; 53 (1).
13. Chen, C.-H., Chen, Y.-M., Lee, C.-W., Chang, Y.-J., Cheng, C.-Y., & Hung, J.-K. Early diagnosis of spinal tuberculosis. *Journal of the Formosan Medical Association*. 2016; 115(10): 825–836.
14. Rajasekaran, S., Soundararajan, D. C. R., Shetty, A. P., & Kanna, R. M. Spinal Tuberculosis: Current Concepts. *Global Spine Journal*. 2018; 8(4_suppl): 96S–108S.
15. Kumar K. Spinal tuberculosis, natural history of disease, classifications and principles of management with historical perspective. *Eur J Orthop Surg Traumatol*. 2016; 26(6): 551- 558.
16. Garg P, Bhowmick S, Goyal V. A prospective study on clinical, radiological, and pathological features in early diagnosis of spinal tuberculosis. *Asian Journal of Medical Sciences*. 2022; 13 (5): 196- 199.
17. Esteves S, Catarino I, Lopes D, Sousa C. Spinal tuberculosis: rethinking an old disease. *J Spine*. 2017.
18. Kale H, Tivaskar S, Luharia A, et al. Radiological Evaluation of Tuberculosis in The Spine- A review Article. *Journal of Pharmaceutical Negative Result*. 2022; 13 (8).
19. Baykan AH, Sayiner HS, Aydin E, et al. Extrapulmonary tuberculosis: an old but resurgent problem. *Insights into Imaging*. 2022; 13:39.
20. Gambhir S, Ravina M, Rangan K, Dixit M, Barai S, Bomanji J. Imaging in extrapulmonary tuberculosis. *Int J Infect Dis*. 2017; 56: 237–247.
21. Rodriguez-Takeuchi SY, Renjifo ME, Medina FJ. Extrapulmonary tuberculosis: pathophysiology and imaging findings. *Radiographics*. 2019; 39(7): 2023–2037.

22. Li y, Wang Y, Ding H, et al. Pathologic characteristics of spinal tuberculosis: analysis of 181 cases. *Int J Clin Exp Pathol*. 2020;13(5):1253-1261.
23. Viswanathan VK, Subramanian S. Pott Disease. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK538331/>
24. Kumar, V., Neradi, D., Sherry, B., Gaurav, A., & Dhatt, S. S. Tuberculosis of the spine and drug resistance: a review article. *Neurosurgical Review*. 2021.
25. Sahana, K. S., Prabhu, A. S., & Saldanha, P. R. Usage of Cartridge Based Nucleic Acid Amplification Test (CB-NAAT/GeneXpert) test as diagnostic modality for pediatric tuberculosis; case series from Mangalore, South India. *Journal of Clinical Tuberculosis and Other Mycobacterial Diseases*. 2018; 11: 7–9.
26. World Health Organization. Tuberculosis (TB). Next-generation Xpert® MTB/RIF ultra assay recommended by WHO. 2017. Available at : who.int/tb/features_archive/Xpert-Ultra/en/.
27. Sasikumar C, Utpat K, Desai U, Joshi J. The role of GeneXpert in the diagnosis of Mycobacterium tuberculosis. *Adv Respir Med*. 2020; 88: 184– 188.
28. Held M, Laubscher M, Zar HJ, Dunn RN, GeneXpert polymerase chain reaction for spinal tuberculosis. *Bone Joint J*. 2014; 96-B: 1366– 1369.
29. Patel, J., upadhyay, M., Kundnani, V., Merchant, Z., Jain, S., & kire, N. Diagnostic Efficacy, Sensitivity and Specificity of Xpert MTB/RIF assay for Spinal Tuberculosis and Rifampicin Resistance. *SPINE*. 2019; 1
30. Shen Y, Yu G, Zhong F, Kong X. Diagnostic accuracy of the Xpert MTB/RIF assay for bone and joint tuberculosis: A meta-analysis. *PLoS ONE*. 2019; 14(8): e0221427.
31. Massi, M. N., Biatko, K. T., Handayani, I., Pratama, M. Y., Septriani, S., Nurdin, G. M., & Ali, M. B. (2017). *Evaluation of rapid GeneXpert MTB/RIF method using DNA tissue specimens of vertebral bones in patients with suspected spondylitis TB*. *Journal of Orthopaedics*, 14(1), 189–191.
32. Singh, D., Meena, A. K., Vahora, N., Kumar, R., Khanna, G., Nair, D., & Gupta, V. (2018). *CB-NAAT MTB/RIF assay and histopathology correlation*

in diagnosis of osteoarticular tuberculosis using culture as reference standard. Journal of Clinical Orthopaedics and Trauma. 2019: S53- S56.

33. Karthek V, Bhilare P, Hadgaonkar S, Kothari A, Shyam A, Sancheti P, et al. Gene Xpert/MTB RIF assay for spinal tuberculosis- sensitivity, specificity and clinical utility. *Journal of Clinical Orthopaedics. 2021; 233-8.*
34. Sianturi RN, Muslim Z, Leonas R, et al. Compatibility between MRI Examination and Histopathological Findings in Tuberculous Spondylitis Patients at Dr. Mohammad Hoesin Palembang. . *Sriwijaya Journal of Surgery. 2022; 5 (1).*
35. Jagiasi JD, Mehta P, Ubale TV, et al. How expert is genexpert test: A study done at a tertiary care centre for TB spine patients. *International Journal of Orthopaedics Sciences. 2020; 6(2): 476-478.*
36. Guha, M., Lal, H., Boruah, T., Kumar, S., Sareen, A., Patralekh, M. K., ... Khanna, G. Clinico-Radio-Histopathological Correlation by C-Arm Image-Guided Biopsy in Spinal Tuberculosis. *Indian Journal of Orthopaedics. 2021; 55(4): 1028-1036.*
37. Zhou, Z., Zheng, Y., & Wang, L. Diagnostic accuracy of the Xpert MTB/RIF assay for bone and joint tuberculosis using tissue specimens. *International Journal of Infectious Diseases. 2021; 105: 224-229.*
38. Shetty AP, Viswanathan VK, Kanna RM, Shanmuganathan R. Tubercular spondylo-discitis in elderly is a more severe disease: a report of 66 consecutive patients. *Eur Spine J. 2017;26:3178-86.*
39. Yu GC, Ye B, Chen D, Zhong FM, Chen G, Yang J, et al. Comparison between the diagnostic validities of Xpert MTB/RIF and interferon-gamma release assays for tuberculous pericarditis using pericardial tissue. *PLoS One .2017;12:e0188704.*
40. Waworuntu, Wiendra., Surya, Asik., Ibrahim, Fera. Petunjuk Teknis Pemeriksaan TB Menggunakan Tes Cepat Molekuler : Kementerian Kesehatan Republik Indonesia. 2017 ; 1 - 2
41. Prananda A, Ismiarto YD. Characteristics of Tuberculous Spondylitis Patients Who Underwent Decompression and Posterior Stabilization Surgery At Dr

- Hasan Sadikin Hospital 2019-2021 Period. *Orthop J Sports Med.* 2023;11(2 Suppl):2325967121S00901.
42. Wardoyo EH., et al. Karakteristik Spondilitis Tuberculosis di Rsup NTB Januari - Desember 2012. *Indonesian Journal of Infectious Disease.* 2015; 2(2):20-23, doi:[10.32667/ijid.v2i2.23](https://doi.org/10.32667/ijid.v2i2.23).
 43. Ismiarto AF, Tiksnadi B, Soenggono A. Young to Middle-Aged Adults and Low Education: Risk Factors of Spondylitis Tuberculosis with Neurological Deficit and Deformity at Dr. Hasan Sadikin General Hospital. *AMJ.* 2018;5(2):69–76
 44. Novita BD, Muliono AC, Wijaya S, Theodora I, Tjahjono Y, Supit VD, Willianto VM. Managing spondylitis tuberculosis in a patient with underlying diabetes and hypothyroidism: A case report. *World J Clin Cases.* 2022; 10(21): 7451-8
 45. Feleke BE, Feleke TE, Biadlegne F. Nutritional status of tuberculosis patients, a comparative cross-sectional study. *BMC Pulm Med.* 2019; **19**:182. <https://doi.org/10.1186/s12890-019-0953-0>
 46. Charisma AN, Koesoemoprodjo W. Diagnosis and Outcome of Tuberculosis of Knee Joint (Gonitis Tuberculosis) with Pulmonary Tuberculosis after Completing Anti-Tuberculosis Therapy: A Case Report. *Jurnal Respirasi.*2021; 7(1): 19-26.
 47. Solanki AM, Basu S, Biswas A, Roy S, Banta A. Sensitivity and Specificity of Gene Xpert in the Diagnosis of Spinal Tuberculosis: A Prospective Controlled Clinical Study. *Global Spine Journal.* 2020;10(5):553-558. doi:[10.1177/2192568219858310](https://doi.org/10.1177/2192568219858310)
 48. Patel JYK. Can GeneXpert MTB/RIF (Mycobacterium Tuberculosis/Rifampicin) assay replace acid-fast bacilli (AFB) smear and histopathology as a diagnostic test for spinal tuberculosis. *The Lancet Infectious Disease.* 2020
 49. Jabber Benellam Y K, Ozkan O, Saadoon Aziz Z . Diagnosis of *Mycobacterium tuberculosis* using GeneXpert MTB / RIF and TB-LAMP techniques from pulmonary and extra-pulmonary TB patients in Iraq. *Revis Bionatura.* 2022;7(2): 50.

50. Mechal Y, Benaissa E, El Mrimar N, et al. Evaluation of GeneXpert MTB/RIF system performances in the diagnosis of extrapulmonary tuberculosis. *BMC Infect Dis.* 2019;19(1):1069. Published 2019 Dec 19. doi:10.1186/s12879-019-4687-7
51. Susilawati TN, Larasati R. A recent update of the diagnostic methods for tuberculosis and their applicability in Indonesia: a narrative review. *Med J Indones* 2019;28(3):284–91
52. Arockiaraj J, Michael JS, Amritanand R, David KS, Krishnan V. The role of Xpert MTB/RIF assay in the diagnosis of tubercular spondylodiscitis. *Eur Spine J.* 2017;26(12):3162-3169. doi:10.1007/s00586-017-5076-9
53. Garg A, Agarwal L, Mathur R. Role of GeneXpert or CBNAAT in diagnosing tuberculosis: Present scenario. *Med J DY Patil Vidyapeeth.* 2022; 15:14-9.
54. Lu M, Chen W, Lei Z, et al. Image-guided percutaneous biopsy and pathological diagnosis in atypical tuberculous spondylitis: a case series and clinical outcomes. *Ann Transl Med.* 2022;10(20):1140. doi:10.21037/atm-22-4661

