

## DAFTAR PUSTAKA

1. Mari W, Alsabri SG, Tabal N, Younes S, Sherif A, Simman R. Novel Insights on Understanding of Keloid Scar: Article Review. Vol. 7, Journal of the American College of Clinical Wound Specialists. Elsevier Inc.; 2015. p. 1–7.
2. Gozal F, Sekarutami M. Tinjauan Pustaka Peran Radiasi Pada Tata Laksana Keloid. 2018.
3. Ogawa R, Dohi T, Tosa M, Aoki M, Akaishi S. The latest strategy for keloid and hypertrophic scar prevention and treatment: The nippon medical school (NMS) protocol. Journal of Nippon Medical School. 2021 Feb 15;88(1):2–9.
4. Widiatmoko A, Brahmanti H, Padesa T, Pranowo B. Kombinasi Bedah Eksisi Injeksi Kortikosteroid Intralesi, dan Gel Silikon pada Tata Laksana Keloid di Cuping Telinga. 2019.
5. Limandjaja GC, Niessen FB, Scheper RJ, Gibbs S. The Keloid Disorder: Heterogeneity, Histopathology, Mechanisms and Models. Vol. 8, Frontiers in Cell and Developmental Biology. Frontiers Media S.A.; 2020.
6. Choirunnada A. Profil Gangguan Kualitas Hidup akibat keloid pada Mahasiswa Fakultas Kedokteran Universitas Udayana Angkatan 2012-2014. 2019;2–3.
7. Odilia Cekarani. Profil Keloid Pada Pasien RSUP DR. M. DJAMIL PADANG Tahun 2016-2020. [Indonesia]: Andalas University; 2017.
8. Andrews JP, Marttala J, Macarak E, Rosenbloom J, Uitto J. Keloids: The paradigm of skin fibrosis - Pathomechanisms and treatment. Vol. 51, Matrix Biology. Elsevier B.V.; 2016. p. 37–46.
9. Betarbet U, Blalock TW. Keloids: A Review of Etiology, Prevention, and Treatment. Vol. 13, J Clin Aesthet Dermatol. 2020.
10. Huang C, Liu L, You Z, Du Y, Ogawa R. Managing keloid scars: From radiation therapy to actual and potential drug deliveries. Vol. 16, International Wound Journal. Blackwell Publishing Ltd; 2019. p. 852–9.
11. Mohamed R, Elawadi AA, Al-Gendi R, Al-Mohsen S, Wani S, Wafa A. The outcome of postoperative radiation therapy following plastic surgical resection of recurrent ear keloid: a single institution experience. J Egypt Natl Canc Inst. 2022 Jan 24;34(1):4.
12. Pruumboom T, Scheltinga MR. Keloid formation due to repetitive mammographies. Case Rep Dermatol. 2018 Sep 1;10(3):257–62.

13. Wang M, Chen L, Huang W, Jin M, Wang Q, Gao Z, et al. Improving the anti-keloid outcomes through liposomes loading paclitaxel–cholesterol complexes. *Int J Nanomedicine*. 2019;14:1385–400.
14. Bayat A, Arscott G, Ollier WER, Ferguson MWJ, Mc Grouther DA. Description of site-specific morphology of keloid phenotypes in an afrocaribbean population. *Br J Plast Surg*. 2004;57(2):122–33.
15. Yoshiaki CN, Rei Ogawa H. Sex Differences in Keloidogenesis: An Analysis of 1659 Keloid Patients in Japan. *Dermatol Ther (Heidelb)* [Internet]. 9. Available from: <https://doi.org/10.6084/>
16. Ogawa R, Akita S, Akaishi S, Aramaki-Hattori N, Dohi T, Hayashi T, et al. Diagnosis and Treatment of Keloids and Hypertrophic Scars—Japan Scar Workshop Consensus Document 2018. *Burns Trauma*. 2019 Dec 1;7.
17. Ghazawi F, Zargham R, Gilardino M, Sasseville D, Jafarian F. Insights into the Pathophysiology of Hypertrophic Scars and Keloids: How Do They Differ? [Internet]. 2018. Available from: <http://cme.lww.com>
18. Aköz T, Gideroğlu K, Akan M. Combination of different techniques for the treatment of earlobe keloids. *Aesthetic Plast Surg*. 2002 May;26(3):184–8.
19. Hong ES, Zeeb H, Repacholi MH. Albinism in Africa as a public health issue. *BMC Public Health*. 2006 Aug 17;6.
20. Robles DT, Moore E, Draznin M, Berg D. Keloids: pathophysiology and management. *Dermatol Online J*. 2007 Jul 13;13(3):9.
21. Arno AI, Gauglitz GG, Barret JP, Jeschke MG. Up-to-date approach to manage keloids and hypertrophic scars: A useful guide. Vol. 40, *Burns*. Elsevier Ltd; 2014. p. 1255–66.
22. Dinh Huu N, Nguyen Huu S, le Thi X, Van TN, Thi Minh PP, Trinh Minh T, et al. Successful treatment of intralesional bleomycin in keloids of Vietnamese population. *Open Access Maced J Med Sci*. 2019 Jan 30;7(2):298–9.
23. Shih B, Bayat A. Genetics of keloid scarring. Vol. 302, *Archives of Dermatological Research*. Springer Verlag; 2010. p. 319–39.
24. Marneros AG, Norris JEC, Olsen BR, Reichenberger E. Clinical Genetics of Familial Keloids [Internet]. Available from: <https://jamanetwork.com/>
25. Leflore IC, Washington F. GU ERiS EITOIALS MISCONCEPTIONS REGARDING ELECTIVE PLASTIC SURGERYII THE BLACK PA\TIENT.
26. Chung S, Nakashima M, Zembutsu H, Nakamura Y. Possible involvement of NEDD4 in keloid formation; its critical role in fibroblast proliferation and

- collagen production. *Proc Jpn Acad Ser B Phys Biol Sci.* 2011;87(8):563–73.
27. Purnama H, Ratnawulan S. Review Sistematis: Proses Penyembuhan dan Perawatan Luka. 2017.
  28. Chen Y, Chen Y, Liu Y. Abnormal Presentation of Aggressive Fibromatosis After Radiotherapy for Keloids. *Ann Plast Surg.* 2019 Jul;83(1):104–7.
  29. Ozgok Kangal MK, Regan JP. *Wound Healing.* 2022.
  30. Ojeh N, Bharatha A, Gaur U, Forde AL. Keloids: Current and emerging therapies. *Scars Burn Heal.* 2020 Jan;6:1–18.
  31. Doucet C, Brouty-Boyé D, Pottin-Clémenceau C, Canonica GW, Jasmin C, Azzarone B. Interleukin (IL) 4 and IL-13 Act on Human Lung Fibroblasts Implication in Asthma [Internet]. Vol. 101, *J. Clin. Invest.* 1998. Available from: <http://www.jci.org>
  32. Ilmu D, Kulit K, Kelamin D. TUMOR-TUMOR JINAK KULIT OLEH IMAM BUDI PUTRA. 2008.
  33. Gozal F, Sekarutami S. Peran Radiasi Pada Tata Laksana Keloid. *Media Dermato Venereologica Indonesiana.* 2019 Jan;45.
  34. Jones CD, Guiot L, Samy M, Gorman M, Tehrani H. The use of chemotherapeutics for the treatment of keloid scars. Vol. 7, *Dermatology Reports.* Page Press Publications; 2015. p. 15–9.
  35. Gauglitz GG, Korting HC, Pavicic T, Ruzicka T, Jeschke MG. Hypertrophic scarring and keloids: Pathomechanisms and current and emerging treatment strategies. *Molecular Medicine.* 2011 Jan;17(1–2):113–25.
  36. Taylor SC. Epidemiology of skin diseases in people of color. *Cutis.* 2003 Apr;71(4):271–5.
  37. Huang C, Akaishi S, Hyakusoku H, Ogawa R. Are keloid and hypertrophic scar different forms of the same disorder? A fibroproliferative skin disorder hypothesis based on keloid findings. *Int Wound J.* 2014 Oct 1;11(5):517–22.
  38. Camacho-Martínez FM, Rodríguez Rey E, Camacho Serrano F, Wagner A. Resultados de uma combinação de bleomicina e triamcinolone acetona no tratamento de quelóides e cicatrizes hipertróficas. Vol. 88, *Anais Brasileiros de Dermatologia.* 2013. p. 387–94.
  39. Bagabir R, Byers RJ, Chaudhry IH, Müller W, Paus R, Bayat A. Site-specific immunophenotyping of keloid disease demonstrates immune upregulation and the presence of lymphoid aggregates. *Br J Dermatol.* 2012 Nov;167(5):1053–66.



40. Wu CS, Wu PH, Fang AH, Lan CCE. FK506 inhibits the enhancing effects of transforming growth factor (TGF)- $\beta$ 1 on collagen expression and TGF- $\beta$ /Smad signalling in keloid fibroblasts: implication for new therapeutic approach. *Br J Dermatol*. 2012 Sep;167(3):532–41.
41. Cação FM, Tanaka V, Messina MC de L. Failure of imiquimod 5% cream to prevent recurrence of surgically excised trunk keloids. *Dermatol Surg*. 2009 Apr;35(4):629–33.
42. Bae-Harboe YSC, Harboe-Schmidt JE, Graber E, Gilchrest BA. Collagenase followed by compression for the treatment of earlobe keloids. *Dermatol Surg*. 2014 May;40(5):519–24.
43. Kang N, Sivakumar B, Sanders R, Nduka C, Gault D. Intra-lesional injections of collagenase are ineffective in the treatment of keloid and hypertrophic scars. *J Plast Reconstr Aesthet Surg*. 2006;59(7):693–9.
44. Gauglitz GG. Management of keloids and hypertrophic scars: Current and emerging options. Vol. 6, *Clinical, Cosmetic and Investigational Dermatology*. 2013. p. 103–14.
45. Edward C HDEWLW. Perez and Brady's Principles and Practice of Radiation Oncology. Vol. 7. 2019.
46. Beyzadeoglu M, Ozyigit G, Ebruli C. Basic radiation oncology. *Basic Radiation Oncology*. Springer Berlin Heidelberg; 2010. 1–575 p.
47. Belka C, Nieder C, Molls M, Belka C, Nieder C, Molls ; M. *Biological Basis of Combined Radio-and Chemotherapy*.
48. Mohamed R, Elawadi AA, Al-Gendi R, Al-Mohsen S, Wani S, Wafa A. The outcome of postoperative radiation therapy following plastic surgical resection of recurrent ear keloid: a single institution experience. *J Egypt Natl Canc Inst*. 2022 Jan 24;34(1):4.
49. Ogawa R, Mitsunashi K, Hyakusoku H, Miyashita T, Tokyo J. Postoperative Electron-Beam Irradiation Therapy for Keloids and Hypertrophic Scars: Retrospective Study of 147 Cases Followed for More Than 18 Months.
50. Faiz M Khan PhD JPGP. Khan's Lectures: Handbook of The Physics of Radiation Therapy 1st Edition. 2011.
51. Nghiem P, Olsen EA, Schmults CD, Sekulic A, Shaha AR, Thorstad WL, et al. Basal Cell Skin Cancer [Internet]. Vol. 14, *JNCCN-Journal of the National Comprehensive Cancer Network* |. 2016. Available from: <http://aad.org/spot-skin-cancer>
52. Miles OJ, Zhou J, Paleri S, Fua T, Ramakrishnan A. Chest keloids: effect of surgical excision and adjuvant radiotherapy on recurrence, a systematic review and meta-analysis. *ANZ J Surg*. 2021 Jun;91(6):1104–9.

53. Xu J, Yang E, Yu NZ, Long X. Radiation Therapy in Keloids Treatment: History, Strategy, Effectiveness, and Complication. *Chin Med J (Engl)*. 2017 Jul 20;130(14):1715–21.
54. Roentgenol AJ, Levy DS, Salter MM, Roth RE. Postoperative Irradiation in the Prevention of Keloids [Internet]. Available from: [www.ajronline.org](http://www.ajronline.org)
55. Kovalic JJ, Perez CA. Radiation therapy following keloidectomy: a 20-year experience. *Int J Radiat Oncol Biol Phys*. 1989 Jul;17(1):77–80.
56. Hwang NH, Lee NK, Chae JH, Park SH, Yoon ES. The Efficacy of CT-Based Conformal Electron Beam Radiation Therapy After Keloid Excision. *Dermatol Surg*. 2022 Apr 1;48(4):435–40.
57. Luan H, Yang J, Wang Y, Shen X, Zhang X, Qiao Z, et al. rhTPO Ameliorates Radiation-Induced Long-Term Hematopoietic Stem Cell Injury in Mice. *Molecules*. 2023 Feb 1;28(4).
58. Jumaniyazova E, Smyk D, Vishnyakova P, Fatkhudinov T, Gordon K. Photon- and Proton-Mediated Biological Effects: What Has Been Learned? Vol. 13, *Life*. MDPI; 2023.
59. Sofia R. Gameiro PASMPMBBMSMHMSKMJWHPM. Tumor Cells Surviving Exposure to Proton or Photon Radiation Share a Common Immunogenic Modulation Signature, Rendering Them More Sensitive to T Cell-Mediated Killing. *Radiation oncology*. 2016;
60. Schild SE, Rule WG, Ashman JB, Vora SA, Keole S, Anand A, et al. Proton beam therapy for locally advanced lung cancer: A review. *World J Clin Oncol*. 2014 Oct 10;5(4):568–75.
61. Wang Y, Ma J, Zhang Z, Shen H. Combined surgical excision and electron external beam radiation improves the treatment of keloids: A descriptive study. *Dermatol Ther*. 2020 Jul;33(4):e13494.
62. Mankowski P, Kanevsky J, Tomlinson J, Dyachenko A, Luc M. Optimizing Radiotherapy for Keloids: A Meta-Analysis Systematic Review Comparing Recurrence Rates Between Different Radiation Modalities. *Ann Plast Surg*. 2017 Apr;78(4):403–11.
63. Wang KKH, Mitra S, Foster TH. Erratum: “A comprehensive mathematical model of microscopic dose deposition in photodynamic therapy” [*Med. Phys*. 34, 282–293 (2007)]. *Med Phys* [Internet]. 2008;35(9):4278–80. Available from: <https://aapm.onlinelibrary.wiley.com/doi/abs/10.1118/1.2959704>
64. Carvalho H de A, Mauro GP. History of radiotherapy in the treatment of uterine cervix cancer: an overview. *Rev Assoc Med Bras* (1992). 2023;69(suppl 1):e2023S126.

65. Penulis: Courtney Misher MBR. conventional 2d radiation therapy. 2022;1.
66. Vilarino-Varela M, Chin YS, Makris A. Current indications for post-mastectomy radiation. *Int Semin Surg Oncol*. 2009 Feb 9;6:5.
67. Ogawa R, Miyashita T, Hyakusoku H, Akaishi S, Kuribayashi S, Tateno A. Postoperative radiation protocol for keloids and hypertrophic scars: statistical analysis of 370 sites followed for over 18 months. *Ann Plast Surg*. 2007 Dec;59(6):688–91.
68. Moon SH, Cho KH, Lee CG, Keum KC, Kim YS, Wu HG, et al. IMRT vs. 2D-radiotherapy or 3D-conformal radiotherapy of nasopharyngeal carcinoma : Survival outcome in a Korean multi-institutional retrospective study (KROG 11-06). *Strahlenther Onkol*. 2016 Jun;192(6):377–85.
69. DiBiase SJ, Jacobs SC. Chapter 40 - Does Radiation Therapy Really Work for Prostate Cancer? In: Mydlo JH, Godec CJ, editors. *Prostate Cancer* [Internet]. Oxford: Academic Press; 2003. p. 377–86. Available from: <https://www.sciencedirect.com/science/article/pii/B9780122869815500422>
70. Xie X, Ouyang S, Wang H, Yang W, Jin H, Hu B, et al. Dosimetric comparison of left-sided whole breast irradiation with 3D-CRT, IP-IMRT and hybrid IMRT. *Oncol Rep*. 2014;31(5):2195–205.
71. Berman B, Maderal A, Raphael B. Keloids and Hypertrophic Scars: Pathophysiology, Classification, and Treatment. *Dermatol Surg*. 2017 Jan;43 Suppl 1:S3–18.
72. Hafsa Majeed; Vikas Gupta. Adverse Effects of Radiation Therapy. 2022. 3–24 p.
73. De Cicco L, Vischioni B, Vavassori A, Gherardi F, Jerezek-Fossa BA, Lazzari R, et al. Postoperative management of keloids: low-dose-rate and high-dose-rate brachytherapy. *Brachytherapy*. 2014;13(5):508–13.
74. Ogawa R. The most current algorithms for the treatment and prevention of hypertrophic scars and keloids. *Plast Reconstr Surg*. 2010 Feb;125(2):557–68.
75. Alam M, Nanda S, Mittal BB, Kim NA, Yoo S. The use of brachytherapy in the treatment of nonmelanoma skin cancer: a review. *J Am Acad Dermatol*. 2011 Aug;65(2):377–88.
76. Guinot JL, Rembielak A, Perez-Calatayud J, Rodríguez-Villalba S, Skowronek J, Tagliaferri L, et al. GEC-ESTRO ACROP recommendations in skin brachytherapy. *Radiotherapy and Oncology*. 2018 Mar 1;126(3):377–85.



77. Wagner W, Alfrink M, Micke O, Schäfer U, Schüller P, Willich N. Results of prophylactic irradiation in patients with resected keloids--a retrospective analysis. *Acta Oncol.* 2000;39(2):217–20.
78. Lee JW, Seol KH. Adjuvant Radiotherapy after Surgical Excision in Keloids. *Medicina (Kaunas).* 2021 Jul 19;57(7).
79. Miles OJ, Zhou J, Paleri S, Fua T, Ramakrishnan A. Chest keloids: effect of surgical excision and adjuvant radiotherapy on recurrence, a systematic review and meta-analysis. *ANZ J Surg.* 2021 Jun;91(6):1104–9.
80. Van Der Kogel A. Basic Clinical Radiobiology [Internet]. 2009. Available from: <http://www.hoddereducation.com>
81. Nava Paudel DSEIP. Comparative Study of Experimental Enhancement in Free Radical Generation against Monte carlo Modeled Enhancement in Radiation Dose Deposition. *Int J Med Phys Clin Eng Radiat Oncol.* 2015;4.
82. Eric K. Hansen MR. Handbook of Evidence-Based Radiation Oncology. 7th ed. 2010.
83. Ditjen Yankes. klasifikasi Umur Menurut Kategori. 2009.
84. Henry Kodrat RN. Prinsip Dasar Radioterapi. 17th ed. Vol. 6. 2016. 318–323 p.
85. Nang'ole FW, Anzala O, Ogeng'o J, Agak GW. Determinants of Keloid recurrence: The Nairobi keloid recurrence scoring system; A cohort, prospective study. *International Journal of Surgery Open.* 2023 Mar;52:100596.
86. Zainib M, Amin NP. Radiation Therapy in the Treatment of Keloids. 2023.
87. Petrou IG, Jugun K, Rüegg EM, Zilli T, Modarressi A, Pittet-Cuénod B. Keloid treatment: what about adjuvant radiotherapy? *Clin Cosmet Investig Dermatol.* 2019;12:295–301.
88. Azzahra AM, Perdanakusuma DS, Indramaya DM, Saputro ID. Keloid and Hypertrophic Scar Post-Excision Recurrence: A Retrospective Study. *Jurnal Plastik Rekonstruksi.* 2023 Jan 30;9(2):58–63.
89. Hirsch Y, Waterman CL, Haber R. Pediatric Keloids and Review of the Efficacy of Current Treatment Modalities. *Dermatologic Surgery.* 2023 Jul;49(7):669–74.
90. Yusharyahya SN. Mekanisme Penuaan Kulit sebagai Dasar Pencegahan dan Pengobatan Kulit Menua. *eJournal Kedokteran Indonesia.* 2021 Sep 1;9(2):150.

91. Shaffer JJ, Taylor SC, Cook-Bolden F. Keloidal scars: a review with a critical look at therapeutic options. *J Am Acad Dermatol*. 2002 Feb;46(2 Suppl Understanding):S63-97.
92. Zhu HY, Bai WD, Li C, Zheng Z, Guan H, Liu JQ, et al. Knockdown of lncRNA-ATB suppresses autocrine secretion of TGF- $\beta$ 2 by targeting ZNF217 via MIR-200c in keloid fibroblasts. *Sci Rep*. 2016 Apr 19;6.
93. Ding X, Kakanj P, Leptin M, Eming SA. Regulation of the Wound Healing Response during Aging. *J Invest Dermatol*. 2021 Apr;141(4S):1063–70.
94. Liu C, Yuan Z. Retrospective study of immediate postoperative electron radiotherapy for therapy-resistant earlobe keloids. *Arch Dermatol Res*. 2019;311:469–75.
95. Ogawa R. Analysis of the surgical treatments of 63 keloids on the cartilaginous part of the auricle: Effectiveness of the core excision method. *Plast Reconstr Surg*. 2015;135:868–975.
96. Ragoowansi R, Cornes P, Glees J, Powell B, Moss A. Ear-lobe keloids: treatment by a protocol of surgical excision and immediate postoperative adjuvant radiotherapy. *Br J Plast Surg*. 2001;54(6):504–8.
97. Nang'ole FW, Anzala O, Ogeng'o J, Agak GW. Determinants of Keloid recurrence: The Nairobi keloid recurrence scoring system; A cohort, prospective study. *International Journal of Surgery Open*. 2023;52(February):100596.
98. Lee Sun Y, Pumn J. Post-operative electron beam radiotherapy for keloids: treatment outcome and factors associated with occurrence and recurrence. *Ann Dermatol*. 2015;27(1):53–8.
99. Oriji GK, Keiser HR. Protein kinase C mediates angiotensin II-induced contractions and the release of endothelin and prostacyclin in rat aortic rings. *Prostaglandins Leukot Essent Fatty Acids*. 1997 Aug;57(2):135–41.
100. Hedvall G. [Congenital heart defects among children are surveyed in a Swedish registry]. *Lakartidningen*. 1991 Jul 24;88(30–31):2519–20.
101. Dobson R. Danish men consult GPs less than women but attend hospital more and have greater mortality. *BMJ*. 2007 Nov 17;335(7628):1010.3-1011.
102. Tanne JH. Only 3% of US citizens follow good health advice. *BMJ*. 2005 May 7;330(7499):1044.2.
103. Rosenstock IM. Enhancing patient compliance with health recommendations. *Journal of Pediatric Health Care*. 1988 Mar;2(2):67–72.
104. Bran. Keloids: Current concepts of pathogenesis (Review). *Int J Mol Med*. 2009 Jul 23;24(3).



105. Arima J, Huang C, Rosner B, Akaishi S, Ogawa R. Hypertension: a systemic key to understanding local keloid severity. *Wound Repair Regen.* 2015;23(2):213–21.
106. Petrou IG, Jugun K, Rüegg EM, Zilli T, Modarressi A, Pittet-Cuénod B. Keloid treatment: What about adjuvant radiotherapy? *Clin Cosmet Investig Dermatol.* 2019;12:295–301.
107. Zainib M, Amin. NP. Radiation Therapy in the Treatment of Keloids. *StatPearls.* 2022;
108. Ann Barret JDSMTR. *Practical Radiotherapy Planning.* Vol. 4. 2009.
109. Noishiki C, Hayasaka Y, Ogawa R. Sex Differences in Keloidogenesis: An Analysis of 1659 Keloid Patients in Japan. *Dermatol Ther (Heidelb).* 2019 Dec;9(4):747–54.
110. Ogawa R, Mitsuhashi K, Hyakusoku H, Miyashita T. Postoperative electron-beam irradiation therapy for keloids and hypertrophic scars: retrospective study of 147 cases followed for more than 18 months. *Plast Reconstr Surg.* 2003 Feb;111(2):547–53; discussion 554-5.
111. Ogawa R, Miyashita T, Hyakusoku H, Akaishi S, Kuribayashi S, Tateno A. Postoperative radiation protocol for keloids and hypertrophic scars: statistical analysis of 370 sites followed for over 18 months. *Ann Plast Surg.* 2007 Dec;59(6):688–91.
112. Kim K, Son D, Kim J. Radiation Therapy Following Total Keloidectomy: A Retrospective Study over 11 Years. *Arch Plast Surg.* 2015 Sep;42(5):588–95.
113. Betarbet U, Blalock TW. Keloids: A review of etiology, prevention, and treatment. *Journal of Clinical and Aesthetic Dermatology.* 2020;13(2):33–43.
114. Li Y, Zhang D, Hang B, Wang H. The Efficacy of Combination Therapy Involving Excision Followed by Intralesional 5-Fluorouracil and Betamethasone, and Radiotherapy in the Treatment of Keloids: A Randomized Controlled Trial. *Clin Cosmet Investig Dermatol.* 2022;15(November):2845–54.
115. Charles H. Thorne KCCA KGGCG. *Grabb and Smith's Plastic Surgery: seventh Edition.* Vol. 7. 2014. 9–14 p.
116. Mohamed R, Elawadi AA, Al-Gendi R, Al-Mohsen S, Wani S, Wafa A. The outcome of postoperative radiation therapy following plastic surgical resection of recurrent ear keloid: a single institution experience. *J Egypt Natl Canc Inst.* 2022;34(1):0–8.

117. Miles OJ, Zhou J, Paleri S, Fua T, Ramakrishnan A. Chest keloids: effect of surgical excision and adjuvant radiotherapy on recurrence, a systematic review and meta-analysis. *ANZ J Surg.* 2021;91(6):1104–9.
118. Lee JW, Seol KH. Adjuvant radiotherapy after surgical excision in keloids. *Medicina (Lithuania).* 2021;57(7).
119. Wang W, Zhao J, Zhang C, Zhang W, Jin M, Shao Y. Current advances in the selection of adjuvant radiotherapy regimens for keloid. *Front Med (Lausanne).* 2022;9(November):1–11.
120. Kataria T, Cutter TW, Apfelbaum JL. Patient selection in outpatient surgery. *Clin Plast Surg.* 2013 Jul;40(3):371–82.
121. Sabaté Eduardo, World Health Organization. Adherence to long-term therapies evidence for action. World Health Organization; 2003.
122. Brock DW. The ideal of shared decision making between physicians and patients. *Kennedy Inst Ethics J.* 1991 Mar;1(1):28–47.
123. Shin TM, Bordeaux JS. The role of massage in scar management: a literature review. *Dermatol Surg.* 2012 Mar;38(3):414–23.

