

## DAFTAR KEPUSTAKAAN

- Abnisa, F., Sanni, S. E., & Alaba, P. A. (2021). Comparative study of catalytic performance and degradation kinetics of biodiesels produced using heterogeneous catalysts from kaolinite. *Journal of Environmental Chemical Engineering*, 9(4), 105569. <https://doi.org/10.1016/j.jece.2021.105569>
- Admi, A., Angellika, F. T., Rilda, Y., & Syukri, S. (2022). Pengaruh Modifikasi Fisika pada Komposisi, Struktur Kristal dan Sifat Katalitik Lempung Solok. *Jurnal Fisika Unand*, 11(4), 548–555. <https://doi.org/10.25077/jfu.11.4.548-555.2022>
- Admi, A., Ramadhani, F., & Syukri, S. (2020). Sintesis dan Karakterisasi Enkapsulat Katalis Nikel (II) pada Silika Mesopori Modifikasi. *Jurnal Riset Kimia*, 11(2), 89–96. <https://doi.org/10.25077/jrk.v11i2.356>
- Aghbashlo, M., Tabatabaei, M., Khalife, E., Roodbar Shojaei, T., & Dadak, A. (2018). Exergoeconomic analysis of a DI diesel engine fueled with diesel/biodiesel (B5) emulsions containing aqueous nano cerium oxide. *Energy*, 149(x), 967–978. <https://doi.org/10.1016/j.energy.2018.02.082>
- Ahmad, M. I., Senusi, W., Binhweel, F., & Alsaadi, S. (2023). Optimization of base catalytic transesterification toward maximum biodiesel yield from *Azolla filiculoides* macroalgae feedstock. *Industrial Crops and Products*, 197(March), 116590. <https://doi.org/10.1016/j.indcrop.2023.116590>
- Akisanmi, P. (2022). *Classification of Clay Minerals* (M. René (ed.); p. Ch. 12). IntechOpen. <https://doi.org/10.5772/intechopen.103841>
- Alujas, A., & Fernando Martirena, J. (2015). *Influence of Calcination Temperature in the Pozzolanic Reactivity of a Low Grade Kaolinitic Clay BT - Calcined Clays for Sustainable Concrete* (K. Scrivener & A. Favier (eds.); pp. 331–338). Springer Netherlands.
- Bratov, B., Doykov, I., Ninov, J., & Lenchev, A. (2018). Pozzolanic activity assessment of calcined clays with complex minerals content. *Advances in Cement Research*, 30(3), 103–112. <https://doi.org/10.1680/jadcr.17.00057>
- Calvino, M. M., Cavallaro, G., Lisuzzo, L., Milioto, S., & Lazzara, G. (2022). Separation of halloysite/kaolinite mixtures in water controlled by sucrose addition: The influence of the attractive forces on the sedimentation behavior. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 641(December 2021), 128530. <https://doi.org/10.1016/j.colsurfa.2022.128530>
- Carlini, M., Castellucci, S., & Cocchi, S. (2014). A Pilot-Scale Study of Waste Vegetable Oil Transesterification with Alkaline and Acidic Catalysts. *Energy Procedia*, 45, 198–206. <https://doi.org/10.1016/j.egypro.2014.01.022>
- Chen, L., Jin, X., Chen, H., He, Z., Qiu, L., & Duan, H. (2020). Grain size distribution and clay mineral distinction of rare earth ore through different

methods. *Minerals*, 10(4), 1–27. <https://doi.org/10.3390/min10040353>

- Cheng, H., Zhou, Y., & Liu, Q. (2019). Kaolinite nanomaterials: Preparation, properties and functional applications. In *Nanomaterials from Clay Minerals: A New Approach to Green Functional Materials*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814533-3.00006-5>
- Chua, S. Y., Periasamy, L. A., Goh, C. M. H., Tan, Y. H., Mubarak, N. M., Kansedo, J., Khalid, M., Walvekar, R., & Abdullah, E. C. (2020). Biodiesel synthesis using natural solid catalyst derived from biomass waste — A review. *Journal of Industrial and Engineering Chemistry*, 81, 41–60. <https://doi.org/10.1016/j.jiec.2019.09.022>
- De Lima, A. L., Ronconi, C. M., & Mota, C. J. A. (2016). Heterogeneous basic catalysts for biodiesel production. *Catalysis Science and Technology*, 6(9), 2877–2891. <https://doi.org/10.1039/c5cy01989c>
- Dedzo, G. K., & Detellier, C. (2018). Clay Minerals—Ionic Liquids, Nanoarchitectures, and Applications. *Advanced Functional Materials*, 28(27), 1–12. <https://doi.org/10.1002/adfm.201703845>
- Eze, C. N., Onukwuli, D. O., Ude, C. N., & Gbasouzor, A. I. (2022). Biodiesel synthesis from waste canarium schweinfurtii oil (WCSO) catalyzed by thermal reinforced clay and its kinetics evaluation. *Cleaner Materials*, 6(July), 100145. <https://doi.org/10.1016/j.clema.2022.100145>
- Fangfang, F., Alagumalai, A., & Mahian, O. (2021). Sustainable biodiesel production from waste cooking oil: ANN modeling and environmental factor assessment. *Sustainable Energy Technologies and Assessments*, 46(March), 101265. <https://doi.org/10.1016/j.seta.2021.101265>
- Farhan Hanafi, M., & Sapawe, N. (2019). Effect of Calcination Temperature on the Structure and Catalytic Performance of ZrO<sub>2</sub> Catalyst in Phenol Degradation. *Materials Today: Proceedings*, 19(10), 1533–1536. <https://doi.org/10.1016/j.matpr.2019.11.179>
- Fregolente, P. B. L., Fregolente, L. V., & Wolf Maciel, M. R. (2012). Water content in biodiesel, diesel, and biodiesel-diesel blends. *Journal of Chemical and Engineering Data*, 57(6), 1817–1821. <https://doi.org/10.1021/jc300279c>
- Gámiz, E., Melgosa, M., Sánchez-Marañón, M., Martín-García, J. M., & Delgado, R. (2005). Relationships between chemico-mineralogical composition and color properties in selected natural and calcined Spanish kaolins. *Applied Clay Science*, 28(1-4 SPEC. ISS.), 269–282. <https://doi.org/10.1016/j.clay.2004.02.004>
- Gbarakoro, S. ., Konne, J. ., & Ofodile, S. (2018). Synthesis and Evaluation of Biodiesel Using Calcined and Acid Modified Kono-Boue (Kb) Clays as Catalyst. *International Journal of Chemistry and Chemical Processes*, 4(1), 2545.

- Georgopoulos, G., Badogiannis, E., Tsivilis, S., & Perraki, M. (2021). Thermally and mechanically treated Greek palygorskite clay as a pozzolanic material. *Applied Clay Science*, 215(October), 106306. <https://doi.org/10.1016/j.clay.2021.106306>
- Gopinath, A., Sairam, K., Velraj, R., & Kumaresan, G. (2015). Effects of the properties and the structural configurations of fatty acid methyl esters on the properties of biodiesel fuel: A review. *Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering*, 229(3), 357–390. <https://doi.org/10.1177/0954407014541103>
- Gutiérrez, G. G. (2010). *Oxydation of Clay Nanoreinforced Polyolefins*. Arts et Métiers ParisTech.
- Intarapong, P., Jindavat, C., Luengnaruemitchai, A., & Jai-In, S. (2014). The transesterification of palm oil using KOH supported on bentonite in a continuous reactor. *International Journal of Green Energy*, 11(9), 987–1001. <https://doi.org/10.1080/15435075.2013.829477>
- Jiang, H., Xiang, G., Khoso, S. A., Xie, J., Huang, K., & Xu, L. (2019). Comparative studies of quaternary ammonium salts on the aggregation and dispersion behavior of kaolinite and quartz. *Minerals*, 9(8). <https://doi.org/10.3390/min9080473>
- Kaze, R. C., Beleuk à Mougam, L. M., Fonkwe Djouka, M. L., Nana, A., Kamseu, E., Chinje Melo, U. F., & Leonelli, C. (2017). The corrosion of kaolinite by iron minerals and the effects on geopolymerization. *Applied Clay Science*, 138, 48–62. <https://doi.org/10.1016/j.clay.2016.12.040>
- Lagaly, G., Ogawa, M., & Dékány, I. (2013). Clay mineral-organic interactions. In *Developments in Clay Science* (Vol. 5). <https://doi.org/10.1016/B978-0-08-098258-8.00015-8>
- Mohadesi, M., Aghel, B., Gouran, A., & Razmehgir, M. H. (2022). Transesterification of waste cooking oil using Clay/CaO as a solid base catalyst. *Energy*, 242, 122536. <https://doi.org/10.1016/j.energy.2021.122536>
- Mukhtar, A., Saqib, S., Lin, H., Hassan Shah, M. U., Ullah, S., Younas, M., Rezakazemi, M., Ibrahim, M., Mahmood, A., Asif, S., & Bokhari, A. (2022). Current status and challenges in the heterogeneous catalysis for biodiesel production. *Renewable and Sustainable Energy Reviews*, 157(May 2021), 112012. <https://doi.org/10.1016/j.rser.2021.112012>
- Muresan, E. I., Piroi, C., Creanga, D., Stelea, L., Oprica, L., & Sandu, I. (2016). Glycidyl esters used for multifunctional finishing of textile materials. *Revista de Chimie*, 67(5), 871–875.
- Negara, I. M. S., & Simpen, I. N. (2016). Pemisahan Mineral Kaolin Dari Tanah Lempung Lokal Bali Secara Fraksinasi Ukuran Partikel. *Prosiding Seminar Nasional Saintech*, 98–105.



- Nieto, S., Toro, N., Robles, P., Gálvez, E., Gallegos, S., & Jeldres, R. I. (2022). Flocculation of Clay-Based Tailings: Differences of Kaolin and Sodium Montmorillonite in Salt Medium. *Materials*, 15(3), 1–16. <https://doi.org/10.3390/ma15031156>
- Ningsih, L., Deska, A., Arief, S., Septiani, U., Putri, Y. E., Efdi, M., & Syukri, . (2020). Enrichment of Sawahlunto Clay with Cation Ca<sup>2+</sup> and Cu<sup>2+</sup> and Preliminary Test of its Catalytic Activity in CPO Transesterification Reaction. *Aceh International Journal of Science and Technology*, 9(3), 187–196. <https://doi.org/10.13170/aijst.9.3.17944>
- Peng, C., Wang, G., Qin, L., Luo, S., Min, F., & Zhu, X. (2020). Molecular dynamics simulation of NH<sub>4</sub>-montmorillonite interlayer hydration: Structure, energetics, and dynamics. *Applied Clay Science*, 195(January), 105657. <https://doi.org/10.1016/j.clay.2020.105657>
- Ptáček, P., Frajkorová, F., Šoukal, F., & Opravil, T. (2014). Kinetics and mechanism of three stages of thermal transformation of kaolinite to metakaolinite. *Powder Technology*, 264, 439–445. <https://doi.org/10.1016/j.powtec.2014.05.047>
- Pugazhendhi, A., Alagumalai, A., Mathimani, T., & Atabani, A. E. (2020). Optimization, kinetic and thermodynamic studies on sustainable biodiesel production from waste cooking oil: An Indian perspective. *Fuel*, 273(April), 117725. <https://doi.org/10.1016/j.fuel.2020.117725>
- Raqeeb, M. A., & R., B. (2015). Biodiesel production from waste cooking oil. *Journal of Chemical and Pharmaceutical Research*, 7(12), 670–681. [www.jocpr.com](http://www.jocpr.com)
- Rattanaphra, D., Harvey, A., & Srinophakun, P. (2010). Simultaneous conversion of triglyceride/free fatty acid mixtures into biodiesel using sulfated zirconia. *Topics in Catalysis*, 53(11–12), 773–782. <https://doi.org/10.1007/s11244-010-9463-2>
- Shah, S. H., Raja, I. A., Rizwan, M., Rashid, N., Mahmood, Q., Shah, F. A., & Pervez, A. (2018). Potential of microalgal biodiesel production and its sustainability perspectives in Pakistan. In *Renewable and Sustainable Energy Reviews* (Vol. 81, Issue June 2016, pp. 76–92). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2017.07.044>
- Sharma, P., Usman, M., Salama, E. S., Redina, M., Thakur, N., & Li, X. (2021). Evaluation of various waste cooking oils for biodiesel production: A comprehensive analysis of feedstock. *Waste Management*, 136(August), 219–229. <https://doi.org/10.1016/j.wasman.2021.10.022>
- Slaný, M., Kuzielová, E., Žemlička, M., Matejdes, M., Struhárová, A., & Palou, M. T. (2023). Metabentonite and metakaolin-based geopolymers/zeolites: relation between kind of clay, calcination temperature and concentration of alkaline activator. *Journal of Thermal Analysis and Calorimetry*, 148(20), 10531–10547. <https://doi.org/10.1007/s10973-023-12267-1>

- Syukri, S., Febiola, F., Rahmayeni, R., Efdi, M., Putri, Y. E., & Septiani, U. (2022). Effect of thermal treatment and nickel salt modification on the catalytic performance of the illite kaolinite clay from Bukittinggi of West Sumatra in palm oil transesterification. *Herald of the Bauman Moscow State Technical University, Series Natural Sciences*, 2(101), 125–136.
- Syukri, S., Ferdian, F., Rilda, Y., Putri, Y. E., Efdi, M., & Septiani, U. (2021). Synthesis of graphene oxide enriched natural kaolinite clay and its application for biodiesel production. *International Journal of Renewable Energy Development*, 10(2), 307–315. <https://doi.org/10.14710/ijred.2021.32915>
- Syukri, S., Septioga, K., Arief, S., Putri, Y. E., Efdi, M., & Septiani, U. (2020). Natural clay of pasaman barat enriched by cao of chicken eggshells as catalyst for biodiesel production. *Bulletin of Chemical Reaction Engineering & Catalysis*, 15(3), 662–673. <https://doi.org/10.9767/BCREC.15.3.8097.662-673>
- Tamilselvan, P., Sassykova, L., Prabhakar, M., Bhaskar, K., Kannayiram, G., Subramanian, S., & Prakash, S. (2020). Influence of saturated fatty acid material composition in biodiesel on its performance in internal combustion engines. *Materials Today: Proceedings*, 33, 1181–1186. <https://doi.org/10.1016/j.matpr.2020.07.626>
- Taslimah, T., Kusumawardani, R., & Azmiyawati, C. (2008). Pilarisasi Lempung dengan Al<sub>2</sub>O<sub>3</sub> untuk Agen Pemucat Minyak Sawit. *Jurnal Kimia Sains Dan Aplikasi*, 11(2), 48–51.
- Ude, C. N., & Onukwuli, O. D. (2019). Kinetic modeling of transesterification of gmelina seed oil catalyzed by alkaline activated clay (NaOH/clay) catalyst. *Reaction Kinetics, Mechanisms and Catalysis*, 127(2), 1039–1058. <https://doi.org/10.1007/s11144-019-01604-x>
- Ullah, Z., Bustam, M. A., & Man, Z. (2015). Biodiesel production from waste cooking oil by acidic ionic liquid as a catalyst. *Renewable Energy*, 77, 521–526. <https://doi.org/10.1016/j.renene.2014.12.040>
- Vasu, S., Manikandan, A. V., Cholapandian, K., & Dhasarathan, P. (2023). Production of biodiesel from *Phyllanthus emblica* seeds using activated charcoal as heterogenous catalyst. *Materials Today: Proceedings*, xxx. <https://doi.org/10.1016/j.matpr.2023.05.093>
- Wang, Y., Muhammad, Y., Yu, S., Fu, T., Liu, K., Tong, Z., Hu, X., & Zhang, H. (2022). Preparation of Ca-and Na-Modified Activated Clay as a Promising Heterogeneous Catalyst for Biodiesel Production via Transesterification. *Applied Sciences (Switzerland)*, 12(9). <https://doi.org/10.3390/app12094667>
- Wimpenny, J. (2018). Clay Minerals. In *Encyclopedia of Geochemistry* (pp. 265–275). [https://doi.org/10.1007/978-3-319-39312-4\\_51](https://doi.org/10.1007/978-3-319-39312-4_51)
- Yahya, S., Muhamad Wahab, S. K., & Harun, F. W. (2020). Optimization of

- biodiesel production from waste cooking oil using Fe-Montmorillonite K10 by response surface methodology. *Renewable Energy*, 157, 164–172. <https://doi.org/10.1016/j.renene.2020.04.149>
- Yaqoob, H., Teoh, Y. H., Sher, F., Farooq, M. U., Jamil, M. A., Kausar, Z., Sabah, N. U., Shah, M. F., Rehman, H. Z. U., & Rehman, A. U. (2021). Potential of waste cooking oil biodiesel as renewable fuel in combustion engines: A review. *Energies*, 14(9). <https://doi.org/10.3390/en14092565>
- Zhang, H., Aytun Ozturk, U., Wang, Q., & Zhao, Z. (2014). Biodiesel produced by waste cooking oil: Review of recycling modes in China, the US and Japan. *Renewable and Sustainable Energy Reviews*, 38, 677–685. <https://doi.org/10.1016/j.rser.2014.07.042>
- Zhang, Z. Y., Huang, L., Liu, F., Wang, M. K., Fu, Q. L., & Zhu, J. (2017). The properties of clay minerals in soil particles from two Ultisols, China. *Clays and Clay Minerals*, 65(4), 273–285. <https://doi.org/10.1346/CCMN.2017.064064>
- Zhao, Y., Wang, C., Zhang, L., Chang, Y., & Hao, Y. (2021a). Converting waste cooking oil to biodiesel in China: Environmental impacts and economic feasibility. *Renewable and Sustainable Energy Reviews*, 140(January), 110661. <https://doi.org/10.1016/j.rser.2020.110661>
- Zhao, Y., Wang, C., Zhang, L., Chang, Y., & Hao, Y. (2021b). Converting waste cooking oil to biodiesel in China: Environmental impacts and economic feasibility. *Renewable and Sustainable Energy Reviews*, 140(October 2020), 110661. <https://doi.org/10.1016/j.rser.2020.110661>
- Zheng, D., Liang, X., Cui, H., Tang, W., Liu, W., & Zhou, D. (2022). Study of performances and microstructures of mortar with calcined low-grade clay. *Construction and Building Materials*, 327(February), 126963. <https://doi.org/10.1016/j.conbuildmat.2022.126963>
- Zhou, C. H., Zhao, L. Z., Wang, A. Q., Chen, T. H., & He, H. P. (2016). Current fundamental and applied research into clay minerals in China. *Applied Clay Science*, 119, 3–7. <https://doi.org/10.1016/j.clay.2015.07.043>
- Zunino, F., & Scrivener, K. (2020). Increasing the kaolinite content of raw clays using particle classification techniques for use as supplementary cementitious materials. *Construction and Building Materials*, 244, 118335. <https://doi.org/10.1016/j.conbuildmat.2020.118335>
- Zuo, Q., Gao, X., Yang, J., Zhang, P., Chen, G., Li, Y., Shi, K., & Wu, W. (2017). Investigation on the thermal activation of montmorillonite and its application for the removal of U(VI) in aqueous solution. *Journal of the Taiwan Institute of Chemical Engineers*, 80, 754–760. <https://doi.org/10.1016/j.jtice.2017.09.016>