

## DAFTAR PUSTAKA

- Abu Bakar, M. F., Mohamed, M., Rahmat, A., & Fry, J. (2009). Phytochemicals and antioxidant activity of different parts of bambangan (*Mangifera pajang*) and tarap (*Artocarpus odoratissimus*). *Food Chemistry*, 113(2), 479–483. <https://doi.org/10.1016/j.foodchem.2008.07.081>.
- Adi, A. C., Setiawaty, N., Anindya, A. L., & Rachmawati, H. (2019). Formulasi Dan Karakterisasi Sediaan Nanoemulsi Vitamin A. *Media Gizi Indonesia*, 14(1), 1-3. <https://doi.org/10.204736/mgi.v14i1.1-13>.
- Ahmed, K., Li, Y., McClements, D.J., Xiao, H., 2012. Nanoemulsion- and emulsion-based delivery systems for curcumin: Encapsulation and release properties. *Food Chem.* 132, 799–807.
- Akanbi, T.O. and Barrow, C.J. (2018). Lipase-produced hydroxy tyrosyl eicosapentaenoate is an excellent antioxidant for the stabilization of omega-3 bulk oils, emulsions and microcapsules. *Molecules*, 23(2), 275.
- Akhtar, F., Rizvi, M. M., & Kar, S. K. (2012). Oral delivery of curcumin bound to chitosan nanoparticles cured *Plasmodium yoelii* infected mice. *Elsevier:Biotechnology Advances*, 310-320. <https://doi.org/10.1016/j.biotechadv.2011.05.009>.
- Amidon, G.L., Lennernäs, H., Shah, V.P., Crison, J.R., 1995. A Theoretical Basis for a Biopharmaceutic Drug Classification: The Correlation of in Vitro Drug Product Dissolution and in Vivo Bioavailability. *Pharm. Res.* 12, 413– 420.
- Angelia, F., Purwastyastuti, Louisa, M., & Menaldi, S. L. (2019). Teknologi Nano Di Bidang Dermatologi Kosmetik. *MDVI*, 46(2), 92-98.
- Anindhita, M.A., dan Nila O, 2016 Formulasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Ekstak Daun Pepaya (*Carica papaya L.*) dengan Virgin Coconut Oil (VCO) sebagai Minyak Pembawa, *Jurnal Pena Medika*, Vol. 6(2)
- Ansel, H.C. Pengantar Bentuk sediaan Farmasi. Terjemahan, Edisi 4. Jakarta: UI Press. 2008
- Anwar, E., 2012, Eksipien dalam Sediaan Farmasi; Karakterisasi dan Aplikasi, Edisi I, Dian Rakyat, Jakarta, Hal: 196, 264-267.
- Ardana, K., Indris, dan Muliani. 2013. “Uji Daya Hambat Ekstrak Daun Mangrove (*Sonneratia alba*) Pada Bakteri *Vibrio Harvei* secara In Vitro”. Program study Budidaya Perairan FPIK. 11,33.
- Arun, J.K., Rajeshwar V, Shrivastava, B., Bakshi, V. 2020. Self Nano Emulsifying Drug Delivery System: A Novel Technique for Enhancement of Oral Bioavailability. *Research Journal of Pharmacy and Technology*. DOI: 10.5958/0974-360X.2020.00448.5.
- Arung, Kuspradini, H., Kusuma, I.W, Bang, T.H, Yamashita, S., Katakura, Y., Shimizu, K. 2015, Effects of isolated compound from *Sonneratia caseolaris* leaf: a validation of traditional utilization by melanin biosynthesis and antioxidant assays, *Journal of Applied Pharmaceutical Science* Vol. 5 (10), pp. 039-043
- Avenido, P., Serrano, and Jr.A.E. 2012. “Effects of The Apple Mangrove (*Sonneratia caseolaris*) On Growth, Nutrient Utilization and Digestive Enzyme Activities of The Black Tiger Shrimp *Penaeus Monodon* Postlarvae”.

- European Journal of Experimental Biology*. Vol. 2(5): 1603-1608.ISSN: 2248-9215.
- Ayu, D.F. dan Diharmi, A., 2019. Karakteristik Minyak Ikan Dari Lemak Abdomen Hasil Sampung 22: 11.
- Badan POM RI. 2011. Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor HK.03.1.23.08.11.07331 Tahun 2011 Tentang Metode Analisis Kosmetika. Jakarta: BPOM.
- Bag, A. and Chattopadhyay, R.R. (2018). Evaluation of antioxidant potential of essential oils of some commonly used Indian spices in vitro models and in food supplements enriched with omega-6 and omega-3 fatty acids. *Environ. Sci. Pollut. Res. Int*, 25(1), 388-398.
- Baie, S.H. and Sheikh, K.A. (2000). The wound healing properties of *Channa striata*-cetrimide cream wound contraction and glycosaminoglycan measurement. *Journal of Ethnopharmacology*, 73(1-2), 15-30.
- Bako T, Umogbai, V.I. and Awulu JO., 2017. Criteria for the extraction of fish oil. *Journal Agricultural Engineering International*, 19(3), 120-132
- Banani, R., Youssef, S., Bezzarga, haM., dan Abderrabba, M., 2015. Waste frying oil with high levels of free fatty acids as one of the prominent sources of biodiesel production. *Journal of Materials and Environmental Science*, 6: 1178-1185.
- Banik, K, Rath, S., Gupt, BK. 2019. Chromatographic Estimation of Niacinamide in Anti aging Dermatological product. *Research Journal of Pharmaceutical Dosage Forms and Technology*. DOI: 10.5958/2231-5675.2019.00013.9. Asian Journal of Pharmaceutical Analysis Yadav, Dinesh.
- Barel A.O., Paye M. and Maibach H.I., 2009, *Handbook of Cosmetic Science and Technology*, 3rd Editio., Informa Healthcare USA, Inc., New York.
- Bich, T.T.N., Tri, D.Q., Yi-Ching, C. and Khoa, H.D. (2020). Productivity and economic viability of snakehead *Channa striata* culture using an aquaponics approach. *Journal Aquacultural Engineering*, 89, 1-9
- Biswas, A. K., M.R. Islam, Z.S. Choudhury, A. Mostafa, and M.F. Kadir (2014). Nanotechnology based approaches in cancer therapeutics. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 5(4).
- Catur, J., Maggdani, B. P. dan Hayun.2015. Evaluasi Aktivitas Antioksidan Senyawa 4-[(E)-2-(4-okso3-fenilkuinazolin-2il) etenil] Benzensulfonamida dan Analognya. *Pharm Sci Res* 2(3):143-151.
- Chaudary, A., Tomar, SB, Verma, KK. Role of Nanoemulsion as Drugs Delivery Systems in Ophthalmology: A Comprehensive Review. *Research Journal of Pharmacy and Technology*. 2022; 15 (7): 3285-4. doi: 10.52711/0974-360x.2022.00551.
- Chedoloh R, Karrila TT & Pakdeechanuan P. 2011. Fatty acid composition of important aquatic animals in southern Thailand. *Food Res Int* 18: 758-765.
- Dahan, A., Hoffman, A., 2008. Rationalizing the selection of oral lipid based drug delivery systems by an in vitro dynamic lipolysis model for improved oral bioavailability of poorly water soluble drugs. *J. Control. Release Off. J. Control. Release Soc.* 129, 1-10
- Dahlan-Daud CK, Mat Jais AM, Ahmad Z, Md Akim A & Adam A. 2010. Amino and fatty acids composition in haruan traditional extract. *Boletin Latinoamericano y del Caribe de Plantas Medicinales y Aromaticas* 9(5): 414-

429.

- Date, A. A., & Nagarsenker, M. S. (2007). Design and evaluation of self-nanoemulsifying drug delivery systems (SNEDDS) for cefpodoxime proxetil. *International Journal of Pharmaceutics*, 329(1-2), 166-172.
- Departemen Kesehatan RI. 2000. *Parameter Standar Umum Ekstrak Tumbuhan Obat*. Jakarta: Departemen Kesehatan Republik Indonesia. Hal: 3-6.
- Departemen kesehatan RI., 2009, *Farmakope Herbal Indonesia*, Departemen Kesehatan RI, Jakarta.
- Donglikar MM, Deore SL. Sunscreens: A review. *Pharmacognosy Journals*. 2016;8(3).
- Draeos, Z .D., and Laurend. A. T. *Cosmetic Formulation of Skin Care Products*. 2006, 234-235, Taylor and Francis Group, New York.
- Draganoiu, E., A Rajabi, S., S Tiwari. *Handbook of Cosmetic Science and Technology*, 2009; 110-113, Pharmaceutical Press, London.
- Durkin, L.A., Childs, C.E. and Calder, P.C. (2021). Omega-3 Polyunsaturated Fatty Acids and the Intestinal Epithelium—A Review. *Foods*, 10(1), 199.
- el Ghissassi F, Baan R, Straif K, Grosse Y, Secretan B, Bouvard V, et al. A review of human carcinogens—part D: radiation. *Lancet Oncol*. 2009;10(8):751–2.
- EL-Gindy, A. dan Hadad, G.M., 2012. Chemometrics in Pharmaceutical Analysis: An Introduction, Review, and Future Perspectives. *Journal of AOAC INTERNATIONAL*, 95: 609–623
- Endinkeau K & Kiew TK. 1993. Profile of fatty acids contents in Malaysian freshwater fishes. *Pertanika J Trop Agric Sci* 16(3): 215-223.
- Ervawi. 2017. *Mangrove Investasi Dunia Akhirat*. Bogor: Alinea pertama Indonesia. Hal: 106-108.
- Fox L, Gerber M, Du Preez J, Grobler A, Du Plessis J. 2011, Topical and transdermal delivery of L-carnitine. *Skin pharmacology and physiology*. 24(6):330-6. Doi: <https://doi.org/10.1159/000330385>
- Gao, L., Zhang, D., & Chen, M. (2008). Drug Nanocrystals For The Formulation Of Poorly Soluble Drugs And Its Application As A Potential Drug Delivery System. *J Nanopart Res*, 10, 845-862. <https://doi.org/10.1007/s11051-008-9357-4>.
- Gawehn, E., Hiss, J. A., dan Schneider, G. (2016): Deep learning in drug discovery. *Molecular Informatics*, 35(1), 3–14
- Goldman, R dan Klatz, R. 2007. *Anti-Aging Revolution*. Australasian Edition. Theoris of aging.
- Gordon, M.H., 2005. FOOD AND NUTRITIONAL ANALYSIS | Antioxidants and Preservatives, dalam: *Encyclopedia of Analytical Science*. Elsevier, hal. 225–230.
- Gotoh, N., Miyake, S., Takei, H., Sasaki, K., Okuda, S. and Ishinaga, M. (2011). Simple Method for Measuring the Peroxide Value in a Colored Lipid. *Food Analytical Methods*, 4, 525–530.
- Gragnan A. et al, 2014, *Scientific Research, Review of Major Theories of Skin Aging*, 265-284.
- Greider CW and Blackburn EH 1996. Telomeres, Telomerase and Cancer. *Scientific American*, p: 92. <http://www.genethik.de/telomerase.htm>.



- Hanukoglu, I., 2006. Antioxidant protective mechanisms against reactive oxygen species (ROS) generated by mitochondrial P450 systems in steroidogenic cells. *Drug Metabolism Reviews*, 38: 71–196.
- Harmita, 2004. Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. Departemen Farmasi FMIPA-UI :Jakarta.
- Harshitha, V. Venkata Swamy, M. Prasanna Kumar, D. Sai Rani, K. Trinath, A. 2020. *Nanoemulgel: A Promising in Drug Delivery System*. DOI: 10.5958/0975-4377.2020.00022.1.
- Heidari, M., Talebpour, Z., Abdollahpour, Z., Adib, N., Ghanavi, Z. and Aboul-Enain, H.Y. (2020). Discrimination between vegetable oil and animal fat by a metabolomics approach using gas chromatography–mass spectrometry combined with chemometrics. *Journal of Food Science and Technology*, 57(9), 3415–3425.
- Herwinda, S., dan M, Amir. 2013. Aktivitas Ekstrak dan Fraksi Daun *Soneratia caseolaris* L Sebagai Antioksidan, Prosiding Seminar Nasional Kimia 2013. Hal 164-169.
- Hodos, R. A., Kidd, B. A., Shameer, K., Readhead, B. P., dan Dudley, J. T. (2016): In silico methods for drug repurposing and pharmacology. *Wiley Interdisciplinary Reviews: Systems Biology and Medicine*, 8(3), 186–210.
- Horwitz, W., 2002. Official methods of analysis of AOAC International, 17th edition. ed. AOAC International, Gaithersburg.
- Huda, N., dan Iis W., 2016, Karakterisasi Self Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Buah Merah (*Pandanus conoideus* Lam.), Jurnal Farmasi dan Ilmu Kefarmasian Indonesia, Vol.3 (2). Hal.49-57
- Huli, L.O., Suseno, S.H., dan Santoso, J.-, 2015. Fish oil quality of by-product (fish skin) from swangi fish. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 17: 232.
- Iannacone MR, Hughes MCB, Green AC. Effects of sunscreen on skin cancer and photoaging. *Photodermatol Photoimmunol Photomed*. 2014;30(2–3):55–61.
- Ikasari, D., Hastarini, E. and Suryaningrum, T.D. (2020). Characteristics of Cookies Formulated with Fish Protein Concentrate Powder Produced from Snakehead Fish (*Channa striata*) Extraction By Product. Presented at E3S Web of Conferences, 147. The Authors, published by EDP Sciences
- Ikhsan, A.N., Rohman, A., Putri, A.R., Syifa, F. and Mustafidah, M.R. (2021). Application of FTIR Spectroscopy and Chemometrics for the Prediction of Radical Scavenging Activities of Fish oils. *Indonesian Journal of Pharmacy*, 32(2), 166–174.
- Ilza M, and Sukmiwati M. (2020). The Use of “jambal” Fish (*Pangasius hypophtalmus*) and Grouper (*Cromileptes* sp) Oils for Infant Biscuit Formulation. IOP Conference Series: Earth Environmental Science. 430(1). The Authors, published by IOP Publishing.
- Iradhati A.H and Jufri M., 2017, Formulation and Physical Stability Test of Griseofulvin Microemulsion Gel, *Internasional journal of Applied Pharmaceutics*, 9 (4),7-10.
- Jadoon S, Karim S, Bin Asad MH, Akram MR, Khan AK, Malik A, Chen C, Murtaza G. Anti-Aging Potential of Phytoextract Loaded-Pharmaceutical Creams for Human Skin Cell Longevity. *Review Article*. Hindawi Publishing Oxid Med Cell Longev. 2015; 709628. doi: 10.1155/2015/709628.

- Jaya-Ram A, Ishak AD, Enyu Y, Kuah MK, Wong K & Shu-Chien AC. 2011. Molecular cloning and ontogenic mRNA expression of fatty acid desaturase in the carnivorous striped snakehead fish (*Channa striata*). *Comp Biochem Physiol A Molec Integr Physiol* 158(4): 415-422.
- Jayprakash. S. Suryawanshi, Shivaji. P. Gawade. 2020. Enhanced anti-arthritic effect of mustard oil in Nanoemulgel Formulation: A Comparative clinical study. *Research Journal of Pharmacy and Technology*. DOI: 10.5958/0974-360X.2020.00662.9.
- Jubaidah, S, Syamsul,E.S., Supomo, Wijaya, H., Poddar,S. Formulation cream from extract of red pidada leaves (*Sonneratia caseolaris* L.) as a sunscreen and analysis of active compounds with Liquid Chromatography-High Resolution Mass Spectrometry (LC-HRMS) method. *Research Journal of Pharmacy and Technology*. 2023; 16(2):781-5, doi: 10.52711/0974-360X.2023.00134.
- Karapanagiotidis IT, Yakupitiyage A, Little DC, Bell MV & Mente E. 2010. The nutritional value of lipids in various tropical aquatic animals from rice-fish farming systems in northeast Thailand. *J Food Composition Analysis* 23(1): 1- 8.
- Kaur, R., & Ajitha, M. Transdermal delivery of fluvastatin loaded nanoemulsion gel: Preparation, characterization and in vivo anti-osteoporosis activity. *European Journal of Pharmaceutical Sciences*. 2009; 136, 104956. doi: 10.1016/j.ejps.2019.104956.
- Kementerian kesehatan RI., 2017. Farmakope Herbal Indonesia Edisi II, Jakarta: Kementerian Kesehatan RI. 527–528.
- Khadijah, Ahmad Muchsin Jayali, Sudir Umar, I. S. 2017. Penentuan Total Fenolik Dan Aktivitas Antioksidan Ekstrak Etanolik Daun Samama (*Anthocephalus Macrophylus*) Asal Ternate, Maluku Utara. *Jurnal Kimia Mulawarman*, 15(1), 11. <https://doi.org/10.30872/jkm.v15i1.495>
- Khan, W., Ansari,V.A., Hussain. Z. 2020. Self-Nano Emulsifying Drug Delivery System (SNEDDS) for Ocular Administration. *Research Journal of Pharmacy and Technology*. DOI: 10.5958/0974-360X.2020.00973.7.
- Kheiri A, Aliakbarlu J, Tahmasebi R. Antioxidant potential and fatty acid profile of fish fillet: effects of season and fish species. *Vet Res Forum*. 2022 Mar;13(1):91-99. doi: 10.30466/vrf.2021.526596.3153. Epub 2022 Mar 15. PMID: 35601784; PMCID: PMC9094578.
- Klatz, R. dan R. Goldman. 2003. *Anti-Aging Revolution*. Basic Health Publications, Inc.: North Bergen.
- Latha, M.S. dkk. 2013. Sunscreening Agents. *The Journal of Clinical and Aesthetic Dermatology*. 6 (1) :16-26.
- Lawrence, M.J. & Rees, G.D., 2000. *Microemulsion-based media as novel drug delivery system*. *Adv Drug Deliv Rev*, 45(6), pp.89-121.
- Lee J.-O., Hwang S.-H., Shen T., Kim J.H., You L., Hu W., Cho J.Y. Enhancement of skin barrier and hydration-related molecules by protopanaxatriol in human keratinocytes. *J. Ginseng. Res*. 2021;45:354–360.
- Lee PG & Ng PKL. 1994. The systematic and ecology of snakeheads (Pisces: Channidae) in Peninsular Malaysia and Singapore. *Hydrobiologia* 285: 59-74.
- Lephart ED. (2018). Equol's anti-aging effects protect against environmental assaults by increasing skin antioxidant defense and ECM proteins while decreasing oxidative stress and inflammation. *Journal Cosmetics*, 5(1),1–17.

- Linder J. Cosmeceutical treatment of the aging face. *Aesthetic Medicine*: Springer; 2012. p. 69-84.
- Magdy I. M. 2004. Optimization of Chlorphenesin Emulgel Formulation: The AAPS Journal 2004; 6 (3) Article 26 (<http://www.aapsj.org>):h. 1-7
- Mahdi, L., Sudiby, R.S., and Martien, R. Self-Nano Emulsifying Drug Delivery System (SNEDDS) of Curcuma mangga Val. Essential Oil and The Stability Study. *Indonesian Journal of Pharmacy*. 2020; 31(4): 238–243. doi: <https://doi.org/10.22146/ijp.584>
- Mardikasari, S. A., Jufri, M., & Djajadisastra, J. (2016). Formulation and In-Vitro Penetration Study of Topical Dosage Form of Nanoemulsion from Genistein of *Sophora japonica* Linn. *Jurnal Ilmu Kefarmasian Indonesia*, 14(2), 190-198.
- Mat Jais AM, McCulloch R & Croft K. 1994. Fatty acid and amino acid composition in haruan as a potential role in wound healing. *Gen Pharmacol: Vascular System* 25(5): 947-950.
- Michniak-Kohn B, Leonardi GR. An overview about oxidation in clinical practice of skin aging. *Anais brasileiros de dermatologia*. 2017;92(3):367-74. doi: [10.1590/abd1806-4841.20175481](https://doi.org/10.1590/abd1806-4841.20175481)
- Mishra, K., Paliwal, P., Farooqui, N., Gawshinde. A. 2021. *Formulation and Evaluation of Polyherbal Antiaging Cream*. *Asian Journal of Pharmacy and Technology*. DOI: 10.52711/2231-5713.2021.00047.
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakar J. Sci. Technol.*, 26(2), 211-21
- Möschwitzer, G. Achleitner, H. Pomper, R.H. Müller, Development of an intravenously injectable chemically stable aqueous omeprazole formulation using nanosuspension technology, *Eur. J. Pharm. Biopharm.* 58 (2004) 615–619.
- Mueller-Goyman, Liquid crystals in emulsions, creams and gels, containing ethoxylated alcohols as surfactants, *Pharm. Res.* (1984) 154–158.
- Muliyawan, Dewi & Suriana, Neti (2013), *A-Z Tentang Kosmetik*, Jakarta: PT Elex Media Komputerindo
- Murugavel, S., Ravikumar, C., Jaabil, G., dan Alagusundaram, P. 2019: Synthesis, computational quantum chemical study, in silico ADMET and molecular docking analysis, in vitro biological evaluation of a novel sulfur heterocyclic thiophene derivative containing 1, 2, 3-triazole and pyridine moieties as a potential human topo. *Computational Biology and Chemistry*, 79, 73–82
- Nagase, H., Visse, R. and Murphy, G. (2006). Structure and function of matrix metalloproteinases and TIMPs. *Cardiovascular Research Journal*, 69, 562–573.
- Neslihan Gursoy, R., Benita, S., 2004. Selfemulsifying drug delivery systems (SEDDS) for improved oral delivery of lipophilic drugs. *Biomed. Pharmacother.* 58, 173–182.
- Ningsih, N., Yasni, S dan Yulian, S. 2017. Sintesis Emulgel Ekstrak daun pidada merah Merah dan Kajian Sifat Fungsional Produk Enkapsulasinya. *Jurnal Teknologi dan Industri Pangan* Vol. 28 (1). Hal 27-35.
- Nugroho, B.H. dan Nilam P.S., 2018, Formulation of Self Nano Emulsifying Drug Delivery System (SNEDDS) Karamunting Leaf Extract (*Rhodomyrtus tomentosa* (Ait.) Hassk), *Jurnal Ilmiah Farmasi*, Vol. 14(1).



- Nurmalasari, F., Ersam, T., dan Fatmawati, S. 2016. "Isolasi Senyawa Antioksidan dari daun Batang *Sonneratia ovata* Backer". *Jurnal Sains dan Seni ITS*. Vol. 5(2): 2337-3520.
- Ott, E. S., & Shay, N. F. (2001). Zinc Deficiency Reduces Leptin Gene Expression and Leptin Secretion in Rat Adipocytes. *Experimental Biology and Medicine*. 226(9):841–846.
- Pasaribu, Y.P., Buyang, Y., Suryaningsih, N.L.S., Dirpan, A., Djalal, M. (2020). Effect of steaming and pressurized boiling process to the nutrient profile of Papuan cork fish *Channa striata* as potential protein-rich food to prevent stunting. *Medicina Clinica Practica*, 3(1).
- Patel, P. A., Chavhan, S. S., Soni, H. N., & Sawant, K. K. (2015). Self-nanoemulsifying drug delivery system for enhanced oral bioavailability of rosuvastatin calcium. *Biomedicine & Pharmacotherapy*, 70, 229-234.
- Piérard GE, Uhoda I, Piérard-Franchimont C. From skin microrelief to wrinkles. An area ripe for investigation. *Journal of cosmetic F. J. Rahmania et al / Indo J Pharm 1* (2020) 20-26 *25 dermatology*. 2003;2(1):21-8. doi: 10.1111/j.1473-2130.2003.00012.x.
- Pisoschi, G.P. and Negulescu, Methods for Total Antioxidant Activity Determination: A Review, *Biochem & Anal Biochem*, 1:1, 1-10 (2011)
- Pittayapruek, P., Meephansan, J., Prapapa, Komine, dan Ohtsuki, 2016, Role of Matrix Metalloproteinases in Photoaging and Photocarcinogenesis, *International Journal of Molecular Science*, 17-23.
- Pokorn, J., 2005. Ultraviolet-Visible Spectrophotometry in the Analysis of Lipid Oxidation 2
- Porter, C.J.H., Pouton, C.W., Cuine, J.F., Charman, W.N., 2008. Enhancing intestinal drug solubilisation using lipid-based delivery systems. *Adv. Drug Deliv. Rev.* 60, 673–691
- Pouton, C.W., 2000. Lipid formulations for oral administration of drugs: non-emulsifying, self-emulsifying and "self-microemulsifying" drug delivery systems. *Eur. J. Pharm. Sci. Off. J. Eur. Fed. Pharm. Sci.* 11 Suppl 2, S93-98.
- Prasetyo, BE, Laila, L, Hanum, I. 2022. Physical Characterization of Nanoemulgel containing Ethanol Extract of *Curcuma mangga* Val. using Carbopol 940 as Gelling agent. *Research Journal of Pharmacy and Technology*. 2022; 15 (7): 3020-4. doi: 10.52711/0974-360x.2022.00504.
- Pratiwi A, Sari R, Widyawaruyanti A. TLC-Densitometry Analysis Method of Asiaticoside Assay and Antioxidant Activity of *Centella Asiatica* (L.) Urban Extract. *Trop J. Pharm Res* 2023, 7(9): 4003-4009.
- Putri, A.R., Rohman, A., and Riyanto, S. (2019). Authentication of Patin (*Pangasius micronemus*) fish oil adulterated with palm oil using FTIR spectroscopy combined with chemometrics. *International Journal of Applied Pharmaceutics*, 1(1), 195–199.
- Putri, A.R., Rohman, A., Riyanto, S. and Setyaningsih, W. (2021). Classification and prediction of patin fish oil's antioxidant activities from different origins using FTIR spectroscopy and chemometrics. *International journal of pharmaceutical research*, 13(1), 990-998.
- Quatrano NA, Dinulos JG. Current principles of sunscreen use in children. Vol. 25, *Current Opinion in Pediatrics*. 2013. p. 122–9.

- Quiñones, D. dan Ghaly, E. S. Formulation and Characterization of Nystatin Gel, Puerto Rico Health Science Journal, San Juan, 2008, 27(1), 61-67. PMID: 18450235.
- Rahman A., The SH, Osman H & Daud NM. 1995. Fatty acid composition of some Malaysian freshwater fish. Food Chem 54: 45-49.
- Rahmi, D., Yunilawati, R., & Ratnawati, E. (2013). Peningkatan Stabilitas Emulsi Krim Nanopartikel Untuk Mempertahankan Kelembaban Kulit. Journal Kimia Kemasan, 35(1), 30-36
- Rao, J., Decker, E.A., Xiao, H., McClements, D.J., 2013. Nutraceutical nanoemulsions: influence of carrier oil composition (digestible versus indigestible oil) on  $\beta$ -carotene bioavailability. J. Sci. Food Agric. 93, 3175–3183
- Restu, W.K., Sampora, Y., Meliana, Y., dan Haryono, A., 2015. Effect of Accelerated Stability Test on Characteristics of Emulsion Systems with Chitosan as a Stabilizer. Procedia Chemistry, 16: 171–176.
- Rismana, E., Susi, K., Olivia, B., Idah, R., Marhamah. 2013. Sintesis dan Karakterisasi Emulgel Kitosan-Ekstrak daun manggis (*Garcinia mangostana*). Jurnal Penelitian Sains Teknologi Vol 14. Hal 189-196.
- Rogers T. L., 2009, *Handbook of Cosmetic Science and Technology*, 326-329, Pharmaceutical Press, London.
- Rohman, A. 2007. Kimia Analisis Farmasi. Cetakan Pertama. Pustaka Pelajar :Yogyakarta
- Rohman, A., Riyanto, S., Windarsih, A., Irnawati, Khadijah, dan Rosiana Putri, A., 2019. Karakterisasi Minyak Dan Lemak. Pustaka Pelajar, Yogyakarta.
- Rohman, A.; Widodo, H.; Lukitaningsih, E.; Windarsih, A.; Rafi, M.; Nurrulhidayah, A.F. (2020). Review on in Vitro Antioxidant Activities of Curcuma Species Commonly Used as Herbal Components in Indonesia. *Food Research*, 4(2), 289-293.
- Rorong, J.A. dan Suryanto, E. 2010. Analisis Fitokimia Enceng Gondok (*Eichhornia crassipes*) dan Efeknya Sebagai Agen Photoreduksi  $Fe^{3+}$ . Chem. Programam. 3 (1).
- Rowe, P.J. Sheskey, S.C. Owen, Handbook of Pharmaceutical Excipients, Pharmaceutical Press, London, 2006.
- Rowe, Raymond C., Sheskey, Paul J & Quinn, Marian E., 2009, Handbook Of Pharmaceutical Excipients, USA, RPS.
- Ruxton, C.H.S., Reed, S.C., Simpson, J.A., dan Millington, K.J., 2007. The health benefits of omega-3 polyunsaturated fatty acids: a review of the evidence. *Journal of Human Nutrition and Dietetics*, 20: 275–285.
- Sadhu, S.K., Ahmed, F., Ohtsuki, T., and Ishibashi, M. 2006. Flavonoids from *Sonneratia caseolaris*. *Journal of Natural Medicine*. 60: 264-265. doi: 10.1007/s11418-006-0029-3.
- Sadikin, M. 2002. Biokimia Enzim. Jakarta: Widya Medika.
- Sadowska A.M, Manuel-y-Keenoy B, De Backer W.A *Sonneratia caseolaris*. *Journal of Natural Medicine*, 2006; 60, 264-265.
- Saefudin, A. 2006. Enzim. Cibinong:Pusat Penelitian Bioteknologi. LIPI.
- Saha, S, Sharma, A., Saikia, P., Chakrabarty, T. 2013. Phytosome: A Brief Overview. Scholars Academic Journal of Pharmacy (SAJP)Sch. Acad. J. Pharm., 2013; 2(1):12-20.



- Saifuddin, A., Rahayu, V., dan Teruna, H.Y., 2011, *Standardisasi Bahan Obat Alam*. Graha Ilmu, Yogyakarta.
- Saindane, K. Pagar, P. Vavia, Nanosuspension based in situ gelling nasal spray of carvedilol: development, in vitro and in vivo characterization, *AAPS PharmSciTech* (2013) 189–199.
- Salim, N., Basri, M., Rahman, M. B. A., Abdullah, D. K., Basri, H., & Salleh, A. B. Phase behaviour, formation and characterization of palm-based esters nanoemulsion formulation containing ibuprofen. *Journal of Nanomedicine and Nanotechnology*, 2011; 2(4).
- Sanchez., and Moreno, C. (2002). Review: Methods Used to Evaluate the Free Radical Scavenging Activity in Food and Biological Systems. *Food Sci. Technol. Int*, 8(3), 121-137.
- Saputri, A. P., Andria, A., dan Fatmaria. (2020). Uji Aktivitas Antioksidan Ekstrak Air Kulit Pisang Kepok (*Musa acuminata* x *Musa balbisiana* (ABB cv)) Dengan Metode ABTS (2,2-Azinobis (3-etilbenzotiazolin)- 6-asam sulfonate) Pada Berbagai Tingkat Kematangan. *Jurnal Kedokteran*, 8(1), 973-980.
- Savitry, P. E., & Wathoni, N. (2018). Karakterisasi Efisiensi Penjerapan Pada Nanopartikel Natrium Diklofenak Dalam Sediaan Topikal. *Farmaka Suplemen*, 16(2), 403-507.
- Sayuti, Kesuma., dan Rina Yenrina. 2015. *Antioksidan, Alami dan Sintetik*. Padang: Universitas Andalas.
- Sharma N, Parashar B, Sharma S, Mahajan U. Blooming Pharma Industry with Transdermal Drug Delivery System. *Indo Global Journal of Pharmaceutical Science*. 2012;2(3):262-78.
- Singh, A., Ansari, VA, Haider, F., Juber Akhtar, Farogh Ahsan. 2020. Essential oils used in Modified Drug Delivery and its formulation of Liposomes for Topical Purpose. *Research Journal of Pharmacology and Pharmacodynamics*. DOI: 10.5958/2321-5836.2020.00008.7.
- Sliwoski, G. R., Meiler, J., dan Lowe, E. W. (2014): Computational Methods in Drug Discovery Prediction of protein structure and ensembles from limited experimental data View project Antibody modeling, Antibody design and Antigen-Antibody interactions View project. *Computational Methods in Drug Discovery*, 66(1), 334–395.
- SNI. Standar Nasional Indonesia 28/M-IND/PER/7/2017. 2017. Badan Standarisasi Nasional, Jakarta.
- Stenis, B.I., dan Muso, S. 2008. *Flora*. Jakarta: PT Pradnya Paramita. Hal: 12.
- Sulastris, Erlidawati, Syahrial, Nazar M. dan Andayani, T. 2013. Aktivitas antioksidan ekstrak etanol daun ubi jalar ungu (*Ipomea batatas* L.) hasil budidaya daerah Saree, Aceh Besar. *Jurnal Rekayasa Kimia dan Lingkungan* 9(1): 126-131.
- Sunita, C.M., Onkarappa, R., Meghana S.H., Manu, H.M., Kavana, S., Talib, M. 2018. Phosphate Phosphate solubilizing endophytic actinomycetes from mangrove plants *Rhizophora mucronata* and *Sonneratia caseolaris* and its effect on Seedling vigour. *Research Journal of Pharmacy and Technology*. 1172-1178. DOI: 10.5958/0974-360X.2018.00219.6.
- Supriningrum, R., Ansyori, A. K., & Rahmasuari, D. (2020). Karakterisasi Spesifik dan Non Spesifik Simplisia Daun Kawau (*Millettia sericea*). *AL ULUM JURNAL SAINS DAN TEKNOLOGI*, 6(1), 12–18.

- Suryohudoyo. 2000. Kapita Selekta Ilmu Kedokteran Molekuler. Jakarta : CV. Infomedika.
- Swastika, A., Mufrod, dan Purwanto, 2013. ANTIOXIDANT ACTIVITY OF CREAM DOSAGE FORM OF TOMATO EXTRACT (*Solanum lycopersicum* L.). *Traditional Medicine Journal*, 18: 132–140.
- Syahputra, G. 2015. *Peran Bioinformatika dalam Desain Kandidat Molekul Obat*. BioTrends. Volume 1, halaman 26-27.
- Syahputra, G., L. Ambarsari., T. Sumaryada. 2014. *Simulasi Docking Kurkumin Enol, Bisdemetoksikurkumin dan Analognya sebagai Inhibitor lipoksigenase*. *Jurnal Biofisika*, Volume 10, Nomor 1.
- Syamsul, E. S., S. Umar, F. S. Wahyuni, R. Martien, D. Lestari, And D. Hamidi. 2023. HR\_LCMS-Based Metabolite Profiling, And Anti-Colagenase Properties Of Ethanolic Extract Of Pidada Merah: Computational And In Vitro Study. *International Journal Of Applied Pharmaceutics*, vol. 15, no. 1, Feb. 2023, 34-38. doi: <https://doi.org/10.22159/ijap.2023.v15s1.47504>.
- Syamsul, E.S, Supomo, Jubaidah, S., 2020. *Formulasi Krim Sunscreen Daun Pidada Merah* Penerbit Pilar Pustaka Publishing, Cirebon.
- Syamsul, E.S. dan Lestari, D. 2020. *Metodologi Penelitian dan Statistika Farmasi : dengan aplikasi SPSS*, ISBN : 9786025431852; Penerbit RV Pustaka Horizon, Samarinda.
- Syamsul, E.S., Supomo, Jubaidah, S., Wijaya, H., Lestari, D. and Poddar, S. (2022b). Antioxidant Activity Test of Red Pidada Leaves (*Sonneratia caseolaris* L.) using ABTS Method (2,2-azinobis-(3-ethylbenzothiazolin)-6-sulfonicacid). *Research Journal Pharmacy and Technology*, 15(9), 3957-3961.
- Syamsul, E.S., Umar, S., Susanti, M., Hamidi, D., 2021, Sunscreen Activity Test and Fragmentation Analysis of the Active Compound Ethyl Acetate Fraction of Pidada Merah (*Sonneratia caseolaris* L.), presented at Universitas Andalas, Padang, West Sumatera, Indonesia. Proceedings of the 2nd International Conference on Contemporary Science and Clinical Pharmacy 2021 (ICCSCP 2021) Series: *Advances in Health Sciences Research*, The Authors. Published by Atlantis Press International B.V.
- Syamsul, E.S., Umar, S., Wahyuni, F.S., Martien, R. and Hamidi, D. (2022a). Anti-aging Activity, In Silico Modeling and Molecular Docking from *Sonneratia Caseolaris*. *Open Access Macedonian Journal of Medical Sciences*, 10(A), 1471-1477.
- Syifa, F., Hidayah, N., Lukitaningsih, E., Irnawati and Rohman, A. (2022), Physicochemical properties, fatty acid composition and FTIR Spectra of Gabus (*Channa striata*) fish oil. *Journal Food Research*, 6(2), 219 – 224.
- Talas, U, Dunlop, J., Khalaf, Leigh I.M., dan Kellsell, 2000,. Human Elstase I: Evidance for Expression in the Skin and the Identification of a frequent Frameshift Polymorphism. *Society For Investigative Dermatology*.
- Taniguchi M, Arai N, Kohno K, Ushio S, Fukuda S. 2012. Anti-oxidative and anti-aging activities of 2-O- $\alpha$ -glucopyranosyl-L-ascorbic acid on human dermal fibroblasts. *European journal of pharmacology*. 674(2-3):126- 31. doi: [10.1016/j.ejphar.2011.11.013](https://doi.org/10.1016/j.ejphar.2011.11.013)
- Tapiero, H., Nguyen Ba, G., Couvreur, P., dan Tew, K.D., 2002. Polyunsaturated fatty acids (PUFA) and eicosanoids in human health and pathologies. *Biomedicine and Pharmacotherapy*, 56: 215–222Tiyaboonchai, W.2013.

- Chitosan nanoparticles: A Promising System for Drug Delivery. Naresuan University Journal. Science and Technology 11. Hal 51-66.
- Touw, W. G., Baakman, C., Black, J., Te Beek, T. A. H., Krieger, E., Joosten, R. P., dan Vriend, G. (2015): A series of PDB-related databanks for everyday needs. *Nucleic Acids Research*, 43(D1), D364–D368.
- Tronnier. 1962. Biochemistry cosmetic. Didalam J.S. jellinek. 1970. Formulation and function of cosmetics. Newyork: john willey & son
- Trott, O., dan Olson, A. J. (2010): AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading. *Journal of Computational Chemistry*, 31(2), 455–461.
- Ungvari Z, Csiszar A , and Endwards JG. 2003. Increased superoxide production in coronary arteries in hyperhomocysteinemia. role of tumor necrosis factor  $\alpha$ , NAD(P)H, oxidase and inducible nitric oxide synthase . *J. Arterioscler. Thromb. Vasc. Biol.* 23: 418 - 424.
- Verawaty, Auzal, H & Febriyenti. 2016 *Efektivitas Sistem Penghantaran Liposom pada Katekin Sebagai Antioksidan*. Jurnal Sains Farmasi & Klinis Vol. 02 No. 02.
- Vikas Singla, et. al. 2012. Emulgel: A New Platform For Topical Drug Delivery:: *International Journal of Pharma and Bio Sciences*:h. 485-498.
- Wahyuningsih, I., dan Widyasari P., 2015, Optimasi Perbandingan Tween 80 dan Pelietilenglikol 400 pada Formula Self-Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Biji Jinten Hitam, *PHARMACY*, Vol. 12(2)
- Widowati, W., Rani, A.P., Hamzah, R.A., Arumwardana S., Afifah E., Sari, W., Kusuma, Rihibiha, D.D, Nufus H. and Amalia. (2017), Antioxidant and Antiaging Assays of *Hibiscus sabdariffa* Extract and Its Compound. *Natural Product Sciences Journal*, 23(3), 192-200.
- Wijanarko, A., Perawati, S., & Andriani, L. (2020). Standardisasi simplisia daun ciplukan. *Jurnal Farmasetis*, 9(1), 31– 40
- Wilson BD, Moon S, Armstrong F. Comprehensive review of ultraviolet radiation and the current status on sunscreens. *J Clin Aesthet Dermatol.* 2012;5(9):18.
- Wong, S.K., Lim, Y.Y. and Chan, E.W.C. (2010). Evaluation of antioxidant, anti-tyrosinase and antibacterial activities of selected Hibiscus species. *Ethobotanical Leaflet*, 14, 781–796.
- Wootton-Beard, P.C., 2011. Stability of the total antioxidant capacity and total polyphenol content of 23 commercially available vegetable juices before and after in vitro digestion measured by FRAP, DPPH, ABTS and Folin– Ciocalteu methods. *Food Research International*, 8.
- Wu S.B, Wen Y, Li X.W, Zhao Y, Zhao Z, Hu J.F. Chemical constituents from the fruits of *Sonneratia caseolaris* and *onneratia ovata* (Sonneratiaceae). *Biochemical Systematics and Ecology*, 2009; 37, 1-5
- X.-J. Tang, Y.-H. Fu, Q.-H. Meng, L.-M. Li, X.-Y. Ying, M. Han, Q.-J. He, B. Yang, S. Zeng, Y.-Z. Hu, X.-X. Sheng, J.-Q. Gao, Evaluation of pluronic nanosuspensions loading a novel insoluble anticancer drug both in vitro and in vivo, *Int. J. Pharm.* (2013) 243–250.
- Yani, S., Aladin, A., Wiyani, L., dan Modding, B., 2018. Evaluation of viscosity and pH on Emulsions of Virgin Coconut Oil Beverages. *IOP Conference Series: Earth and Environmental Science*, 175: 012026.



- Yanuar, A. (2016). *Penambatan Molekular: Praktek dan Aplikasi pada Virtual Screening*. Depok: Fakultas Farmasi UI
- Yefridaa , Nor Ashikina , Refildab. Validasi Metoda Frap Modifikasi Pada Penentuan Kandungan Antioksidan Total Dalam Sampel Mangga Dan Rambutan, *J. Ris. Kim.*, Vol. 8, No. 2, Maret 2015
- Yusuf, A.K., Mamza, P.A.P., Ahmed, A.S. and Agunwa, U. (2015) Extraction And Characterization Of Castor Seed Oil From Wild Ricinus Communis Linn. *International Journal of Science, Environment and Technology*, 4(5), 1392 – 1404
- Zakaria ZA, Mat Jais AM, Goh YM, Sulaiman MR, Somchit MN. Amino acid and fatty acid composition of an aqueous extract of *Channa striata* (Haruan) that exhibits antinociceptive activity. *Clin Exp Pharmacol Physiol*. 2007 Mar;34(3):198-204. doi: 10.1111/j.1440-1681.2007.04572.x. PMID: 17250639.
- Zulfa, E., Novianto, D., & Setiawan, D. (2019). Formulasi Nanoemulsi Natrium Diklofenak Dengan Variasi Kombinasi Tween 80 Dan Span 80:Kajian Karakteristik Fisik Sediaan. *Media Farmasi Indonesia*, 14(1), 1471-1477.

