

DAFTAR PUSTAKA

1. Wiknjosastro H. Ilmu Bedah Kebidanan. Jakarta: PT. Bina Pustaka Sarwono Prawirohardjo; 2010.
2. Chen I, Opiyo N, Tavender E, Mortazhejri S, Rader T, Petkovic J, et al. Non-Clinical Interventions for Reducing Unnecessary Caesarean Section. Vol. 2018, Cochrane Database of Systematic Reviews. John Wiley and Sons Ltd; 2018.
3. Dhea RA. Perbandingan Indikasi Persalinan Seksio Sesarea di RSUP Dr. M. Djamil Pada Tahun 2012 dan 2013. Andalas; 2015.
4. Ghiringhelli JP, Lacassie H. Anesthesia and Breastfeeding. Vol. 50, Colombian Journal of Anesthesiology. Sociedad Colombiana de Anestesiología y Reanimación; 2022.
5. Hayati M, Sikumbang KM, Husairi A. Gambaran Angka Kejadian Komplikasi Pasca Anestesi Spinal pada Pasien Seksio Sesaria. J Berk Kedokt. 2015;11(2).
6. Makoko UM, Modiba LM, Nzaumvila DK. Satisfaction with Spinal Anaesthesia for Caesarean Section at Tembisa Hospital, South Africa: a cross-sectional study. South African Fam Pract. 2019 Apr;61(2):39–47.
7. Tewu H, Posangi I KL. Perbandingan Mual – Muntah Pada Premedikasi dengan Pemberian Ondansetron dan dengan. e-Clinic (eCI). 2015;
8. Thay YJ, Goh QY, Han RN, Sultana R, Sng BL. Pruritus and Postoperative Nausea and Vomiting after Intrathecal Morphine in Spinal Anaesthesia for Caesarean Section: Prospective cohort study. Proc Singapore Healthc. 2018 Jan;27(4):251–5.
9. Sholihah, A., Sikumbang, K. M. dan Husairi A. Gambaran Angka Kejadian Post Operative Nausea and Vomiting (PONV) di RSUD Ulin Banjarmasin Mei-Juli 2014. Berk Kedokt Unlam. 2015;11(1):119–129.
10. Barnes J. Postoperative Nausea and Vomiting. Br J Hosp Med. 2020 Jun;81(6):1–3.

11. Kawakita T, Landy HJ. Surgical Site Infections after Cesarean Delivery: Epidemiology, Prevention and Treatment. *Matern Heal Neonatol Perinatol*. 2017;3(1).
12. Miller RD, Cohen NH, Eriksson LI, Fleisher LA Wiener-Kronish JP, Young WL E. Postoperative Nausea and Vomiting. In: *Miller's Anesthesia*. 2015. p. 2947–73.
13. Nurleli N, Mardhiah A, Nilawati N. Faktor yang Meningkatkan Kejadian Post-Operative Nausea and Vomiting (Ponv) pada Pasien Laparatomi. *J Keperawatan Prior*. 2021;4(2):58–69.
14. Tinsley MH, Barone CP. Preventing Postoperative Nausea and Vomiting. *Plast Surg Nurs*. 2012 Jul;32(3):106–11.
15. Apfel CC, Heidrich FM, Jukar-Rao S, Jalota L, Hornuss C, Whelan RP, et al. Evidence-based Analysis of Risk Factors for Postoperative Nausea and Vomiting. In: *British Journal of Anaesthesia*. 2012. p. 742–53.
16. Appelgarth O. Understanding Anesthesia: A Learner's Guide. *Can J Anesth Can d'anesthésie*. 2013;60(9).
17. Zhong W, Shahbaz O, Teskey G, Beever A, Kachour N, Venketaraman V, et al. Mechanisms of Nausea and Vomiting: Current Knowledge and Recent Advances in Intracellular Emetic Signaling Systems. Vol. 22, *International Journal of Molecular Sciences*. 2021.
18. Pierre S, Whelan R. Nausea and Vomiting after Surgery. *Contin Educ Anaesthesia, Crit Care Pain*. 2013;13(1).
19. Horn CC, Wallisch WJ, Homanics GE, Williams JP. Pathophysiological and Neurochemical Mechanisms of Postoperative Nausea and Vomiting. Vol. 722, *European Journal of Pharmacology*. 2014.
20. Katzung B. *Basic & Clinical Pharmacology*.
21. Khonsary S. *Guyton and Hall: Textbook of Medical Physiology*. *Surg Neurol Int*. 2017;8(1).
22. Murakami C, Kakuta N, Satomi S, Nakamura R, Miyoshi H, Morio A, et al.

- Neurokinin-1 Receptor Antagonists for Postoperative Nausea and Vomiting: A Systematic Review and Meta-Analysis. Vol. 70, Brazilian Journal of Anesthesiology. 2020.
23. Chatterjee S, Rudra A, Sengupta S. Current Concepts in the Management of Postoperative Nausea and Vomiting. *Anesthesiol Res Pract.* 2011;2011:748031.
 24. Uyar BS, Dönmez A. Postoperative Nausea and Vomiting. Vol. 26, *Anestezi Dergisi.* 2018.
 25. Michael Roberts S, Bezinover DS, Janicki PK. Reappraisal of the Role of Dolasetron in Prevention and Treatment of Nausea and Vomiting Associated with Surgery or Chemotherapy. Vol. 4, *Cancer Management and Research.* 2012.
 26. Butterworth John F, Mackey DC, Wasnick JD. *Morgan & Mikhail Clinical Anaesthesiology.* Vol. 23, Quarterly bulletin. Northwestern University (Evanston, Ill.). Medical. 2013.
 27. Brown EN, Pavone KJ, Naranjo M. Multimodal General Anesthesia: Theory and practice. *Anesth Analg.* 2018;127(5).
 28. Smith G, Goldman J. *General Anesthesia for Surgeons.* StatPearls. 2018.
 29. Pincus E. Regional Anesthesia: An Overview. *AORN J.* 2019 Sep;110(3):263–72.
 30. Keat S et al. *Anesthesia on The Move.* PT. Indeks Permata Puri Media. Jakarta; 2013.
 31. Olawin AM, Das JM. *Spinal Anesthesia.* Starspearls Publishing. 2022.
 32. Dewi H, Rustiawati E, Sulastri T. Perbedaan Tekanan Darah Antara Hidrasi Preload dengan Tanpa Preload Cairan Ringer Laktat pada Pasien Pasca Anestesi Spinal di Instalasi Bedah Sentral RSUD Dr. Dradjat Prawiranegara Serang. *Ilm Keperawatan.* 2021;2(1):1–8.
 33. McMenamin L, Clarke J, Hopkins P. Review: Basics of Anesthesia. *Br J Anaesth.* 2018 May;120(5):1141.

34. Neuman MD, Feng R, Carson JL, Gaskins LJ, Dillane D, Sessler DI, et al. Spinal Anesthesia or General Anesthesia for Hip Surgery in Older Adults. *N Engl J Med*. 2021;385(22):2025–35.
35. Kloesel B, Davidyuk G. Spinal anesthesia. In: *Anesthesiology: Clinical Case Reviews*. Springer International Publishing; 2017. p. 357–65.
36. Javed S. Spinal Anesthesia induced Compications in Caesarean Setion a review. *j pharm sci res*. 2011;3(10):1530–8.
37. dr. Ardi Pramono, Sp.An. MK. Buku Kuliah: Anestesi. Penerbit Buku Kedokteran EGC. 2014.
38. Šklebar I, Bujas T, Habek D. Spinal Anaesthesia-Induced Hypotension in Obstetrics: Prevention and therapy. *Acta Clin Croat*. 2019;58.
39. Jelting Y, Klein C, Harlander T, Eberhart L, Roewer N, Kranke P. Preventing Nausea and Vomiting in Women undergoing Regional Anesthesia for Cesarean Section: Challenges and solutions. Vol. 10, *Local and Regional Anesthesia*. 2017.
40. Maita L et al. *Obsetri dalam Kebidanan*. 2016;
41. Orovou E, Dagla M, Iatrakis G, Lykeridou A, Tzavara C, Antoniou E. Correlation between Kind of Cesarean section and Posttraumatic Stress Disorder in Greek Women. *Int J Environ Res Public Health*. 2020 Mar;17(5).
42. Prawirohadjo S. *Ilmu Kebidanan*. Jakarta: Yayasan Bina Sarwono Prawirohardjo; 2009.
43. Pasko, D., Subramaniam, A. dan Tita ATN. Textbook of Caesarean Section. *Obstet Gynaecol*. 2017 Jan;19(1):86–86.
44. Ekwendi AS, Mewengkang ME, Wagey FMM. Perbandingan Persalinan Seksio Sesarea dan Pervaginam pada Wanita Hamil dengan Obesitas. *e-CliniC*. 2016 Jan;4(1).
45. Mylonas I, Friese K. The Indications for and Risks of Elective Cesarean Section. Vol. 112, *Deutsches Arzteblatt International*. 2015.

46. Butwick AJ, Ramachandran B, Hegde P, Riley ET, El-Sayed YY, Nelson LM. Risk Factors for Severe Postpartum Hemorrhage after Cesarean Delivery: Case-Control Studies. *Anesth Analg*. 2017;125(2).
47. Motomura K, Ganchimeg T, Nagata C, Ota E, Vogel JP, Betran AP, et al. Incidence and Outcomes of Uterine Rupture among Women with Prior Caesarean Section: WHO Multicountry Survey on Maternal and Newborn Health. Vol. 7, *Scientific Reports*. 2017.
48. Choudhary B, Choudhary Y, Pakhare AP, Mahto D, Chaturvedula L. Early Neonatal Outcome in Caesarean Section: A developing Country Perspective. *Iran J Pediatr*. 2017;27(1).
49. Butterworth JF, Mackey DC, Wasnick JD, Morgan GE, Mikhail MS, Morgan GE. *Morgan and Mikhail's Clinical Anesthesiology*. Morgan and Mikhail's Clinical Anesthesiology. 2013.
50. Miller R, Michael A, Gropper MP, Lars I, Eriksson MPF, Lee A, Fleisher MF, Jeanine P, Wiener-Kronish M, Neal H, Cohen MMM, et al. *Miller Anesthesia*. Paper Knowledge . Toward a Media History of Documents. 2021.
51. Lahida NJM. Pengaruh Hipotensi Ibu terhadap Apgar Skor Bayi yang Lahir Secara Seksio Sesarea dengan Anestesia Spinal Di RSU. Prof. Dr. R. D. Kandou Manado Periode April-November 2013. *e-CliniC*. 2014;2(1).
52. Prabandani PD. Hubungan Indeks Massa Tubuh dengan Kejadian Mual Muntah Post Spinal Anestesi di RSUD Dr Tjitrowardojo Purworejo. Politeknik Kesehatan Kementerian Kesehatan Yogyakarta. 2017.
53. Admass BA, Tawye HY, Endalew NS, Mersha AT, Melesse DY, Workie MM, et al. Assessment of Post-Operative Nausea and Vomiting Prophylaxis Usage for Cesarean Section, 2021: A cross sectional study. *Ann Med Surg* [Internet]. 2022;75:103399. Diakses dari: <https://www.sciencedirect.com/science/article/pii/S2049080122001595>
54. Ni Putu Yusniawati Y, Lewar EI, Claradicha V, Shuarsedana IGA. PONV (Postoperative Nausea and Vomiting) Incidence among Patients with Caesarean Section, Enhanced Recovery After Surgery (ERAS), and

- Subarachnoid Block (SAB) Anesthesia. *Babali Nurs Res.* 2023;4(3):292–8.
55. Guimarães GMN, Silva HBG da, Ashmawi HA. [Risk Factors for Post-Caesarean Nausea and Vomiting: A Prospective Prognostic Study]. *Brazilian J Anesthesiol.* 2020;70(5):457–63.
56. Gan TJ, Diemunsch P, Habib AS, Kovac A, Kranke P, Meyer TA, et al. Consensus Guidelines for The Management of Postoperative Nausea and Vomiting. Vol. 118, *Anesthesia and Analgesia.* 2014. p. 85–113.
57. De La Peña M, Giraldo OL, Aguirre DC, De La Peña AJ, Arango JJ, Martínez R. Prognostic Predictive Model for PONV in Cesarean Delivery. *Colomb J Anesthesiol.* 2023;51(3):1–12.
58. Hung L-W, Chou M-Y, Liang C-K, Liu K, Chou Y-M. Being Older as A Risk Factor for Vomiting in those undergoing Spinal Anesthesia. *J Clin Gerontol Geriatr* [Internet]. 2012;3(2):68–72. Diakses dari : <https://www.sciencedirect.com/science/article/pii/S2210833512000287>
59. Sivevski AG, Karadjova D, Ivanov E, Kartalov A. Neuraxial Anesthesia in the Geriatric Patient. *Front Med.* 2018;5:254.
60. Watcha MF, White PF. Postoperative Nausea and Vomiting: Its Etiology, Treatment, and Prevention. Vol. 77, *Anesthesiology.* 1992. p. 162–84.
61. Gan TJ. Risk Factors for Postoperative Nausea and Vomiting. Vol. 102, *Anesthesia and Analgesia.* Lippincott Williams and Wilkins; 2006. p. 1884–98.
62. Kim JH, Hong M, Kim YJ, Lee HS, Kwon YS, Lee JJ. Effect of Body Mass Index on Postoperative Nausea and Vomiting: Propensity Analysis. *J Clin Med.* 2020 May;9(6).
63. Busoni P, Sarti A, Crescioli M, Agostino MR, Sestini G, Banti S. Motion Sickness and Postoperative Vomiting in Children. *Paediatr Anaesth.* 2002;12(1):65–8.
64. Lee YY, Kim KH, Yom YH. Predictive Models for Post-Operative Nausea and Vomiting in Patients using Patient-Controlled Analgesia. *J Int Med Res.*

2017;35(4):497–507.

65. Hasegawa H, Abe A, Hayashi H, Furuta H, Ishihama T. Risk Factors for Postoperative Nausea and Vomiting after the Removal of Impacted Third Molars: a cross-sectional study. *BMC Oral Health* [Internet]. 2021;21(1):1–5. Diakses dari: <https://doi.org/10.1186/s12903-021-01481-8>
66. Veiga-Gil L, Pueyo J, López-Olaondo L. Postoperative Nausea and Vomiting: Physiopathology, Risk Factors, Prophylaxis and Treatment. *Rev Española Anestesiología y Reanimación (English Ed)* [Internet]. 2017;64(4):223–32. Diakses dari :
<https://www.sciencedirect.com/science/article/pii/S2341192917300264>



