

DAFTAR PUSTAKA

- [1] M. Yani and F. Lubis, "Pembuatan Dan Penyelidikan Pelilaku Mekanik Komposit Diperkuat Serat Limbah Plastik Akibat Beban Lendutan," *Tek. Mesin ITM*, vol. 4, no. 2, pp. 77–84, 2018.
- [2] M. Yani, B. Suroso, and R. Rajali, "Mechanical Properties Komposit Limbah Plastik," *J. Rekayasa Mater. Manufaktur dan Energi*, vol. 2, no. 1, pp. 74–83, 2019, doi: 10.30596/rmme.v2i1.3071.
- [3] H. Abral *et al.*, "Effect of ultrasonication duration of polyvinyl alcohol (PVA) gel on characterizations of PVA film," *J. Mater. Res. Technol.*, vol. 9, no. 2, pp. 2477–2486, 2020, doi: 10.1016/j.jmrt.2019.12.078.
- [4] L. Triyastiti and D. Krisdiyanto, "Isolasi Nanokristal dari Pelepah Pohon Salak Sebagai Filler pada Film Berbasis Polivinil Alkohol (PVA)," *Indones. J. Mater. Chem.*, vol. 1, no. 1, pp. 39–45, 2018.
- [5] B. susanto Widodo, Harlia, and I. Syahbanu, "Sintesis Komposit Polimer Konduktif Polipirol (PPy)/ Selulosa Bakteri," *Jkk*, vol. 7, no. 1, pp. 59–65, 2018.
- [6] W. Ernayati and B. Buchari, "Pembuatan Elektroda Tipe Kawat Terlapis Polipirol-Lisin Dan Studi Penggunaannya Sebagai Sensor Potensiometrik Lisin," *Tek. J. Sains dan Teknol.*, vol. 7, no. 1, p. 33, 2011, doi: 10.36055/tjst.v8i1.6703.
- [7] T. S. Dewi and N. P. Putri, "Pengaruh Waktu Ultrasonikasi terhadap Nilai Kapasitansi Elektroda Superkapasitor Berbahan Dasar Tempurung Kelapa," *J. Inov. Fis. Indones.*, vol. 8, no. 1, pp. 5–7, 2019.
- [8] D. Candani, M. Ulfah, W. Noviana, and R. Zainul, "A Review Pemanfaatan Teknologi Sonikasi," *INA-Rxiv*, no. 26, pp. 1–9, 2018.
- [9] J. Sheng, T. Chen, R. Wang, Z. Zhang, F. Hua, and R. Yang, "Ultra-light cellulose nanofibril membrane for lithium-ion batteries," *J. Memb. Sci.*, vol. 595, no. October 2019, p. 117550, 2020, doi: 10.1016/j.memsci.2019.117550.
- [10] R. Ruzuqi and V. D. Waas, "Analisis Kekuatan Tarik Dan Impak Material Komposit Polimer Dalam Aplikasi Fiberboat," *ALE Proceeding*, vol. 4, pp.

- 121–126, 2021, doi: 10.30598/ale.4.2021.121-126.
- [11] R. T. Setyawan and S. Riyadi, “Analisis Variasi Struktur Serat Rami Komposit Matrik Epoksi Terhadap Kekuatan Uji Balistik Dan Bending,” *J. Ilm. Momentum*, vol. 16, no. 2, pp. 111–115, 2020, doi: 10.36499/mim.v16i2.3763.
- [12] P. H. Tjahjanti, “Buku Ajar Teori Dan Aplikasi Material Komposit Dan Polimer,” *Buku Ajar Teor. Dan Apl. Mater. Komposit Dan Polim.*, 2018, doi: 10.21070/2019/978-602-5914-27-0.
- [13] Rizky Dharmawan, Satriaaji Sudigdo, and Hamidah Harahap, “Karakterisasi Sensor Polimer Konduktif Polianilin Berpengisi Serbuk Ban Untuk Mendeteksi Konduktivitas Minyak,” *J. Tek. Kim. USU*, vol. 3, no. 2, pp. 41–44, 2014, doi: 10.32734/jtk.v3i2.1505.
- [14] A. Sjahrizza, S. Herlambang, and I. F. Wati, “Modifikasi Karakteristik Kuat Tarik pada Komposit Film Poli(Vinil Piroolidon) dan Karagenan Melalui Pembentukan Komposit Karbon Nano Dot,” *al-Kimiya*, vol. 5, no. 2, pp. 52–56, 2019, doi: 10.15575/ak.v5i2.3756.
- [15] P. Karaginan, L. Merah, and A. Provinsi, “Al-Kimia,” vol. 7, no. 2, 2019.
- [16] G. M. Elkomy, S. M. Mousa, and H. Abo Mostafa, “Structural and optical properties of pure PVA/PPY and cobalt chloride doped PVA/PPY films,” *Arab. J. Chem.*, vol. 9, pp. S1786–S1792, 2016, doi: 10.1016/j.arabjc.2012.04.037.
- [17] M. Lay, I. González, J. A. Tarrés, N. Pellicer, K. N. Bun, and F. Vilaseca, “High electrical and electrochemical properties in bacterial cellulose/polypyrrole membranes,” *Eur. Polym. J.*, vol. 91, no. November 2016, pp. 1–9, 2017, doi: 10.1016/j.eurpolymj.2017.03.021.
- [18] J. Xu *et al.*, “Conductive polypyrrole-bacterial cellulose nanocomposite membranes as flexible supercapacitor electrode,” *Org. Electron.*, vol. 14, no. 12, pp. 3331–3338, 2013, doi: 10.1016/j.orgel.2013.09.042.
- [19] S. E. Lindsey and G. B. Street, “Conductive composites from polyvinyl alcohol and polypyrrole,” *Synth. Met.*, vol. 10, no. 1, pp. 67–69, 1984, doi: 10.1016/0379-6779(84)90080-8.
- [20] K. Ade Andreanto and Z. Arifin Imam Supardi, “Pengukuran Resistivitas

- Pada Printed Circuit Board Dengan Menggunakan Metode Four Point Probe,” *Inov. Fis. Indones.*, vol. 7, no. 02, pp. 48–53, 2018.
- [21] Irzaman, R. Erviansyah, H. Syafutra, A. Maddu, and Siswadi, “Oksida (BFST) Menggunakan Metode Chemical Solution Deposition,” *Berk. Fis.*, vol. 13, no. 1, pp. 33–38, 2010.
- [22] “1,2,3 ,4,” vol. 22, no. 1, pp. 50–54, 2022.
- [23] O. Gharbi, M. T. T. Tran, B. Tribollet, M. Turmine, and V. Vivier, “Revisiting cyclic voltammetry and electrochemical impedance spectroscopy analysis for capacitance measurements,” *Electrochim. Acta*, vol. 343, p. 136109, 2020, doi: 10.1016/j.electacta.2020.136109.
- [24] P. C. P. Films, M. H. Harun, E. Saion, A. Kassim, and M. Y. Hussain, “Temperature Dependence of AC Electrical Conductivity of d,” vol. 3, no. 2, pp. 24–31, 2008.
- [25] I. R. Erviansyah, H. Syafutra, A. Maddu dan S. , “Studi Konduktivitas Listrik Film Tipis Ba_{0.25}Sr_{0.75}TiO₃ Yang Didadah Ferium Oksida (BFST) Menggunakan Metode Chemical Solution Deposition,” *Berkala Fisika*, vol. 3, no. 1, pp. 33-38, 2010.
- [26] E. Taer, Z. Zulkifli, E. N. Arif, and R. Taslim, “Analisa Kapasitansi Spesifik elektroda karbon Superkapasitor Dari Kayu karet Terhadap laju Scan Berdasarkan variasi Aktivasi HNO₃,” *Spektra J. Fis. dan Apl.*, vol. 1, no. 1, pp. 35–40, 2016, doi: 10.21009/spektra.011.06.
- [27] H.-W. Wang, C. Bringans, A. J. R. Hickey, J. A. Windsor, P. A. Kilmartin, and A. R. J. Phillips, “Cyclic Voltammetry in Biological Samples: A Systematic Review of Methods and Techniques Applicable to Clinical Settings,” *Signals*, vol. 2, no. 1, pp. 138–158, 2021, doi: 10.3390/signals2010012.
- [28] J. Wu, X. Z. Yuan, and H. Wang, “Cyclic voltammetry,” *PEM Fuel Cell Diagnostic Tools*, no. 2, pp. 71–85, 2011, doi: 10.1201/9781439807842.ch10.
- [29] Rosalina, Suprihatin, and P. K. Karo, “Pengaruh Luas Permukaan Spesifik terhadap Kapasitansi Spesifik Elektrode Zeolit Akibat Variasi Suhu Kalsinasi,” *J. Teor. dan Apl. Fis.*, vol. 5, no. 1, pp. 37–42, 2017.

- [30] B. Fisika, C. Anam, and L. F. Atom, "Analisis Gugus Fungsi Pada Sampel Uji, Bensin dan Spiritus Menggunakan Metode Spektroskopi FTIR," *Berk. Fis.*, vol. 10, no. 2, pp. 79-85–85, 2007.
- [31] L. Umsb, "Karakterisasi X-Ray Diffraction dilakukan untuk mengetahui pengaruh perlakuan terhadap kristalinitas selulosa . Hasil lengkap XRD serat bambu Ampel (bambusa vulgaris) tersaji pada gambar 1 dan tabel 1 . Serat bambu Ampel terdiri atas daerah kristal selul," vol. XIII, no. 6, pp. 55–58, 2019.
- [32] Â. Vilas-Boas, P. Valderrama, N. Fontes, D. Geraldo, and F. Bento, "Evaluation of total polyphenol content of wines by means of voltammetric techniques: Cyclic voltammetry vs differential pulse voltammetry," *Food Chem.*, vol. 276, no. May 2018, pp. 719–725, 2019, doi: 10.1016/j.foodchem.2018.10.078.
- [33] M. S. Wahyuni and E. Hastuti, "karakterisai cangkang kerang menggunakan XRD dan X-RAY physics basic unit," *Neutrino*, vol. 3, no. 1, pp. 32–43, 2010.
- [34] B. Anita, V. Sampath, and R. Vanathi Vijayalakshmi, "FTIR, XRD, EDAX and hardness test – An integrated approach to explore the elemental composition of archaeological and contemporary ceramic samples," *Mater. Today Proc.*, vol. 68, no. xxxx, pp. 628–635, 2022, doi: 10.1016/j.matpr.2022.09.291.
- [35] K. Salama, V. Selvamanickam, L. Gao, and K. Sun, "High current density in bulk YBa₂Cu₃O_x superconductor," *Appl. Phys. Lett.*, vol. 54, no. 23, pp. 2352–2354, 1989, doi: 10.1063/1.101525.