

DAFTAR PUSTAKA

1. Kellum JA, Romagnani P, Ashuntantang G, Ronco C, Zarbock A, Anders HJ. Acute kidney injury. *Nat Rev Dis Prim.* 2021;7(1).
2. Keputusan Direktur Jenderal Pelayanan Kesehatan. Tatalaksana dan manajemen klinis gangguan ginjal akut progresif atipikal (atypical progressive acute kidney injury) pada anak di fasilitas pelayanan kesehatan. 2022;25.
3. Indonesian Pediatric Society. Rekomendasi IDAI intoksikasi etilen glikol. 2022;(5).
4. Bastani P, Jammeh A, Lamar F, Malenfant JH, Adewuyi P. Acute kidney injury among children likely associated with diethylene glycol-contaminated medications. *The Gambia.* 2023;72(9).
5. Umar TP, Jain N, Azis H. Endemic rise in cases of acute kidney injury in children in Indonesia and Gambia: what is the likely culprit and why? *Kidney International.* 2023;103(3):444–7.
6. Anonymous M. Possible death from drinking ethylene glycol (“prestone”). *J Am Med Assoc.* 1930.
7. Miller H, Barceloux DG, Krenzelok EP, Olson K, Miller H, Barceloux DG, et al. American academy of clinical toxicology practice guidelines on the treatment of ethylene glycol poisoning. *Clinical Toxicology.* 1999;37(5):537-60.
8. Marraffa JM. Diethylene glycol. *Encyclopedia of Toxicology: Third Edition.* Elsevier. 2014;(2)140–2
9. Hari P, Jain Y, Kabra SK, Able T. Case report fatal encephalopathy and renal failure caused by diethylene glycol poisoning. *Journal of Tropical Pediatrics.* 2006;56:442–5.
10. Office of Assistant to Deputy Cabinet Secretary for State Documents & Translation. Health minister reveals contaminated medicine as cause of acute kidney injury [Internet]. 2022 [cited 2022 Dec 9]. Available from: <https://setkab.go.id/en/health-minister-reveals-contaminated-medicine-as-cause-of-acute-kidney-injury/>

11. O'Callaghan C., Brenner BM. The kidney at a glance 1st edition. Wiley-Blackwell. 2000;13-5.
12. Alatas H, Tambunan T, Trihono PP. Buku ajar nefrologi anak 2nd ed. Balai Penerbit FK UI. 2002;656p.
13. Soriano RM, Penfold D, Leslie SW. Anatomy, abdomen, and pelvis [Internet]. 2022. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK482385/>
14. Zhang JL, Rusinek H, Chandarana H, Lee VS. Functional MRI of the kidneys. *Journal of Magnetic Resonance Imaging*. 2013;37(2)
15. Triastuti I, Sujana IBG. Acute kidney injury (AKI). Universitas Udayana. 2017;1–30.
16. Sloane E. Anatomi dan fisiologi untuk pemula. RGC. 2004;318–4
17. Sherwood L. Human physiology: from cells to systems. 9th ed. Belmont, USA: Cengage Learning; 2016
18. Afifah, I., Sopiany HM. Transportasi transmembran. Universitas Udayana; 2017.
19. Thornburg WW. Ethylene glycol and propylene glycol. Agency for Toxic Substances and Disease Registry. 2020;217–20.
20. American Association of Poison Control Center. Annual Reports [Internet]. America's Posion Center. [cited 2023 Mar 30]. Available from: aapcc.org/annual-reports
21. Howard PH, Boethling RS, Jarvis WF, Meylan WM, Michalenko EM. Handbook of environmental degradation rates. 1st ed. CRC Press Lewis Publisher; 1991;776 p.
22. Haggerty RJ. Toxic hazards deaths from permanent antifreeze ingestion. *N Engl J Med*. 1959;261(25).
23. Litovitz TL, Klein-Schwartz W, Dyer KS, Shannon M, Lee S. 1997 annual report of the american association of poison control centers toxic exposure surveillance system. *Am J Emerg Med*. 1998;16(5).
24. Driver J, Tardiff RG, Sedik L, Wester RC MH. In vitro percutaneous absorption of [14C] ethylene glycol. 1993;3(3):277–84.
25. Wills JH, Coulston F, Harris ES, McChesney EW, Russell JC, Serrone DM.

- Inhalation of aerosolized ethylene glycol by man. *Clin Toxicol.* 1974;7(5):463–76.
26. Jacobsen D. New treatment for ethylene glycol poisoning. *N Engl J Med.* 1999;340(11).
 27. Hatchett R. A severe and fatal case of ethylene glycol poisoning. *Intensive Crit Care Nurs.* 1993;9(3).
 28. Singh R, Arain E, Buth A, Kado J, Soubani A, Imran N. Ethylene glycol poisoning: an unusual cause of altered mental status and the lessons learned from management of the disease in the acute setting. *Case Reports Crit Care.* 2016.
 29. Cheng J-T, Beysolow TD, Kaul B, Weisman R F DA. Clearance of ethylene glycol by kidneys and hemodialysis. *J Clin Toxicol.* 1987;25(1–2):95–108.
 30. Peterson CD, Collins AJ, Himes JM, Bullock ML, Keane WF. Ethylene glycol poisoning: pharmacokinetics during therapy with ethanol and hemodialysis. *N Engl J Med.* 1981;304(1):21–3.
 31. Eder AF, McGrath CM, Dowdy YG, Tomaszewski JE, Rosenberg FM, Wilson RB, Wolf BA SL. Ethylene glycol poisoning: toxicokinetic and analytical factors affecting laboratory diagnosis. *Clin Chem.* 1998;44(1):168–77.
 32. Vestal RE, McGuire EA, Tobin JD, Andres R, Norris AH, Mezey E. Aging and ethanol metabolism. *Clin Pharmacol Ther.* 1977;21(3):343–54.
 33. Brent J, McMartin K, Phillips S et al. Fomepizole for the treatment of ethylene glycol poisoning. *N Engl J Med.* 1999;340:832–838.
 34. Clay KL, Murphy RC. On the metabolic acidosis of ethylene glycol intoxication. *Toxicol Appl Pharmacol.* 1977;39(1):39–49.
 35. McChesney EW, Golberg L, Parekh CK, Russell JC, Min BH. Reappraisal of the toxicology of ethylene glycol. II. Metabolism studies in laboratory animals. *Food Cosmet Toxicol.* 1971;9(1):21–38.
 36. Maier W. Cerebral computed tomography of ethylene glycol intoxication. *Neuroradiology.* 1983;24(3):175–7.
 37. Berman LB, Schreiner GE, Feys J. The nephrotoxic lesion of ethylene

- glycol. *Ann Intern Med.* 1957;46(3):611–9.
38. Walker JT, Keller MS, Katz SM. Computed tomographic and sonographic findings in acute ethylene glycol poisoning. *J Ultrasound Med.* 1983;2(9):429–31.
 39. Cox RD, Phillips WJ. Ethylene glycol toxicity. *Mil Med.* 2004;169(8):660–3.
 40. Han P, Trinidad BJ, Shi J. Hypocalcemia-induced seizure: demystifying the calcium paradox. *ASN Neuro.* 2015;7(2):1–9.
 41. Slimon WH, Pfundt TR. Ethylene glycol antifreeze poisoning. *J Okla State Med Assoc.* 1958;51(2):57–61.
 42. Levy RI. Renal failure secondary to ethylene glycol intoxication. *J Am Med Assoc.* 1960;173(11):1210–3.
 43. Kahn HS, Brochner RJ. A recovery from ethylene glycol (anti-freeze) intoxication; a case of survival and two fatalities from ethylene glycol including autopsy findings. *Ann Intern Med.* 1950;32(2):284–94.
 44. Linnanvuo-laitinen ONM, Huttunen K. Ethylene glycol intoxication. *Clin Toxicol.* 1986;24(2):167–74.
 45. Cucuzzella A. Ethylene glycol poisoning. *J Gen Intern Med.* 1992;7(4):467–467.
 46. Catchings TT, Beamer WC, Lundy L, Prough DS. Adult respiratory distress syndrome secondary to ethylene glycol ingestion. *Ann Emerg Med.* 1985;14(6):594–6.
 47. Chukkambotla S, Hurst T. Ethylene glycol poisoning-A challenge for the intensivist. *Media, War Confl.* 2007;8(3):33–5.
 48. BPOM-RI. Penanganan kasus cemaran etilen glikol dan dietilen glikol (EG/DEG) Dalam Sirup Obat. 2023.51 p.
 49. Los U. Fomepizole injection, solution. Mylan Institutional LLC. 2021;12.
 50. Ghannoum M, Gosselin S, Hoffman RS, Lavergne V, Mégarbane B, Hassanian-Moghaddam H, et al. Extracorporeal treatment for ethylene glycol poisoning: systematic review and recommendations from the EXTRIP workgroup. *Crit Care [Internet].* 2023;27(1):56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/36765419%0A>

51. Heilmair R, Lenk W, Lijhr D. Toxicokinetics of diethylene glycol (DEG) in the rat. 1993;655–66.
52. B. Denese Britt, MS, BSN C. How does diethylene glycol differ from ethylene glycol? [Internet]. Vanderblit University Medical Center. 2021 [cited 2023 May 10]. Available from: <https://www.vumc.org/poison-control/toxicology-question-week/feb-4-2021-how-does-diethylene-glycol-differ-ethylene-glycol>
53. Schep LJ, Slaughter RJ, Temple WA, Beasley DMG. Diethylene glycol poisoning. *Clin Toxicol*. 2009;47(6):525–35.
54. Lameire N. The KDIGO AKI guidelines : from 2011 - 2019. 2019.
55. Uchino S, Bellomo R, Goldsmith D, Bates S, Ronco C. An assessment of the RIFLE criteria for acute renal failure in hospitalized patients. *Crit Care Med*. 2006;34(7):1913–7.
56. Hoste EAJ, Clermont G, Kersten A, Venkataraman R, Angus DC, De Bacquer D, et al. RIFLE criteria for acute kidney injury are associated with hospital mortality in critically ill patients: a cohort analysis. *Crit Care*. 2006;10(3).
57. Awdishu BL, Pharm D, Wu SE, Pharm D. Acute kidney injury. *CCSAP*. 2017.2
58. Lameire N, Van Biesen W, Vanholder R. The rise of prevalence and the fall of mortality of patients with acute renal failure: What the analysis of two databases does and does not tell us. *J Am Soc Nephrol*. 2006;17(4):923–5.
59. Hoste EAJ, Kellum JA, Selby NM, Zarbock A, Palevsky PM, Bagshaw SM, et al. Global epidemiology and outcomes of acute kidney injury. *Nat Rev Nephrol*. 2018;14(10):607–25.
60. Walther CP, Podoll AS, Finkel KW. Summary of clinical practice guidelines for acute kidney injury. *Hospital practice (1995)*. 2014;42:7–14p
61. Online Appendices A-F. KDIGO Clinical Practice Guideline for Acute Kidney Injury. 2012.
62. Setiati S, Alwi I, Sudoyo AW, Simadibrata M, Setiyohadi B. Buku ajar ilmu penyakit dalam. 6th ed. Jakarta Pusat: Interna Publishing; 2014:1468p.

63. Farrar A. Acute kidney injury. *Nurs Clin North Am* [Internet]. 2018;53(4):499–510. Available from: <https://doi.org/10.1016/j.cnur.2018.07.001>
64. Levey AS, James MT. Acute kidney injury. *Ann Intern Med*. 2017;167(9):ITC65–79.
65. PERNEFRI. Konsensus Dialisis PERNEFRI. 1st ed. Journal of chemical information and modeling. Jakarta: PERNEFRI (Perhimpunan Nefrologi Indonesia); 2013;53:1689–1699p.
66. Service AH. Child and adolescent health service fluid balance and elimination child safe organisation statement of commitment haematuria proteinuria passage of meconium faeces for occult blood. *Child and Adolescent Health Service Neonatology*. 2021:1–6.
67. Dewi R, Fatimatuzzuhroh. Profil pasien sakit kritis yang dirawat di PICU RSCM berdasarkan sistem skoring PELOD-2. *Sari Pediatri*. 2019;21(1):37–43.
68. O'Brien KL, Selanikio JD, Hecdivert C, Placide MF, Louis M, Barr DB, et al. Epidemic of pediatric deaths from acute renal failure caused by diethylene glycol poisoning. *JAMA J Am Med Assoc*. 1998;279(15):1175–80.
69. Silbiger SR, Neugarten J. The role of gender in the progression of renal disease. *Adv Ren Replace Ther* [Internet]. 2003;10(1):3–14. Available from: <http://dx.doi.org/10.1053/jarr.2003.50001>
70. Hidayati EL, Fahlevi R, Puspitasari HA, Tartila, Puspaningtyas NW, Primacakti F, et al. Emerging progressive atypical acute kidney injury in young children linked to ethylene glycol and diethylene glycol intoxication. *Pediatric Nephrol* [Internet]. 2023. Available from: <https://doi.org/10.1007/s00467-023-06157-9>
71. Naik S, Sharma J, Yengkom R, Kalrao V, Mulay A. Acute kidney injury in critically ill children: risk factors and outcomes. *Indian J Crit Care Med*. 2014;18(3).
72. Gupta S, Sengar G, Meti P, Lahoti A, Beniwal M, Kumawat M. Acute kidney injury in pediatric intensive care unit: incidence, risk factors, and

- outcome. *Indian J Crit Care Med.* 2016;20(9).
73. Sutherland SM, Ji J, Sheikhi FH, Widen E, Tian L, Alexander SR, et al. AKI in hospitalized children: epidemiology and clinical associations in a national cohort. *Clin J Am Soc Nephrol.* 2013;8(10):1661–9.
 74. Xiang X, Zhu X, Zhang L. Association of malnutrition with risk of acute kidney injury :a systematic review and meta-analysis. *Int J Clin Pract.* 2023.
 75. Yu MY, Lee SW, Baek SH, Na KY, Chae DW, Chin HJ, et al. Hypoalbuminemia at admission predicts the development of acute kidney injury in hospitalized patients: a retrospective cohort study. *PLoS One.* 2017;12(7):1–14.
 76. Melda M, Triasih R, Nurnaningsih. Modifying the PELOD-2 score to predict mortality in critically ill patients. *Paediatr Indones.* 2021;61(2):61–8.
 77. Lukito JI. Tatalaksana keracunan ethylene glycol dan diethylene glycol. *Cermin Dunia Kedokt.* 2023;50(2):92–6.
 78. Cleto-Yamane TL, Gomes CLR, Suassuna JHR, Nogueira PK. Acute kidney injury epidemiology in pediatrics. *J Bras Nefrol.* 2019;41(2):275–83.
 79. Abubakar A, Awosanya E, Badaru o, Haladu S, et al. Fatal poisoning among young children from diethylene glycol-contaminated acetaminophen. *Morbidity and Mortality Weekly Report.* 2009;58(48):1345-7
 80. Singh J, Dutta A, Khare S, et al. Diethylene glycol poisoning in Gurgaon, india, 1998. *Bulletin of the World Health Organization.* 2001;79(2):88-95
 81. Abdulkhaleq LA, Assi MA, Abdullah R, Zamri-Saad M, et al. Tha crucial roles of inflammatory mediators in inflammation : a review. *Vet World.* 2018;11(5):627-35
 82. Hong-Mou S, Chih-Jen W, Shuei-Liong Lin. Physiology and pathophysiology of renal erythropoietin-producing cells. *Journal of the Formosan Medical Association.* 2018;117(11):955-63
 83. Larry J, Jeanine M, et al. *Rodak's Hematology.* 2016:2-3
 84. Gavin A, Amaani B, Simon J, Nick J, Hojn A. Cutaneous manifestation of acute kidney injury. *Clinical Kidney Journal* 2022;15(5):855-64
 85. Patil VP, Salunke BG. Fluid overload and acute kidney injury. *Indian J Crit Med.* 2020;24(3)

86. Zahorec R. Neutrophil-to-lymphocyte ratio, past, present, and future perspectives. *Bratisl Lek Listy*. 2021;122(7):474-88
87. Jaelani AQ, Arif SK, Muchtar F, Nurdin H, et al. Hubungan Neutrophil-lymphocyte ratio dengan kejadian acute kidney injury pada pasien sepsis yang dirawat di perawatan intensive care unit. *Majalah anestesia & Critical Care*. 2023;41(3):143-54
88. Moosmann J, Krusemark A, Dittrich S, Ammer T, Rauh M, et al. Age- and sex-specific pediatric reference intervals for neutrophil-to-lymphocyte ratio, lymphocyte-to-monocyte ratio, and platelet-to-lymphocyte ratio. *Int J Lab Hematol*. 2022;44(2):296-301
89. Luft FC. Biomarkers and predicting acute kidney injury. *Acta Physiol*. 2021;231
90. Alfonso AA, Mongan AE, Memah MF. Gambaran kadar kreatinin serum pada pasien penyakit ginjal kronik stadium 5 non dialisis. *Jurnal e-Biomedik*. 2016;4(1):2
91. Schwartz GJ, Haycock GB, Edelmann Cm Jr et al. A simple estimate of glomerular filtration rate in children derived from body length and plasma creatinine. *Pediatrics*. 1976;58:259-63
92. Olson JD. Chapter one - d-dimer : an overview of hemostasis and fibrinolysis. *Advance in Clinical Chemistry*. 2015;69:1-46
93. Braghieri L, Badwan OZ, Skoza W, Fares M, Menon V. Evaluating troponin evaluation in patients with chronic kidney disease and suspected acute coronary syndrome. *Cleveland Clinic Journal of Medicine*. 2023;90(8):483-9
94. Ramsay ES, Lerman MA. How to use the erythrocyte sedimentation rate in paediatrics. *Arch Dis Child Educ Pract Ed*/ 2015;100(1):30-6
95. Li J, Chen J, Lan HY, Tang Y. Role of c-reactive protein in kidney disease. *Kidney Dis (Basel)*. 2022;9(2):73-81
96. Dyer EM, Waterfield T, Baynes H. How to use c-reactive protein. *Arch Dis Child Educ Pract Ed*. 2019;104(3):150-3
97. Yale SH, Bray C, Bell LN, Liang H, Haykal R, et al. Erythrocyte sedimentation rate and c-reactive protein measurements and their relevance

- in cilinical medicine. Wis Med J. 2016;115(6):317-21
98. Anderson SE, Meade BJ. Potential health effects associates with derma exposure to occupational chemicals. Environ Health Insights. 2014;17(8):51-62
 99. Al-masoodi R, Abdullah U, Jassim H, Harun A. Immunomodulation effect of procalcitonin. J Bacteriol Mycol 2019;6(4):1108
 100. Dimtrijevic Z, Salinger-Martinovic S, Jankovicr, et al. Elevated serum ferritin levels are predictive in renal function recovert among patients with acute kidney injury. Tohoku Journal of Experimental Medicine. 2019;248(2):63-71
 101. Mavromatidis K, Fytil C, Kynigopoulou P, Fragia T, Sombolos K. Serum ferritine levels are increased in patients with acute renal failure. Clin Nephrol. 1998;49(5):296-8
 102. Kernan KF, Carcilo JA. Hyperferritinemia and inflammation. Int Immunol. 2017;29(9):401-9
 103. Nechemia-Arbely Y, Barkan D, Pizov G, SHriki A, ROaw-John S, et al. IL-6/IL6R axis plays a critical role in acute kidney injury. J Am Soc Nephrol. 2008;19(6):1106-15
 104. Rumende BA, Martn CM. Early predictors of mortality in patient with mechanical ventilator in Cipto Mangunkusumo hospital. University of Indonesia. 2014
 105. Rakhmawati U. Prediktor kematian acute kidney injury pada pasien rawat inap di pediatric intensive care unit RSUP Dr Sardjito. Universitas Gadjah Mada. 2017
 106. Marzuki MJ, Nursamsu, Rifai A. Comparison for hospital mortality, length of stay, renal recovery, and needs for hemodialysis in acute kidney injury (AKI) patients due to septic and non-septic, and factors affecting patients mortality. Jurnal Penyakit Dalam Indonesia. 2022;9(1)
 107. Feng Y, He H, Jia C, Xu Z, Li Y, Liao D. Meta-analysis of procalcitonin as a predictor for acute kidney injury. Medicine (Baltimore). 2021;100(10)
 108. Chun K, Chung W, Kim AJ, Kim H, Ro H, Chang JH, et al. Association between acute kidney injury and serum procalcitonin levels and their

diagnostic usefulness in critically ill patients. *Sci Rep.* 2019;9(1)

109. Chang CF, Lu TM, Yang WC, et al. Gene polymorphisms of interleukin-10 and tumor necrosis factor-alpha are associated with contrast-induced neuropathy. *Am JNephrol.* 2013;37:110-7
110. Ramesh G, Reeves WB. TNF-alpha mediates chemokine and cytokine expression and renal injury in cisplatin nephrotoxicity. *J Clin Invest.* 2002;110:835-42
111. Karaboyas A, Morgenstern H, Pisoni RL, Zee J, Vanholder R, et al. Association between serum ferritine and mortality: findings from the USA, Japan, and European dialysis outcomes and practice patterns study. *Nephrol Dial Transplant.* 2018;33:2234-44

