

## KEPUSTAKAAN

- [1] A. Nugroho, T. Andromeda, and A. Riyadi, “PID Controller Implementation for Temperature Control in Leakage Current Test Chamber 20 kV Insulator,” International Journal of Advanced Engineering Research and Science (IJAERS), vol. 8, no. 2, pp. 2456–1908, 2021, doi: 10.22161/ijaers.
- [2] E. Faiqoh, A. Nugroho, and A. Syakur, “Pembuatan dan Analisis Pengaruh Kondisi Permukaan terhadap Unjuk Kerja Isolator Polimer Resin Epoksi 20 kV Tipe Sirip Seragam dengan Variasi Tegangan Uji,” Transient, vol. 6, no. 3, pp. 389–395, 2017.
- [3] D. Fauziah and IJ. Muhammad Khairir, “Studi Pola Arus Bocor Isolator Keramik Selama Waktu Pemakaian 24 Jam,” Jurnal Rekayasa Hijau, vol. 3, no. 3, 2019.
- [4] Y. Harun and A. I. Pratiwi, “Karakteristik Dielektrik Isolator Polimer Resin Epoksi Berbahan Pengisi Abu Tongkol Jagung,” vol. 14, no. 2, 2020.
- [5] N. Tria Pratiwi, Hermawan, and A. Syakur, “Analisis Pengaruh Coating terhadap Sudut Kontak, Arus Bocor, dan THD pada Isolator Polimer 20 kV Kondisi Terkontaminasi,” Transient, vol. 4, no. 2, pp. 277–283, 2015.
- [6] Aulia et al., “The Effect of Silica Content to Partial Discharge Characteristic of Low-Density Polyethene And Natural Rubber Blend as The Electrical Insulator,” Telkomnika (Telecommunication Computing Electronics and Control), vol. 19, no. 2, pp. 631–637, Apr. 2021, doi: 10.12928/TELKOMNIKA.v19i2.16417.
- [7] H. M. Young, A. Haddad, A. R. Rowlands, and R. T. Waters, “Effect of Shape Factors on The Performance of Polluted Polymeric Insulators,” 1999.
- [8] A. Sutaryono, A. Syakur, and D. Hermawan, “Analisis Pengaruh Komposisi Bahan Isolator terhadap Fenomena Surface Discharge dengan Metode Pengukuran Arus Bocor dan Gelombang Sinyal Akustik,” vol. 7, no. 2, 2018.
- [9] Jumari, Joslen Sinaga, and Sudirman Zega, “Studi Pengaruh Kontaminasi Polusi Udara pada Isolator Tegangan Menengah 20 kV Pada PT PLN (Persero) Unit Pelaksana Pelayanan Pelanggan (UP3) Medan,” Jurnal Teknik Elektro, vol. 9, no. 1, pp. 31–43, 2020.
- [10] A. Aulia, R. Alfajri, E. P. Waldi, and N. Novizon, “Pengaruh Partikel Nanosilika terhadap Sifat Tolak Air Bahan Isolasi Bionanokomposit,” Jurnal Nasional Teknik Elektro, vol. 9, no. 2, pp. 74–78, Jul. 2020, doi: 10.25077/jnte.v9n2.716.2020.
- [11] A. Indah Pratiwi, M. Asri, and A. Samad Yusuf, “Analisis Tegangan Tembus dan Hidrofobisitas Isolator Nano Komposit Resin Epoksi dan SiO<sub>2</sub>,”

- Jambura Journal of Electrical and Electronics Engineering, vol. 3, no. 2, 2021.
- [12] A. Syakur and H. Berahim, "Analisis Sifat Hidrofobik Permukaan HDPE Berdasarkan Nilai Total Harmonic Distortion," 2009.
  - [13] Nuryetti, H. Hermansyah, and M. Nasikin, "Bionanokomposit: Peluang Polimer Alami sebagai Material Baru Semikonduktor," Jurnal Riset Industri, vol. 6, no. 1, pp. 75–85, 2012.
  - [14] Callister Jr, William D, and R. David G, "Fundamentals of Materials Science and Engineering," 2020.
  - [15] Aulia et al., "The Tensile Properties of Alumina and Silica Bionanocomposite Material for High Voltage Insulation," in IOP Conference Series: Materials Science and Engineering, Institute of Physics Publishing, Sep. 2019, doi: 10.1088/1757-899X/602/1/012010.
  - [16] A. Suryo Alam, A. Syakur, and A. Nugroho, "Analisa Pengaruh Variasi dan Komposisi Bahan Pengisi terhadap Unjuk Kerja Sampel Isolator Resin Epoksi Silane," vol. 2, no. 3, 2013.
  - [17] N. Yuniarti and A. N. Afandi, "Tinjauan Sifat Hidrofobik Bahan Isolasi Silicone Rubber," Jurnal Tekno.
  - [18] E. Indira, "Studi Kekuatan Dielektrik pada Bahan Campuran Abu Sekam Padi dengan Resin Epoksi."
  - [19] I. Kitta, S. Manjang, W. Tjaronge, and R. Irmawaty, "Effect of Coal Fly Ash Filler in Silicone Rubber and Epoxy Resin as Insulating Material in Wet Environmental Conditions," International Journal of Mechanical & Mechatronics Engineering IJMME-IJENS, vol. 16, no. 2, 2016.
  - [20] M. Toni Parasetyo, H. Berahim, and T. Haryono, "Pengujian Sudut Kontak pada Bahan Isolasi Resin Epoksi dengan Pengisi Pasir Pantai yang Mengandung Banyak Kalsium," Media Elektrika, vol. 5, no. 1, 2012.
  - [21] Y. Malago, S. Adriansyah Hulukati, A. Indah Pratiwi, and L. MuhKamil Amali, "Rancang Bangun Sistem Monitoring Arus Bocor Isolator," Jurnal Rekayasa dan Teknologi Elektro, vol. 16, no. 1, pp. 111–115, 2022.
  - [22] V. Gustiana, M. S. Ir. Bonar Sirait, and M. T. Fitriah S.T., "Analisa Perhitungan Distribusi Tegangan dan Arus Bocor pada Isolator Rantai," vol. 2, no. 1, 2021.
  - [23] W. Prasetya and A. Mahdi Manggala, "Analisis Kelayakan Elektrikal Material Resin Epoksi Silane sebagai Material Isolator Tumpu dengan Desain Dua Sirip Terpisah," ELECTRON Jurnal Ilmiah Teknik Elektro, vol. 3, no. 2, pp. 31–40, Nov. 2022, doi: 10.33019/electron.v3i2.30.
  - [24] S. Abduh, Kabel Tenaga Listrik. Jakarta: Usakti, 2011.
  - [25] J. Espirito Santo, M. Suyanto, and Subandi, "Analisis Pengujian Bahan Isolasiresin Epoksi dengan Pengisian Silika Dari Abu Sekam Padi," Elektrikal, vol. 6, no. 1, pp. 17–25, 2019.

- [26] E. Kuffel, W. S. Zaengl, and J. Kuffel, *High Voltage Engineering: Fundamentals*. Butterworth-Heinemann/Newnes, 2000.
- [27] J. Heri, Yuningtyastuti, and A. Syakur, “Studi Arus Bocor Permukaan Bahan Isolasi Resin Epoksi Silane dengan Variasi Pengisi Pasir Silika (dengan Polutan Pantai),” vol. 14, no. 1, 2012, [Online]. Available: <https://www.researchgate.net/publication/266051281>
- [28] W. Agung Amiruddin Ramadhan, S. Manjang, and I. Kitta, “Simulasi Karakteristik Arus Bocor dan Sifat Hidrofobik ke Lapisan Polusi Permukaan Isolator Polimer Silicone Rubber,” *Jurnal EKSITASI*, vol. 1, no. 2, 2022.
- [29] S. Purwantara, “Studi Temperatur Udara Terkini di Wilayah di Jawa Tengah dan DIY,” *Geomedia*, vol. 13, no. 1, pp. 41–52, 2015.
- [30] B. L. Tobing, *Dasar-dasar Teknik Pengujian Tegangan Tinggi*. Erlangga, 2012.
- [31] SPLN 10-3B, “Tingkat Intensitas Polusi Sehubungan dengan Pedoman Pemilihan Isolator,” 1993.
- [32] Armansyah, “Analisa Pengaruh Endapan Polutan Garam pada Isolator terhadap Arus Bocor,” vol. 6, no. 2, 2021.
- [33] A. Zulfan Hatami, S. R. Mulyo Bondan, and M. Dzulfikar, “Pengaruh Susunan Tata Letak Serat pada Komposit Resin Polyester-Serat Batang Pisang terhadap Kekuatan Tarik,” pp. 25–30, 2021.
- [34] A. T. Reviandi, B. A. Harsojuwono, and L. Suhendra, “Pengaruh Perbandingan Sorbitol dan TDI-80 terhadap Karakteristik Biokomposit Foam Maizena-Glukomanan,” *Jurnal Ilmiah Teknologi Pertanian Agrotechno*, vol. 7, no. 2, pp. 153–159, 2022.
- [35] Z. Barani et al., “Thermal Properties of the Binary-Filler Hybrid Composites with Graphene and Copper Nanoparticles,” *Adv Funct Mater*, vol. 30, no. 8, Feb. 2020, doi: 10.1002/adfm.201904008.
- [36] A. Budiman, “Recent Development in Natural Rubber Prices,” *Food and Agriculture Organization of the United Nations (FAO)*, pp. 109–116, 2002.
- [37] M. Tampubolon, “Komposisi dan Sifat Lateks dalam Pengolahan Lateks Pekat, RSS, dan SIR,” 1995.
- [38] N. Nurjannah, “Komparasi Perpaduan SIR 20/SBR dan SIR 3CV/BR sebagai Base Elastomer terhadap Karakteristik Komposit Karet untuk Telapak Ban Pejal Vulkanisir,” *Jurnal Penelitian Karet*, pp. 197–208, Nov. 2020, doi: 10.22302/ppk.jpk.v2i38.711.
- [39] D. R. Cornish and C. Nyamupangedengu, “Time-Evolution Phenomena of Electrical Tree Partial Discharges in 5 %wt MgO, Alumina and Silica Epoxy Nanocomposites,” *Annual Report Conference on Electrical Insulation and Dielectric Phenomena*, vol. 9, no. 14, pp. 43–46, 2014.
- [40] Y. Pangesti Ningrum, “Sintesis dan Karakteristik Nanopartikel Silika ( $\text{SiO}_2$ ) dari Limbah Geothermal sebagai Fluorescent Fingerprint Powder,” 2018.

- [41] M. Jurusan Teknik Elektro Undip, D. Jurusan Teknik Elektro Undip, D. Ika Susilawati, and A. Syakur, "Analisa Arus Bocor Permukaan Bahan Isolasi Resin Epoksi Silane Menggunakan Metode Pengukuran Inclined-Plane Tracking," pp. 1–7, 2012.
- [42] A. Ashari, A. Syakur, and B. Winardi, "Analisa Pengaruh Kontaminan Pantai terhadap Unjuk Kerja Sampel Isolator Bahan Keramik Sebelum dan Sesudah Dilapisi Minyak Silikon," Transmisi, vol. 14, no. 4, pp. 135–140, 2012.
- [43] T. A. Anton, "Karakteristik Permukaan Bahan Isolator Karet Silikon terhadap Kemampuan Menolak Air," vol. 4, no. 1, 2004.
- [44] B. K. Gautam, M. Ita, B. Marungsri, R. Matsuoka, S. Ito, and K. Arakawa, "Contamination Flashover Performance of Hydrophobic Polymer Insulators with Different Core Diameters," International Conference on Solid Dielectrics, 2004.
- [45] J. Katayama, Y. Ohki, N. Fuse, M. Kozako, and T. Tanaka, "Effects of Nanofiller Materials on the Dielectric Properties of Epoxy Nanocomposites," IEEE Transactions on Dielectrics and Electrical Insulation, vol. 20, no. 1, pp. 157–165, 2013.
- [46] N. A. M. Jamail, M. A. M. Piah, and N. A. Muhamad, "Effects of SiO<sub>2</sub> Nanofillers on Polarization and Depolarization Current (PDC) of LLDPE-NR Nanocomposite Insulating Materials," in PECon 2012 - 2012 IEEE International Conference on Power and Energy, 2012, pp. 707–711. doi: 10.1109/PECon.2012.6450306.
- [47] Q. Wang, G. Chen, and A.S. Alghamdi, "Influence of Nanofillers on Electrical Characteristics of Epoxy Resins Insulation," International Conference on Solid Dielectrics, pp. 1–4, 2010.
- [48] M. M. S. Shirazi, H. Borsi, and E. Gockenbach, "Effect of TiO<sub>2</sub> Nanofillers on Electrical, Thermal and Mechanical Parameters of Epoxy Resin," pp. 69–72, 2012.
- [49] M. Heru Setiawan, "Pengaruh Temperatur terhadap Karakteristik Peluahan Sebagian Bahan Isolasi Bionanokomposit," 2018.
- [50] B. Lu, Y. Zhang, D. Sun, and X. Jing, "Experimental Investigation on Thermal Properties of Paraffin/expanded Graphite Composite Material for Low Temperature Thermal Energy Storage," Renew Energy, vol. 178, pp. 669–678, Nov. 2021, doi: 10.1016/j.renene.2021.06.070.
- [51] A. Bakti manggara, T. Papilaka, and dan T. Rachmat Triandi, "Penentuan Ukuran Kristal (Crystallite Size) Lapisan Tipis PZT dengan Metode XRD Melalui Pendekatan Persamaan Debye Scherrer," Erudio Journal of Educational Innovation, vol. 1, no. 2, 2013.
- [52] P. Seredin, D. Goloshchapov, Y. Ippolitov, and J. Vongsivut, "Engineering of a Biomimetic Interface Between a Native Dental Tissue and Restorative

- Composite and its Study Using Synchrotron FTIR Microscopic Mapping,” Int J Mol Sci, vol. 22, no. 12, Jun. 2021, doi: 10.3390/ijms22126510.
- [53] M. T. Prasetyo and A. Solichan, “Efektifitas Pemanfaatan Pasir Pantai Berkalsium sebagai Material Pengisi Bahan Isolasi Resin Epoksi untuk Isolator Listrik,” 2014.
- [54] M. Fairus, M. Hafiz, N. S. Mansor, M. Jaafar, and M. Kamarol, “Comparative Study of SiR/EPDM Containing Nano-Alumina and Titanium Dioxides in Electrical Surface Tracking,” IEEE Transactions on Dielectrics and Electrical Insulation, vol. 24, no. 5, pp. 2901–2910, Oct. 2017, doi: 10.1109/TDEI.2017.006414.
- [55] L. Ranakoti et al., “Critical Review on Polylactic Acid: Properties, Structure, Processing, Biocomposites, and Nanocomposites,” Materials, vol. 15, no. 12. MDPI, Jun. 01, 2022, doi: 10.3390/ma15124312.
- [56] W. R. Agustin, “Sintesis dan Karakterisasi MnO<sub>2</sub> dengan Pendopingan Fe<sup>3+</sup> sebagai Elektroda Penyimpan Energi,” Diss. Universitas Islam Negeri Maulana Malik Ibrahim, 2019.
- [57] A. N. Eddiyanto and A. Sinaga, “Modification of Natural Rubber Sir-20 With Cyclisation and Grafting Methods with Maleic Anhydride,” Indonesian Journal of Chemical Science and Technology (IJCST-UNIMED), vol. 5, no. 2, pp. 67–73, 2022.
- [58] S. Dewati Samah, T. Rachmi Hidayani, E. Pelita, and Gusfiyesi, “Karakterisasi Plastik Biodegradabel dari LDPE-g-MA dan Pati Tandan Kosong Sawit,” Eksakta, vol. 18, no. 2, pp. 30–38, 2017.

