

DAFTAR PUSTAKA

1. Arjani Ida, Nyoman Mastra, I.W.M. Gambaran Kadar Asam Urat Glukosa Darah dan Tingkat Pengetahuan Lansia Di Desa Sam Sam Kecamatan Kerambitan Kabupaten Tabanan. *Meditory: the journal of Medical Laboratory*. 2018;6(1):46-55.
2. Banyumas K. Hubungan Indeks Massa Tubuh Dengan Kadar Asam Urat Darah Pada Penduduk Desa Banjaranyar Kecamatan Sokaraja Kabupaten Banyumas. *Jurnal Keperawatan Soedirman*. 2019;4(3):119-124.
3. Bardin T, Richette P. Definition of Hyperuricemia and gouty conditions. *Curr Opin Rheumatol*. 2014;26(2):186-191.
4. Jaliana J, Suhadi S. Faktor-Faktor Yang Berhubungan Dengan Kejadian Asam Urat Pada Usia 20-44 Tahun Di RSUD Bahteramas Provinsi Sulawesi Tenggara Tahun 2017. *Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat*. 2018;3(2):1-9.
5. Madyaningrum E, Kusumaningrum F, Wardani RK, Susilaningrum AR, Ramdhani A. *Buku Saku Kader: Pengontrolan Asam Urat di Masyarakat*. Edisi 2. Yogyakarta: FKKMK UGM. 2020.
6. Ragab G, Elshahaly M, Bartin T. Gout: An old disease in new perspective- A review. *J Adv Res*. 2017;8(5):495-511.
7. DALYs GBD, Collaborators H. Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet*. 2018;392(10159):1859-922.
8. Kementerian Kesehatan RI. *Riset Kesehatan Dasar (RISKESDAS)*. Jakarta: Balitbang. 2018.
9. Dinas Kesehatan Kota Padang. *Profil Kesehatan Kota Padang*. Padang: Dinas Kesehatan Kota Padang. 2015.
10. Danve A, Neogi T. Rising Global Burden of Gout: Time to Act. *Arthritis Rheumatol*. 2020;72(11):1786-88.
11. Rai SK, Burns LC, De Vera MA, Haji A, Giustini D, Choi HK. The economic burden of gout: A systematic review. *Semin Arthritis Rheum*. 2015;45(1):75-80.
12. Choi HK, McCormick N, Lu N, Rai SK, Yokose C, Zhang Y. Population Impact

Attributable to Modifiable Risk Factors for Hyperuricemia. *Arthritis Rheumatol.* 2020;72(1):157-165.

13. Wallace KL, Riedel AA, Joseph-Ridge N, Wortmann R. Increasing prevalence of gout and hyperuricemia over 10 years among older adults in a managed care population. *J Rheumatol.* 2004; 31(8):1582–7.
14. Saag KG, Choi H. Epidemiology, risk factors, and lifestyle modifications for gout. *Arthritis Res Ther.* 2006; 8(Suppl 1):S2.
15. Gaita L, Timar R, Lupascu N, Roman D, Albai A, Potre O, Timar B. The Impact Of Hyperuricemia On Cardiometabolic Risk Factors In Patients With Diabetes Mellitus: A Cross-Sectional Study. *Diabetes Metab Syndr Obes.* 2019;12:2003-2010.
16. American Institute for Cancer Research. *Physical Activity and The Risk of Cancer.* 2018.
17. Purnama H, Suhada T. Tingkat Aktivitas Fisik Pada Lansia Di Provinsi Jawa Barat, Indonesia. *Jurnal Keperawatan Komprehensif.* 2019;5(2): 102-106.
18. Baja FR, Rismayanthi C. Hubungan Tingkat Pengetahuan Diet Dan Aktivitas Fisik Terhadap Status Gizi Pada Siswa Sekolah Menengah Atas. *Medikora.* 2019;18(1): 1-6.
19. Roring NM, Posangi J, Manampiring A.E. Hubungan Antara Pengetahuan Gizi, Aktivitas Fisik, Dan Intensitas Olahraga Dengan Status Gizi. *Jurnal Biomedik.* 2020;12(28): 110-116.
20. Park DY, Kim YS, Ryu SH, Jin YS. The association between sedentary behavior, physical activity and hyperuricemia. *Vasc Health Risk Manag.* 2019;15:291-299.
21. Wang YY, Li L, Cui J, Yin F, Yang F, Yuan DM, Xin HL, Zhang L, Gao WG, Sun JP. Associations between anthropometric parameters (body mass index, waist circumference and waist to hip ratio) and newly diagnosed hyperuricemia in adults in Qingdao, China: A cross-sectional study. *Asia Pac J Clin Nutr.* 2020;29(4):763-770.
22. World Health Organization (WHO). *Global Action Plan on Physical Activity 2018-2030: More Active People for a Healthier World (At a Glance).* World Health Organization; 2018.p. 1-8.
23. Leel-M, Shiroma EJ, Lobelo F, Puska P, Blair SN, Katzmarzck PT. Effect of Physical Inactivity on Major Non-Communicable Disease Worldwide: An Analysis of Burden of Disease and Life Expectancy. 2012;380(9838): 219-229.

24. Choi HK, Atkinson K, Karlsom EW, Willett W, Curhan G. Alcohol intake and risk of incident gout in men: a prospective study. *Lancet*. 2004;363(9417):1277-1281.
25. Barner J, Behrens TK, Benden ME. Letter to the editor: standardized use of the terms “sedentary” and “sedentary behaviours”. 2012;37(3): 540-546.
26. Bouchard C, Blair SN, Katzmarzyk PT. Less sitting, more physical activity, or higher fitness?. *Mayo Clinic Proc*. 2015;90(11):1533-1540.
27. Owen N, Healy GN, Matthews CE, Dunstan DW. Too much sitting: the population-health science of sedentary behavior. 2010;38(3):105-113.
28. Profil Kesehatan Kabupaten Lima Puluh Kota Tahun 2022 [Internet]. Vol. 2022.2022. Tersedia pada: <https://dinkes.limapuluhkotakab.go.id/>
29. I Made Sumarya. Hiperurisemia Sebagai Faktor Risiko Penyakit Kardiovaskular Melalui Mekanisme Stress Oksidatif. *Widya Biologi*. 2019;10(2): 88-94.
30. Setiawan MA. Perbedaan Jenis Kelamin Dan Usia Terhadap Kadar Asam Urat Pada Penderita *Hiperurisemia*. *E-Jurnal Medika Udayana*. 2019;8(12).
31. Bardin T, Richette P. Definition of hyperuricemia and gouty conditions. *Curr Opin Rheumatol*. 2014;26(2):186-191.
32. Afnuhazi R. Faktor-Faktor Yang Berhubungan Dengan Kejadian Asam Urat Pada Lansia (45-70 Tahun). *Human Care Journal*. 2019.
33. George C, Minter DA. Hyperuricemia. In: *StatPearls*. Treasure Island: StatPearls Publishing; 2023.
34. Kementerian Kesehatan RI. Riset Kesehatan Dasar (RISKESDAS). Jakarta: Balitbang. 2018.
35. Maiuolo J, Oppedisano F, Gratteri S, Muscoli C, Mollace V. Regulation of uric acid metabolism and excretion. *Int J Cardiol*. 2016;213:8-14.
36. Biz, A. *Metabolisme Purin*, Pembentukan Asam Urat. 2015.
37. Wallace K, Riedel A, Joseph-Ridge N, Wortmann R. Increasing prevalence of gout and hyperuricemia over 10 years among older adults in a managed care population. *J Rheumatol*. 2004;31:1582–1587.
38. Ni Q, Lu X, Chen C, Du H, Zhang R. Risk factors for the development of hyperuricemia: A STROBE-compliant cross-sectional and longitudinal study.

- Medicine (Baltimore). 2019;98(42):e17597.
39. Yokose C, McCormick N, Choi HK. The role of diet in hyperuricemia and gout. *Curr Opin Rheumatol*. 2021;33(2):135-144.
 40. Novianti A, Ulfi E, Hartati LS. Hubungan Jenis Kelamin, Status Gizi, Konsumsi Susu dan Olahannya Dengan Kadar Asam Urat Pada Lansia. *Jurnal Gizi Indonesia (The Indonesian Journal Of Nutrition)*. 2019;7(2):130-134.
 41. Manoppo MT, Ratag BT, Mantjoro EM. Hubungan Antara Konsumsi Purin Riwayat Keluarga Dan Jenis Kelamin Dengan Kejadian Hiperurisemia Pada Lansia Di Kelurahan Malalayang I Timur. 2019;8(7):121-133.
 42. Magfira N, Adnani H. Hubungan Aktivitas Fisik Dan Riwayat Genetik Dengan Kadar Asam Urat Di Posyandu Cinta Lansia. 2021;12(2):390-396.
 43. Aihemaitijiang S, Zhang Y, Zhang L, Yang J, Ye C, Halimulati M, Zhang W, Zhang Z. The Association between Purine-Rich Food Intake and Hyperuricemia: A Cross-Sectional Study in Chinese Adult Residents. *Nutrients*. 2020;12(12):3835.
 44. Gong M, Wen S, Nguyen T, Wang C, Jin J, Zhou L. Converging Relationships of Obesity and Hyperuricemia with Special Reference to Metabolic Disorders and Plausible Therapeutic Implications. *Diabetes Metab Syndr Obes*. 2020;13:943-962.
 45. Feng X, Yang Y, Xie H, Zhuang S, Fang Y, Dai Y, Jiang P, Chen H, Tang H, Tang L. The Association Between Hyperuricemia and Obesity Metabolic Phenotypes in Chinese General Population: A Retrospective Analysis. *Front Nutr*. 2022;9:773220.
 46. Stewart DJ, Langlois V, Noone D. Hyperuricemia and Hypertension: Links and Risks. *Integr Blood Press Control*. 2019;12:43-62.
 47. Lubis, A.D.A., dkk. Perbedaan Kadar Asam Urat Pada Lansia Dengan Indeks Massa Tubuh Normal Dan Overweight. *Jurnal Kedokteran Ibnu Nafis*. 2020;9(1): ISSN 2252-6870.
 48. Wang XD, Liu J, Zhang YC, Wang Y, Wang Y, Ma D. Correlation between the elevated uric acid levels and circulating renin-angiotensin-aldosterone system activation in patients with atrial fibrillation. *Cardiovasc Diagn Ther*. 2021;11(1):50-55.
 49. Hou Y, Ma R, Gao S, Kaudimba KK, Yan H, Liu T, Wang R. The Effect of Low and Moderate Exercise on Hyperuricemia: Protocol for a Randomized Controlled

- Study. *Front Endocrinol (Lausanne)*. 2021;12:716802.
50. Sueni, Haniarti, Ayu Dwi Putri Rusman. Analisis Penyebab Faktor Risiko Terhadap Peningkatan Penderita Gout (Asam Urat) di Wilayah Kerja Puskesmas Suppa Kecamatan Suppa Kabupaten Pinrang. *Jurnal Manusia dan Kesehatan*. 2019;4(1):12-19.
 51. Li JR, Fan Y, Liu ML. Association Between Low-Dose Aspirin and Uric Acidin the Elderly: An Observational Retrospective Cross-Sectional Study. *Int J Gen Med*. 2021;14:3635-3643.
 52. Desideri G, Castaldo G, Lombardi A. Is it time to revise the normal range of serum uric acid levels? *Eur Rev Med Pharmacol Sci*. 2014;18:1295–1306.
 53. Skoczyńska M, Chowaniec M, Szymczak A, Langner-Hetmańczuk A, Maciążek-Chyra B, Wiland P. Pathophysiology of hyperuricemia and its clinical significance - a narrative review. *Reumatologia*. 2020;58(5):312-323.
 54. Benn CL, Dua P, Gurrell R. Physiology of hyperuricemia and urate-lowering treatments. *Front Med (Lausanne)*:2018;5:160-170.
 55. Dalbeth N, Phipps-Green A, Frampton C, Neogi T, Taylor WJ, Merriman TR. Relationship between serum urate concentration and clinically evident incident gout: an individual participant data analysis. *Ann Rheum Dis*. 2018; 77: 1048-1052.
 56. Aihemaitijiang, S. et al. (2020). The association between purine-rich food intake and hyperuricemia: A cross-sectional study in chinese adult residents, nutrients. 2020;12(12): 1-10.
 57. Zeng, J. et al. Prediction model of artificial neural network for the risk of hyperuricemia incorporating dietary risk factors in a Chinese adult study, *Food and Nutrition Research*. 2020;64: 1-9.
 58. Silva, M. T. Da et al. Intake of selected foods and beverages and serum uric acid levels in adults: ELSA-Brasil (2008-2010), *Public Health Nutrition*. 2020;23(3):506-514.
 59. Channa A, Dalbeth N. The gouty tophus: a review. *Curr Rheumatol Rep*. 2015;17(3):19.
 60. Abhishek A, Doherty M. Education and non-pharmacological approaches for gout. *Rheumatology (Oxford)*. 2018;57(1):i51-i58.
 61. Fanani. Hubungan Pola Makan Dengan Terjadinya Penyakit Gout (Asam

- Urut) Di Desa Limran Kelurahan Pantoloan Boya Kecamatan Taweli. 2018;7(2): 730-35.
62. Kakutani-Hatayama M, Kadoya M, Okazaki H, Kurajoh M, Shoji T, Koyama H, Tsutsumi Z, Moriwaki Y, Namba M, Yamamoto T. Nonpharmacological Management of Gout and Hyperuricemia: Hints for Better Lifestyle. *Am J Lifestyle Med.* 2015;11(4):321-329.
 63. Líška D. Non-pharmacological treatment of gout. *Vnitr Lek.* 2021 Spring;67(E-2):25-28.
 64. Yang N, Yu Y, Zhang A, Estill J, Wang X, Zheng M, Zhou Q, Zhang J, Luo X, Qian C, Mao Y, Wang Q, Yang Y, Chen Y. Reporting, presentation and wording of recommendations in clinical practice guideline for gout: a systematic analysis. *BMJ Open.* 2019;9(1):e024315.
 65. Alqarni NA, Hassan AH. Knowledge and practice in the management of asymptomatic hyperuricemia among primary health care physicians in Jeddah, Western Region of Saudi Arabia. *Saudi Med J.* 2018;39(12):1218-1225.
 66. Engel B, Schacher S, Weckbecker K, Stausberg A, Gräff I. Acute Gout in Emergency Admissions - Patient Characteristics and Adherence of Care Processes to Current Guidelines. *Z Orthop Unfall.* 2018;156(6):653-661.
 67. Larandang R, Sudirman S YA. *Gizi Lanjut Usia (Lansia).* 2019. 7-20.
 68. Sya'diah H, Mutyah D, Mayasari AC, Candra Kirana SA, Gufron A. Hubungan Tingkat Pengetahuan Lansia Dengan Tingkat Kemandirian Adl (Activity Daily Living) Penanganan Comorbid Covid-19 Di Puskesmas Kenjeren Surabaya. 2022;7(1);80-8.
 69. Badan Pusat Statistik Republik Indonesia. *Statistik Penduduk Lanjut Usia 2019.* 2019.
 70. Badan Pusat Statistik Republik Indonesia. *Statistik Penduduk Lanjut Usia Tahun 2022 [Internet].* 2022.
 71. World Health Organization. *Decade of Healthy ageing.* 2020.
 72. WHO [Internet]. *More Active People for a Healthier World Health Organization.* [cited 2023 June 30]. Available from: <https://apps.who.int/iris/bitstream/handle/10665/272721/WHO-NMH-PND-18.5-eng.pdf>
 73. Abarca, R.M. *Aktivitas Fisik Pada Hipertensi.* *Physical Activity Journal of*

- Hypertension, 2013-2015. 2021:97-105.
74. Kementerian Kesehatan. Infodatin: Pembinaan Kesehatan Olahraga diIndonesia. Kementerian Kesehatan Republik Indonesia. Jakarta. 2015.
 75. Hayek LE, Khalifeh M, Zibara V, Assaad RA, Emmanuel N, Nabil Karnib, et al. Lactate mediates the effects of exercise on learning and memory through SIRT1-dependent activation of hippocampal brain-derived neurotrophic factor (BDNF).
 76. Cowell R. Metabolic Equivalent. 2018
 77. Paul D, Loprinzi PD. Intensity-specific effects of acute exercise on human memory function: considerations for the timing of exercise and the type of memory Health Promotion Perspectives. 2018;8(4):255-264.
 78. Bull FC, Maslin TS, Armstrong T. Global physical activity questionnaire (GPAQ): nine country reliability and validity study. J Phys Act Health. 2009;6(6): 790-804.
 79. Erwinanto D. Hubungan Antara Tingkat Aktivitas Fisik dengan Kebugaran Jasmani Siswa Kelas X Tahun Ajaran 2016/2017 di SMK Muhammadiyah 1 Wates Kabupaten Kulon Progo DIY. Skripsi Program Studi Sarjana Pendidikan Jasmani Universitas Negeri Yogyakarta. 2017. 6-22.
 80. Singh, A. & Purohit, B. Evaluation of Global Physical Activity Question (GPAQ) among Healthy and Obese Health Professionals in Central India. Baltic Journal of Health and Physical Activity. 2011;3: 34-43.
 81. Ivanali K, Amir TL, Munawwarah M, Pertiwi AD. Hubungan Antara Aktivitas Fisik Pada Lanjut Usia Dengan Tingkat Keseimbangan. J Ilm Fisioter. 2021;21(1):51-7.
 82. Sari CM, Rismayanti IDA, Putu D, Erawan A, Supartini K. Wanita Post Menopause di Wilayah Kerja Puskesmas Buleleng III (Correlation of Body Mass Index and Uric Acid Level in Post Menopause Women in Public Health Center of Buleleng III). 2019;4(1): 40-48.
 83. Asrori. Hubungan Antara Peningkatan Kadar Asam Urat Darah dengan Kejadian Hipertensi di Rumah Sakit Bhayangkari Palembang Tahun 2018. Ejournal Poltekkes Tanjungkarang.2019;8(1):17-21.
 84. Arjani IDA, Sri Nyoman Mastra, I Wayan Merta. Gambaran Kadar Asam Urat dan Tingkat Pengetahuan Lansia di Desa Samsam Kecamatan Kerambitan Kabupaten Tabanan. Ejournal Poltekkes Denpasar. 2018;6(1):46-55.

85. Agatha, Ni Wayan Megi Ronci. Hubungan Usia dan Jenis Kelamin Terhadap Kadar Asam Urat pada Masyarakat di Desa Abang Kecamatan Abang Kabupaten Karangasem. *Ejournal Poltekkes Denpasar*.2022;5(1):40-9.
86. Fauzan A. Hubungan Indeks Massa Tubuh (IMT), Asupan Purin dan Aktivitas Fisik dengan Kejadian Gout Arthritis pada Lansia di Wilayah Kerja Puskesmas Tanjungsari Pacitan. Skripsi. Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta. 2016:59-68.
87. Angela FC, Asrifudin A, Polan. Hubungan Aktivitas Fisik dengan Fungsi Kognitif Lansia di Wilayah Kerja Puskesmas Wori Kabupaten Minahasa. *Ejournal Universitas Lampung Mangkurat*.2018;7(4):1-10.
88. Dewi SK. Level Aktivitas Fisik dan Kualitas Hidup Warga Lanjut Usia Physical Activity Level and Quality of Life of The Elderly. 2018;14(3): 241-50.
89. Purnasari et al. Faktor-Faktor yang Berhubungan dengan Kadar Asam Urat pada Lansia di Posbindu Sedap Malam Desa Cikarawang. *Publikasi Polije*.2019;1:1-9.
90. Nurhamidah N, Nofiani S. Faktor-Faktor Yang Berhubungan Dengan Kejadian Asam Urat Pada Pasien Rawat Jalan Di Rumah Sakit Stroke Nasional Bukittinggi Tahun 2015. *Journal Upertis*. 2015;2(4):1-13.
91. Fitriana GG, Fayasari. Pola Konsumsi Sumber Purin, Aktivitas Fisik, dan Status Gizi dengan Kadar Asam Urat Pada Lansia di Puskesmas Kecamatan Makasar Jakarta. *Journal Online Soedirman*. 2020;4(1):84-93.
92. Fauzi M. Hubungan Aktivitas Fisik dengan Kadar Asam Urat di Padukuhan Bedog Trihanggo Gamping Sleman Yogyakarta. *Digilib UnisaYogya*. 2018:1-13.
93. Anggraeni TA, Mujahid. Pemberian Senam Ergonomik Berbasis Spiritual Pada Lansia dengan Prediksi Arthritis Gout di Wilayah Kerja Puskesmas Sokaraja I. *Jurnal Keperawatan Muhammadiyah*. 2020:21-7.
94. Natania, Evelin M. Hubungan Aktivitas Fisik dengan Kadar Asam Urat di RW 13 Kampung Mokla, Kecamatan Parongpong. *E-Journal UNKLAB*. 2020;2(2):19-22.