

BAB 7

DAFTAR PUSTAKA

1. Beauty & Personal Care - Worldwide [Internet]. [cited 2022 Nov 29]. Available from: <https://www.statista.com/outlook/cmo/beauty-personal-care/worldwide>
2. Lip Care Product Global Market Report 2022 [Internet]. [cited 2023 Nov 29]. Available from: https://www.reportlinker.com/p06323887/Lip-Care-Product-Global-Market-Report.html?utm_source=GNW
3. Badan Pengawas Obat dan Makanan Republik Indonesia (BPOM RI). 2020. Peraturan Badan Pengawas Obat dan Makanan Nomor 30 Tahun 2020 Tentang Persyaratan Teknis Penandaan Kosmetika. Jakarta: Badan Pengawas Obat dan Makanan Republik Indonesia
4. Kementerian Kesehatan Republik Indonesia. 2010. Pertahuran Menteri Kesehatan Republik Indonesia Nomor 1176/MENKES/PER/VIII/2010 Tentang Notifikasi Kosmetika. Jakarta: Kementerian Kesehatan Republik Indonesia
5. Badan Pengawas Obat dan Makanan Republik Indonesia (BPOM RI). 2020. Peraturan Badan Pengawas Obat dan Makanan Nomor 21 Tahun 2020 Tentang Organisasi dan Tata Kerja Badan Pengawas Obat dan Makanan. Jakarta: Badan Pengawas Obat dan Makanan Republik Indonesia
6. Food and Drug Administration. Food and Drug Administration Cosmetic Labeling Guide [Internet]. [cited 2023 Jan 10]. Available from: <https://www.fda.gov/cosmetics/cosmetics-labeling-regulations/cosmetics-labeling-guide#clgl2>
7. Food and Drug Administration. FDA Authority Over Cosmetics: How Cosmetics Are Not FDA-Approved, but Are FDA-Regulated [Internet]. [cited 2023 Jan 10]. Available from: https://www.fda.gov/cosmetics/cosmetics-laws-regulations/fda-authority-over-cosmetics-how-cosmetics-are-not-fda-approved-are-fda-regulated#What_kinds
8. Shah R, Taylor K. Fordham Environmental Law Review Concealing Danger: How the Regulation of Cosmetics in the United States Puts Consumers at

- Risk. 2011;23. Available from: <https://ir.lawnet.fordham.edu/cgi/viewcontent.cgi?article=1696&context=elr>.
9. Watnick V. The Missing Link: U.S. Regulation of Consumer Cosmetic Products to Protect Human Health and the Environment. *Pace Environmental Law Review* [Internet]. 2014 Aug 14 [cited 2023 Mar 11];31(3):595. Available from: <https://digitalcommons.pace.edu/pelr/vol31/iss3/1>
 10. Cornell EM, Janetos TM, Xu S. Time for a makeover-cosmetics regulation in the United States. *J Cosmet Dermatol*. 2019 Apr 4;18(6):2041–7.
 11. Da Cunha K, Denninger L, Stevens K, Pasciuta R. *Water Proof Cosmetic Compositions*. United States Patent. 5,356,627. 1994.
 12. Bui, H., & Coleman-Nally, D. (2017). Film-forming technology and skin adhesion in long-wear cosmetics. In K. L. Mittal & F. M. Etzler (Eds.), *Adhesion in Pharmaceutical, Biomedical, and Dental Fields* (Vol. 141, pp. 141–165). John Wiley & Sons.
 13. O’lenick AJ. *Silicones for personal care*. Carol Stream, Il: Allured Books; 2008.
 14. Whitehead HD, Venier M, Wu Y, Eastman E, Urbanik S, Diamond ML, et al. Fluorinated Compounds in North American Cosmetics. *Environ Sci Technol Lett*. 2021;8(7).
 15. Fujii Y, Harada KH, Koizumi A. Occurrence of perfluorinated carboxylic acids (PFCAs) in personal care products and compounding agents. *Chemosphere*. 2013;93(3).
 16. Brinch A, Jensen AA, Christensen F. Risk assessment of fluorinated substances in cosmetic products. Danish Environmental Protection Agency; 2018.
 17. Schultes L, Vestergren R, Volkova K, Westberg E, Jacobson T, Benskin JP. Per- and polyfluoroalkyl substances and fluorine mass balance in cosmetic products from the Swedish market: Implications for environmental emissions and human exposure. *Environ Sci Process Impacts*. 2018;20(12).
 18. Bergfeld FACP,; Donald V, Belsito RA, Hill CD, Klaassen DC, Liebler JG, et al. Safety Assessment of Polyfluorinated Polymers as Used in Cosmetics The 2018 Cosmetic Ingredient Review Expert Panel members are: Chair,

- Wilma F [Internet]. Available from: <https://www.cir-safety.org/sites/default/files/fluoro092018FR.pdf>
19. Lescord GL, Kidd KA, De Silva AO, Williamson M, Spencer C, Wang X, et al. Perfluorinated and polyfluorinated compounds in lake food webs from the Canadian High Arctic. *Environ Sci Technol*. 2015;49(5).
 20. Rauert C, Shoieb M, Schuster JK, Eng A, Harner T. Atmospheric concentrations and trends of poly- and perfluoroalkyl substances (PFAS) and volatile methyl siloxanes (VMS) over 7 years of sampling in the Global Atmospheric Passive Sampling (GAPS) network. *Environ. Pollut*. 2018;238.
 21. Muir D, Miaz LT. Spatial and Temporal Trends of Perfluoroalkyl Substances in Global Ocean and Coastal Waters. *Environ Sci Technol*. 2021;55(14).
 22. Gallen C, Drage D, Eaglesham G, Grant S, Bowman M, Mueller JF. Australia-wide assessment of perfluoroalkyl substances (PFASs) in landfill leachates. *J Hazard Mater*. 2017;331.
 23. Scher DP, Kelly JE, Huset CA, Barry KM, Hoffbeck RW, Yingling VL, et al. Occurrence of perfluoroalkyl substances (PFAS) in garden produce at homes with a history of PFAS-contaminated drinking water. *Chemosphere*. 2018;196.
 24. Taves DR. Evidence that there are two forms of fluoride in human serum [16]. Vol. 217, *Nature*. 1968.
 25. Giesy JP, Kannan K. Global distribution of perfluorooctane sulfonate in wildlife. *Environ Sci Technol*. 2001;35(7).
 26. Kim S, Thapar I, Brooks BW. Epigenetic changes by per- and polyfluoroalkyl substances (PFAS). Vol. 279, *Environ. Pollut*. 2021.
 27. Li D, Suh S. Health risks of chemicals in consumer products: A review. Vol. 123, *Environ. Int*. 2019.
 28. Robertson JM, Kingsley BE. "Behind the Façade: Motivations for Cosmetic Usage by Women". *Sage Open*. 2021;11(4).
 29. Soraya SL. Penggambaran Tubuh Perempuan dalam Iklan Lowongan Pekerjaan. 2017.
 30. Khamsani WM. Hubungan Antara Kepercayaan Diri Dengan Perilaku Konsumtif Kosmetik Pada Mahasiswa Di Yogyakarta. 2021.

31. Dodson RE, Cardona B, Zota AR, Robinson Flint J, Navarro S, Shamasunder B. Personal care product use among diverse women in California: Taking Stock Study. *J Expo Sci Environ Epidemiol*. 2021;31(3).
32. Zoe Kececioglu Draelos. *Cosmetic dermatology : products and procedures*. Chichester, West Sussex ; Hoboken, Nj: John Wiley & Sons, Inc; 2016. 193–198 p
33. Sharad J, Vedamurthy M. *Aesthetic Dermatology: Current Perspectives*. Jaypee Brothers Medical Publishers Pvt. Limited; 2018. 50–54 p
34. CBD Ready Lip Balm Kit - Crafter [Internet]. Crafters-Choice.com. [cited 2024 Feb 12]. Available from: <https://www.crafters-choice.com/products/CBD-ready-lip-balm-kit.aspx>
35. Gallery Yopriceville. [cited 2024 Feb 12]. Available from: https://gallery.yopriceville.com/Free-Clipart-Pictures/Cosmetic-PNG/Pink_Lipstick_PNG_Clipart_Picture
36. Premium Photo | Liquid lipstick lip gloss glass bottle with white lid open container with brush isolated make up [Internet]. Freepik. [cited 2024 Feb 12]. Available from: https://www.freepik.com/premium-photo/liquid-lipstick-lip-gloss-glass-bottle-with-white-lid-open-container-with-brush-isolated-make-up_27120217.htm
37. Kissa E. *Fluorinated Surfactants and Repellents, Second Edition*, [Internet]. Taylor & Francis; 2001. (Surfactant Science). Available from: <https://books.google.co.id/books?id=iAmE8v3bFnUC>
38. Sun F, Hu Y, Du HG. *Synthesis and characterization of MQ silicone resins*. *J Appl Polym Sci*. 2012;125(5).
39. Harris KJ. *Occurrence of Per- and Polyfluoroalkyl substances in Cosmetics and Personal Care Products* (Doctoral dissertation, Carleton University).
40. Veronique F, Tournilhac F, Yu Wei, Lu SX, Blin X, Mondet J, et al. *Cosmetic Composition Containing a Polyorganosiloxane Polymer*. US Patent 7879316, 2011.
41. Infaillible Pro Matte Lip Makeup Infaillible Pro-Matte Liquid Lip 354 Nudist | L'Oréal Paris [Internet]. [cited 2023 Mar 6]. Available from:

<https://www.loreal-paris.co.id/infaillible/pro-matte/infaillible-pro-matte-liquid-lip-354-nudist>

42. Gordan GV, Schmidt RG, Stark-Kasley LA, Gary Michael W. MQ and T-Propyl Siloxane Resins Compositions. US Patent 7803358, 2010.
43. Buck RC, Franklin J, Berger U, Conder JM, Cousins IT, Voogt P De, et al. Perfluoroalkyl and polyfluoroalkyl substances in the environment: Terminology, classification, and origins. *Integr Environ Assess Manag.* 2011;7(4).
44. Mueller R, Yingling V. Naming conventions and physical and chemical properties of per-and polyfluoroalkyl substances (PFAS). Interstate Technology Regulatory Council. 2020 Apr:1-5.
45. Fujii Y, Harada KH, Koizumi A. Occurrence of perfluorinated carboxylic acids (PFCAs) in personal care products and compounding agents. *Chemosphere.* 2013;93(3).
46. Yukioka S, Tanaka S, Suzuki Y, Zeng C, Kitao R, Nakada M, et al. Behavior of Polyfluoroalkyl Phosphate Esters in Wastewater Treatment Plants and Estimation of Inflow Load Contributed by Cosmetics. *J. Jpn. Soc. Water Environ.* 2018;41(2):27–34.
47. Lea IA, Pham LL, Antonijevic T, Thompson C, Borghoff SJ. Assessment of the applicability of the threshold of toxicological concern for per- and polyfluoroalkyl substances. *Regul. Toxicol. Pharmacol.* 2022 Aug 1;133.
48. Chen Q, Yi S, Ye Q, Zhu Y, Zhong W, Zhu L. Insights into the Dermal Absorption, Deposition, and Elimination of Poly- and Perfluoroalkyl Substances in Rats: The Importance of Skin Exposure. *Environ Sci Technol* [Internet]. 2022 Dec 6 [cited 2023 Mar 9];56(23):16975–84. Available from: <https://pubs.acs.org/doi/abs/10.1021/acs.est.2c03181>
49. Dawson DE, Lau C, Pradeep P, Sayre RR, Judson RS, Tornero-Velez R, Wambaugh JF. A Machine Learning Model to Estimate Toxicokinetic Half-Lives of Per-and Polyfluoro-Alkyl Substances (PFAS) in Multiple Species. *Toxics.* 2023 Jan 20;11(2):98.
50. Fenton SE, Ducatman A, Boobis A, DeWitt JC, Lau C, Ng C, Smith JS, Roberts SM. Per-and polyfluoroalkyl substance toxicity and human health

- review: Current state of knowledge and strategies for informing future research. *Environ. Toxicol. Chem.* 2021 Mar;40(3):606-30.
51. Grandjean P, Andersen EW, Budtz-Jørgensen E, Nielsen F, Mølbak KR, Weihe P, et al. Serum vaccine antibody concentrations in children exposed to perfluorinated compounds. *JAMA.* 2012;307(4).
 52. Steenland K, Zhao L, Winquist A, Parks C. Ulcerative colitis and perfluorooctanoic acid (PFOA) in a highly exposed population of community residents and workers in the Mid-Ohio Valley. *Environ Health Perspect.* 2013;121(8).
 53. Steenland K, Zhao L, Winquist A. A cohort incidence study of workers exposed to perfluorooctanoic acid (PFOA). *Occup Environ Med.* 2015;72(5).
 54. Agency for Toxic Substances and Disease Registry. Toxicological Profile for Perfluoroalkyls [Internet]. 2008 [cited 2023 Feb 23]. Available from: <https://www.atsdr.cdc.gov/toxprofiles/tp200.pdf>
 55. Gallo V, Leonardi G, Genser B, Lopez-Espinosa MJ, Frisbee SJ, Karlsson L, et al. Serum perfluorooctanoate (PFOA) and perfluorooctane sulfonate (PFOS) concentrations and liver function biomarkers in a population with elevated PFOA exposure. *Environ Health Perspect.* 2012;120(5).
 56. Gleason JA, Post GB, Fagliano JA. Associations of perfluorinated chemical serum concentrations and biomarkers of liver function and uric acid in the US population (NHANES), 2007-2010. *Environ Res.* 2015;136.
 57. Attanasio R. Sex differences in the association between perfluoroalkyl acids and liver function in US adolescents: Analyses of NHANES 2013–2016. *Environ. Pollut.* 2019;254.
 58. Nian M, Li QQ, Bloom M, Qian Z (Min), Syberg KM, Vaughn MG, et al. Liver function biomarkers disorder is associated with exposure to perfluoroalkyl acids in adults: Isomers of C8 Health Project in China. *Environ Res.* 2019;172.
 59. Sakr CJ, Kreckmann KH, Green JW, Gillies PJ, Reynolds JL, Leonard RC. Cross-sectional study of lipids and liver enzymes related to a serum biomarker of exposure (ammonium perfluorooctanoate or APFO) as part of a

- general health survey in a cohort of occupationally exposed workers. *J Occup Environ Med.* 2007;49(10).
60. Wang L, Wang Y, Liang Y, Li J, Liu Y, Zhang J, et al. Specific accumulation of lipid droplets in hepatocyte nuclei of PFOA-exposed BALB/c mice. *Sci Rep.* 2013;3.
 61. Das KP, Wood CR, Lin MJ, Starkov AA, Lau C, Wallace KB, et al. Perfluoroalkyl acids-induced liver steatosis: Effects on genes controlling lipid homeostasis. *Toxicology.* 2017;378.
 62. Jin R, McConnell R, Catherine C, Xu S, Walker DI, Stratakis N, et al. Perfluoroalkyl substances and severity of nonalcoholic fatty liver in Children: An untargeted metabolomics approach. *Environ Int.* 2020;134.
 63. Lee JE, Choi K. Perfluoroalkyl substances exposure and thyroid hormones in humans: epidemiological observations and implications. *Ann Pediatr Endocrinol Metab.* 2017;22(1).
 64. Wang Y, Rogan WJ, Chen PC, Lien GW, Chen HY, Tseng YC, et al. Association between maternal serum perfluoroalkyl substances during pregnancy and maternal and cord thyroid hormones: Taiwan Maternal and Infant Cohort Study. *Environ Health Perspect.* 2014;122(5).
 65. White SS, Fenton SE, Hines EP. Endocrine disrupting properties of perfluorooctanoic acid. *J. Steroid Biochem. Mol. Biol.* 2011;127(1–2).
 66. Blake BE, Pinney SM, Hines EP, Fenton SE, Ferguson KK. Associations between longitudinal serum perfluoroalkyl substance (PFAS) levels and measures of thyroid hormone, kidney function, and body mass index in the Fernald Community Cohort. *Environ. Pollut.* 2018;242.
 67. Jain RB, Ducatman A. Perfluoroalkyl substances follow inverted U-shaped distributions across various stages of glomerular function: Implications for future research. *Environ Res.* 2019;169.
 68. Stanifer JW, Stapleton HM, Souma T, Wittmer A, Zhao X, Boulware LE. Perfluorinated chemicals as emerging environmental threats to kidney health: A scoping review. *Clin. J. Am. Soc. Nephrol.* 2018;13(10).

69. Ferrari F, Orlando A, Ricci Z, Ronco C. Persistent pollutants: Focus on perfluorinated compounds and kidney. Vol. 25, *Current Opinion in Critical Care*. 2019.
70. Wen LL, Lin CY, Chou HC, Chang CC, Lo HY, Juan SH. Perfluorooctanesulfonate mediates renal tubular cell apoptosis through PPAR γ inactivation. *PLoS One*. 2016;11(5).
71. Sakuma A, Ochi HW, Yoshioka M, Yamanaka N, Ikezawa M, Guruge KS. Changes in hepato-renal gene expression in microminipigs following a single exposure to a mixture of perfluoroalkyl acids. *PLoS One*. 2019;14(1).
72. Rashid F, Ramakrishnan A, Fields C, Irudayaraj J. Acute PFOA exposure promotes epigenomic alterations in mouse kidney tissues. *Toxicol Rep*. 2020;7.
73. Mastrantonio M, Bai E, Uccelli R, Cordiano V, Screpanti A, Crosignani P. Drinking water contamination from perfluoroalkyl substances (PFAS): An ecological mortality study in the Veneto Region, Italy. *Eur J Public Health*. 2018;28(1).
74. Li Y, Barregard L, Xu Y, Scott K, Pineda D, Lindh CH, et al. Associations between perfluoroalkyl substances and serum lipids in a Swedish adult population with contaminated drinking water. *Environ Health*. 2020;19(1).
75. Chou WC, Lin Z. Probabilistic human health risk assessment of perfluorooctane sulfonate (PFOS) by integrating in vitro, in vivo toxicity, and human epidemiological studies using a Bayesian-based dose-response assessment coupled with physiologically based pharmacokinetic (PBPK) modeling approach. *Environ Int*. 2020;137.
76. Schlezinger JJ, Puckett H, Oliver J, Nielsen G, Heiger-Bernays W, Webster TF. Perfluorooctanoic acid activates multiple nuclear receptor pathways and skews expression of genes regulating cholesterol homeostasis in liver of humanized PPAR α mice fed an American diet. *Toxicol Appl Pharmacol*. 2020;405.
77. Šabović I, Cosci I, de Toni L, Ferramosca A, Stornaiuolo M, di Nisio A, et al. Perfluoro-octanoic acid impairs sperm motility through the alteration of plasma membrane. *J Endocrinol Invest*. 2020;43(5).

78. di Nisio A, Rocca MS, Sabovic I, de Rocco Ponce M, Corsini C, Guidolin D, et al. Perfluorooctanoic acid alters progesterone activity in human endometrial cells and induces reproductive alterations in young women. *Chemosphere*. 2020;242.
79. Fei C, McLaughlin JK, Lipworth L, Olsen J. Maternal levels of perfluorinated chemicals and subfecundity. *Hum. Reprod*. 2009;24(5).
80. Monroy R, Morrison K, Teo K, Atkinson S, Kubwabo C, Stewart B, et al. Serum levels of perfluoroalkyl compounds in human maternal and umbilical cord blood samples. *Environ Res*. 2008;108(1).
81. Kim S, Choi K, Ji K, Seo J, Kho Y, Park J, et al. Trans-placental transfer of thirteen perfluorinated compounds and relations with fetal thyroid hormones. *Environ Sci Technol*. 2011;45(17).
82. Fei C, McLaughlin JK, Tarone RE, Olsen J. Perfluorinated chemicals and fetal growth: A study within the Danish national birth cohort. *Environ Health Perspect*. 2007;115(11).
83. Blake BE, Cope HA, Hall SM, Keys RD, Mahler BW, McCord J, et al. Evaluation of maternal, embryo, and placental effects in CD-1 mice following gestational exposure to perfluorooctanoic acid (PFOA) or hexafluoropropylene oxide dimer acid (HFPO-DA or GenX). *Environ Health Perspect*. 2020;128(2).
84. Agency for Toxic Substances and Disease Registry [Internet]. [cited 2023 Mar 3]. Available from: <https://www.atsdr.cdc.gov/>
85. Scientific Committee on Consumer Safety (SCCS) [Internet]. [cited 2023 Mar 3]. Available from: https://health.ec.europa.eu/scientific-committees/scientific-committee-consumer-safety-sccs_en
86. Appendix G: Calculating Exposure Doses | PHA Guidance Manual [Internet]. [cited 2023 Mar 4]. Available from: <http://medbox.iiab.me/modules/en-cdc/www.atsdr.cdc.gov/hac/phamannual/appg.html>
87. The SCCS Notes of Guidance for The Testing of Cosmetic Ingredients and Their Safety Evaluation 9th revision [Internet]. 2016. Available from: https://ec.europa.eu/health/scientific_committees/consumer_safety/docs/sccs_o_190.pdf

88. Batasan dan Pengertian MDK | MDK [Internet]. [cited 2023 Feb 26]. Available from: <http://aplikasi.bkkbn.go.id/mdk/BatasanMDK.aspx>
89. Niehs. Personal Care Questionnaire Version 3.
90. Kobo-Product Pages [Internet]. www.koboproductsinc.com. Available from: <https://www.koboproductsinc.com/Products.aspx?p=Fluorinated%20Treatments&c=Perfluorohexylethyl%20Triethoxysilane%20>
91. Your Technology Our Chemistry INNOVATIVE SILICONES FOR THE PERSONAL CARE INDUSTRY [Internet]. [cited 2024 Jan 31]. Available from: https://www.siltech.com/wp-content/uploads/2017/11/Personal_Care_Products.pdf
92. Becker LC, Bergfeld WF, Belsito DV, Hill RA, Klaassen CD, Liebler D, et al. Safety Assessment of Silylates and Surface-Modified Siloxysilicates. *Int. J. Toxicol.* 2013 May;32(3_suppl):5S24S.
93. Johnson, W. *Safety Assessment of Fluoropolymers as Used in Cosmetics*; Washington, DC, 2018. Available from: <https://www.cir-safety.org/sites/default/files/fluoro032017slr.pdf>
94. Johnson Jr W, Bergfeld WF, Belsito DV, Hill RA, Klaassen CD, Liebler DC, Marks Jr JG, Shank RC, Slaga TJ, Snyder PW, Fiume M. Safety Assessment of Polyfluorinated Polymers as Used in Cosmetics. *Int. J. Toxicol.* 2023 Dec;42(3_suppl):144S-61S.
95. Ficheux AS, Chevillotte G, Wesolek N, Morisset T, Dornic N, Bernard A, Bertho A, Romanet A, Leroy L, Mercat AC, Creusot T. Consumption of cosmetic products by the French population second part: amount data. *Food Chem. Toxicol.* 2016 Apr 1;90:130-41.
96. Husain K. A survey on usage of personal care products especially cosmetics among university students in Saudi Arabia. *J. Cosmet. Dermatol.* 2019 Feb;18(1):271-
97. Shi Z. Research on College Students' Cosmetics Consumer Market and Marketing Strategy. *Argent. Clin. Psicol.* 2020;29(4):613.
98. CAHYANI KT. STUDI KANDUNGAN LOGAM BERAT TIMBAL (Pb) PADA BEBERAPA MEREK LIPSTIK YANG DIPAKAI OLEH MAHASISWI FKM UNDIP (Doctoral dissertation, Diponegoro University).

99. Biesterbos JW, Dudzina T, Delmaar CJ, Bakker MI, Russel FG, von Goetz N, Scheepers PT, Roeleveld N. Usage patterns of personal care products: important factors for exposure assessment. *Food Chem. Toxicol.* 2013 May 1;55:8-17.
100. Juraimi SA, O'Brien J, Hirsh J, Tan A, Teo J, Khaiat A, Yeo KL, Smith BP. Consumer habits and practices for cosmetics and personal care products in Singapore: An online survey. *Food Chem. Toxicol.* 2023 Apr 1;174:113659.
101. Lassen CJ, Jensen AA, Potrykus A, Christensen F, Kjølholt J, Jeppesen CN, Mikkelsen SH, Innanen S. Survey of PFOS, PFOA and other perfluoroalkyl and polyfluoroalkyl substances. The Danish Environmental Protection Agency. *Environmental Project.* 2013(1475).
102. Fraser AJ, Webster TF, Watkins DJ, Nelson JW, Stapleton HM, Calafat AM, Kato K, Shoeib M, Vieira VM, McClean MD. Polyfluorinated compounds in serum linked to indoor air in office environments. *Environ. Sci. Technol.* 2012 Jan 17;46(2):1209-15.
103. Brown JB, Conder JM, Arblaster JA, Higgins CP. Assessing human health risks from per-and polyfluoroalkyl substance (PFAS)-impacted vegetable consumption: a tiered modeling approach. *Environ. Sci. Technol.* 2020 Nov 17;54(23):15202-14.

