

DAFTAR PUSTAKA

1. Nohynek GJ, Antignac E, Re T, Toutain H. Safety assessment of personal care products/cosmetics and their ingredients. *Toxicol Appl Pharmacol*. 2010 Mar 1;243(2):239–59.
2. Taylor KW, Troester MA, Herring AH, Engel LS, Nichols HB, Sandler DP, et al. Associations between personal care product use patterns and breast cancer risk among white and black women in the sister study. *Environ Health Perspect*. 2018 Feb 1;126(2).
3. Worldwide beauty & personal care market revenue 2013-2026 [Internet]. Statista Research Department. 2022. Available from: <https://www.statista.com/forecasts/1244578/beauty-and-personal-care-global-market-value>
4. Revenue of the eye cosmetics market in Indonesia from 2017 to 2025 [Internet]. Statista Research Department. 2021. Available from: <https://www.statista.com/forecasts/1220925/indonesia-revenue-eye-cosmetics-market>
5. FDA Authority Over Cosmetics: How Cosmetics Are Not FDA-Approved, but Are FDA-Regulated [Internet]. Available from: <https://www.fda.gov/cosmetics/cosmetics-laws-regulations/fda-authority-over-cosmetics-how-cosmetics-are-not-fda-approved-are-fda-regulated>
6. Are Chemicals Hiding in your Makeup? [Internet]. 2007. Available from: <https://www.safecosmetics.org/blog/are-chemicals-hiding-in-your-makeup/>
7. Whitehead HD, Venier M, Wu Y, Eastman E, Urbanik S, Diamond ML, et al. Fluorinated Compounds in North American Cosmetics. *Environ Sci Technol Lett*. 2021 Jul 13;8(7):538–44.
8. European Commission. Chemicals Strategy for Sustainability, Towards a Toxic-Free Environment: Poly- and perfluoroalkyl substances (PFAS) Accompanying. *J Chem Inf Model* [Internet]. 2020;21. Available from: <https://op.europa.eu/en/publication-detail/-/publication/2614f1f2-0f02-11eb-bc07-01aa75ed71a1>
9. Our Current Understanding of the Human Health and Environmental Risks

- of PFAS [Internet]. 2022. Available from: <https://www.epa.gov/pfas/our-current-understanding-human-health-and-environmental-risks-pfas>
10. PFAS Explained [Internet]. United States Environmental Protection Agency. 2022. Available from: <https://www.epa.gov/pfas/pfas-explained>
 11. CHEM Trust. PFAS – the ‘forever chemicals’, Invisible threats from persistent chemicals. A CHEM Trust briefing [DEG3]. 2019;(September):1–18.
 12. Solan ME, Senthilkumar S, Aquino G V., Bruce ED, Lavado R. Comparative cytotoxicity of seven per- and polyfluoroalkyl substances (PFAS) in six human cell lines. *Toxicology* [Internet]. 2022;477(August 2022):153281. Available from: <https://doi.org/10.1016/j.tox.2022.153281>
 13. Kim S, Thapar I, Brooks BW. Epigenetic changes by per- and polyfluoroalkyl substances (PFAS). *Environ Pollut*. 2021;279.
 14. Gaballah S, Swank A, Sobus JR, Howey XM, Schmid J, Catron T, et al. Evaluation of developmental toxicity, developmental neurotoxicity, and tissue dose in zebrafish exposed to genX and other PFAS. *Environ Health Perspect*. 2020;128(4):1–22.
 15. Abrahamsson D, Siddharth A, Robinson JF, Soshilov A, Elmore S, Cogliano V, et al. Modeling the transplacental transfer of small molecules using machine learning: a case study on per- and polyfluorinated substances (PFAS). *J Expo Sci Environ Epidemiol*. 2022;(October).
 16. Li M, Zeng XW, Qian Z (Min), Vaughn MG, Sauvé S, Paul G, et al. Isomers of perfluorooctanesulfonate (PFOS) in cord serum and birth outcomes in China: Guangzhou Birth Cohort Study. *Environ Int* [Internet]. 2017;102:1–8. Available from: <http://dx.doi.org/10.1016/j.envint.2017.03.006>
 17. ATDSR. Agency for Toxic Substances and Disease Registry. PFAS: an overview of the science and guidance for clinicians on per- and polyfluoroalkyl substances (PFAS). 2019;
 18. Danish Environmental Protection Agency. Risk assessment of fluorinated substances in cosmetic products [Internet]. 2018. 1–116 p. Available from: <https://www2.mst.dk/Udgiv/publications/2018/10/978-87-93710-94-8.pdf>
 19. Glüge J, Scheringer M, Cousins IT, Dewitt JC, Goldenman G, Herzke D, et

- al. An overview of the uses of per- And polyfluoroalkyl substances (PFAS). *Environ Sci Process Impacts*. 2020;22(12):2345–73.
20. Sunderland EM, Hu XC, Dassuncao C, Tokranov AK, Wagner CC, Allen JG. A review of the pathways of human exposure to poly- and perfluoroalkyl substances (PFASs) and present understanding of health effects. *J Expo Sci Environ Epidemiol* [Internet]. 2019;29(2):131–47. Available from: <http://dx.doi.org/10.1038/s41370-018-0094-1>
21. Per and Polyfluoroalkyl Substances (PFAS) in Cosmetics [Internet]. U.S Food & Drug Administration. 2022. Available from: <https://www.fda.gov/cosmetics/cosmetic-ingredients/and-polyfluoroalkyl-substances-pfas-cosmetics>
22. Mesko MF, Novo DLR, Costa VC, Henn AS, Flores EMM. Toxic and potentially toxic elements determination in cosmetics used for make-up: A critical review. *Anal Chim Acta* [Internet]. 2020;1098:1–26. Available from: <https://doi.org/10.1016/j.aca.2019.11.046>
23. Yazdani M, Elgstøen KBP, Utheim TP. Eye Make-up Products and Dry Eye Disease: A Mini Review. *Curr Eye Res*. 2022;47(1):1–11.
24. Malik A, Claoué C. Transport and interaction of cosmetic product material within the ocular surface: Beauty and the beastly symptoms of toxic tears. *Contact Lens Anterior Eye* [Internet]. 2012;35(6):247–59. Available from: <http://dx.doi.org/10.1016/j.clae.2012.07.005>
25. Zeeshan M, Yang Y, Zhou Y, Huang W, Wang Z, Zeng XY, et al. Incidence of ocular conditions associated with perfluoroalkyl substances exposure: Isomers of C8 Health Project in China. *Environ Int* [Internet]. 2020;137(January):105555. Available from: <https://doi.org/10.1016/j.envint.2020.105555>
26. Albdaya NA, Binyousef FH, Alrashid MH, Alajlan AA, Alsharif FA, Alfouzan SK, et al. Prevalence of Dry Eye Disease and Its Association With the Frequent Usage of Eye Cosmetics Among Women. *Cureus*. 2022;(December).
27. Batasan dan Pengertian MDK [Internet]. Badan Kependudukan dan Keluarga Berencana Nasional. Available from:

<http://aplikasi.bkkbn.go.id/mdk/BatasanMDK.aspx>

28. Borling K, Abraham EC, Pamplona CD, Carbonell JA, Valdez A. Cosmetics Product and Self-Concept Among Senior High School Students : An Educational Perspective. 2023;2(1):51–6.
29. Caguioa JJO. Cosmetic Product Usage and Self-Confidence among HUMSS Students of Bayambang Cosmetic Product Usage and Self-Confidence among HUMSS Students of Bayambang A Quantitative Research Paper For the completion on the subject Practical Research II Academic Year 2. 2019;(March).
30. Mardiah A. Pengaruh Penampilan Modis Terhadap Pengembangan Karir Karyawan Perempuan Pada Bank Danamon Cabang Pekanbaru. *Marwah J Perempuan, Agama dan Jender*. 2010;9(2):134.
31. Olsen GW, Burris JM, Ehresman DJ, Froelich JW, Seacat AM, Butenhoff JL, et al. Half-life of serum elimination of perfluorooctanesulfonate, perfluorohexanesulfonate, and perfluorooctanoate in retired fluorochemical production workers. *Environ Health Perspect*. 2007;115(9):1298–305.
32. Dehvari M, Ghaneian MT, Morowatisharifabad MA, Karimi M, Jasemizad T. Knowledge, Attitudes and Practice of Women About Adverse Effects of Cosmetics in Yazd City, Iran. *Heal Scope*. 2018;7(1).
33. Uses C. Per- and Polyfluoroalkyl Substances and Alternatives in Coatings , Paints and Varnishes (CPVs) Per- and Polyfluoroalkyl Substances and Alternatives in Coatings , Paints and Varnishes (CPVs). (70).
34. O’Lenick AJ. *Silicones for Personal Care*, 2nd Edition. Book. 2008. 398 p.
35. Vickery SA, Kolas R, Dicko F. *Eye Cosmetics*. 2016;199–206.
36. Kim MJ, Seo YK, Boo YC, Koh JS. A proposal of a standardized protocol to evaluate waterproof effect of eyeliner and mascara. *Int J Cosmet Sci*. 2016;38(3):266–71.
37. Jian JM, Chen D, Han FJ, Guo Y, Zeng L, Lu X, et al. A short review on human exposure to and tissue distribution of per- and polyfluoroalkyl substances (PFASs). *Sci Total Environ* [Internet]. 2018;636:1058–69. Available from: <https://doi.org/10.1016/j.scitotenv.2018.04.380>
38. Harris KJ, Harris KJ. Occurrence of Per- and Polyfluoroalkyl substances in

- Cosmetics and Personal Care Products by Affairs in partial fulfillment of the requirements for the degree of. 2022;
39. Thépaut E, Dirven HAAM, Haug LS, Lindeman B, Poothong S, Andreassen M, et al. Per- and polyfluoroalkyl substances in serum and associations with food consumption and use of personal care products in the Norwegian biomonitoring study from the EU project EuroMix. *Environ Res.* 2021;195(October 2020).
 40. American Water Works Association. Per- and Polyfluoroalkyl Substance (PFAS) Overview and Prevalence. 2019;1–3. Available from: <https://www.epa.gov/pfas/epas-pfas-action-plan>
 41. Dvornic PR. Thermal Properties of Polysiloxanes. *Silicon-Containing Polym.* 2000;185–212.
 42. Özçam AE, Spontak RJ, Genzer J. Toward the development of a versatile functionalized silicone coating. *ACS Appl Mater Interfaces.* 2014;6(24):22544–52.
 43. Adhesion in Pharmaceutical, Biomedical and Dental Fields. *Adhesion in Pharmaceutical, Biomedical and Dental Fields.* 2017.
 44. Pawar AB, Falk B. Use of Advanced Silicone Materials in Long-Lasting Cosmetics. *Surf Sci Adhes Cosmet.* 2021;151–82.
 45. Zhang FD, Vrckovnik R, O’Lenick T. MQ resins in personal care applications. *Siltech Pers Care.* 2014;(May):50–5.
 46. Olejnik A, Sztorch B, Brząkalski D, Przekop RE. Silsesquioxanes in the Cosmetics Industry—Applications and Perspectives. *Materials (Basel).* 2022;15(3):1–18.
 47. Hueston TG, Leaym TM, O VK, Us MI, Stark-kasley LA, Us MI, et al. (12) Patent Application Publication (10) Pub . No .: US 2007 / 0149703 A1. 2007;1(19).
 48. Tian M, Peng S, Martin FL, Zhang J, Liu L, Wang Z, et al. Perfluorooctanoic acid induces gene promoter hypermethylation of glutathione- S -transferase Pi in human liver L02 cells. *Toxicology [Internet].* 2012;296(1–3):48–55. Available from: <http://dx.doi.org/10.1016/j.tox.2012.03.003>
 49. What are the health effects of PFAS? [Internet]. Agency for Toxic

- Substances and Disease Registry. 2022. Available from: <https://www.atsdr.cdc.gov/pfas/health-effects/index.html>
50. Dong H, Curran I, Williams A, Bondy G, Yauk CL, Wade MG. Hepatic miRNA profiles and thyroid hormone homeostasis in rats exposed to dietary potassium perfluorooctanesulfonate (PFOS). *Environ Toxicol Pharmacol* [Internet]. 2016;41:201–10. Available from: <http://dx.doi.org/10.1016/j.etap.2015.12.009>
51. Fenton SE, Ducatman A, Boobis A, Dewitt JC, Lau C, Ng C, et al. Per - and Poly fl uoroalkyl Substance Toxicity and Human Health Review : Current State of Knowledge and Strategies for Informing Future Research. 2021;40(3):606–30.
52. Watkins DJ, Wellenius GA, Butler RA, Bartell SM, Fletcher T, Kelsey KT. Associations between serum per fl uoroalkyl acids and LINE-1 DNA methylation. *Environ Int* [Internet]. 2014;63:71–6. Available from: <http://dx.doi.org/10.1016/j.envint.2013.10.018>
53. Grandjean P, Budtz-jørgensen E. Immunotoxicity of perfluorinated alkylates : calculation of benchmark doses based on serum concentrations in children. 2013;1–7.
54. Trudel D, Horowitz L, Wormuth M, Scheringer M, Cousins IT, Hungerb K. Estimating Consumer Exposure to PFOS and PFOA. 2008;28(2):13–5.
55. Ding N, Harlow SD, Randolph JF, Loch-Caruso R, Park SK. Perfluoroalkyl and polyfluoroalkyl substances (PFAS) and their effects on the ovary. *Hum Reprod Update*. 2020;26(5):724–52.
56. Fábelová L, Beneito A, Casas M, Colles A, Dalsager L, Den Hond E, et al. PFAS levels and exposure determinants in sensitive population groups. *Chemosphere*. 2023;313(November 2022).
57. Loretz LJ, Api AM, Barraj LM, Burdick J, Dressler WE, Gettings SD, et al. Exposure data for cosmetic products: Lipstick, body lotion, and face cream. *Food Chem Toxicol*. 2005;43(2):279–91.
58. Exposure Assessment Tools by Routes - Derma [Internet]. United States Environmental Protection Agency. 2022. Available from: <https://www.epa.gov/expobox/exposure-assessment-tools-routes-dermal>

59. Rothe H, Fautz R, Gerber E, Neumann L, Rettinger K, Schuh W, et al. Special aspects of cosmetic spray safety evaluations: Principles on inhalation risk assessment. *Toxicol Lett* [Internet]. 2011;205(2):97–104. Available from: <http://dx.doi.org/10.1016/j.toxlet.2011.05.1038>
60. Ragnarsdóttir O, Abdallah MAE, Harrad S. Dermal uptake: An important pathway of human exposure to perfluoroalkyl substances? *Environ Pollut*. 2022;307(January).
61. Abraham K, Monien BH. Transdermal absorption of 13C4-perfluorooctanoic acid (13C4-PFOA) from a sunscreen in a male volunteer – What could be the contribution of cosmetics to the internal exposure of perfluoroalkyl substances (PFAS)? *Environ Int* [Internet]. 2022;169(September):107549. Available from: <https://doi.org/10.1016/j.envint.2022.107549>
62. Wang MTM, Craig JP. Investigating the effect of eye cosmetics on the tear film: Current insights. *Clin Optom*. 2018;10:33–40.
63. Pengawas B, Dan O. Jilid 2,
64. Najmee NAA, Hayy SHA, Wan Mahmood WMA. Effects of Eye Cosmetics Usage, Knowledge, Hygiene and Management Towards Dry Eye Symptoms among University Students. *Malaysian J Med Heal Sci*. 2022;18(3):213–20.
65. Naqvi SSS, Akaram W, Mehmood Y, Bashir I, Saleem N. Eye and eyelid infection among females using kajal and mascara. *J Contemp Pharm*. 2017;1(1):8–12.
66. Wipperman JL, Dorsch JN. Evaluation and management of corneal abrasions. *Am Fam Physician*. 2013;87(2):114–20.
67. Coroneo MT, Franzco F, Rosenberg ML, Cheung LM. Ocular effects of cosmetic products and procedures. *Ocul Surf*. 2006;4(2):94–102.
68. SCCS. the SCCS Notes of Guidance for the Testing of Cosmetic Ingredients and Their Safety Evaluation 10th Revision [Internet]. Vol. 1564, Scientific Committee on Consumer Safety. 2016. 151 p. Available from: http://ec.europa.eu/health/sites/health/files/scientific_committees/consumer_safety/docs/sccs_o_190.pdf
69. Iwegbue CMA, Basseyy FI, Obi G, Tesi GO, Martincigh BS. Concentrations

- and exposure risks of some metals in facial cosmetics in Nigeria. *Toxicol Reports* [Internet]. 2016;3:464–72. Available from: <http://dx.doi.org/10.1016/j.toxrep.2016.04.004>
70. CDC. National Biomonitoring Program. Biomonitoring Summ [Internet]. 2013;1. Available from: https://www.eesi.org/files/FactSheet_Octane_History_2016.pdf
 71. Stanley Lemeshow, David W. Hosmer J JK dan SK, Lwanga. *Besar Sampel dalam Penelitian Kesehatan*. Yogyakarta: Gajah Mada University Press; 1997. 2 p.
 72. The Sister Study [Internet]. Available from: <https://sisterstudy.niehs.nih.gov/English/about.htm>
 73. PFAS in cosmetics [Internet]. Green Science Policy Institute. Available from: <https://greensciencepolicy.org/pfas-in-cosmetics/>
 74. Husain K. A survey on usage of personal care products especially cosmetics among university students in Saudi Arabia. *J Cosmet Dermatol*. 2019;18(1):271–7.
 75. Shi Z. Research on College Students' Cosmetics Consumer Market and Marketing Strategy. *Rev Argentina Clínica Psicológica*. 2020;XXIX(4):613–20.
 76. Lanzuela JG, Lovendino LJ, Munoz JE, Mae J, Mae J, Adviser R, et al. Cosmetic Product Usage and Self-Confidence among HUMSS Students of Bayambang. 2019;(June).
 77. Di Nisio A, Rocca MS, Sabovic I, De Rocco Ponce M, Corsini C, Guidolin D, et al. Perfluorooctanoic acid alters progesterone activity in human endometrial cells and induces reproductive alterations in young women. *Chemosphere* [Internet]. 2020;242:125208. Available from: <https://doi.org/10.1016/j.chemosphere.2019.125208>
 78. Onuoha KM, Okoro JO, Ugwu EI, Ezeaku MN. Effects of Cosmetics Usage Among Teenagers; a Study of Parental Perception. *Int J Adv Res Innov Ideas Educ*. 2020;6(5):979–86.
 79. Frequency of use of cosmetic products by college students in the U.S. 2011 [Internet]. Statista Reseach Department. 2011. Available from:

<https://www.statista.com/statistics/259345/frequency-of-use-of-cosmetic-products-by-college-students-in-the-us/>

80. Britton AM. University of New Hampshire Scholars' Repository The Beauty Industry' s Influence on Women in Society. Beauty Ind s Influ Women Soc [Internet]. 2012;1–40. Available from: <http://scholars.unh.edu/honors%0Ahttp://scholars.unh.edu/honors/86>
81. Ledo B, Gomes F. Does the amount of makeup used by employees in the financial services industry impact customer satisfaction ? 2021;
82. Firdaus NZ. Hubungan penggunaan askara dengan kejadian blefaritis pada mahasiswi di bandar lampung. Universitas Lampung; 2023.
83. Becker LC, Bergfeld WF, Belsito D V., Hill RA, Klaassen CD, Liebler DC, et al. Safety Assessment of Ammonium Hectorites as Used in Cosmetics. *Int J Toxicol.* 2013;32(Supplement 4):33S-40S.
84. Distardimonium Hectorite [Internet]. INCI Guide. Available from: <https://inci.guide/polymers/distardimonium-hectorite>
85. Can You Avoid PFAS in Makeup? [Internet]. 2021. Available from: <https://greensciencepolicy.org/news-events/blog/can-you-avoid-pfas-in-makeup>
86. Wargala E, Sławska M, Zalewska A, Toporowska M. Health Effects of Dyes, Minerals, and Vitamins Used in Cosmetics. *Women.* 2021;1(4):223–37.
87. Johnson S, Al Awam KA, Alonazi A, Aleeh AA, Aldhamen A, Alhaddad A, et al. The Effect of Cosmetic Talc Powder on Health. *Indian J Respir Care.* 2022;8(1):18–21.
88. F. Matina, M. Collura, M. Maggio, P.Vitulo, C. El piparo GC. The inhaled surfactant in the treatment of the accident. Talc inhalation of dust: a new case. *Ital J Pediatr.* 2011;37:2–4.
89. Fiume MM, Boyer I, Bergfeld WF, Belsito D V., Hill RA, Klaassen CD, et al. Safety Assessment of Talc as Used in Cosmetics. *Int J Toxicol.* 2015;34(Supplement 1):66S-129S.
90. Fujii Y, Harada KH, Koizumi A. Occurrence of perfluorinated carboxylic acids (PFCAs) in personal care products and compounding agents. *Chemosphere* [Internet]. 2013;93(3):538–44. Available from:

<http://dx.doi.org/10.1016/j.chemosphere.2013.06.049>

91. Pütz KW, Namazkar S, Plassmann M, Benskin JP. Are cosmetics a significant source of PFAS in Europe? product inventories, chemical characterization and emission estimates. *Environ Sci Process Impacts*. 2022;24(10):1697–707.
92. Becker LC, Bergfeld WF, Belsito D V., Hill RA, Klaassen CD, Liebler DC, et al. Safety Assessment of Synthetic Fluorophlogopite as Used in Cosmetics. *Int J Toxicol*. 2015;34(Supplement 3):43S-52S.
93. Fiume MZ. Final report on the safety assessment of acrylates copolymer and 33 related cosmetic ingredients. Vol. 21, *International Journal of Toxicology*. 2002. 1–50 p.
94. CIR. Safety Assessment of Polyfluorinated Polymers as Used in Cosmetics. 2018;
95. Becker LC, Bergfeld WF, Belsito D V., Hill RA, Klaassen CD, Liebler DC, et al. Safety Assessment of Dimethicone Crosspolymers as Used in Cosmetics. *Int J Toxicol*. 2014;33(May):65S-115S.
96. Environment and Climate Change Canada, Health Canada. DRAFT State of Per-and Polyfluoroalkyl Substances (PFAS) Report. 2023;(May).
97. CI 77499 [Internet]. Special Chem. Available from: <https://cosmetics.specialchem.com/inci-ingredients/ci-77499>
98. Testing cosmetics products for PFAS. Available from: <https://greensciencepolicy.org/docs/testing-cosmetics-for-pfas.pdf>
99. Ficheux AS, Chevillotte G, Wesolek N, Morisset T, Dornic N, Bernard A, et al. Consumption of cosmetic products by the French population second part: Amount data. *Food Chem Toxicol* [Internet]. 2016;90:130–41. Available from: <http://dx.doi.org/10.1016/j.fct.2016.02.008>
100. Ismawati YJDAAMASJS. Pfas Dalam Beberapa Produk Di Indonesia. 2023;1–72. Available from: www.ipen.org
101. Baldwin M. Can I Wear Make Up With A Style [Internet]. 2023. Available from: <https://eyegalleryks.com/can-i-wear-makeup-with-a-stye/>
102. Sharma A, Hindman HB. Aging: A predisposition to dry eyes. *J Ophthalmol*. 2014;2014.

103. Ng A, Evans K, North R V., Jones L, Purslow C. Impact of Eye Cosmetics on the Eye, Adnexa, and Ocular Surface. *Eye Contact Lens*. 2016;42(4):211–20.
104. BAUMANN LS. *Cleansers*. Vol. 40, *Skin & Allergy News*. 2009. 18 p.

