

## DAFTAR PUSTAKA

- [1] N. Bianquin and D. Bulgarelli, "4 Conceptual Review of Disabilities," *Play development in children with disabilities*, pp. 71–87, 2017.
- [2] H. Tough, J. Siegrist, and C. Fekete, "Social relationships, mental health and wellbeing in physical disability: A systematic review," *BMC Public Health*, vol. 17, no. 1, pp. 1–18, May 2017, doi: 10.1186/S12889-017-4308-6/TABLES/3.
- [3] WHO, "Global report on health equity for persons with disabilities."
- [4] J. H. Choi, Y. Chung, and S. Oh, "Motion control of joystick interfaced electric wheelchair for improvement of safety and riding comfort," *Mechatronics*, vol. 59, pp. 104–114, May 2019, doi: 10.1016/j.mechatronics.2019.03.005.
- [5] J. Kilmarx, R. Abiri, S. Borhani, Y. Jiang, and X. Zhao, "Sequence-based manipulation of robotic arm control in brain machine interface," *Int J Intell Robot Appl*, vol. 2, no. 2, pp. 149–160, Jun. 2018, doi: 10.1007/s41315-018-0049-7.
- [6] B. Holtze, M. Rosenkranz, M. Jaeger, S. Debener, and B. Mirkovic, "Ear-EEG Measures of Auditory Attention to Continuous Speech," *Front Neurosci*, vol. 16, May 2022, doi: 10.3389/fnins.2022.869426.
- [7] D. Karakus, O. K. Cura, B. Yesilkaya, and A. Akan, "Design of Brain-Computer Interface for Controlling A Virtual Keyboard," in *2019 Medical Technologies Congress (TIPTEKNO)*, IEEE, Oct. 2019, pp. 1–4. doi: 10.1109/TIPTEKNO.2019.8895133.
- [8] C. Saitis, M. Z. Parvez, and K. Kalimeri, "Cognitive Load Assessment from EEG and Peripheral Biosignals for the Design of Visually Impaired Mobility Aids," *Wirel Commun Mob Comput*, vol. 2018, 2018, doi: 10.1155/2018/8971206.
- [9] E. J. Rechy-Ramirez and H. Hu, "Bio-signal based control in assistive robots: a survey," *Digital Communications and Networks*, vol. 1, no. 2, pp. 85–101, Apr. 2015, doi: 10.1016/j.dcan.2015.02.004.
- [10] M. A. Skoglund, M. Andersen, M. M. Shiell, G. Keidser, M. L. Rank, and S. Rotger-Griful, "Comparing In-ear EOG for Eye-Movement Estimation With Eye-Tracking: Accuracy, Calibration, and Speech Comprehension," *Front Neurosci*, vol. 16, Jun. 2022, doi: 10.3389/fnins.2022.873201.
- [11] A. Naga Rajesh, S. Chandralingam, T. Anjaneyulu, and K. Satyanarayana, "EOG Controlled Motorized Wheelchair for Disabled Persons,"

*International Journal of Mechanical and Materials Engineering*, vol. 8, no. 5, 2014, doi: doi.org/10.5281/zenodo.1337385.

- [12] F. Davarinia and A. Maleki, "SSVEP-gated EMG-based decoding of elbow angle during goal-directed reaching movement," *Biomed Signal Process Control*, vol. 71, Jan. 2022, doi: 10.1016/j.bspc.2021.103222.
- [13] S. Bitzer and P. van der Smagt, "Learning EMG control of a robotic hand: towards active prostheses," in *Proceedings 2006 IEEE International Conference on Robotics and Automation, 2006. ICRA 2006.*, 2006, pp. 2819–2823. doi: 10.1109/ROBOT.2006.1642128.
- [14] K. C. Siontis, P. A. Noseworthy, Z. I. Attia, and P. A. Friedman, "Artificial intelligence-enhanced electrocardiography in cardiovascular disease management," *Nat Rev Cardiol*, vol. 18, no. 7, pp. 465–478, Jul. 2021, doi: 10.1038/s41569-020-00503-2.
- [15] M. Sazgar and M. G. Young, "Overview of EEG, Electrode Placement, and Montages," *Absolute Epilepsy and EEG Rotation Review*, pp. 117–125, 2019, doi: 10.1007/978-3-030-03511-2\_5.
- [16] I. Ahmad *et al.*, "EEG-Based Epileptic Seizure Detection via Machine/Deep Learning Approaches: A Systematic Review," *Comput Intell Neurosci*, vol. 2022, pp. 1–20, Jun. 2022, doi: 10.1155/2022/6486570.
- [17] M. G. Maggio *et al.*, "Virtual Reality Based Cognitive Rehabilitation in Minimally Conscious State: A Case Report with EEG Findings and Systematic Literature Review," *Brain Sci*, vol. 10, no. 7, p. 414, Jul. 2020, doi: 10.3390/brainsci10070414.
- [18] D. B. Ryan, K. A. Colwell, C. S. Throckmorton, L. M. Collins, K. Caves, and E. W. Sellers, "Evaluating Brain-Computer Interface Performance in an ALS Population: Checkerboard and Color Paradigms," *Clin EEG Neurosci*, vol. 49, no. 2, pp. 114–121, Mar. 2018, doi: 10.1177/1550059417737443.
- [19] X. Yu, L. da Silva-Sauer, and E. Donchin, "Habituation of P300 in the Use of P300-based Brain-Computer Interface Spellers: Individuals With Amyotrophic Lateral Sclerosis Versus Age-Matched Controls," *Clin EEG Neurosci*, vol. 52, no. 3, pp. 221–230, Jul. 2021, doi: 10.1177/1550059420918755.
- [20] M. Staffa, M. Giordano, and F. Ficuciello, "A WiSARD Network Approach for a BCI-Based Robotic Prosthetic Control," *Int J Soc Robot*, vol. 12, no. 3, pp. 749–764, Jul. 2020, doi: 10.1007/s12369-019-00576-1.
- [21] I. Ruhunage, S. Mallikarachchi, D. Chinthaka, J. Sandaruwan, and T. D. Lalitharatne, "Hybrid EEG-EMG Signals Based Approach for Control of Hand Motions of a Transhumeral Prosthesis," in *2019 IEEE 1st Global*

*Conference on Life Sciences and Technologies (LifeTech)*, 2019, pp. 50–53. doi: 10.1109/LifeTech.2019.8883865.

- [22] Putri Madona, Renndy Raldy Mujiono, and Yusmar Palapa Wijaya, “Controlling the Direction of Wheelchair Movement Using Raspberry-Pi Based Brain Signals,” in *Proceedings of the 2019 2nd International Conference on Applied Engineering (ICAE)*, 2019.
- [23] D. R. Edla, M. F. Ansari, N. Chaudhary, and S. Dodia, “Classification of Facial Expressions from EEG signals using Wavelet Packet Transform and SVM for Wheelchair Control Operations,” in *Procedia Computer Science*, Elsevier B.V., 2018, pp. 1467–1476. doi: 10.1016/j.procs.2018.05.081.
- [24] R. Scherer and C. Vidaurre, “Motor imagery based brain–computer interfaces,” *Smart Wheelchairs and Brain-computer Interfaces: Mobile Assistive Technologies*, pp. 171–195, Jan. 2018, doi: 10.1016/B978-0-12-812892-3.00008-X.
- [25] H. Zhou and G. Zhang, “Motor Imagery EEG-based Control of Intelligent Wheelchair Using Deep Belief Network Coupled with OVO-CSP Algorithm,” in *Proceedings - 2019 3rd International Conference on Data Science and Business Analytics, ICDSBA 2019*, Institute of Electrical and Electronics Engineers Inc., Oct. 2019, pp. 391–397. doi: 10.1109/ICDSBA48748.2019.00086.
- [26] J. Behncke, R. T. Schirrmeister, W. Burgard, and T. Ball, “The role of robot design in decoding error-related information from EEG signals of a human observer,” in *NEUROTECHNIX 2018 - Proceedings of the 6th International Congress on Neurotechnology, Electronics and Informatics*, SciTePress, 2018, pp. 61–66. doi: 10.5220/0006934900610066.
- [27] S. K. Chen, C. S. Chen, Y. K. Wang, and C. T. Lin, “An SSVEP Stimuli Design using Real-time Camera View with Object Recognition,” in *2020 IEEE Symposium Series on Computational Intelligence, SSCI 2020*, Institute of Electrical and Electronics Engineers Inc., Dec. 2020, pp. 562–567. doi: 10.1109/SSCI47803.2020.9308563.
- [28] S. Papadopoulos, J. Bonaiuto, and J. Mattout, “An Impending Paradigm Shift in Motor Imagery Based Brain-Computer Interfaces,” *Front Neurosci*, vol. 15, Jan. 2022, doi: 10.3389/fnins.2021.824759.
- [29] X. Liu, Y. Shen, J. Liu, J. Yang, P. Xiong, and F. Lin, “Parallel Spatial–Temporal Self-Attention CNN-Based Motor Imagery Classification for BCI,” *Front Neurosci*, vol. 14, Dec. 2020, doi: 10.3389/fnins.2020.587520.
- [30] O. D. Hrisca-Eva and A. M. Lazar, “Multi-sessions outcome for EEG feature extraction and classification methods in a motor imagery task,” *Traitement du Signal*, vol. 38, no. 2, pp. 261–268, Apr. 2021, doi: 10.18280/ts.380202.



- [31] S. Maruthachalam, "Analysis of artifacts in EEG signals for building BCIs," Sep. 2020, doi: 10.48550/arxiv.2009.09116.
- [32] D. Steyrl *et al.*, "Removal of movement-induced EEG artifacts: current state of the art and guidelines," *J Neural Eng*, vol. 19, no. 1, p. 011004, Feb. 2022, doi: 10.1088/1741-2552/AC542C.
- [33] S. Agounad, S. Hamou, O. Tarahi, M. Moufassih, and M. K. Islam, "Intelligent fuzzy system for automatic artifact detection and removal from EEG signals," *Journal of King Saud University - Computer and Information Sciences*, vol. 34, no. 10, pp. 9428–9441, Nov. 2022, doi: 10.1016/j.jksuci.2022.09.020.
- [34] S. Phadikar, N. Sinha, and R. Ghosh, "Automatic Eyeblink Artifact Removal from EEG Signal Using Wavelet Transform with Heuristically Optimized Threshold," *IEEE J Biomed Health Inform*, vol. 25, no. 2, pp. 475–484, Feb. 2021, doi: 10.1109/JBHI.2020.2995235.
- [35] P. Kellaway, "Orderly approach to visual analysis: elements of the normal EEG and their characteristics in children and adults," *Current practice of clinical electroencephalography*, pp. 100–159, 2003.
- [36] M. S. Islam, I. Hussain, M. M. Rahman, S. J. Park, and M. A. Hossain, "Explainable Artificial Intelligence Model for Stroke Prediction Using EEG Signal," *Sensors*, vol. 22, no. 24, p. 9859, Dec. 2022, doi: 10.3390/s22249859.
- [37] A. Novira, "Analisa Metode Klasifikasi Sinyal Kedip dan Gigit Menggunakan Electroencephalography Berbasis Brain-Computer Interface sebagai Sistem Kendali Kursi Roda," Universitas Andalas, Padang, 2022.
- [38] T. Sinha, M. V. Munot, and R. Sreemathy, "An Efficient Approach for Detection of Autism Spectrum Disorder Using Electroencephalography Signal," *IETE J Res*, vol. 68, no. A2, pp. 824–832, Mar. 2022, doi: 10.1080/03772063.2019.1622462.
- [39] L. Maule *et al.*, "Wheelchair driving strategies: A comparison between standard joystick and gaze-based control," *Assistive Technology*, vol. 35, no. 2, pp. 180–192, Mar. 2023, doi: 10.1080/10400435.2021.2009593.
- [40] Md. F. Bhuyain, Md. A.-U. Kabir Shawon, N. Sakib, T. Faruk, Md. K. Islam, and K. M. Salim, "Design and Development of an EOG-based System to Control Electric Wheelchair for People Suffering from Quadriplegia or Quadriparesis," in *2019 International Conference on Robotics, Electrical and Signal Processing Techniques (ICREST)*, IEEE, Jan. 2019, pp. 460–465. doi: 10.1109/ICREST.2019.8644378.

- [41] R. Barea, L. Boquete, M. Mazo, and E. López, “Wheelchair Guidance Strategies Using EOG,” *J Intell Robot Syst*, vol. 34, no. 3, pp. 279–299, 2002, doi: 10.1023/A:1016359503796.
- [42] M. I. Rusydi *et al.*, “Hand Gesture Wheelchair Control Based on the Wrist Rotation with Agglomerative Hierarchical Clustering Method,” in *2023 8th Asia-Pacific Conference on Intelligent Robot Systems (ACIRS)*, IEEE, Jul. 2023, pp. 95–99. doi: 10.1109/ACIRS58671.2023.10239686.
- [43] W. Alvarado-Díaz, B. Meneses-Claudio, and A. Roman-Gonzalez, “Implementation of a Brain-machine Interface for Controlling a Wheelchair.”
- [44] H. F. Jameel, S. L. Mohammed, and S. K. Gharghan, “Electroencephalograph-based wheelchair controlling system for the people with motor disability using advanced brainwear,” in *Proceedings - International Conference on Developments in eSystems Engineering, DeSE*, Institute of Electrical and Electronics Engineers Inc., Oct. 2019, pp. 843–848. doi: 10.1109/DeSE.2019.00156.
- [45] WHO, “Disability and Health,” Nov. 24, 2021. Accessed: Sep. 25, 2022. [Online]. Available: <https://www.who.int/news-room/fact-sheets/detail/disability-and-health>
- [46] “KAMUS BAHASA INDONESIA.”
- [47] “UU Nomor 8 Tahun 2016”.
- [48] “SISTEM INFORMASI MANAGEMRNT PENYANDANG DISABILITAS.”
- [49] Johns Hopkins Medicine, “Brain Anatomy and How the Brain Works,” Maryland, May 2021. Accessed: Nov. 06, 2023. [Online]. Available: <https://www.hopkinsmedicine.org/health/conditions-and-diseases/anatomy-of-the-brain#:~:text=The%20brain%20is%20a%20complex,central%20nervous%20system%2C%20or%20CNS.>
- [50] S. Herculano-Houzel and R. Lent, “Isotropic Fractionator: A Simple, Rapid Method for the Quantification of Total Cell and Neuron Numbers in the Brain,” *The Journal of Neuroscience*, vol. 25, no. 10, pp. 2518–2521, Mar. 2005, doi: 10.1523/JNEUROSCI.4526-04.2005.
- [51] C. S. von Bartheld, J. Bahney, and S. Herculano-Houzel, “The search for true numbers of neurons and glial cells in the human brain: A review of 150 years of cell counting,” *Journal of Comparative Neurology*, vol. 524, no. 18, pp. 3865–3895, Dec. 2016, doi: 10.1002/cne.24040.
- [52] L. Thau, V. Reddy, and P. Singh, *Anatomy, Central Nervous System*. 2023.

- [53] W. Suzuki and B. Fitzpatrick, *Healthy brain, happy life*. Harper Collins Publishers, 2015.
- [54] National Institute of Neurological Disorders and Stroke, “Brain Basics: Know Your Brain,” Maryland, Oct. 2023. Accessed: Nov. 06, 2023. [Online]. Available: <https://www.ninds.nih.gov/health-information/public-education/brain-basics/brain-basics-know-your-brain>
- [55] H. Basinger and J. P. Hogg, “Neuroanatomy, Brainstem,” in *StatPearls*, Virginia: StatPearls Publishing, 2023.
- [56] J. J. Shih, D. J. Krusienski, and J. R. Wolpaw, “Brain-Computer Interfaces in Medicine,” *Mayo Clin Proc*, vol. 87, no. 3, pp. 268–279, Mar. 2012, doi: 10.1016/j.mayocp.2011.12.008.
- [57] B. Graimann, B. Allison, and G. Pfurtscheller, “Brain–Computer Interfaces: A Gentle Introduction,” in *Brain–Computer Interfaces: Revolutionizing Human–Computer Interaction*, B. Graimann, G. Pfurtscheller, and B. Allison, Eds., in The Frontiers Collection. , Berlin, Heidelberg: Springer, 2010, pp. 1–27. [Online]. Available: [https://doi.org/10.1007/978-3-642-02091-9\\_1](https://doi.org/10.1007/978-3-642-02091-9_1)
- [58] R. I. Carino-Escobar *et al.*, “Longitudinal analysis of stroke patients’ brain rhythms during an intervention with a brain-computer interface,” *Neural Plast*, vol. 2019, 2019, doi: 10.1155/2019/7084618.
- [59] S. Rasheed and W. Mumtaz, “Classification of Hand-Grasp Movements of Stroke Patients using EEG Data,” in *2021 International Conference on Artificial Intelligence, ICAI 2021*, Institute of Electrical and Electronics Engineers Inc., Apr. 2021, pp. 86–90. doi: 10.1109/ICAI52203.2021.9445231.
- [60] E. N. Kamavuako, M. Jochumsen, I. K. Niazi, and K. Dremstrup, “Comparison of Features for Movement Prediction from Single-Trial Movement-Related Cortical Potentials in Healthy Subjects and Stroke Patients,” *Comput Intell Neurosci*, vol. 2015, 2015, doi: 10.1155/2015/858015.
- [61] D. Eguren and J. L. Contreras-Vidal, “Navigating the FDA Medical Device Regulatory Pathways for Pediatric Lower Limb Exoskeleton Devices,” *IEEE Syst J*, vol. 15, no. 2, pp. 2361–2368, Jun. 2021, doi: 10.1109/JSYST.2020.3025111.
- [62] L. Mercado *et al.*, “Decoding the torque of lower limb joints from EEG recordings of pre-gait movements using a machine learning scheme,” *Neurocomputing*, vol. 446, pp. 118–129, Jul. 2021, doi: 10.1016/j.neucom.2021.03.038.



- [63] U. I., U. Halici, E. Agi, and C. Özgen, "Analysis and classification of EEG signals for brain computer interfaces," *Front Hum Neurosci*, vol. 2, 2008, doi: 10.3389/conf.neuro.09.2009.01.161.
- [64] R. Rao and R. Scherer, "Brain-Computer Interfacing [In the Spotlight]," *IEEE Signal Process Mag*, vol. 27, no. 4, pp. 152–150, Jul. 2010, doi: 10.1109/MSP.2010.936774.
- [65] A. Mohebbi, S. K. D. Engelsholm, S. Puthusserypady, T. W. Kjaer, C. E. Thomsen, and H. B. D. Sorensen, *A Brain Computer Interface for Robust Wheelchair Control Application Based on Pseudorandom Code Modulated Visual Evoked Potential*. 2015. doi: 10.0/Linux-x86\_64.
- [66] D. Novak, "Biomechatronic Applications of Brain-Computer Interfaces," *Handbook of Biomechatronics*, pp. 129–175, Jan. 2019, doi: 10.1016/B978-0-12-812539-7.00008-8.
- [67] K. Suresh Manic, A. Saadha, and K. Pirapaharan, "CHARACTERISATION AND SEPARATION OF BRAINWAVE SIGNALS," 2014.
- [68] H. G. Yeom, "Trends and Future of Brain-Computer Interfaces."
- [69] G. R. Müller-Putz *et al.*, "Towards Non-Invasive Brain-Computer Interface for Hand/Arm Control in Users With Spinal Cord Injury."
- [70] Md. Arif Abdulla Samy, Md. Mirazur Rahman, and Tafsir Ahmed Khan, "Extracting and discriminating selective brain signals in non-invasive manner and using them for controlling a device: A cost efficient approach to brain computer interface (BCI)," in *3rd International Conference on Electrical Engineering and Information & Communication Technology (iCEEiCT 2016)*, Institute of Electrical and Electronics Engineers, 2016.
- [71] M. A. A. Samy, M. M. Rahman, and T. A. Khan, "Extracting and discriminating selective brain signals in non-invasive manner and using them for controlling a device: A cost-efficient approach to brain computer interface (BCI)," in *2016 3rd International Conference on Electrical Engineering and Information and Communication Technology, iCEEiCT 2016*, Institute of Electrical and Electronics Engineers Inc., Mar. 2017. doi: 10.1109/CEEICT.2016.7873078.
- [72] Institute of Electrical and Electronics Engineers and IEEE Sensors Council, *IEEE SENSORS 2018 : 2018 conference proceedings : October 28-31, 2018, Pullman Aerocity, New Delhi, India*.
- [73] B. V. Ngo, T. H. Nguyen, and T. N. Nguyen, "EEG Signal-Based Eye Blink Classifier Using Convolutional Neural Network for BCI Systems," in *Proceedings - 2021 15th International Conference on Advanced Computing and Applications, ACOMP 2021*, Institute of Electrical and Electronics

Engineers Inc., 2021, pp. 176–180. doi: 10.1109/ACOMP53746.2021.00031.

- [74] M. I. Rusydi, E. Amrina, Y. Winata, S. 'Asyarina Ramadhani, and R. Nofendra, "Threshold-Based Electroencephalography Brain-Computer Interface for Robot Arm Control," in *2023 8th Asia-Pacific Conference on Intelligent Robot Systems (ACIRS)*, IEEE, Jul. 2023, pp. 113–117. doi: 10.1109/ACIRS58671.2023.10240250.
- [75] F. Jin, Y. Peng, F. Qin, J. Li, and W. Kong, "Graph adaptive semi-supervised discriminative subspace learning for EEG emotion recognition," *Journal of King Saud University - Computer and Information Sciences*, vol. 35, no. 8, p. 101648, Sep. 2023, doi: 10.1016/J.JKSUCI.2023.101648.
- [76] G. A. Light *et al.*, "Electroencephalography (EEG) and event-related potentials (ERPs) with human participants," *Current Protocols in Neuroscience*, no. SUPPL. 52, Jul. 2010. doi: 10.1002/0471142301.ns0625s52.
- [77] D. D. , L. J. Gevins A.S., "Dry Electrode Brain Wave Recording System," US4967038A, Oct. 30, 1990
- [78] G. Li, S. Wang, and Y. Y. Duan, "Towards gel-free electrodes: A systematic study of electrode-skin impedance," *Sens Actuators B Chem*, vol. 241, pp. 1244–1255, Mar. 2017, doi: 10.1016/J.SNB.2016.10.005.
- [79] G. Gargiulo, P. Bifulco, R. A. Calvo, M. Cesarelli, C. Jin, and A. van Schaik, "A mobile EEG system with dry electrodes," in *2008 IEEE Biomedical Circuits and Systems Conference*, IEEE, Nov. 2008, pp. 273–276. doi: 10.1109/BIOCAS.2008.4696927.
- [80] B. A. Taheri, R. T. Knight, and R. L. Smith, "A dry electrode for EEG recording," *Electroencephalogr Clin Neurophysiol*, vol. 90, no. 5, pp. 376–383, May 1994, doi: 10.1016/0013-4694(94)90053-1.
- [81] M. I. B. Ahmed, S. Alotaibi, Atta-ur-Rahman, S. Dash, M. Nabil, and A. O. AlTurki, "A Review on Machine Learning Approaches in Identification of Pediatric Epilepsy," *SN Comput Sci*, vol. 3, no. 6, p. 437, Aug. 2022, doi: 10.1007/s42979-022-01358-9.
- [82] A. D. Legatt, *Encyclopedia of the Neurological Sciences (Second Edition)*, 2nd ed. 2014.
- [83] J. E. Cottrell and W. L. Young, *Cottrell and Young's Neuroanesthesia*, 5th ed. 2016.
- [84] T. Ford and A. Abd-Elsayed, "Evoked Potentials," in *Advanced Anesthesia Review*, A. Abd-Elsayed, Ed., Oxford University Press New York, 2023, pp. 56-C21.S8. doi: 10.1093/med/9780197584521.003.0021.



- [85] R. K. Joshi, M. K. S, H. R. S, M. Jayachandra, and H. J. Pandya, "Design, Development and Validation of a Portable Visual P300 Event-Related Potential Extraction System," in *2022 IEEE Biomedical Circuits and Systems Conference (BioCAS)*, IEEE, Oct. 2022, pp. 409–413. doi: 10.1109/BioCAS54905.2022.9948657.
- [86] A. Tripathi, "Analysis of EEG frequency bands for Envisioned Speech Recognition," Mar. 2022, [Online]. Available: <http://arxiv.org/abs/2203.15250>
- [87] E. T. Attar, "Review of electroencephalography signals approaches for mental stress assessment," *Neurosciences*, vol. 27, no. 4, pp. 209–215, Oct. 2022, doi: 10.17712/nsj.2022.4.20220025.
- [88] M. Tosun and Ö. Kasim, "Novel eye-blink artefact detection algorithm from raw EEG signals using FCN-based semantic segmentation method," *IET Signal Processing*, vol. 14, no. 8, pp. 489–494, Oct. 2020, doi: 10.1049/IET-SPR.2019.0602.
- [89] M. Sazgar and M. G. Young, "EEG Artifacts," in *Absolute Epilepsy and EEG Rotation Review*, Cham: Springer International Publishing, 2019, pp. 149–162. doi: 10.1007/978-3-030-03511-2\_8.
- [90] U. Amin, F. A. Nascimento, I. Karakis, D. Schomer, and S. R. Benbadis, "Normal variants and artifacts: Importance in EEG interpretation," *Epileptic Disorders*, vol. 25, no. 5, pp. 591–648, Oct. 2023, doi: 10.1002/epd2.20040.
- [91] İ. Kaya, "A Brief Summary of EEG Artifact Handling," 2022. doi: 10.5772/intechopen.99127.
- [92] J. N. Acharya and V. J. Acharya, "Overview of EEG Montages and Principles of Localization," *Journal of Clinical Neurophysiology*, vol. 36, no. 5, pp. 325–329, Sep. 2019, doi: 10.1097/WNP.0000000000000538.
- [93] R. Oostenveld and P. Praamstra, "The @ve percent electrode system for high-resolution EEG and ERP measurements." [Online]. Available: [www.elsevier.com/locate/clinph](http://www.elsevier.com/locate/clinph)
- [94] G. Vanacker *et al.*, "Context-based filtering for assisted brain-actuated wheelchair driving," *Comput Intell Neurosci*, vol. 2007, 2007, doi: 10.1155/2007/25130.
- [95] L. F. Nicolas-Alonso and J. Gomez-Gil, "Brain Computer Interfaces, a Review," *Sensors*, vol. 12, no. 2, pp. 1211–1279, Jan. 2012, doi: 10.3390/s120201211.
- [96] OpenBCI, "OpenBCI Documentation," Brooklyn, Feb. 2022.

- [97] I. Anshory and A. Efiyanti, *Physics Feature Extraction of Heart Signals using Fast Fourier Transform Feature Extraction of Heart Signals using Fast Fourier Transform*.
- [98] I. dan K. D. A. Saputra, *Machine Learning untuk Pemula*, vol. I. Bandung : Penerbit Informatika, 2022.
- [99] E. J. Rechy-Ramirez and H. Hu, “Bio-signal based control in assistive robots: a survey,” *Digital Communications and Networks*, vol. 1, no. 2. Chongqing University of Posts and Telecommunications, pp. 85–101, Apr. 01, 2015. doi: 10.1016/j.dcan.2015.02.004.
- [100] Mehmed. Kantardzic, *Data mining: concepts, models, methods, and algorithms*.
- [101] J. S. Ramberg, E. J. Dudewicz, P. R. Tadikamalla, and E. F. Mykytka, “A Probability Distribution and its Uses in Fitting Data,” *Technometrics*, vol. 21, no. 2, pp. 201–214, May 1979, doi: 10.1080/00401706.1979.10489750.
- [102] Z. Bi, Y. Han, C. Huang, and M. Wang, “Gaussian Naive Bayesian Data Classification Model Based on Clustering Algorithm,” in *Proceedings of the 2019 International Conference on Modeling, Analysis, Simulation Technologies and Applications (MASTA 2019)*, Paris, France: Atlantis Press, 2019. doi: 10.2991/masta-19.2019.67.
- [103] T. Bayes, “Naive bayes classifier,” *Article Sources and Contributors*, pp. 1–9, 1968.
- [104] L. Cataldi, L. Tiberi, and G. Costa, “Estimation of MCS intensity for Italy from high quality accelerometric data, using GMICEs and Gaussian Naïve Bayes Classifiers,” *Bulletin of Earthquake Engineering*, vol. 19, no. 6, pp. 2325–2342, Apr. 2021, doi: 10.1007/s10518-021-01064-6.
- [105] M. V. Anand, B. KiranBala, S. R. Srividhya, K. C., M. Younus, and M. H. Rahman, “Gaussian Naïve Bayes Algorithm: A Reliable Technique Involved in the Assortment of the Segregation in Cancer,” *Mobile Information Systems*, vol. 2022, pp. 1–7, Jun. 2022, doi: 10.1155/2022/2436946.
- [106] I. Saputra and D. A. Kristiyanti, *Machine Learning untuk Pemula*, 1st ed. Bandung: Penerbit Informatika, 2022.
- [107] A. Subudhi, M. Dash, and S. Sabut, “Automated segmentation and classification of brain stroke using expectation-maximization and random forest classifier,” *Biocybern Biomed Eng*, vol. 40, no. 1, pp. 277–289, Jan. 2020, doi: 10.1016/j.bbe.2019.04.004.
- [108] Y. Ao, H. Li, L. Zhu, S. Ali, and Z. Yang, “The linear random forest algorithm and its advantages in machine learning assisted logging regression modeling,” *J Pet Sci Eng*, vol. 174, pp. 776–789, Mar. 2019, doi: 10.1016/j.petrol.2018.11.067.

- [109] A. Zafari, R. Zurita-Milla, and E. Izquierdo-Verdiguier, "Evaluating the Performance of a Random Forest Kernel for Land Cover Classification," *Remote Sens (Basel)*, vol. 11, no. 5, p. 575, Mar. 2019, doi: 10.3390/rs11050575.
- [110] E. Y. Boateng, J. Otoo, and D. A. Abaye, "Basic Tenets of Classification Algorithms K-Nearest-Neighbor, Support Vector Machine, Random Forest and Neural Network: A Review," *Journal of Data Analysis and Information Processing*, vol. 08, no. 04, pp. 341–357, 2020, doi: 10.4236/jdaip.2020.84020.
- [111] A. Parmar, R. Katariya, and V. Patel, "A Review on Random Forest: An Ensemble Classifier," in *Lecture Notes on Data Engineering and Communications Technologies*, vol. 26, Springer, 2019, pp. 758–763. doi: 10.1007/978-3-030-03146-6\_86.
- [112] D. P. Mohandoss, Y. Shi, and K. Suo, "Outlier Prediction Using Random Forest Classifier," in *2021 IEEE 11th Annual Computing and Communication Workshop and Conference (CCWC)*, IEEE, Jan. 2021, pp. 0027–0033. doi: 10.1109/CCWC51732.2021.9376077.
- [113] V. Jackins, S. Vimal, M. Kaliappan, and M. Y. Lee, "AI-based smart prediction of clinical disease using random forest classifier and Naive Bayes," *J Supercomput*, vol. 77, no. 5, pp. 5198–5219, May 2021, doi: 10.1007/s11227-020-03481-x.
- [114] D. Chicco, N. Tötsch, and G. Jurman, "The Matthews correlation coefficient (MCC) is more reliable than balanced accuracy, bookmaker informedness, and markedness in two-class confusion matrix evaluation," *BioData Min*, vol. 14, no. 1, p. 13, Feb. 2021, doi: 10.1186/s13040-021-00244-z.
- [115] S. Merai, D. Shah, B. Trivedi, P. Joshi, and S. Kushwah, "A study and design of standing wheelchair," *Mater Today Proc*, Jul. 2022, doi: 10.1016/j.matpr.2022.06.485.
- [116] M. Gautham and A. Professor, "Head Motion Based Wheel Chair Movement for Disable Person," 2020. [Online]. Available: [www.ijsrd.com](http://www.ijsrd.com)
- [117] S. Kumar, S. Kumar, Bt. Student, and A. Professor, "DESIGN AND DEVELOPMENT OF HEAD MOTION CONTROLLED WHEELCHAIR Design and Development View project Form tolerances View project DESIGN AND DEVELOPMENT OF HEAD MOTION CONTROLLED WHEELCHAIR," *Int J Adv Eng Technol*, vol. 8, pp. 816–822, 2015, doi: 10.13140/RG.2.2.29123.71209.
- [118] Vinod Medical Systems Pvt. Ltd., "VMS Careline Foldable Manual Wheelchair - Select Plus," *Vinod Medical Systems Pvt. Ltd.* Mumbai.



- [119] W. Yang *et al.*, “Effects of Auditory Stimuli in the Horizontal Plane on Audiovisual Integration: An Event-Related Potential Study,” *PLoS One*, vol. 8, no. 6, 2013, doi: 10.1371/journal.pone.0066402.
- [120] Y. Sudaryat, J. Nurhadi, and R. Rahma, “Spectral Topographic Brain Mapping in EEG Recording for Detecting Reading Attention in Various Science Books,” *Journal of Turkish Science Education*, vol. 16, no. 3, pp. 440–450, Sep. 2019.
- [121] I. Budin-Ljøsnø *et al.*, “Public perceptions of brain health: an international, online cross-sectional survey,” *BMJ Open*, vol. 12, no. 4, p. e057999, Apr. 2022, doi: 10.1136/bmjopen-2021-057999.
- [122] K. Sheela sobana Rani, S. Pravinth Raja, M. Sinthuja, B. Vidhya Banu, R. Sapna, and K. Dekeba, “Classification of EEG Signals Using Neural Network for Predicting Consumer Choices,” *Comput Intell Neurosci*, vol. 2022, pp. 1–7, Jul. 2022, doi: 10.1155/2022/5872401.
- [123] S. Lemeshow, D. W. Hosmer, and J. Klar, “Sample size requirements for studies estimating odds ratios or relative risks,” *Stat Med*, vol. 7, no. 7, pp. 759–764, Jul. 1988, doi: 10.1002/sim.4780070705.
- [124] S. Jayachitra and A. Prasanth, “Multi-Feature Analysis for Automated Brain Stroke Classification Using Weighted Gaussian Naïve Bayes Classifier,” *Journal of Circuits, Systems and Computers*, vol. 30, no. 10, p. 2150178, Aug. 2021, doi: 10.1142/S0218126621501784.
- [125] M. I. Rusydi *et al.*, “Electric Wheelchair Control Using Wrist Rotation Based on Analysis of Muscle Fatigue,” *IEEE Access*, vol. 10, pp. 102907–102918, 2022, doi: 10.1109/ACCESS.2022.3208151.
- [126] K. Song, L. Zhou, and H. Wang, “Deep coupling recurrent auto-encoder with multi-modal eeg and eog for vigilance estimation,” *Entropy*, vol. 23, no. 10, Oct. 2021, doi: 10.3390/e23101316.
- [127] W. Zgallai *et al.*, “Deep Learning AI Application to an EEG driven BCI Smart Wheelchair,” in *2019 Advances in Science and Engineering Technology International Conferences (ASET)*, 2019, pp. 1–5. doi: 10.1109/ICASET.2019.8714373.
- [128] V. C. T. Le, N. T. Le, H. N. Nguyen, D. C. Le, and K. Iramina, “Controlling the Wheelchair by Eye Movements Using EEG,” in *IFMBE Proceedings*, Springer Verlag, 2020, pp. 231–234. doi: 10.1007/978-981-13-5859-3\_41.