

## DAFTAR PUSTAKA

1. Izza R, Wahyuningsih S, Ridho R. Pengaruh Penambahan Remazol Yellow Fg Terhadap Fotoreduksi Ion Cr(VI) Terkatalisis TiO<sub>2</sub> – Karbon Aktif. *J Cryst Publ Penelit Kim dan Ter.* 2019;1(01):55-66.
2. Dyah Ayu Pitaloka P, Ridho R, Endara Safitri R. Ekstraksi Asam Oksalat Dari Sekam Padi Untuk Agen Pereduksi Ion Cr(Vi). *J Cryst Publ Penelit Kim dan Ter.* 2020;2(2):54-66. doi:10.36526/jc.v2i2.1102
3. Jais N, Ikhtiar M, Gafur A, Abbas HH, Hidayat. Bioakumulasi Logam Berat Kadmium (Cd) Dan Kromium (Cr) Yang Terdapat Dalam Air Dan Ikan Di Sungai Tallo Makassar. *Wind Public Heal J.* 2020;1(3):261-273.
4. Wu Q, Zhao J, Qin G, Wang C, Tong X, Xue S. Photocatalytic Reduction Of Cr(VI) With TiO<sub>2</sub> Film Under Visible Light. *Appl Catal B Environ.* 2013;142-143:142-148. doi:10.1016/j.apcatb.2013.04.056
5. Zeng Y, Qiu W, Chen J, et al. Boosting The Photoreduction Activity Of Cr(VI) In Metal-Organic Frameworks By Photosensitiser Incorporation And Framework Ionization. *J M aterials Chem A.* Published online 2020. doi:10.1039/C9TA13339A
6. Naimah S, A. SA, Jati BN, Aidha NN, Cahyaningtyas AA. Degradasi Zat Warna Pada Limbah Cair Industri Tekstil Dengan Metode Fotokatalitik Menggunakan Nanokomposit TiO<sub>2</sub> – Zeolit. *J Kim dan Kemasan.* 2014;36(2):225. doi:10.24817/jkk.v36i2.1889
7. S, Syakur R, Danumulyo W. Pengolahan Limbah Logam Berat Chromium (Vi) Dengan Fotokatalis TiO<sub>2</sub>. *MAKARA Technol Ser.* 2003;7(1):1-7. doi:10.7454/mst.v7i1.132
8. Marques J, Gomes TD, Forte MA, Silva RF, Tavares CJ. A New Route For The Synthesis Of Highly-Active N-Doped TiO<sub>2</sub> Nanoparticles For Visible Light Photocatalysis Using Urea As Nitrogen Precursor. *Catal Today.* 2019;326(July 2018):36-45. doi:10.1016/j.cattod.2018.09.002
9. Ansari SA, Khan MM, Ansari MO, Cho MH. Nitrogen-Doped Titanium Dioxide (N-Doped TiO<sub>2</sub>) For Visible Light Photocatalysis. *New J Chem.* 2016;40(4):3000-3009. doi:10.1039/c5nj03478g
10. Kim DS, Kwak SY. The Hydrothermal Synthesis Of Mesoporous TiO<sub>2</sub> With High Crystallinity, Thermal Stability, Large Surface Area, And Enhanced Photocatalytic Activity. *Appl Catal A Gen.* 2007;323:110-118. doi:10.1016/j.apcata.2007.02.010
11. Pelaez M, Nolan NT, Pillai SC, et al. A Review On The Visible Light Active Titanium Dioxide Photocatalysts For Environmental Applications. *Appl Catal B Environ.* 2012;125:331-349. doi:10.1016/j.apcatb.2012.05.036
12. Zilfa, Suyani H, Safni, Jamarun N. Degradasi Senyawa Permetrin Secara Fotolisis Dengan TiO<sub>2</sub>-Anatase Sebagai Katalis. *J Sains Mater Indones.* 2010;11:107-111.
13. Wu D, Long M, Cai W, Chen C, Wu Y. Low Temperature Hydrothermal Synthesis Of N-Doped TiO<sub>2</sub> Photocatalyst With High Visible-Light Activity. *J Alloys Compd.* 2010;502(2):289-294. doi:10.1016/j.jallcom.2010.04.189
14. Liu C, Li Y, Cui X, Liang C, Xing G, Duan Q. Construction Of A Recyclable Dual-Responsive TiO<sub>2</sub>-Based Photocatalyst Modified With Zn<sub>2</sub>S<sub>4</sub> Nanosheets And Zinc Phthalocyanine For Cr ( VI ) Reduction Under Visible Light. 2021;417(March).
15. RamezaniSani S, Rajabi M, Mohseni F. Influence Of Nitrogen Doping On Visible Light Photocatalytic Activity Of TiO<sub>2</sub> Nanowires With Anatase-Rutile Junction. *Chem Phys Lett.* 2020;744(January):137217.

- doi:10.1016/j.cplett.2020.137217
16. Setyani A, Wibowo EAP. Fabrikasi Nanotubes Titanium Dioksida (TiO<sub>2</sub>) Menggunakan Metode Hidrotermal. *J Kim Val*. 2017;3(1):20-26. doi:10.15408/jkv.v3i1.5036
  17. Rafique M, Tahir MB, Rafique MS, Safdar N, Tahir R. *Nanostructure Materials and Their Classification by Dimensionality*. Elsevier Inc.; 2020. doi:10.1016/b978-0-12-821192-2.00002-4
  18. Wahyuni ET, Mudasir M, Sinambela S. Study Of Cr(VI) Photoreduction Catalyzed By Cdo-Zeolite. *Indones J Chem*. 2010;2(2):113-119. doi:10.22146/ijc.21923
  19. Rahmat ST, Tan WK, Kawamura G, Matsuda A, Lockman Z. ScienceDirect Facile Fabrication of rGO / Rutile TiO<sub>2</sub> Nanowires as Photocatalyst for Cr ( VI ) Reduction. *Mater Today Proc*. 2019;17:1143-1151. doi:10.1016/j.matpr.2019.06.543
  20. Zhang R, Ma H, Wang B. Removal Of Chromium(VI) From Aqueous Solutions Using Polyaniline Doped With Sulfuric Acid. *Ind Eng Chem Res*. 2010;49(20):9998-10004. doi:10.1021/ie1008794
  21. Aliah H, Karlina Y. Semikonduktor TiO<sub>2</sub> Sebagai Material Fotokatalis Berulang. 2015;IX(1):185-203.
  22. Linsebigler AL, Lu G, Yates JT. Photocatalysis on TiO<sub>2</sub> Surfaces: Principles, Mechanisms, and Selected Results. *Chem Rev*. 1995;95(3):735-758. doi:10.1021/cr00035a013
  23. Hu A, Zhang X, Oakes KD, Peng P, Zhou YN, Servos MR. Hydrothermal Growth Of Free Standing TiO<sub>2</sub> Nanowire Membranes For Photocatalytic Degradation Of Pharmaceuticals. *J Hazard Mater*. 2011;189(1-2):278-285. doi:10.1016/j.jhazmat.2011.02.033
  24. Rahman T, Fadhlulloh MA, Nandiyanto ABD, Setiabudhi J, Barat J. Review : Sintesis Titanium Diokasida Nanopartikel 1 Program Studi Kimia , Jurusan Pendidikan Kimia , Fakultas Pendidikan Matematika dan Ilmu Pengetahuan Alam , Universitas Pendidikan Indonesia. 2014;5(1):15-29.
  25. Wahyuni ET, Rahmaniati T, Hafidzah AR, Suherman S, Suratman A. Photocatalysis Over N-Doped TiO<sub>2</sub> Driven By Visible Light For Pb(II) Removal From Aqueous Media. *Catalysts*. 2021;11(8). doi:10.3390/catal11080945
  26. Kusumawardani C. Titanium Dioksida Terdoping Nitrogen : Kajian Tentang Sintesis , Karakteristik dan Aplikasinya. *Pros Semin Nas Penelitian, Pendidik dan Penerapan MIPA, Fak MIPA, Univ Negeri Yogyakarta*. Published online 2009:124-133. <http://eprints.uny.ac.id/12356/1/14>. Kim Cahyorini%28124 - 133%29.pdf.
  27. Basavarajappa PS, Patil SB, Ganganagappa N, Reddy KR, Raghu A V., Reddy CV. Recent Progress In Metal-Doped TiO<sub>2</sub>, Non-Metal Doped/Codoped TiO<sub>2</sub> And TiO<sub>2</sub> Nanostructured Hybrids For Enhanced Photocatalysis. *Int J Hydrogen Energy*. 2020;45(13):7764-7778. doi:10.1016/j.ijhydene.2019.07.241
  28. Asahi R, Morikawa T, Ohwaki T, Aoki K, Taga Y. Visible-Light Photocatalysis In Nitrogen-Doped Titanium Oxides. *Science (80- )*. 2001;293(5528):269-271. doi:10.1126/science.1061051
  29. Salim Afrozi A, Sudaryanto. Penambahan N pada TiO<sub>2</sub> dan Pengaruhnya pada Energi Band Gap TiO<sub>2</sub> sebagai Bahan pengolah Limbah. 2016;(August):59-64. <https://www.researchgate.net/publication/323336387%0APENAMBAHAN>
  30. Khan TT, Rafiqul Bari GAKM, Kang HJ, et al. Synthesis Of N-Doped TiO<sub>2</sub> For Efficient Photocatalytic Degradation Of Atmospheric Nox. *Catalysts*. 2021;11(1):1-13. doi:10.3390/catal11010109
  31. Sumiyati S, Manurung P, Suprihatin S. Sintesis Nanotitania dengan Cara

- Hidrotermal sebagai Fungsi Suhu. *J Energy, Mater Instrum Technol.* 2021;2(4):147-151. doi:10.23960/jemit.v2i4.152
32. Zhang YX, Li GH, Jin YX, Zhang Y, Zhang J, Zhang LD. Hydrothermal Synthesis And Photoluminescence Of TiO<sub>2</sub> Nanowires. *Chem Phys Lett.* 2002;365(3-4):300-304. doi:10.1016/S0009-2614(02)01499-9
  33. Yu A, Wu G, Zhang F, Yang Y, Guan N. Synthesis And Characterization Of N-Doped TiO<sub>2</sub> Nanowires With Visible Light Response. *Catal Letters.* 2009;129(3-4):507-512. doi:10.1007/s10562-008-9832-7
  34. Susilowati P, Prodjosantoso AK, Kusumawardani C. Sintesis Dan Karakterisasi TiO<sub>2</sub> Terdah Nitrogen Melalui Metode Hidrotermal Dengan Variasi Temperatur Dan Kalsiansi. Published online 2017:59-70.
  35. Liu H, Gao L. Preparation And Properties Of Nanocrystalline A-Fe<sub>2</sub>O<sub>3</sub>-Sensitized TiO<sub>2</sub> Nanosheets As A Visible Light Photocatalyst. *J Am Ceram Soc.* 2006;89(1):370-373. doi:10.1111/j.1551-2916.2005.00686.x
  36. Rosales M, Zoltan T, Yadarola C, Mosquera E, Gracia F, García A. The Influence Of The Morphology Of 1D TiO<sub>2</sub> Nanostructures On Photogeneration Of Reactive Oxygen Species And Enhanced Photocatalytic Activity. *J Mol Liq.* 2019;281:59-69. doi:10.1016/j.molliq.2019.02.070
  37. Li G, Zou B, Feng S, et al. Synthesis of N-Doped TiO<sub>2</sub> With Good Photocatalytic Property. *Phys B Condens Matter.* 2020;588(December 2019):412184. doi:10.1016/j.physb.2020.412184
  38. Mohammed NM, Bashiri R, Sufian S, Mohammed M. One-Dimensional Titanium Dioxide and Its Application for Photovoltaic Devices Titanium Dioxide and Its Application for Photovoltaic Devices. doi:10.5772/intechopen.72976
  39. Byrappa K, Yoshimura M. *Hydrothermal Technology.*; 2001.
  40. Zhu G tian, Hu X li, He S, He X mei, Zhu S kui, Feng Y qi. Hydrothermally tailor-made chitosan fiber for micro-solid phase extraction of petroleum acids in crude oils. *J Chromatogr A.* Published online 2018. doi:10.1016/j.chroma.2018.06.006
  41. Putri DF, Maulina Ritonga H, Murdiati V, Zainul DR. What Is Hydrothermal ? *J FMIPA.* Published online 2016:1-17.
  42. Adi WK. Sintesis dan Karakterisasi Nanopartikel dan Nanotube TiO<sub>2</sub> untuk Aplikasi Sel Surya Tersensitasi Zat Pewarna SKRIPSI. *Publ online.* Published online 2012.
  43. Famia AM, Muldarisnur M. Pengaruh Temperatur Sintesis Hidrotermal Terhadap Diameter Nanopartikel Seng Oksida. *J Fis Unand.* 2019;8(2):127-132. doi:10.25077/jfu.8.2.127-132.2019
  44. Pertiwi P. SINTESIS N-DOPED TiO<sub>2</sub> BERPORI DENGAN PENAMBAHAN H<sub>3</sub>PO<sub>4</sub> UNTUK APLIKASI FOTOREDUKSI LOGAM BERAT ION Cr(VI). *Publ online.* 2019;(Vi).
  45. Setiabudi ARHAM. *Karakterisasi Material: Prinsip Dan Aplikasinya Dalam Penelitian Kimia.* Vol 1.; 2012.
  46. Astuti A. Bab IV Karakterisasi Material. 2016;(July):1-12. doi:10.13140/RG.2.1.1589.6567
  47. Nofebriani D. SINTESIS N-DOPED TiO<sub>2</sub> BERPORI MENGGUNAKAN METODE PEROXO SOL GEL UNTUK MENDEGRADASI LOGAM BERAT ION Cd(II). *Publ online.* 2019;(li).
  48. Abdullah M, Khairurrijal K. Review: Karakterisasi Nanomaterial. *J Nano Saintek.* 2009;2(1):1-9.
  49. Cheng X, Yu X, Xing Z, Yang L. Synthesis and characterization of N-doped TiO<sub>2</sub> and its enhanced visible-light photocatalytic activity. *Arab J Chem.* 2016;9:S1706-S1711. doi:10.1016/j.arabjc.2012.04.052



50. Foo C, Li Y, Lebedev K, et al. Characterisation of oxygen defects and nitrogen impurities in TiO<sub>2</sub> photocatalysts using variable-temperature X-ray powder diffraction. *Nat Commun.* 2021;12(1):1-13. doi:10.1038/s41467-021-20977-z
51. Haug A, Hiesgen R, Schulze M, Schiller G, Friedrich KA. Fourier transform infrared spectroscopy. *PEM Fuel Cell Diagnostic Tools*. Published online 2011:369-379. doi:10.5650/jos1956.32.586
52. Schiewe G, Czysz W, Johannsen L. IR-Spektroskopie. *Fresenius' Zeitschrift für Anal Chemie.* 1966;222(1):54-56. doi:10.1007/BF00504655
53. Suhartati T. *Dasar-Dasar Spektrofotometri UV-Vis Dan Spektrometri Massa Untuk Penentuan Struktur Senyawa Organik*. AURA; 2017. doi:10.1007/978-3-642-16483-5\_5683
54. Low W, Boonamnuayvitaya V. A study of photocatalytic graphene-TiO<sub>2</sub> synthesis via peroxo titanate acid refluxed sol. *Mater Res Bull.* 2013;48(8):2809-2816. doi:10.1016/j.materresbull.2013.04.020
55. Liu B, Boercker JE, Aydil ES. Oriented single crystalline titanium dioxide nanowires. *Nanotechnology.* 2008;19(50). doi:10.1088/0957-4484/19/50/505604
56. Li G, Zou B, Feng S, et al. Synthesis of N-Doped TiO<sub>2</sub> with good photocatalytic property. *Phys B Condens Matter.* 2020;588(March):412184. doi:10.1016/j.physb.2020.412184
57. Jadhav PS, Jadhav T, Bhosale M, Jadhav CH, Pawar VC. Structural and optical properties of n-doped tio<sub>2</sub> nanomaterials. *Mater Today Proc.* 2020;43(xxxx):2763-2767. doi:10.1016/j.matpr.2020.07.164
58. Marta V, Pap Z, Bardos E, Gyulavari T, Vereb G, Hernadi K. Effect of Urea as a Shape-Controlling Agent on the Properties of. *Catalysts*. Published online 2023.
59. Ntozakhe L, Taziwa RT, Mungondori HH. Influence of nitrogen doping on TiO<sub>2</sub> nanoparticles synthesized by pneumatic spray pyrolysis method. *Mater Res Express.* 2019;6(8). doi:10.1088/2053-1591/ab2260
60. Kim N, Raj MR, Lee G. Nitrogen-doped TiO<sub>2</sub>(B) nanobelts enabling enhancement of electronic conductivity and efficiency of lithium-ion storage. *Nanotechnology.* 2020;31(41). doi:10.1088/1361-6528/ab9fb6