

## DAFTAR PUSTAKA

- 1 Yefrida, Y.; Refilda, R.; Hamidah, N.; Rosman, W. Penentuan Kandungan Antioksidan Total Pada Infusa Selada Hijau (*Lactuca sativa* L.) Hidroponik Dan Konvensional Secara Spektrofotometri Dengan Modified Phenantroline Method (MPM). *J. Ris. Kim.* 2022, 13 (1), 122–129.
- 2 Matheos, H.; Max Revolta John Runtuwene; Sri Sudewi. Aktivitas Antioksidan Dari Ekstrak Daun Kayu Bulan. *PHARMACON J. Ilm. Farm.* 2014, 3 (3), 235–246.
- 3 Al-Hmoud, H. A.; Ibrahim, N. E.; El-Halous, E. I. African Journal of Pharmacy and Pharmacology Surfactants Solubility, Concentration and the Other Formulations Effects on the Drug Release Rate from a Controlled-Release Matrix. 2014, 8 (13), 364–371.
- 4 Putri, D. K.; Tukiran; Suyatno; Sabila, F. I. Antioxidant Activity from the Combination Ethanol Extract Secang Wood (*Caesalpinia sappan* L.) and Red Ginger Rhizome (*Zingiber officinale* Roxb.). *Adv. Eng. Res.* 2021, 209 (Ijcse), 143–147.
- 5 Jumiarni, W. O.; Komalasari, O. Inventory of Medicines Plant As Utilized By Muna Tribe in Kota Wuna Settlement. *Maj. Obat Tradis.* 2017, 22 (1), 45.
- 6 Handayati, W. Perkembangan Pemuliaan Mutasi Tanaman Hias Di Indonesia. *J. Ilm. Apl. Isot. dan Radiasi* 2013, 9 (1), 67–80.
- 7 Wulandari, Y. W.; Sutardi, S. S. Uji Aktivitas Antioksidan Air Mawar (Rose Water) Dari Petal Bunga Mawar Merah (*Rosa damascena* Mill) Menggunakan Metode Dpph (Diphenyl Picril Hidrazil). *Agrointek J. Teknol. Ind. Pertan.* 2021, 15 (3), 903–909.
- 8 Hajimehdipoor, H.; Shahrestani, R.; Shekarchi, M. Investigating the Synergistic Antioxidant Effects of Some Flavonoid and Phenolic Compounds. *Res. J. Pharmacogn.* 2014, 1 (3), 35–40.
- 9 Yefrida, Y.; Suyani, H.; Aziz, H.; Efdi, M. Validasi Metode MPM Untuk Penentuan Kandungan Antioksidan Dalam Sampel Herbal Serta Perbandingannya Dengan Metode PM, FRAP Dan DPPH. *J. Ris. Kim.* 2020, 11 (1), 24–34.
- 10 Yefrida; Ulfaningsih, M.; Loekman, U. Validasi Metoda Penentuan Antioksidan Total (Dihitung Sebagai Asam Sitrat) Dalam Sampel Jeruk Secara Spektrofotometri dengan Menggunakan Oksidator FeCl<sub>3</sub> Dan Pengompleks Orto-Fenantrolin. *J. Ris. Kim.* 2014, 7 (2), 186.
- 11 Mileva, M.; Kusovaski, V.; Krastev, D.; Dobreva, A.; Galabov, A. Chemical Composition, in Vitro Antiradical and Antimicrobial Activities of Bulgarian *Rosa alba* L. Essential Oil against Some Oral Pathogens. *Int. J. Curr. Microbiol. App. Sci.* 2014, 3 (7), 11–20.
- 12 Taneva, I.; Petkova, N. T.; Dimov, I.; Ivanov, I.; Petkova, N.; Denev, P. Characterization of Rose Hip (*Rosa canina* L.) Fruits Extracts and Evaluation of Their in Vitro Antioxidant Activity Analysis of Inulin-Type Fructans in Herbs, Edible Plants and Food Products View Project Characterization of Rose Hip (*Rosa canina* L.) Fruit. *J. Pharmacogn. Phytochem.* 2016, 5 (2), 35–38.
- 13 Abdelbaky, A. S.; Mohamed, A. M. H. A.; Alharthi, S. S. Antioxidant and Antimicrobial Evaluation and Chemical Investigation of *Rosa gallica* Var. *Aegyptiaca* Leaf Extracts. *Molecules* 2021, 26 (21), 1–12.
- 14 Zhou, H.; Liu, M.; Yuan, Y.; Shalapy, N. M.; Cui, L. *Rosa chinensis* as Edible Flowers: Phytochemicals and Biological Effects. *J. Futur. Foods* 2023, 3 (4), 357–363.
- 15 Et, O.; Sinica, L. Efek Penghambatan Radikal Bebas Infusa Dan Ekstrak Etanol Herba Pegagan (*Centella asiatica* (L.) Urb) Dengan Metode DPPH. 2019, 2019 (2157), 1–57.

- 16 Vamanu, E.; Nita, S. Antioxidant Capacity and the Correlation with Major Phenolic Compounds, Anthocyanin, and Tocopherol Content in Various Extracts from the Wild Edible *Boletus edulis* Mushroom. *Biomed Res. Int.* 2013, 2013.
- 17 Kazaz, S.; Erbas, S.; Baydar, H.; Dilmacunal, T.; Koyuncu, M. A. Cold Storage of Oil Rose (*Rosa damascena* Mill.) Flowers. *Sci. Hortic. (Amsterdam)*. 2010, 126 (2), 284–290.
- 18 Cai, Y. Z.; Xing, J.; Sun, M.; Zhan, Z. Q.; Corke, H. Phenolic Antioxidants (Hydrolyzable Tannins, Flavonols, and Anthocyanins) Identified by LC-ESI-MS and MALDI-QIT-TOF MS from *Rosa chinensis* Flowers. *J. Agric. Food Chem.* 2005, 53 (26), 9940–9948.
- 19 Drulyte, D.; Orlien, V. The Effect of Rosa Spinosissima Fruits Extract on Lactic Acid Bacteria Growth and Other Yoghurt Parameters. *Foods* 2019, 8 (224), 1–9.
- 20 Kumari, P.; Raju, D. V. S.; Prasad, K. V.; Saha, S.; Panwar, S.; Paul, S.; Banyal, N.; Bains, A.; Chawla, P.; Fogarasi, M.; Fogarasi, S. Characterization of Anthocyanins and Their Antioxidant Activities in Indian Rose Varieties (*Rosa × hybrida*) Using HPLC. *Antioxidants* 2022, 11 (10).
- 21 Yang, H.; Shin, Y. Antioxidant Compounds and Activities of Edible Roses (*Rosa hybrida* Spp.) from Different Cultivars Grown in Korea. *Appl. Biol. Chem.* 2017, 60 (2), 129–136.
- 22 Tsao, R. Chemistry and Biochemistry of Dietary Polyphenols. *Nutrients* 2010, 2 (12), 1231–1246.
- 23 Burton, G. J.; Jauniaux, E. Oxidative Stress. *Best Pract. Res. Clin. Obstet. Gynaecol.* 2011, 25 (3), 287–299.
- 24 Ramawat, K. G.; Mérillon, J. M. *Natural Products: Phytochemistry, Botany and Metabolism of Alkaloids, Phenolics and Terpenes*; 2013.
- 25 Diniyah, N.; Lee, S.-H. Komposisi Senyawa Fenol Dan Potensi Antioksidan Dari Kacang-Kacangan: Review. *J. Agroteknologi* 2020, 14 (01), 91.
- 26 Kasprzak, M. M.; Erxleben, A.; Ochocki, J. Properties and Applications of Flavonoid Metal Complexes. *RSC Adv.* 2015, 5 (57), 45853–45877.
- 27 Al-Khayri, J. M.; Sahana, G. R.; Nagella, P.; Joseph, B. V.; Alessa, F. M.; Al-Mssallem, M. Q. Flavonoids as Potential Anti-Inflammatory Molecules: A Review. *Molecules* 2022, 27 (9).
- 28 Pei, Y.; Wang, S.; Wang, W.; Zhou, Y.; Zhao, H.; Jia, L. Isolation and Structure-Activity Relationship of the Antioxidant Chemical Constituents from the Flowers of *Rosa chinensis* Jacq. *Int. J. Food Prop.* 2014, 17 (1), 38–44.
- 29 Lee, M. hee; Nam, T. G.; Lee, I.; Shin, E. J.; Han, A. ram; Lee, P.; Lee, S. Y.; Lim, T. G. Skin Anti-Inflammatory Activity of Rose Petal Extract (*Rosa gallica*) through Reduction of MAPK Signaling Pathway. *Food Sci. Nutr.* 2018, 6 (8), 2560–2567.
- 30 Liang, N.; Kitts, D. D. Antioxidant Property of Coffee Components: Assessment of Methods That Define Mechanism of Action. *Molecules* 2014, 19 (11), 19180–19208.
- 31 Kiciński, W.; Djak, S. Transition Metal Impurities in Carbon-Based Materials: Pitfalls, Artifacts and Deleterious Effects. *Carbon N. Y.* 2020, 168, 748–845.
- 32 Nn, A. A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Med. Aromat. Plants* 2015, 04 (03), 3–8.
- 33 Riley, R.; Chapman, V. Antioxidant Determination by the Use of a Stable Radical. 1958.
- 34 Mwamatope, B.; Tembo, D.; Chikowe, I.; Kampira, E.; Nyirenda, C. Total Phenolic Contents and Antioxidant Activity of *Senna singueana*, *Melia azedarach*, *Moringa oleifera* and *Lannea discolor* Herbal Plants. *Sci. African* 2020, 9, e00481.

- 35 Qneibi, M.; Hanania, M.; Jaradat, N.; Emwas, N.; Radwan, S. *Inula viscosa* (L.) Greuter, Phytochemical Composition, Antioxidant, Total Phenolic Content, Total Flavonoids Content and Neuroprotective Effects. *Eur. J. Integr. Med.* 2021, 42 (January), 101291.
- 36 Brand-Williams, W.; Cuvelier, M. E.; Berset, C. Use of a Free Radical Method to Evaluate Antioxidant Activity. *LWT - Food Sci. Technol.* 1995, 28 (1), 25–30.
- 37 Zheng, Y.; Chow, A. H. L. Production and Characterization of a Spray-Dried Hydroxypropyl- $\beta$ - Cyclodextrin/Quercetin Complex Spray-Dried Hydroxypropyl- $\beta$ -Cyclodextrin/ Quercetin Complex. *Drug Dev. Ind. Pharm.* 2009, 35 (6), 727–734.
- 38 Shraim, A. M.; Ahmed, T. A.; Rahman, M. M.; Hijji, Y. M. Determination of Total Flavonoid Content by Aluminum Chloride Assay: A Critical Evaluation. *Lwt* 2021, 150 (April), 111932.
- 39 Zheng, J.; Yu, X.; Maninder, M.; Xu, B. Total Phenolics and Antioxidants Profiles of Commonly Consumed Edible Flowers in China. *Int. J. Food Prop.* 2018, 21 (1), 1524–1540.
- 40 Pérez, M.; Dominguez-López, I.; Lamuela-Raventós, R. M. The Chemistry Behind the Folin–Ciocalteu Method for the Estimation of (Poly)Phenol Content in Food: Total Phenolic Intake in a Mediterranean Dietary Pattern. *J. Agric. Food Chem.* 2023.
- 41 Ge, Q.; Ma, X. Composition and Antioxidant Activity of Anthocyanins Isolated from Yunnan Edible Rose (An Ning). *Food Sci. Hum. Wellness* 2013, 2 (2), 68–74.
- 42 Yilmaz, S. O.; Ercisli, S. Antibacterial and Antioxidant Activity of Fruits of Some Rose Species from Turkey. *Rom. Biotechnol. Lett.* 2011, 16 (4), 6407–6411.
- 43 Abdel-Hameed, E.-S. Total Phenolics and Antioxidant Activity of Defatted Fresh Taif Rose, Saudi Arabia. *Br. J. Pharm. Res.* 2012, 2 (3), 129–140.
- 44 Zeng, Y.; Deng, M.; Lv, Z.; Peng, Y. Evaluation of Antioxidant Activities of Extracts from 19 Chinese Edible Flowers. *Springerplus* 2014, 3 (1), 1–5.
- 45 Sarwono, J. 2016. *Metode Penelitian Kuantitatif & Kualitatif*, Pertama.; Graha Ilmu: Yogyakarta.

