

## DAFTAR PUSTAKA

- Aerts, P., R. van Damme, B. van Hooydonck, A. Zaaf, dan A. Herrel. 2000. "Lizard Locomotion: How Morphology Meets Ecology." *Netherlands Journal of Zoology* 50 (2):261–177. <https://doi.org/10.1163/156854200X00126>.
- Agesi, A. V. 2011. "Variasi Morfometri dan Kariotipe *Rana Hosii* (Boulenger, 1891) Di Sumatera Barat."
- Alam, M. S., T. Igawa, M. M. R. Khan, M. M. Islam, M. Kuramoto, M. Matsui, A. Kurabayashi, dan M. Sumida. 2008. "Genetic divergence and evolutionary relationships in six species of genera *Hoplobatrachus* and *Euphyctis* (Amphibia: Anura) from Bangladesh and other Asian countries revealed by mitochondrial gene sequences." *Molecular Phylogenetics and Evolution* 48 (2):515–27. <https://doi.org/10.1016/j.ympev.2008.04.020>.
- Alam, M. S., A. Kurabayashi, Y. Hayashi, N. Sano, Md. M.R. Khan, T. Fujii, dan M. Sumida. 2010. "Complete mitochondrial genomes and novel gene rearrangements in two dicoglossid frogs, *Hoplobatrachus tigerinus* and *Euphyctis hexadactylus*, from Bangladesh." *Genes & Genetic Systems* 85 (3):219–32. <https://doi.org/10.1266/ggs.85.219>.
- Allendorf, F.W. dan G. Luikart. 2007. Conservation and the Genetics of Population. Victoria, Australia: Blackswell. Publishing.
- Altunisik, A., dan Nurhayat O. 2014. Life history traits in *Bufo variabilis* (Pallas, 1769) from 2 different altitudes in Turkey. *Turkish Journal of Zoology* 38(1): 1-7.
- Avise, J. C. 1994. *Molecular Markers, Natural History and Evolution*. Chapman and Hall. London
- Aprilian, E., D. I. Roesma, dan D. H. Tjong. 2016. "Morphological variation of Bada fish ( *Rasbora maninjau* , Lumbantobing ) in maninjau lake , West Sumatra." *Journal of Entomology and Zoology Studies* 4 (2):541–44. [www.entomoljournal.com](http://www.entomoljournal.com).
- Astirin, O. P.. 2000. "Permasalahan Pengelolaan Keanekaragaman Hayati di Indonesia." *Biodiversitas, Journal of Biological Diversity* 1:36–40. <https://doi.org/10.13057/biodiv/d010107>.
- Blouin, M.S., dan S. T. Brown. 2000. "Effects of temperature-induced variation in anuran larval growth rate on head width and leg length at metamorphosis." *Oecologia* 125 (3):358–61. <https://doi.org/10.1007/s004420000458>.
- Bookstein, F. L. 1982. Foundation of Morphometrics. *Ann. Rev. Ecol. Syst.* 13:451-470
- Brown, J. H. 2000. "Book Review:Phylogeography: The History and Formation of Species John C. Avise." In *The Quarterly Review of Biology*, 75:455. <https://doi.org/10.1086/393655>.
- Bruyn, M. 2008. "F. W. Allendorf and G. Luikart, Conserving Global Biodiversity? Conservation and the Genetics of Populations." *Conservation Genetics* 9 (2):437–38. <https://doi.org/10.1007/s10592-007-9330-2>.

- Burger, M, dan J. A. Harrison. 2004. "Southern African Frog Atlas Project completed!" *Froglog*, no. 62:1–2.
- Burger, M., dan J. A. Harrison. 2004. "FROGLOG." *Newsletter of the Declining Amphibian Populations Task Force*. ISSN 1026-0269, 2004.
- Chen, L., R. W. Murphy, A. Lathrop, A. Ngo, N. L. Orlov, Thu H. Cuc, dan I. L.M. Somorjai. 2005. "Taxonomic chaos in Asian ranid frogs: An initial phylogenetic resolution." *Herpetological Journal* 15 (4):231–43.
- Crow, J. F., dan M. Kimura. 1970. "An Introduction to Population Genetics Theory." *Cours de l'University of Oslo Department of Informatics*, 591. <https://doi.org/10.2307/1529706>.
- Dale, J. W., dan M. von Schantz. 2012. *From Genes to Genomes Basic Molecular Biology*. John Wiley & Son.
- Darma, B.. 2008. "Keanekaragaman Amfibi Di Berbagai Tipe Habitat: Studi Kasus di Eks-HPH PT Rimba Karya Indah Kabupaten Bungo, Provinsi Jambi."
- Das, I. 1996. "*Limnonectes shompenorum* , a new species of ranid frog of the *Rana macronotus* complex from Great Nicobar , India" 2 (1):127–34.
- Deepak, P., Munirathinam J., Sompalem R.,. 2013. Morphometric Studies on *Hylarana temporalis* (Gunther, 1864) in Gundia Region, Western Ghats. *Research Journal of Animal, Veterinaary and Fishery Science* 1(10): 16-18.
- van Dijk. P. P. dan D. T. Iskandar. 2015. "*Limnonectes blythii* , Giant Asian River Frog." The IUCN Red List of Threatened Species.
- Emerson, S. B. 1996. "Phylogenies And Physiological Processes — The Evolution Of Sexual Dimorphism In Southeast Asian Frogs" 45 (3):278–89.
- Esposti D. M, De Vries S, Crimi M, Ghelli A, Patarnello T, Meyer A (1993) Mitochondrial cytochrome b: evolution and structure of the protein. *Biochim Biophys Acta* 1143:243–271
- Finkeldey, R. 2005. An Introduction to Tropical Forest Genetics. Edition I, Institute of Forest Genetics and Forest Tree Breeding Publishing, Gottingen, 2005, 31-32.
- Frankham, R. 2005. "Stress and adaptation in conservation genetics." *Journal of Evolutionary Biology* 18 (4):750–55. <https://doi.org/10.1111/j.1420-9101.2005.00885.x>.
- Frankham, R., J. D. Ballou, D. A. Briscoe dan K. H. M. Frontmatter. 2004. "Introduction to Conservation Genetics." *Forest Ecology and Management* 190 (2–3):385–86. <https://doi.org/10.1016/j.foreco.2003.12.001>.
- Gillespie, G. R., E. Ahmad, B. Elahan, A. Evans, M. Ancrenaz, B. Goossens, dan M. P. Scroggie. 2012. "Conservation of amphibians in Borneo: Relative value of secondary tropical forest and non-forest habitats." *Biological Conservation*. <https://doi.org/10.1016/j.biocon.2012.03.023>.
- Goldstein, P. Z, R. Desalle, G. Amato, dan A.P. Vogler. 2000. "Conservation Genetics at the Soecies Boundarv." *Conservation Biology* 14 (1):120–31. <https://doi.org/doi:10.1046/j.1523-1739.2000.98122.x>.

- Gomez-Mestre, I., dan D. R. Buchholz. 2006. "Developmental plasticity mirrors differences among taxa in spadefoot toads linking plasticity and diversity." *Proceedings of the National Academy of Sciences* 103 (50):19021–26. <https://doi.org/10.1073/pnas.0603562103>.
- Gomez, A.M.C, Fernando C.H. dan J. Nicolas U. C. 2013. Small changes in vegetation structure create great changes in amphibian ensembles in the Colombian Pacific rainforest. *Tropical Conservation Science* 6(6): 749-769
- Gong, J I E, Hong Lan, S. Fang, dan Qiu-hong Wan. 2008. "Development and characterization of 13 polymorphic microsatellite DNA markers for the pond green frog ( *Rana nigromaculata* )" 89 (2006):7–10.
- Hartl, D.L. 2000. "A Primer of Population Genetics." *Sunderland, Massachusetts. U.S.A: Sinauer Associates, Incorporated*, 26–31.
- Hayek, L. C, dan W. R. Heyer. 2005. "Determining sexual dimorphism in frog measurement data : integration of statistical significance , measurement error ," 77:45–76.
- Hoffmann, M, T. M Brooks, S. H. M. Butchart, K. E Carpenter, J. Chanson, V.Katariya, C. M Pollock, et al. 2010. "The Impact of Conservation on the Status of the World ' s Vertebrates" 1503. <https://doi.org/10.1126/science.1194442>.
- Hillis, D.M., dan J.J. Wiens. 2000. Molecules versus Morphology in Systematics. in: J. Wiens (ed.) *Phylogenetic Analysis of Morphology Data*. Smitshonian. Institution Press. Phyladelphia.
- Inger, F, dan T. Fui Lian. 1996. "CHECKLIST" 44 (2):551–74.
- Iskandar, D.T. 1998. *Amfibi Jawa dan Bali*. Puslitbang Biologi LIPI, Bogor.
- Iskandar, D. T, dan W. R. Erdelen. 2006a. "Conservation of amphibians and reptiles in Indonesia :” *Reptile Concervation* 4 (1). 60-93 <https://doi.org/10.1514/journal.arc.0040016>
- Iskandar, D. T. 2006b. "Conservation of amphibians and reptiles in Indonesia: issues and problems." *Amphibian and Reptile Conservation* 4 (1):60–87. <https://doi.org/10.1514/journal.arc.0040016>.
- Kartavtsev, Y.P dan J.S. Lee. dan Lee. 2006. Analysis Mucleotide Diversity at The Cytochrome-b and Cytochrom Oxidase I Genes at Population, Species and Genus Levels. *Russian Journall of Genetic*. 42: 341-362
- Kurniawan, N, M., M. Islam, D. H. Tjong, T. Igawa, D.M. Belabut, H. Sn Yong, R. Wanichanon. 2010. "Genetic Divergence and Evolutionary Relationship in *Fejervarya cancrivora* from Indonesia and Other Asian Countries Inferred from Allozyme and MtDNA Sequence Analyses." *Zoological Science* 27 (3):222–33. <https://doi.org/10.2108/zsj.27.222>.
- Kusrini, M. D, A. Fitri, dan M Yazid. 2006. "Rufford Booster Grant Project Final Report Promoting Frog Conservation through Environmental Education and Research Experience Department of Forest Resources Conservation & Ecotourism Faculty of Forestry , Bogor Agricultural University Indonesia , October."
- Kyriakopoulou-Sklavounou, P. 2000. "Adaptations of some amphibian species to Mediterranean envirmntal conditions." *Belgian Journal of Zoology* 130 (Suppl.1):109–13.

- Laugen A. T., Loeske. E. B. Kruuk, A. Laurioa, K. Rasnen, J.Stone, dan J. Merila. 2005. "Quantitative genetics of larval life-history traits in *Rana temporaria* in different environmental conditions." *Genetical Research* 86 (3):161–70.
- Laugen, A. T., Anssi Laurila, dan Juh A. Merilä. 2002. "Maternal and genetic contributions to geographical variation in *Rana temporaria* larval life-history traits." *Biological Journal of the Linnean Society* 76 (1):61–70. <https://doi.org/10.1046/j.1095-8312.2002.00048.x>.
- Layla, Z. 2001. "Teknik penggunaan marka RAPD dengan PCR." *Temu Teknis Fungsional Non Peneliti*.
- Linda, P.B. Moyle, S. (*Rana boylei*) through analysis of decline factors, genetic structure, and habitat associations." *Habitat*, no. December 2004:1–11.
- Matsui, M, D. M. Belabut, dan N. Ahmad. 2014. "Two new species of fanged frogs from Peninsular Malaysia (Anura: Dicroglossidae)." *Zootaxa* 3881 (1):75–93. <https://doi.org/10.11646/zootaxa.3881.1.6>.
- Matsui, M., N. Kuraishi, K. A. Hamidy, K. Nishikawa, T.Himada, P.Y. C. S. Vairappan, dan M. Y. Hossman. 2016. "Unusually high genetic diversity in the Bornean *Limnonectes kuhlii*-like fanged frogs (Anura: Dicroglossidae)." *Molecular Phylogenetics and Evolution* 102:305–19. <https://doi.org/10.1016/j.ympev.2016.06.009>.
- McLeod, D. S., S.J. Horner, C. Husted, A. Barley, dan D. Iskandar. 2011. "'Same-same, but different': An unusual new species of the *Limnonectes kuhlii* Complex from West Sumatra (Anura: Dicroglossidae)." *Zootaxa* 64 (2883):52–64. <https://doi.org/10.11646/zootaxa.2883.1.4>.
- Méndez M.A, C. Correa, A. Veloso, E. Vergara, M. Sallaberry & P Iturra, E R Soto. 2004. "Morphological and genetic differentiation among Chilean populations of *Bufo spinulosus* (Anura: Bufonidae) TT - Morphological and genetic differentiation Among spinulosus Chilean Populations of *Bufo* (Anura: Bufonidae)." *Revista Chilena de Historia Natural* 77: 559-567, 559–67. <https://doi.org/10.4067/S0716-078X2004000300014>.
- Muneer, P. M. A., R. Sivanandan, A. Gopalakrishnan, V. S. Basheer, K. K. Musammilu, dan A. G. Ponniah. 2011. "Development and characterization of RADP and microsatellite markers for genetic variation analysis in the critically endangered yellow catfish *Horabagrus nigricollaris* (Teleostei: Horabagridae)." *Biochemical Genetics* 49 (1–2):83–95. <https://doi.org/10.1007/s10528-010-9389-1>.
- Nabil, A, Farajallah..S, B.Y. Slim, P. Merella, dan S. Khaled. 2011. "Morphological variation of the African Green Toad, *Bufo boulengeri* (Amphibia: Anura) in Tunisia." *Pakistan Journal of Zoology* 43 (5):921–26.
- Nei, M. and S. Kumar. 2000. *Molecular Evaluation and Phylogenetics*. New York : Oxford University Press.
- Nesty, R., D. H. Tjong, dan H. Herwina. 2013. "Variasi Morfometrik Kodok *Duttaphrynus melanostictus* ( Schneider , 1799 ) ( Anura : Bufonidae ) di Sumatera Barat yang Dipisahkan oleh Bukit Barisan Morphometric variations of toad *Duttaphrynus melanostictus* ( Schneider , 1799 ) ( Anura :

Bufonidae ) in W.” *Jurnal Biologi Universitas Andalas* 2 (1):37–42.

- Kurniawan, N., M. M., T. H. Djong, T. Igawa, M. B. Daicus, H. S. Yong, R. Wanichanon, M. M.R. Khan, D. T. Iskandar, M. Nishioka and M. Sumida, 2010. “Genetic Divergence and Evolutionary Relationship in *Fejervarya cancrivora* from Indonesia and Other Asian Countries Inferred ...,” no. March 2010. <https://doi.org/10.2108/zsj.27.22>
- Ohler, A., dan M. Delorme. 2006. “Well known does not mean well studied: Morphological and molecular support for existence of sibling species in the Javanese gliding frog *Rhacophorus reinwardtii* (Amphibia, Anura).” *Comptes Rendus - Biologies* 329 (2):86–97. <https://doi.org/10.1016/j.crvi.2005.11.001>.
- Ohler, A., S. Dutta dan A. Dubois. 2015. “Morphological evolution in frog of the genera *Fejervarya*, *Minervarya*, *Sphaerotheca* and *Zakerana* (Dicroglossidae). Pranikee.” *Journal of zoologica Society of Orissa CN - N/A* 26 (“2014”):1–12.
- Poerba, Y. S. 2008. “Pendugaan Keragaman Genetik *Amorphophallus titanum* Becc . Estimation of genetic variation of *Amorphophallus titanum* Becc . based on Random” 9 (April):103–7.
- Pratiwi, P. 2016. “analisis variasi genetik *Globba leucantha*,” no. August.
- Rohlf. 1997. *NTSYS-pc.Numerical Taxonomy and Multivariate Analysis System*. Version 1.8. Exeter Software (NY, USA).
- Rowley, J., R. Brown, R. Bain, M. Kusriani, R. Inger, B. Stuart, G. Wogan, et al. 2010. “Impending conservation crisis for Southeast Asian amphibians.” *Biology Letters* 6 (3):336–38. <https://doi.org/10.1098/rsbl.2009.0793>.
- Santos-Barrera, G. and Urbina-Cardona, J. N. 2011. The role of the matrix-edge dynamics of amphibian conservation in tropical montane fragmented landscapes. *Revista Mexicana de Biodiversidad* 82:679–687
- Siler, C. D., John D. McVay, A. C. Diesmos, dan R. M. Brown. 2009. “A New Species of Fanged Frog, Genus *Limnonectes* (Amphibia: Anura: Dicroglossidae) from Southeast Mindanao Island, Philippines.” *Herpetologica* 65 (1):105–14. <https://doi.org/10.1655/08-041R1.1>.
- Silva, D. D. M. E., A. D.D. Cruz, R. P. Bastos, R. L. Reis, M. P. D. C. Telles dan J. A. F. F. D. Filho. 2007. Population structure of *Eupemphix nattereri* (Amphibia, Anura, Leiuperidae) from Central Brazil. *Genetics and Molecular Biology*, 30, 4, 1161–1168
- Smith, S. A., A. N. Montes De Oca, T. W. Reeder, dan J. J. Wiens. 2007. “A phylogenetic perspective on elevational species richness patterns in middle American treefrogs: Why so few species in lowland tropical rainforests?” *Evolution* 61 (5):1188–1207. <https://doi.org/10.1111/j.1558-5646.2007.00085>.
- Stayton, C, T. 2005. “Morphological Evolution of the Lizard Skull: A Geometric Morphometrics Survey” 59 (November 2004):47–59. <https://doi.org/10.1002/jmor.10288>.

- Stuart, B. L., R. F. Inger, dan H.K. Voris. 2006. "High level of cryptic species diversity revealed by sympatric lineages of Southeast Asian forest frogs" 1887 (June):470–74. <https://doi.org/10.1098/rsbl.2006.0505>.
- Stuart, S. N, J. S Chanson, N. A Cox, B. E Young, A. S. L Rodrigues, D. L Fischman, dan R. W. Waller. 2004. "Status and Trends of Amphibian Declines and Extinctions Worldwide" 306 (December):2002–5.
- Sultana, N, T. Igawa, M. Nozawa, M. M. Islam, M. Hasan, M. S. Alam, Md. M. R. Khan, dan M. Sumida. 2014. "Development and characterization of 27 new microsatellite markers for the Indian bullfrog <i>Hoplobatrachus tigerinus</i> and its congeneric species." *Genes & Genetic Systems* 89 (3):137–41. <https://doi.org/10.1266/ggs.89.137>.
- Sumida, M., M. Ogata, H. Kaneda dan Yonekawa. 1998. Evolutioner Relationship among Japanese Pond Frog Inferres from mitochondria DNA Sequences of Cytochrom b and 12 S Ribosomal RNA genes. *Genes. Genet. Syst.*-133
- Sugiri, N. 1979. Study of Some Aspects of Biology Frog Rock in Several Areas and the Status of taxa. Bogor IPB Graduate Program
- Suwannapoom, C., Wongkham, W., Sitasuwan, N., dan Chomdej, S. 2012. Phylogenetic Relationship of Limnonectes ( Anura : Dicoglossidae ) in Thailand, *Current Research Journal of Biological Sciences* 4(3): 306-309, 2012 ISSN: 2041-0778.
- Suwannapoom, C., Yuan, Z., Jr, N. A. P., Yan, F., dan Kamtaeja. 2016. A new species of genus *Fejervarya* ( Anura : Dicoglossidae ) from northern Thailand. *Zoological Research*, 37(6), 327–337. <https://doi.org/10.13918/j.issn.2095-8137.2016.6.329>
- Tjong, D. H., S. Indra, dan A. Amelia. 2013. "Perbandingan Kariotipe Huia sumatrana ( Anura : Raniadae ) Dari Padang Dan Pasaman," 223–30.
- Tjong, H. D., D. T. Iskandar, dan D. Gusman. 2010. "Hubungan Filogenetik Spesies Limnonectes (Ranidae: Amphibia) Asal Sumatera Barat Dan Asal Asia Tenggara Berdasarkan Gen 16s Ribosomal RNA." *Makara, Sains* 14 (1):79–87.
- Tjong, H. D., M. M. Islam, M. Nishioka, M. Matsui, H. Ota, M. Kuramoto, Md M. R. Khan . 2007. "Genetic relationships and reproductive-isolation mechanisms among the *Fejervarya limnocharis* complex from Indonesia (Java) and other Asian countries." *Zoological science* 24 (4):360–75. <https://doi.org/10.2108/zsj.24.360>.
- Tougaard, C., T. Delefosse, C. Hänni, dan C. Montgelard. 2001. "Phylogenetic relationships of the five extant rhinoceros species (Rhinocerotidae, Perissodactyla) based on mitochondrial cytochrome b and 12S rRNA genes." *Molecular Phylogenetics and Evolution* 19 (1):34–44. <https://doi.org/10.1006/mpev.2000.0903>.
- Veith, M.J.Kossuoch. A. Ohler dan A. Dubois. 2001. Morphological and Moleculer Variation in Frogs from the Greater Sunda Island (*Sumatera, Java, Bali*) with the definition of two species. *Alytes* 19:5-28

- Wati, M., dan D. H. Tjong. 2013. "Studi Fenetik Katak *Rana nicobariensis* Stoliczka, 1870 (Ranidae) di Pulau Siberut dan Daerah Dataran Rendah Sumatera Barat" 1870.
- Wiens, J. J., J. Sukumaran, R. A. Pyron, dan R. M. Brown. 2009. "Evolutionary and biogeographic origins of high tropical diversity in old world frogs (ranidae)." *Evolution* 63 (5):1217–31. <https://doi.org/10.1111/j.1558-5646.2009.00610.x>.
- Wiens, J. J. 2007. "Global Patterns of Diversification and Species Richness in Amphibians" 170 (august).
- Wiens, J. J, dan M. J. Donoghue. 2004. "Historical biogeography, ecology and species richness" 19 (12). <https://doi.org/10.1016/j.tree.2004.09.011>.
- Wogan, G. 2003. "A new species of *Bufo* (Anura: Bufonidae) from Myanmar (Burma), and redescription of the little-known species *Bufo stuarti* Smith 1929." *of the California* 45 (7):141–53. [http://researcharchive.calacademy.org/research/herpetology/myanmar/wogan\\_etalpcas\\_v54.pdf](http://researcharchive.calacademy.org/research/herpetology/myanmar/wogan_etalpcas_v54.pdf).
- Yuwono, T. 1998 *Biologi Molekuler*. Erlangga. Jakarta..
- Yuliatmy, P., D. I. Roesma, dan D. H. Tjong. 2016. "Genetic variation of *Rana parvaccola* (Inger, Stuart and Iskandar, 2009) based on DNA microsatellites in West Sumatra" 4 (4):1068–71.
- Zangari, F., dan R. Cimmaruta. 2006. "Genetic relationships of the western Mediterranean painted frogs based on allozymes and mitochondrial markers: evolutionary and taxonomic inferences (Amphibia, Anura, Discoglossidae)," *Biological Journal of the Linnean Society*, 2006, **87**, 515–536. With 4 figures