

## DAFTAR PUSTAKA

- Abdullah, L. 2010. Herbage Production and Quality of Shrub *Indigofera* Treated by Different Concentration of Foliar Fertilizer. Media Peternakan. Edisi Desember: 169 – 175
- Abdullah, L dan Suharlina. 2010. Herbage yield and quality of two vegetative parts of indigofera at different times of first regrowth defoliation. Media Peternakan. 33 (1): 44-49
- Abdullah L. 2014. Prospektif agronomi dan ekofisiologi *Indigofera zollingeriana* sebagai tanaman penghasil hijauan pakan berkualitas tinggi. Pastura. 3 (2): 79 – 83.
- Abdurachman, A., Dariah, A. dan Mulyani, A. 2008. Strategi dan teknologi pengelolaan lahan kering mendukung pengadaan pangan nasional. J. Penelitian dan Pengembangan Pertanian. 27:43-49.
- Agustiyan I., Despal, Sari, L.A., Chandra, R., Zahera, R. dan Permana I.G. 2021. Comparison between single and mixed-species NIRS databases' accuracy of dairy fiber feed value detection. IOP Conf. Ser. Earth Environ. Sci. 667(1).
- Akbarillah, T., D. Kaharuddin dan Kusisayah. 2002. Kajian tepung daun indigofera sebagai suplemen pakan terhadap produksi dan kualitas telur. Laporan Penelitian. Lembaga Penelitian Universitas Bengkulu, Bengkulu.
- Akhtar, M., M. Ali, Z. Hayat, Z., M. Yaqoob, and M. Sarwar. 2016. Effect of varying levels of dietary ruminal undegradable protein on feed consumption and growth performance of growing Kajli lambs. Int. J. Agric. Biol. 18(5): 969-974.
- Alfian, R., Susanti, H. 2012. Penetapan kadar fenolik total ekstrak metanol kelopak bunga rosella merah (*Hibiscus sabdariffa* Linn) dengan variasi tempat tumbuh secara spektrofometri. Jurnal Imiah Kefarmasian, 2 (1), 73- 80.
- Ali A, Abdullah L, Karti P.D.M.H., Chozin M.A. dan Astuti D.A. 2014. Production and nutritive value of *Indigofera zollingeriana* and *Leucaena leucocephala* in peatland. Animal Production. 16 (3):156- 164.
- Ali A, R. Artika, R. Misriyanti, Elviriadi dan M. Poniran. 2021. Produksi bahan kering dan kadar nutrien *Indigofera zollingeriana* di lahan gambut berdasarkan umur panen berbeda setelah pemangkasan. Jurnal Ilmu Nutrisi dan Teknologi Pakan. 19(2): 30-35
- Amananti, W., Inur, T. dan Aldi, B.R. 2017. Uji Kandungan Saponin Pada Daun, Tangkai Daun DanBiji Tanaman Turi (*Sesbania Grandiflora*). Seminar Nasional IPTEK Terapan. ISSN: 2579-9045: 209-213.
- Amrullah, F.A., L. Liman, E. Erwanto. 2015. Pengaruh penambahan berbagai jenis sumber karbohidrat pada silase limbah sayuran terhadap kadar lemak kasar, serat kasar, protein kasar, dan bahan ekstrak tanpa nitrogen. Jurnal Ilmiah Peternakan Terpadu. 3(4): 221-227

- Anzhany, D. Despal, Toharmat T, Rofiah N, Nuraina N, Hamidah AN. and Cusiayuni A. 2022. Identification of feeding pattern and their impact on milk fatty acid profiles from traditional dairy cows in Pangalengan Sub-district. IOP Conf. Ser. Earth Environ. Sci. 951(1):012023.
- AOAC. 1984. Official Methods of Analysis. Washington DC: Association of Official Analytical Chemists Inc.
- AOAC. 2005. Official Methods of Analysis. 18th ed. In Association of Official Analytical, Chemists International, Maryland, USA (Issue February).
- Archimede, H., Rira M, Eugene M, Fleury J, Lastel M L, Periacarpin F, Silou-Morgavi T and Doreau M. 2018. Intake, total-tract digestibility and methane emissions of Texel and Blackbelly sheep fed C4 and C3 grasses tested simultaneously in a temperate and a tropical area. J. Clean Prod. 185 455
- Astuti, N. 2011. Pengaruh umur pemotongan terhadap kadar nutrisi rumput raja (king grass). Jurnal Agrisains. 2(1): 18-28
- Aswandi, C. I. Sutrisno, M. Arifin, dan A. Joelal. 2012. Effect of complete feed containing starch tubers of different varieties of banana plants on pH, NH<sub>3</sub> and VFA of kacang goat. JITP. 2(2): 99-109
- Atkinson, R.L., C.D. Toone, T.J. Robinson, D.L. Harmon, and P.A. Ludden. 2007. Effects of supplemental ruminally degradable protein versus increasing amounts of supplemental ruminally undegradable protein on nitrogen retention, apparent digestibility, and nutrient flux across visceral tissues in lambs fed low-quality forage. J. Anim. Sci. 85(12): 3331-3339.
- Badan Pusat Statistik. 2021. Luas Daerah dan Jumlah Pulau Menurut Provinsi.
- Badan Pusat Statistik. 2022. Kondisi Iklim Kabupaten Bogor.
- Badan Pusat Statistik. 2022. Kondisi Iklim Kabupaten Limapuluh Kota.
- Bahrami-Yekdangi, M., G.R. Ghorbani, M. Khorvash, M.A. Khan, and M.H. Ghaffari. 2016. Reducing crude protein and rumen degradable protein with a constant concentration of rumen undegradable protein in the diet of dairy cows: Production performance, nutrient digestibility, nitrogen efficiency, and blood metabolites. J. Anim. Sci. 94 (2): 718-725
- Balai Penelitian Tanah. 2004. Kacang Hias (*Arachis pintoi*) Pada Usaha Tani Lahan Kering. Pusat Penelitian dan Pengembangan Tanah dan Agroklimat, Bogor.
- Behan, A.A., T.C. Loh, S. Fakurazi, U. Kaka, A. Kaka, and A.A. Samsudin. 2019. Effects of supplementation of rumen protected fats on rumen ecology and digestibility of nutrients in sheep. Animals. 9(400): 1-18.
- Beever, D. E., N. Offer, N. Gill. 2000. The feeding value of grass and grass products. Publish for British Grassland soc. By Beckwell Science
- Blum, A. 2005. Drought resistance, water-use efficiency and yield potential - Are they compatible, dissonant, or mutually exclusive. Australian Journal of Agricultural Research, 56:1159-1168.

- Boymau, J. S., T. T. Nikolaus dan M. S. Abdullah. 2015. Substitusi pakan konsentrat dengan daun kabesak putih (*Acacia leucophloea Roxb*) terhadap konsumsi dan pencernaan ransum pada Kambing lokal jantan. *Jurnal Nukleus Peternakan*. 2(2):164–169.
- Brooks, M.A., R.M. Harvey, N.F. Johnson, and M.S. Kerley. 2012. Rumen degradable protein supply affects microbial efficiency in continuous culture and growth in steers. *J. Anim. Sci.* 90 (13): 4985-4994.
- Buckner, C.D., T.J. Klopfenstein, K.M. Rolfe, W.A. Griffin, M.J. Lamothe, A.K. Watson, J.C. MacDonald, W.H. Schacht, and P. Schroeder. 2013. Ruminally undegradable protein content and digestibility for forages using the mobile bag in situ technique. *J. Anim. Sci.* 91(6): 2812-2822.
- Budiman, A. dan Sjamsimar, J. 1994. Hijauan Pakan Ternak. Pusat Perpustakaan Pertanian dan Komunikasi Penelitian. Bogor, Jawa Barat.
- Cakra, I.G.L.O. dan Trisnadewi, A.A.A.S. 2016. Penggantian daun gamal (*Gliricidia sepium*) dengan kaliandra (*Calliandra calothyrsus*) dalam ransum kambing terhadap kadar urea darah dan deposisi nutrisi. *Majalah Ilmiah Peternakan*. 19(3): 110-114
- Canfield, R.W., C.J. Sniffen, and W.R. Butler. 1990. Effects of Excess Degradable Protein on Postpartum Reproduction and Energy Balance in Dairy Cattle. *J. Dairy Sci.* 73(9): 2342-2349.
- Chandrasekharaiah, M., A. Thulasi, K.P. Suresh, and K.T. Sampath. 2011. Rumen degradable nitrogen requirements for optimum microbial protein synthesis and nutrient utilization in sheep fed on finger millet straw (*Eleusine coracana*) based diet. *Anim. Feed Sci. Technol.* 163(2-4): 130-135.
- Chen, C. P., and A. Aminah. 1992. Forages (Edi). *Plant Resources of South-East Asia (PROSEA)*. No 4. Wageningen, Netherlands and Bogor. Indonesia.
- Cleland, J.D., E. Johnson, P.C.H. Morel, P.R. Kenyon and M.R. Waterland. 2018. Mid-infrared reflectance spectroscopy as a tool for forage feed composition prediction. *Animal Feed Science and Technology*, 241: 102-111
- Conway, B.E.J. and E.O'Malley. 1942. Microdiffusion Methods: Ammonia and Urea Using Buffered Absorbents (Revised Methods for Ranges Greater than 10 µg N). *Biochem. J.* 36: 655-661.
- Costa, M.P., Chadwick, D., Saget, S., Rees, R.M., Williams, M., Styles, D., 2020. Representing crop rotations in life cycle assessment: a review of legume LCA studies. *The International Journal of Life Cycle Assessment*. 25, 1–15
- Damry. 2008. Landasan Biologis Upaya Pemenuhan Kebutuhan Protein Ternak Ruminansia. *Prosiding Seminar Nasional Sapi Potong*. 225-232.
- Detmann, E., Paulino, M.F., Valadares Filho, S.C., 2010. Otimização ~ do uso de recursos forrageiros basais. In: *Proceeding of 3rd International Symposium on Beef Cattle Production*, University of Viçosa, Viçosa, Brazil. 191–240.
- Despal D., Sari L.A., Chandra R., Zahera R., Permana I.G. And Abdullah L. 2020. Prediction Accuracy Improvement of Indonesian Dairy Cattle Fiber Feed

- Compositions Using Near-Infrared Reflectance Spectroscopy Local Database. *Trop. Anim. Sci. J.* 43(3): 263–269.
- Despal D, Anzhany D, Permana IG, Toharmat T, Zahera R, Rofial N, Nuraina N, and Hamidah AN. 2021. Estimation of Milk Fatty Acids Health Index as Milk Value Added Determinant using FTNIRS. *Am. J. Anim. Vet. Sci.* 16(4): 335–344.
- Devi, M.V.N., V.N. Ariharan, and N.P. Prasad. 2013. Nutritive value and potential used of *Leucaena leucocephala* as Biofuel. A Mini Review. *Research journal of Pharmaceutical, Biological, and Chemical Sciences.* 4(1): 515-521.
- Diby, L. N., Hgaza, V. K., Tie, T. B., Assa, A., Carsky, R., Girardin, O., and Frossard, E. 2009. Productivity of yams (*Dioscorea* spp.) as affected by soil fertility. *Journal of Animal and Plant Sciences*, 5(2): 494–506.
- Domínguez, G.A. Ortíz, C.G. Marin-Tun, J. Ventura-Cordero, P.G. Gonzalez-Pech, C.M. Capetillo-Leal, J.F.J. Torres-Acosta, C.A. Sandoval-Castro. 2021. Comparing the in vitro digestibility of leaves from tropical trees when using the rumen liquor from cattle, sheep or goats. *Small Ruminant Research.* 106561
- Dwidjoseputro, 2003. *Pengantar Fisiologi Tumbuhan*. Gramedia Pustaka Utama. Jakarta
- Dwyer, G.T. , P.J. O'Hare and B.G. Cook. 1990. Pinto's peanut: a ground cover for orchards. *Queensland Agricultural Journal*, 115: 153-154
- El-Massry, FHM, MEM Mossa and SM Yousef. 2013. *Moringa oleifera* plant value and utilization in food processing. *Egyptian Journal of Agricultural Research.* 91(4): 1597-1608.
- Emerson, P., Skousen, J., and Ziemkiewicz, P. 2009. Survival and growth of hardwoods in brown versus gray sandstone on a surface mine in West Virginia. *Journal of Environmental Quality*, 38(5), 1821–1829.
- Erdman, R.A. (1988) Dietary buffering requirements of the lactating dairy cow: A review. *J. Dairy Sci.*, 71(12): 3246-3266
- Evitayani, L. Warly, A. Fariani, T. Ichinohe and T. Fujihara. 2004. Seasonal changes in nutritive value of some grass species in west sumatra, Indonesia. *Asian-Australasian Journal of Animal Science* 17(12): 1663–1668.
- FAOStat. 2016. Data dissemination | FAO | Food and Agriculture Organization of the United Nations
- Fanindi, A. dan Bambang, R.P. 2009. Karakteristik dan pemanfaatan kalopo (*Calopogonium sp.*). *Lokakarya Nasional Tanaman Pakan Ternak.* 149-154
- Fariani, A., dan S. Akhadiarto. 2009. Pengaruh penambahan dosis urea dalam amoniasi limbah tongkol jagung untuk pakan ternak terhadap kandungan bahan kering, serat kasar dan protein kasar. *JRL.* 5(1):1-6.
- Ferrel, C.L. and J.W. Oltjen. 2008. Asas centennial paper: net energy systems for beef cattle-concepts, application and future models. *Journal of Animal Science* 86:2779–2794.

- Firkins, J.L. (1996) Maximizing microbial protein synthesis in the rumen. In: Conference Altering Ruminant Nitrogen Metabolism to Improve Protein Utilization. p1347-1354.
- Gardner, F. P., R. B. Pearce, dan R. L. Mitchell. 1991. Fisiologi Tanaman Budidaya. Terjemahan: Herawati Susilo. UI Press, Jakarta.
- General Laboratory Procedure, 1996. Departement of Dairy Science, University of Wisconsin.
- Ginting, S. P. dan Andi Tarigan. 2005. Kualitas Nutrisi Beberapa Legum Herba pada Kambing: Konsumsi, Kecernaan dan Neraca Nitrogen. JITV. 10(4): 268-273
- Givens, D.I., E. Owen, and A.T. Adesogan. 2000. Current procedures, future requirements and the need for standardization. In Forage Evaluation in Ruminant Nutrition pp. Cabi Publishing, Wallingford. p449-474.
- Goering, H.K., and P.J. Van Soest. 1970. Forage Fiber Analyses. (Apparatus, Reagents, Procedures, and Some Applications). In Agriculture Handbook No. 379. United States Department of Agriculture, Washington, DC (Issue 379).
- Gosselink, J.M., C. Poncet, J.P. Dulphy, and J.W. Cone. 2003. Estimation of the duodenal flow of microbial nitrogen in ruminants based on the chemical composition of forages : A literature review. Anim. Res. 52(3): 229-243
- Gressley, T.F. and Armentano, L.E. 2007. Effects of low rumen-degradable protein or abomasal fructan infusion on diet digestibility and urinary nitrogen excretion in lactating dairy cows. J. Dairy Sci., 90(3): 1340-1353.
- Hadi, R.F., Kustantinah dan Hari Hartadi. 2011. Kecernaan in sacco hijauan leguminosa dan hijauan non leguminosa dalam rumen sapi peranakan ongole. Buletin Peternakan. 35(2): 79-85.
- Hammond, K, Andrew J, Humphries DJ, Les C and Reynolds C, 2014. Effects of Forage Source and NDF Concentration on Methane Emissions and Milk Production of Dairy Cows. Conference: 2014 ADSA-ASAS-CSAS Joint Annual Meeting
- Hamin, D. Sopandie, dan M. Yusuf. 1996. Beberapa karakteristik morfologi dan fisiologi kedelai toleran dan peka terhadap cekaman kekeringan. Hayati 3(1): 30-34.
- Hanafi, N.D., Umar S., dan Bachari I. 2005. Pengaruh tingkat naungan pada berbagai pastura campuran terhadap produksi hijauan. Jurnal Agribisnis Peternakan. 1(3): 100-105.
- Hao, X. Y., X.G. Diaoa, S.C. Yu, N. Ding, C.T. Mu, J.X. Zhao, and J.X. Zhang. 2018. Nutrient digestibility, rumen microbial protein synthesis, and growth performance in sheep consuming rations containing sea buckthorn pomace. J. Anim. Sci. 96(8): 1-26.
- Hartadi, H., S. Reksohadiprojo, S. Lebdosukojo dan A.D. Tillman. 1980. Tabel-Tabel Komposisi Bahan Makanan Ternak untuk Indonesia. International

Feedstuffs Institute Utah Agricultural Experiment Station, Utah State University. Logan, United State of America

- Hartadi, H., S. Reksohadiprodjo dan A.D. Tillman. 1993. Tabel Komposisi Pakan untuk Indonesia. Cetakan III. Gajah Mada University Press. Yogyakarta
- Harun, S. 2009. Respon pertumbuhan dan produksi gamal (*Gliricidia sepium*) dengan diameter batang yang berbeda pada lahan pasca tambang semen pt. indocement tunggal prakasa. Skripsi. Departemen Ilmu Nutrisi Dan Teknologi Pakan. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.
- Haryanto, B. 2014. Manipulating Protein Degradability in the Rumen to Support Higher Ruminant Production. *Wartazoa*. 24(3): 131–138.
- Hasan, Syamsuddin. 2015. Hijauan Pakan Tropik. IPB University Press
- Hassen, A., N.F.G. Rethman, W.A. Van Niekerk and T.J. Tjelele. 2007. Influence of season/year and species on chemical composition and in vitro digestibility of five Indigofera accessions. *Anim. Feed Sci. and Tech.* 13(6): 312-322.
- Herdiawan, I. and R. Krisnan. 2014. Produktivitas dan Pemanfaatan Tanaman Leguminosa Pohon Indigofera zollingeriana pada Lahan Kering. *Wartazoa*. 24(2): 75-82.
- Herison, C. dan Turmudi, E. 2010. Studi kekerabatan genetik aksesori uwi (*Dioscorea sp*) yang dikoleksi dari beberapa daerah di Pulau Jawa dan Sumatera. *Akta Agrosia*, 13(1), 55–61.
- Hermanto, Suwignyo B. dan dan Umami N. 2017. Kualitas kimia dan kadar klorofil tanaman alfalfa (*Medicago sativa* L.) dengan lama penyinaran dan dosis dolomit yang berbeda pada tanah regosol. *Buletin Peternakan*. 41(1): 54-60.
- Hermon, H., S. Suryahadi, K.G. Wiryawan, and S. Hardjosoewignjo. 2008. Nisbah Sinkronisasi Suplai N-Protein dan Energi dalam Rumen Sebagai Basis Formulasi Ransum Ternak Ruminansia. *Media Peternakan*. 31(3): 186- 194.
- Hernaman, I., B. Ayuningsih dan D. Ramdani. 2018. Perbandingan model pendugaan total digestible nutrient (tdn) dan protein tercerna pada domba garut betina. *Majalah Ilmiah Peternakan* 21(3): 110-113
- Hernández, I., and Munné-Bosch, S. 2015. Linking phosphorus availability with photo-oxidative stress in plants. *Journal of Experimental Botany*, 66(10), 2889–2900.
- Hidayah, N. 2016. Pemanfaatan Senyawa Metabolit Sekunder Tanaman (Tanin dan Saponin) dalam Mengurangi Emisi Metan Ternak Ruminansia. *Wartazoa*. 11(2): 89-98.
- Indah, AS, Permana IG, and Despal. 2020a. Determination dry matter digestibility of tropical forage using nutrient composition. *IOP Conf. Ser. Earth Environ. Sci.* 484(1).
- Indah, AS, Permana IG dan Despal. 2020b. Model pendugaan Total Digestible Nutrient (TDN) pada hijauan pakan tropis menggunakan komposisi nutrisi. *Sains Peternakan*. 18 (1): 38-43.

- Indriani, N. P., A. Rochana, H. K. Mustafa, B. Ayuningsih, I. Hernaman, D. Rahmat, T. Dhalika, K. A. Kamil dan Mansyur. 2020. Pengaruh berbagai ketinggian tempat terhadap kandungan fraksi serat pada rumput lapang sebagai pakan hijauan. *Jurnal Sains Peternakan Indonesia*. 2(15): 212-218
- Irwan, Z. 2020. Kadar zat nutrien daun kelor (*Moringa oleifera*) berdasarkan metode pengeringan. *Jurnal Kesehatan Manarang*. 6(1): 69 – 77.
- Islamiyati R, B. Nohong, I. Indrawirawan, F. Wakano. 2022. Fraksi serat berbagai legum pohon terpilih sebagai bahan pakan ternak. *Jurnal Ilmu dan Industri Peternakan*. 2(8):150-160.
- Ismartoyo. 2011. Pengantar Teknik Penelitian Degradasi Pakan Ternak Ruminansia. Kanisius: Yogyakarta.
- Izzatullah, A. Y., Sutrisno dan L. K. Nuswantara. 2018. Produksi VFA, NH<sub>3</sub> dan protein total secara in vitro pada feeder jagung hidroponik dengan media perendaman dan penggunaan dosis pupuk yang berbeda. *J. Ilmu dan Teknologi Peternakan*, 6(1): 13 – 18.
- Jayanegara, A. and A. Sofyan. 2008. Penentuan Aktivitas Biologis Tanin Beberapa Hijauan secara in Vitro Menggunakan 'Hohenheim Gas Test' dengan Polietilen Glikol Sebagai Determinan. *Media Peternakan*. 31(1): 44-52.
- Jayanegara, A., T. Sabhan, A. K. Takyi, A. O. Salih and E. M. Hoffmann. 2010. Ruminal fermentation kinetics of *Moringa* and *Peltiphyllum* Supplements during early incubation period in the in vitro. Reading pressure technique. *J. Indonesian Trop. Anim. Agric.*, 35(3) : 165-171.
- Jayanegara, A., M. Ridla, D.A. Astuti, K.G. Wiryawan, E.B. Laconi and Nahrowi. 2017. Determination of energy and protein requirements of sheep in Indonesia using a meta-analytical approach. *Media Peternakan* 40(2): 118-127.
- Javaid, A., M.A. Shahzad, M. Nisa, and M. Sarwar. 2011. Ruminal dynamics of ad libitum feeding in buffalo bulls receiving different level of rumen degradable protein. *Livest. Sci.* 135(1): 98-102.
- Jégo G., Bélanger G. and Tremblay, G.F. 2013. Calibration and performance evaluation of the STICS crop model for simulating timothy growth and nutritive value. *F Crop Res* 151: 65–77.
- Jena, K., M. K. Kleden dan I. Benu. 2020. Kecernaan nutrien dan parameter rumen pakan konsentrat yang mengandung tepung daun kersen sebagai pengganti jagung secara in vitro. *J. Nukleus Peternakan*, 7(2): 118 – 129.
- Jumim, H. B. 1992. Ekologi Tanaman suatu Pendekatan Fisiologi. Rajawali Press. Jakarta.
- Karamina, H., Fikrinda, W., dan Murti, A. T. 2018. Kompleksitas pengaruh temperatur dan kelembaban tanah terhadap nilai pH tanah di perkebunan jambu biji varietas kristal (*Psidium guajava l.*) Bumiaji, Kota Batu. *Kultivasi*, 16(3), 430–434.
- Kasno, A. dan Didik, H. 2014. Karakteristik varietas unggul kacang tanah dan adopsinya oleh petani. *Iptek Tanaman Pangan*. 9 (1) : 13 – 23.

- Kantja, I.N., Uti, N. dan Marten, P. 2022. Uji kandungan nutrisi tepung daun kelor (*Moringa oleifera*) sebagai pakan ternak. Jurnal Riset Rumpun Ilmu Hewani. 1(1): 1-7
- Kaufman, J.D. 2016. Effect of Varying Rumen Degradable and Undegradable Protein on Milk Production and Nitrogen Efficiency in Lactating Dairy Cows under Summer Conditions. Master's Thesis, University of Tennessee.
- Kementrian Pertanian. 2019. Budidaya Tanaman Kacang Tanah.
- Kementrian Pertanian. 2022. Indigofera Hijauan Pakan Bermutu Tinggi.
- Kering MK, Guretzky J, Funderburg E. and Mosali, J. 2011 Effect of nitrogen fertilizer rate and harvest season on forage yield, quality, and macronutrient concentrations in midland Bermuda grass. Commun Soil Sci Plant Anal 42:1958–1971
- Khaerana. 2007. Pengaruh cekaman kekeringan dan umur panen terhadap pertumbuhan dan kandungan xanthorrhiza tanaman temulawak (*Curcuma xanthorrhiza* Roxb). Tesis. Program Studi Agronomi Institut Pertanian Bogor.
- Kou, X, B Li, JB Olayanju, JM Drake and N Chen. 2018 . Review Nutraceutical or Pharamatological Potential of *Moringa oleifera* Lam. Nutrients. 10, 343
- Kumar, M.R., D.P. Tiwari, and A. Kumar. 2005. Effect of undegradable dietary protein level and plane of nutrition on lactation performance in crossbred cattle. Asian-Australasian J. Anim. Sci. 18(10): 1407-1413.
- Kustantinah. 1992. Kecernaan Global Fraksi Nitrogen untuk 11 Bahan Makanan Ternak. Buletin Peternakan. 16(1): 106-114
- Kuzyakov, Y., 2010. Priming effects: interactions between living and dead organic matter. Soil Biol. Biochem. 42, 1363–1371.
- Laka M dan Wangge ESA. 2018. Uji kadar protein pada beberapa varietas umbi ubi kayu (*Manihot esculenta* Crantz) yang dihasilkan di Desa Randotonda, Kecamatan Ende, Kabupaten Ende. AGRICA. 11 (1) : 43-50.
- Lanzas, C., Broderick, G.A., Fox, D.G., 2008. Improved feed protein fractionation schemes for formulating rations with the Cornell Net Carbohydrate and Protein System. J. Dairy Sci. 91, 4881–4891.
- Lee, M.A., Davis, A.P., Chagunda, M.G.G. and Manning, P. 2017. Forage quality declines with rising temperatures, with implications for livestock production and methane emissions. Biogeosciences 14:1403– 1417
- Manpaki, S., J. 2017. Respon pertumbuhan eksplan tanaman lamtoro (*Leucaena leucocephala* cv. *tarramba*) terhadap cekaman kemasamanmedia dengan level pemberian aluminium melalui kultur jaringan. Jurnal Sain Peternakan Indonesia. 12 (1): 71-82.
- Manu, A.E. 2013. Produktivitas Padang Penggembalaan Sabana Timor Barat. Jurnal Pastura 3(1): 25-29.
- Marzuki, R. 2007. Bertanam Kacang Tanah (edisi revisi). Penebar Swadaya. Jakarta.



- Mastopan, M. Tafsin dan N.D. Hanafi. 2014. Kecernaan lemak kasar dan tdn (total digestible nutrient) ransum yang mengandung pelepah daun kelapa sawit dengan perlakuan fisik, kimia, biologis dan kombinasinya pada domba. *Jurnal Peternakan Integratif* 3(1): 37-45.
- Maynard, G. H., dan D.M. Orcott. 1987. *The Physiology of Plants Under Stress*. John Willey and Sons, Inc, New York.
- McDonald, P., R. A. Edwards, J. F. D. Greenhalgh and C. A. Morgan. 2002. *Animal Nutrition*. 5th Edition. Longman Inc, London.
- McDonald, P., Edwards, R.A., Greenhalgh, J.F.D., Morgan, C.A., Sinclair, L. and Wilkinson R.G. 2010. *Animal Nutrition*. 7th ed. Pearson, London, UK.
- McDougall, E.I. 1947. Studies on ruminant saliva. 1. The composition and output of sheep's saliva. *Biochem. J.* 43(1): 99-109.
- Mirawati. 2019. Kecernaan In-Vitro Biomas Kacang Tanah (*Aracis hypogaeae*) sebagai Pakan Ternak Ruminansia. *Jurnal Peternakan Lokal*. 1(2)
- Mohammed, Y. H. I. 2016. Isolation and Characterization of Tannic Acid Hydrolysing Bacteria from Soil. *Biochem. Analytic. Biochem.* 5(1): 1-6.
- Moran, J. 2005. *Tropical Dairy Farming: Feeding Management for Small Holder Dairy Farmers in the Humid Tropics*. Landlinks Press Collingwood, Australia
- Muhl, Q. E. 2009. Seed Germination, Tree Growth and Flowering Responses of *Moringa Oleifera* Lam. (Horseradish Tree) to Temperature. Theses (the MSc degree). Faculty of Natural and Agricultural Sciences, University of Pretoria, Pretoria.
- Mulyono, A., Bela, D., Iqbal, P., Sonny, A. dan Indah, P. 2011. Kesesuaian lahan di dataran tufa masam Kotabumi. *Prosiding Puslit Geoteknologi*. LIPI.
- Muslimah, A. P., R. Istiwati, A. Budiman, B. Ayuningsih dan I. Hernaman. 2020. Kajian in vitro ransum sapi potong yang mengandung bungkil tengkawang terhadap fermentabilitas dan kecernaan. *J. Ilmiah Peternakan Terpadu*, 8 (1): 21 – 26.
- Muzzazinah. 2016. Etnobotani Indigofera di Indonesia. *Bioedukasi*. 9(2): 7-13.
- Nakano, H., K. Matoba, Y. Togamura. 2018. An estimation for total digestible nutrient in fresh herbage from a perennial ryegrass – white clover mixed pasture. *JARQ* 52(2): 155-161.
- Natalia, H., Nista, D. dan Hindrawati, S. 2009. Keunggulan Gamal sebagai Pakan Ternak. BPTU Sembawa. Palembang.
- Nienaber, H. 2008. Effect of roughage to concentrate ratio on ruminal fermentation and protein degradability in dairy cows. Department of Animal and Wildlife Sciences. Faculty of Natural and Agricultural Sciences. University of Pretoria. Pretoria.
- Novatta, G.G. 2021. Keragaman genotip tanaman kalopo (*Calopogonium mucunoides*) lokal Situbondo sebagai sumber hijauan pakan ternak. Skripsi. Universitas Brawijaya. Malang.

- Novriyanti, E., M. Watanabe, K. Makoto, T. Takeda, Y. Hashidoko, and T. Koike. 2012. Photosynthetic nitrogen and water use efficiency of acacia and eucalypt seedlings as afforestation species. *Photosynthetica*. 50(2): 273-281
- NRC. Nutrient Requirements of Dairy Cattle: Seventh Revised Edition; The National Academies Press: Washington, DC, USA, 2001; p. 405.
- Nugroho, D., A. Purnomoadi dan E. Riyanto. 2013. Pengaruh imbalanced protein kasar dan total Model Pendugaan Total Digestible nutrients pada pakan yang berbeda terhadap pemanfaatan energi pakan pada domba lokal. *Sains Peternakan* 11: 63-69
- Nurwanta, L. K. 2009. Parameter fermentasi rumen pada kerbau yang diberi pakan tunggal trigliserida, jerami padi jagung dan kaliandra. Prosiding Seminar Nasional Kebangkitan Peternakan. Semarang, 20 Mei 2009. Hal 244-252.
- Onyango, A.A., Dickhoefer, U., Rufino, M.C., Butterbach-Bahl, K., Goopy, J.P., 2019. Temporal and spatial variability in the nutritive value of pasture vegetation and supplement feedstuffs for domestic ruminants in Western Kenya. *Asian-Australas. J. Anim. Sci.* 32, 637–647.
- Orr DM. 2008. Grazing Management Influences The Dynamics Of Populations Of *Stylosanthes hippocampoides* (Oxley Fine Stem Stylo). *Journal Tropical Grasslands*. 42:193-201.
- Ørskov, E.R., 1982. Protein Nutrition in Ruminants. Academic Press Inc, London, UK
- Palmquist, D.L. 1994. The Role of Dietary Fats in Efficiency of Ruminants. *J. Nut.* 99(124): 1371-1382.
- Pazla R, Jamarun N, Zain M and Arief, 2018. Microbial protein synthesis and in vitro fermentability of fermented oil palm fronds by *Phanerochaete chrysosporium* in combination with tithonia (*Tithonia diversifolia*) and elephant grass (*Pennisetum purpureum*). *Pakistan Journal of Nutrition*, 17(10): 462-470
- Pazla R, Jamarun N, Agustin F, Zain M, Arief and Cahyani N, 2021. In vitro nutrient digestibility, volatile fatty acids and gas production of fermented palm fronds combined with tithonia (*Tithonia diversifolia*) and elephant grass (*Pennisetum purpureum*). *IOP Conference Series: Earth and Environmental Science* 888: 012067.
- Perry, T.W. 1984. Animal Life-Cycle Feeding and Nutrition. Academic Press Inc. Orlando Florida
- Polyorach, S. and M. Wanapat. 2014. Improving the quality of rice straw by urea and calcium hydroxide on rumen ecology, microbial protein synthesis in beef cattle. *J. Anim. Phys. Anim. Nut.* 99: 449-456.
- Poulsen, M., Jensen, B.B. and Engberg, R.M. 2012. The effect of pectin, corn and wheat starch, inulin, and pH on in vitro production of methane, short-chain fatty acids and on the microbial community composition in rumen fluid. *Anaerobe*, 18(1): 83-90

- Prasetyono, B.W.H.E. 2008. Rekayasa Suplemen Protein pada Ransum Sapi Pedaging Berbasis Jerami dan Dedak Padi. Disertasi. Sekolah Pascasarjana. Institut Pertanian Bogor. Bogor.
- Puniya, A.K., R. Singh, and D. Kamra. 2015. Rumen Microbiology: From Evolution to Revolution. In Rumen Microbiology: From Evolution to Revolution. Springer.
- Purbajanti, E.D., Anwar, S., Widyati, S. dan Kusmiati. 2009. Kandungan protein dan serat kasar rumput benggala (*Panicum maximum*) dan rumput gajah (*Pennisetum purpureum*) pada cekaman stres kering. *Animal Production Journal*. 11(2): 109-115
- Purwanto dan Imam. 2011. Mengenal Lebih Dekat Leguminosae. Yogyakarta: Penerbit Kanisius.
- Putri E.M., Zain M., Warly L., and Hermon H. 2019 In vitro evaluation of ruminant feed from West Sumatera based on chemical composition and content of rumen degradable and rumen undegradable proteins. *Vet. World*. 12(9): 1478-1483.
- Putri EM, Zain M, Warly L, and Hermon H. 2021. Effects of rumen-degradable-to-undegradable protein ratio in ruminant diet on in vitro digestibility , rumen fermentation, and microbial protein synthesis. 14(3):640–648.
- Rachmansyah, A., Sumarsono dan Sutarno. 2012. Kualitas hijauan kacang pinto (*Arachis pintoi*) pada berbagai panjang stek dan dosis pupuk organik cair. *Animal Agricultural Journal*. 1(1): 231-240
- Rafleliawati, P., Surahmanto dan J. Achmadi. 2016. Efek pemanasan pada molases yang ditambahkan urea terhadap ketersediaan NH<sub>3</sub> volatile fatty acids dan protein total secara in vitro. *Jurnal Ilmu-Ilmu Peternakan*, 26(2): 24-29.
- Rahayu, R. I., A. Subrata dan J. Achmadi. 2018. Fermentasi ruminal in vitro pada pakan berbasis jerami padi amoniasi dengan suplementasi tepung pisang dan molasses. *J. Peternakan Indonesia*, 20 (3): 166 – 174.
- Rahman, A., B. I. M. Tampobolon, Sunarso dan L. K. Nuswantara. 2020. Pengaruh perbedaan aras starter pada fermentasi sabut kelapa terhadap pencernaan bahan pakan dan produksi volatile fatty acids secara in vitro. *J. Ilmiah Peternakan Terpadu*, 8 (2): 66 – 71.
- Rahmat SFI, Permana IG., and Despal. 2021. Rumen degradation properties of tropical legumes feed under in sacco studies. Di dalam: *IOP Conference Series: Earth and Environmental Science*. Vol. 888. hlm.012071.
- Rao, N.S. S. 1994. Mikroorganisme Tanah dan Pertumbuhan Tanaman. Diterjemahkan oleh: Susilo, H. Universitas Indonesia Press. Jakarta.
- Razaq, M., Zhang, P., Shen, H. L., and Salahuddin. 2017. Influence of nitrogen and phosphorous on the growth and root morphology of Acer mono. *PLoS ONE*, 12(2), 1–13.
- Rochana, A., N. P. Indriani, B. Ayuningsih, I. Hernaman, T. Dhalika, D. Rahmat and S. Suryanah. 2016. Feed forage and nutrition value at altitudes during the dry season in West Java. *Animal Production* 18(2):85-93

- Rosendo, O., L. Freitez and R. Lopez. 2013. Ruminant degradability and summative models evaluation for total digestible nutrients prediction of some forages and byproducts in goats. *ISRN Veterinary Science* 1-8.
- Rosmalia A., Permana I.G., and Despal D. 2022. Synchronization of rumen degradable protein with non-fiber carbohydrate on microbial protein synthesis and dairy ration digestibility. *Veterinary World*. 15(2): 252-261.
- Russell, J.B. dan R.B. Hespell. 1981. Microbial Rumen Fermentation. *J Dairy Sci*. 64: 1153-1169.
- Sakya, A.T., dan M. Rahayu. 2010. Pengaruh pemberian unsur mikro besi (Fe) terhadap kualitas anthurium. *Agrosains* 12(1): 29-33.
- Sakinah, D. 2005. Kajian Suplementasi Probiotik Bermineral terhadap Produksi VFA, NH<sub>3</sub>, dan Kecernaan Zat Makanan pada Domba. Fakultas Peternakan. Institut Pertanian Bogor. Bogor. (Skripsi).
- Sandi, S., A. I. M. Ali dan A. A. Akbar. 2015. Uji in vitro wafer ransum komplit dengan bahan perekat yang berbeda. *J. Peternakan Sriwijaya*, 4(2): 7 – 16.
- Santos, F.A.P., J.E.P. Santos, C.B. Thesurer, and J.T. Hubber, 1998. Effects of Rumen-Undegradable Protein on Dairy Cow Performance: A 12-Year Literature Review. *J. Dairy Sci*. 81(12): 3182-3213.
- Santosa, E., Sugiyama, N., Nakata, M., Mine, Y., Lee, O. N., and Sopandie, D. 2006. Effect of weeding frequency on the growth and yield of elephant foot yams in agroforestry systems. *Japanese Journal of Tropical Agriculture*, 50(1): 7–14.
- Sakudo, A. and T. Onodera. 2016. Bovine Spongiform Encephalopathy. *Molecular Detection of Animal Viral Pathogens Journal*, 901-912.
- Sanchez, J.M.D., Joao V., Maria L.S, Jose C.B.D Jr., Lynn E.S, and Philippe M. 2020. Pinto peanut: a seed-propagated perennial peanut forage option for Florida. IFAS Extension. University of Florida
- Sari, I. P., L. K. Nuawantara dan J. achmadi. 2019. Pengaruh suplementasi karbohidrat mudah larut yang berbeda dalam pakan berbasis jerami padi amoniasi terhadap degradabilitas ruminal in vitro. *J. Sains Peternakan Indonesia*, 14(2): 161 – 170.
- Sari, A.P., Azwar, R., Amrizal, S., Juniarti, J. 2020. Kajian klasifikasi tanah di Nagari Sungai Kamuyang Kecamatan Luak Kabupaten Limapuluh Kota. *Jurnal Tanah dan Sumber Daya Lahan*. 7(2): 215-223
- Satter, L. D dan L. L. Slyter. 1974. Effect of ammonia concentration on rumen microbial production in vitro. *J. Nutr.*, 32: 194.
- Savitri MV, Sudarwati H, dan Hermanto. 2013. Pengaruh umur pemotongan terhadap produktivitas gamal (*Gliricidia sepium*). *Jurnal Ilmu-Ilmu Peternakan*. 23 (2): 25-35.
- Seglar, W.J. and R.D. Shaver. 2014. Management and assessment of ensiled forages and high moisture grain. *Veterinary Clinics of North America: Food Animal Practice* 30(3): 507-538.

- Setiyaningrum E, Kaca I.N, dan Suwitari N.K.E. 2018. Pengaruh umur pemotongan terhadap produksi dan kualitas nutrisi tanaman indigofera (*Indigofera Sp*). *Gema Agro*. 23 (1): 59-62.
- Setyono, H., Kusningrum, S., Mutikoweni, Tri, N., Budiono, R.S., Agustono, M., Arief, M.A.A., Lamid, A., Monica dan Paramita W. 2007. *Teknologi Pakan Ternak Analisis Proksimat, Pengolahan Pakan*. Laboratorium Makanan Ternak. Fakultas Kedokteran Universitas Airlangga.
- Seyoum, A., and Mersha, A. 2022. Evaluation Of Eight Selected Ethiopian Indigenous Forage Species For Their Nutritive Values. *Journal of Global Ecology and Environment*. 14: 28–34.
- Schwab, C.G., T.P. Tylutki, R.S. Ordway, C. Sheaffer, and M.D. Stern. 2003. Characterization of proteins in feeds. *J Dairy Sci*. 86(1): 86-103.
- Sharif, M., H. Qamar, and A.A. Wahid. 2019. Effect of Rumen Degradable Protein Concentrations on Nutrient Digestibility, Growth Performance and Blood Metabolites in Beetal Kids. *Concepts Dairy Vet. Sci*. 2(5): 249-253.
- Sheoran, V., Sheoran, A., and Poonia, P. 2010. Soil reclamation of abandoned mine land by revegetation: A review. *International Journal of Soil, Sediment and Water*, 3(2), 13.
- Simbolon, J.M., Sitorus, M., dan Nelly, K. 2008. *Cegah Malnutrisi dengan Kelor*. Yogyakarta: Kanisius
- Simpson, M. G. 2006. *Plant Systematics*. USA. Elsevier Academic Press.
- Sinaga, R. 2007. Analisis Model Ketahanan Rumput Gajah dan Rumput Raja Akibat Cekaman Kekeringan Berdasarkan Respons Anatomi Akar Dan Daun. *Jurnal Biologi Sumatera*. 1(2): 17 – 20.
- Sirait, J., Kiston, S. dan Rijanto, H. 2012. Potensi Indigofera sebagai pakan kambing: produksi, nilai nutrisi dan palatabilitas. *Pastura*. 1(2): 56-60
- Sjofjan, O., Natsir, M.H. dan Djunaidi, I.H., 2019. *Ilmu Nutrisi Ternak Non Ruminansia*. Universitas Brawijaya Press.
- Skerman. P. J. 1977. *Tropical Farage Legumes*. Food and Agriculture Organization of The United Nations, Rome
- Soemartono. 1990. *Genetika Kuantitatif dan Biologi Molekuler*. PAU-UGM. Yogyakarta.
- Sofyan, M.A. 2007. Evaluasi kandungan bahan kering (BK), serat kasar (SK) dan abu rumput gajah (*Pennisetum purpureum*) dari ketinggian tempat yang berbeda. Skripsi. Universitas Muhammadiyah Malang.
- Solehudin, A.S. Mubarak, M. Syawal, dan S.P. Ginting. 2019. Pemenuhan Nutrisi Ternak dari Legum Indigofera dan Rumput Gajah Kerdil di Lokasi Demfarm Kabupaten Langkat Sumatera Utara. *Media Kontak Tani Ternak*. *Media Kontak Tani Ternak*. 1(2): 16-20.
- Stewart, J. Mulawarman, J.M. Roshetko dan M.H. Powell. 2001. Produksi dan pemanfaatan kaliandra (*Calliandra calothyrsus*): Pedoman lapang.

International Centre for Research in Agroforestry (ICRAF), Bogor, Indonesia dan Winrock International, Arkansas, AS. 63 halaman.

- Stohn, SJ and MJ Hartman. 2015. Review of safety and efficacy of *Moringa oleifera* Phytotherapy Research. 29(6): 796-804
- Sultan, J.I., A. Javaida, M. Nadeem, M.Z. Akhtar, and M.I. Mustafa. 2009.. Effect of varying ruminally degradable to ruminally undegradable protein ratio on nutrient intake, digestibility and N metabolism in Nili Ravi buffalo calves (*Bubalus bubalis*). Livest. Sci. 122: 130-133.
- Sumadi, A., Subrata dan Sutrisno. 2017. Produksi protein total dan pencernaan protein daun kelor secara *in-vitro*. Jurnal Sains Peternakan Indonesia. 12(4): 419-423.
- Susanti, E.D., Purbajanti dan Sutarno. 2012. Pertumbuhan hijauan kacang pinto (*Arachis pintoi*) pada berbagai panjang stek dan dosis pupuk organik cair periode pemotongan kedua. Animal Agricultural Journal. 1(1): 721-731.
- Susetyo, S. 1980. Padang Penggembalaan. Direktorat Bina Sarana Usaha Peternakan. Direktorat Jendral Peternakan. Departemen Pertanian. Indonesia.
- Susilo, E., L.K. Nuswantara, dan E. Pangestu. 2019. Evaluasi Bahan Pakan Hasil Samping Industri Pertanian Berdasarkan Parameter Fermentabilitas Ruminal secara In Vitro. Jurnal Sains Peternakan Indonesia. 14(2): 128- 136.
- Sutardi, T. 1980. Landasan Ilmu Nutrisi. Departemen Ilmu dan Makanan Ternak Fakultas Peternakan. Institut Pertanian Bogor. Bogor
- Syarifuddin, N.A. 2017. Daun Kelor Sebagai Pakan Ternak. Makassar: UPT Unhas Press.
- Tandon, M., R.A. Siddique, and T. Ambwani. 2016. Role of bypass proteins in ruminant production. Dairy Planner. 4(10): 11-14.
- Tangendjaja, B. E. Wina, T.Ibrahim dan B.Palmer. 1992. Kaliandra dan pemanfaatannya. Balai Penelitian Ternak dan ACIAR. Bogor Indonesia. 56.
- Tammaing, S., Williams, B.A., 1998. In vitro techniques for measuring nutrient supply to ruminants. Br. Soc. Anim. Sci. 22: 1-11.
- Tedeschi, L.O., D.G. Fox, M.A. Fonseca, and L.F.L. Cavalcanti. 2015. Models of protein and amino acid requirements for cattle. Rev. Bras. de Zootec. 44(3): 109-132.
- Teti, N., R. Latvia, I. Hernaman, B. Ayuningsih, D. Ramdani, dan Siswoyo. 2018. Pengaruh Imbangan Protein dan Energi terhadap Kecernaan Nutrien Ransum Domba Garut Betina. Jurnal Ilmu dan Teknologi Peternakan. 6(2): 97-101.
- Tilley, J.M. and R.A. Terry. 1963. A Two-Stage Technique for the in Vitro Digestion of Forage Crops. J. Br. Grassland Soc. 18 (2): 104-111.
- Tilley, J.M., and R.A. Terry. 1969. A two stage technique for in-vitro digestion of forage crops. J. Br. Grasland Society 18 (2): 104-111.

- Tsegay, B.A., A.T.Wolde, and B.A.Limeneh. 2018. Evaluation of morphological characteristics, yield and nutritive value of *Brachiaria* grass ecotypes in North Western Ethiopia. *Agriculture & Food Security* 7(89):1-10.
- Turrall, H., J.Burke and J.M.Faures. 2011. Climate change, water and food security. FAO. Water Respons. Rome. 27
- Uddin, M.J., K.Z. Haque, K.M. Jasimuddin, and K.M.M. Hasan. 2015. Dynamics of microbial protein synthesis in the rumen - A Review. *Ann. Vet. Anim. Sci.* 2(5): 116–131.
- Utomo, R. 2012. Evaluasi Pakan dengan Metode Noninvasif. Citra Ajiprama. Yogyakarta.
- Van Soest, P.J., Robertson, J.B., Lewis, B.A., 1991. Methods for dietary fiber, neutral detergent fiber, and nonstarch polysaccharides in relation to animal nutrition. *J. Dairy Sci.* 74 (10): 3583–3597
- Violita. 2007. Komparasi Respon Fisiologi Tanaman Kedelai yang Mendapat Cekaman Kekeringan dan Perlakuan Herbisida Paraquat. Institut Pertanian Bogor.
- Wajizah, S., Samadi., Yunasri., Usman dan E. Mariana. 2014. Peningkatan kualitas pelepah kelapa sawit (oil palm fornds) melalui teknik fermentasi sebagai sumber pakan sapi aceh. Universitas Syah Kuala. Laporan Tahunan Penelitian Unggulan Perguruan Tinggi. Banda Aceh
- Wicaksono, H., E.T.S. Putra dan S. Muhartini. 2015. Kesesuaian tanaman ganyong (*Canna indica* L) Suweg (*Amorphophallus paeoniifolius* (Dennst) Nilcolson), dan Ubi Kayu (*Manihot esculenta* Crantz) pada Agriforestri Perbukitan Menoreh. *Vegetalika.* 4(1):87-101.
- Wardeh, M.F. 1981. Model for Estimating Energy and Protein Utilization for Feeds. Disertasi. Utah State University. Utah, United State of America.
- Wibowo, S. Athiya, M. Christiyanto, L. K. Nuswantara, & E. Pangestu. 2019. Kecernaan serat berbagai jenis pakan produk samping pertanian (by product) sebagai pakan ternak ruminansia yang di uji secara in vitro. *Jurnal Litbang Provinsi Jawa Tengah.* 17 (2): 177–184.
- Widyawati, S. D. 2008. Efek perbedaan sumber protein dan rasio urea-molases dalam pakan suplemen yang ditambahkan dalam ransum terhadap produksi mikrobia rumen secara in vitro. *J. Sains Peternakan,* 6 (1): 34 – 41.
- Widyobroto, B. P., S. Padmowijoto, dan R. Utomo. 1995. Pendugaan kualitas protein bahan pakan (hijauan, limbah pertanian dan konsentrat) untuk ternak ruminansia. Laporan Penelitian. Fakultas Peternakan Universitas Gadjah Mada, Yogyakarta.
- Wilson, J.R. and R.D. Hatfield. 1997. Structural and chemical changes of cell wall types during stem development: Consequences for fibre degradation by rumen microflora. *Aust. J. Agric. Res.* 48: 165-180.
- Witariadi, N M., I K. M. Budiasa, E. Puspani dan I G. L. O. Cakra. 2010. Pengaruh tepung daun gamal dan daun kelor dalam urea cassava blok (UCB) terhadap

kecernaan, kadar VFA, dan NH<sub>3</sub> secara in-vitro. Skripsi. Fakultas Peternakan. Universitas Udayana. Denpasar.

- Wulandari, A. 2011. Efek Penambahan Fungsi Mikroba Arbuskula (FMA) pada Tanaman Leguminosa Merambat dalam Kondisi Cekaman Kekeringan. Skripsi. Fakultas Peternakan, IPB. Bogor.
- Yang, C., S. Bing-Wen, D. Qi-Yu, J. Hai, Z. Shu-Qin, and T. Yan. 2016. Rumen fermentation and bacterial communities in weaned Chahaer lambs on diets with different protein levels. *J. Integr. Agric.* 15 (7): 1564-1574
- Yanuartono, Purnamaningsih H, Indarjulianto S, Nururrozi A, Raharjo S, & Haribowo N. 2019. Perlakuan biologis dengan memanfaatkan fungi untuk meningkatkan kualitas pakan ternak asal hasil samping pertanian. *Jurnal Peternakan Sriwijaya.* 8 (2): 18-34
- Yasothai, R. 2014. Importance of Protein on Reproduction in Dairy Cattle. *Int. J. Sci. Environ. Tech.* 3(6): 2081-2083.
- Zahara, F. dan Fuadiyah, S. 2021. Pengaruh cahaya matahari terhadap proses fotosintesis. *Prosiding SEMNAS Bio.* 1: 1-4
- Zain, M., E.M. Putri, R.W.S. Ningrat, Erpomen, and M. Makmur. 2020. Effects of supplementing *Gliricidia sepium* on ration based ammoniated rice straw in ruminant feed to decrease methane gas production and to improve nutrient digestibility (in-vitro). *Int. J. Adv. Sci. Eng. Inf. Tech.* 10(2): 724-729.
- Zhao CX, He MR, Wang ZL, Wang YF, Lin Q. 2009. Effects of different water availability at post-anthesis stage on grain nutrition and quality in stong-gluten winter wheat. *Comptes Rendus Biologies.* 332(8): 759-764.
- Zlatev Z. and Lidon F.C. 2012. An overview on drought induced changes in plant growth, water relations and photosynthesis. *Emir. J. Food Agric.* 2012. 24 (1): 57-72.