

DAFTAR PUSTAKA

- Abbasi S, F. Ahmadpoor, M. Imani, M.-S. Ekrami-Kakhki, Synthesis of magnetic Fe_3O_4 @ZnO@graphene oxide nanocomposite for photodegradation of organic dye pollutant, *International Journal of Environmental Analytical Chemistry* 100 (2020) 225–240
<https://doi.org/10.1080/03067319.2019.1636038>.
- Alaghmandfar. A, O. Sedighi, N.T. Rezaei, et al., Recent advances in the modification of carbon-based *quantum dots* for biomedical applications, *Materials Science & Engineering C* (2020),
<https://doi.org/10.1016/j.msec.2020.111756>.
- Alvi N.H (2011). Luminescence Properties of ZnO Nanostructures and Their Implementation as White Light Emitting Diodes (LEDs). 10.13140/2.1.2002.9761.
- Alvi N.H, Willander M, Nur O, The effect of the post-growth annealing on the electroluminescence properties of ZnO *nanorods*-GaN light emitting diodes, *Superlattices and Microstructures* 47 (2010) 754–761.
<https://doi.org/10.1016/j.spmi.2010.03.002>.
- Amer W.A, A.F. Rehab, M.E. Abdelghafar, N.L. Torad, A.S. Atlam, and MM Ayad, (2019) Green synthesis of *carbon quantum dots* from purslane leaves for the detection of formaldehyde using quartz crystal microbalance, *Carbon*, 79, 159-171. <https://doi.org/10.1016/j.carbon.2019.03.047>.
- Asha, A. B, and Narain R, Nanomaterials properties, Polymer Science and Nanotechnology, (2020), <https://doi.org/10.1016/B978-0-12-816806-6.00015-7>.
- Astuti, Geby Claudia, Noraida, Melvira Rahmadani, Synthesis of Fe_3O_4 nanoparticles from ironstone prepared by polyethylene glycol (PEG) 4000, (2013), *Makara Science Series*.17(2).
- Astuti, Arief. S, Usna S.R.A., Khaira I, Sintesis dan Karakterisasi Struktur dan Sifat Magnet Nanokomposit Fe_3O_4 @PEG:ZnO, *Indonesian Journal of Applied*

Physics, 12 (2022), <https://doi.org/10.13057/ijap.v12i2.58514>.

Astuti, Arief. S, Pebrina. D, Effect of the amount of carbon in the Fe₃O₄@ZnO-C nanocomposites on its structure and magnetic properties, *Jurnal Kimia Sains dan Aplikasi*, 25 (2022),10, <https://doi.org/10.14710/jksa.25.10.362-367>

Astuti, Arief, S., Muldarisnur, Zulhadjri, Sri R.A. Usna, Enhancement in photoluminescence performance of carbon-based Fe₃O₄@ZnO-C nanocomposites. *Vacuum*, 211 (2023). 111935.
<https://doi.org/10.1016/j.vacuum.2023.111935>.

Astuti, Arief, S., Muldarisnur, Zulhadjri, Sri R.A. Usna, Synthesis and Properties of Magnetic-Luminescent Fe₃O₄@ZnO/C Nanocomposites, *Journal of Nanotechnology*, (2023). <https://doi.org/10.1155/2023/2381623>.

Baskaran, Sulochanadevi. (2010). Structure and Regulation of Yeast Glycogen Synthase.

Bao L, Liu C, and Zhang ZL, Photoluminescence-tunable carbon nanodots: surface-state energy-gap tuning, *Advanced Materials*. 27, 10. (2015).
<https://doi.org/10.1002/adma.201405070>

Cao L, Meziani M J, Sahu S and Sun YP. (2013) Photoluminescence properties of graphene versus other carbon nanomaterials, *Accounts of Chemical Research*, 46, 1. <https://doi.org/10.1021/ar300128j>

Chen W, Li F, Wu C and Guo T, (2014) Optical properties of fluorescent zigzag graphene quantum dots derived from multiwalled carbon nanotubes, *Applied Physics Letters*, 104, 6. <https://doi.org/10.1063/1.4863963>

Chen M.L, Y. J. He, X.W. Chen, and J.H. Wang (2012) Quantum Dots Conjugated with Fe₃O₄-Filled Carbon Nanotubes for Cancer-Targeted Imaging and Magnetically Guided Drug Delivery, *Langmuir* 28, 47..
<https://doi.org/10.1021/la303957y>

Chua S.T, Lim K, Zhang Z and Sow C.H. Selective micro laser annealing for fluorescence tuning of carbon incorporated zinc oxide nanowires arrays *J. Mater. Chem. C* 7 (2019) 6279-6288. <https://doi.org/10.1039/C9TC00175A>

- Dadfar, S,M, Camozzi,D, Darguzyte, M, Roemhild,M, Varvarà P, Metselaar,J Sr, Banala S, Strau M, Güvener,N, Engelmann,U, Slabu I, Buhl,M, J, Leusen,J, Kögerler,P, Sachweh,BH
- ,Schulz, V, Kiessling,K and Lammers T, (2020), Size-isolation of superparamagnetic iron oxide nanoparticles improves MRI, MPI and hyperthermia performance, *J Nanobiotechnol*, 18:22.
- J. A. Dearing, R. J. L. Dann, K. Hay, J. A. Lees, P. J. Loveland, B. A. Maher, K. O'Grady, Frequency-dependent susceptibility measurements of environmental materials, *Geophysical Journal International*, Volume 124, Issue 1, January 1996, Pages 228–240, <https://doi.org/10.1111/j.1365-246X.1996.tb06366.x>
- Ding H, Yu S-B, Wei J-S and Xiong H-M, Full-color light-emitting carbon dots with a surface-state-controlled luminescence mechanism, *ACS Nano*, **10**, 1. (2016). <https://doi.org/10.1021/acsnano.5b05406>
- Djurišić A.B, Y.H. Leung, K.H. Tam, L. Ding, W.K. Ge, H.Y. Chen, S. Gwo, Green, yellow, and orange defect emission from ZnO nanostructures: Influence of excitation wavelength, *Appl. Phys. Lett* 88 (2006) 103107. <https://doi.org/10.1063/1.2182096>.
- Długosz, O., Szostak, K., Krupiński, M. et al. Synthesis of Fe₃O₄/ZnO nanoparticles and their application for the photodegradation of anionic and cationic dyes. *Int. J. Environ. Sci. Technol.* 18, 561–574 (2021). <https://doi.org/10.1007/s13762-020-02852-4>
- Fini S.A, Niasari M.F.S and Ghanbari D. Hydrothermal green synthesis of magnetic Fe₃O₄-carbon dots by lemon and grape fruit extracts and as a photoluminescence sensor for detecting of *E. coli* bacteria *Spectrochim. Acta. A. Mol. Biomol. Spectrosc* 203 (2018) 481—493. <https://doi.org/10.1016/j.saa.2018.06.021>.
- Galdámez-Martinez A, G. Santana, F. Güell, P.R. Martínez-Alanis, A. Dutt, Photoluminescence of ZnO Nanowires: A Review, *Nanomaterials* 10 (2020) 857. <https://doi.org/10.3390/nano10050857>.
- Gaponenko, S., & Demir, H. (2018). Electrons in potential wells and in solids.

In *Applied Nanophotonics* (pp. 9-51). Cambridge: Cambridge University Press. doi:10.1017/9781316535868.003

Ghazanfari, M.R., Kashefi, M., Shams, S.F., and Jaafari, M.R. (2016). Perspective of Fe₃O₄ nanoparticles role in biomedical applications. *Biochemistry Research International*, 2016, 32 <http://dx.doi.org/10.1155/2016/7840161>

Gonzalez-Rodriguez R, E. Campbell, A. Naumov, Multifunctional graphene oxide/iron oxide nanoparticles for magnetic targeted drug delivery dual magnetic resonance/fluorescence imaging and cancer sensing, *PLoS ONE* 14 (2019) e0217072. <https://doi.org/10.1371/journal.pone.0217072>.

Guo D.Y, Shan C.X, Liu K.K, Lou Q, D, Shen D.Z, Surface plasmon effect of carbon nanodots, *Nanoscale* 7 (2015) 18908–18913. <https://doi.org/10.1039/C5NR05918F>.

Greene L.E, Law M, Goldberger J, Kim F, Johnson J.C, Zhang Y, Yang P. Low-Temperature Wafer-Scale Production of ZnO Nanowire Arrays *Angewandte Chemie International Edition* 42 (2003) 3031–3034. <https://doi.org/10.1002/anie.200351461>.

Gupta B.K, S. Singh, P. Kumar, Y. Lee, G. Kedawat, T.N. Narayanan, S.A. Vithayathil, L. Ge, X. Zhan, S. Gupta, A.A. Martí, R. Vajtai, P.M. Ajayan, BA. Kaipparettu, Bifunctional Luminomagnetic Rare-Earth Nanorods for High-Contrast Bioimaging Nanoprobes, *Sci Rep* 6 (2016) 32401. <https://doi.org/10.1038/srep32401>.

Gupta J, P.A. Hassan, K.C. Barick, Core-shell Fe₃O₄@ZnO nanoparticles for magnetic hyperthermia and bio-imaging applications, *AIP Advances* 11 (2021) 025207. <https://doi.org/10.1063/9.0000135>.

Halin D.S.C, Abdullah M.M.B, Razak K.A , Razak M.F.S.A, Ramli M.M, Salleh M.A, V Chobpattana. (2021) The Effect of GO/TiO₂ Thin Film During Photodegradation of Methylene Blue Dye Azliza Azani1, *Evergreen*, 08,556-564. <https://doi.org/10.5109/4491643>.

- Hu Y, Wang R, Wang S. et al. Multifunctional Fe₃O₄@Au core/shell nanostars: a unique platform for multimode imaging and photothermal therapy of tumors, *Sci Rep* 6 (2016) 28325. <https://doi.org/10.1038/srep28325>
- Jian X, Chen G, Wang C, Yin L, Li G, Yang P, Chen L, Xu B, Gao Y, Feng Y, Tang H, Luan C, Liang Y, Jiang J, Cao Y, Wang S, Gao X. Enhancement in photoluminescence performance of carbon-decorated T-ZnO. *Nanotechnology* 26 (2015) 125705. <https://doi.org/10.1002/advs.202102845>.
- Jeppson, P., Sailer, R., Jarabek, E., Sandstrom, J., Anderson, B., Bremer, M., & Grier, D. G. (2006). Cobalt ferrite nanoparticles : Achieving the superparamagnetic limit by chemical reduction. 1–7. <https://doi.org/10.1063/1.2399885>
- Jin SH, Kim DH, Jun GH, Hong SH and Jeon S, (2013) Tuning the photoluminescence of graphene quantum dots through the charge transfer effect of functional groups, *ACS Nano*, 7, 2, <https://doi.org/10.1021/nn304675g>
- Ju B, Nie H, Liu Z, Xu H, Li M, Wu C, Wang H and Zhang S. X. A, (2017) Full-colour carbon dots: integration of multiple emission centers into single particles *Nanoscale*. 9, 35. <https://doi.org/10.1039/C7NR04576J>
- Kandasamy G and Maity D. Recent advances in superparamagnetic iron oxide nanoparticles (SPIONs) for in vitro and in vivo cancer nanotheranostics, *International Journal of Pharmaceutics* 49 (2015) 191–218. <https://doi.org/10.1016/j.ijpharm.2015.10.058>.
- Kim D.W, Kil H.S , Nakabayashi K, Yoon S.H, Miyawaki J (2017) Improvement of electric conductivity of non-graphitizable carbon material via breaking-down and merging of the microdomains, *Evergreen*, 04, 16-20, <https://doi.org/10.5109/1808307>.
- Ko Y.H, Kim M.S, Yu J.S, Structural and optical properties of ZnO nanorods by electrochemical growth using multi-walled carbon nanotube-composed seed layers, *Nanoscale Res Lett* 7 (2012) 13. <https://doi.org/10.1186/1556-276X-7-13>.

- Kratz H, Taupitz M, Ariza de Schellenberger A, Kosch O, Eberbeck D, Wagner S, (2018), Novel magnetik multicore nanoparticles designed for MPI and other biomedical applications: From synthesis to first *in vivo* studies. *PLoS ONE* 13(1): e0190214.
- Krishna R, Haranath D, Singh S.P, Chander H, Pandey A.C and Kanjilal D. Synthesis and improved photoluminescence of Eu:ZnO phosphor, *Journal of Materials Science* 42 (2007) 10047–10051. <https://doi.org/10.1007/s10853-007-2053-4>.
- Kwon B.J, Kim J.Y, Choi S.M, and An S.J. Highly transparent and conducting graphene-embedded ZnO films with enhanced photoluminescence fabricated by aerosol synthesis, *Nanotechnology* 25 (2014) 085701. doi:10.1088/0957-4484/25/8/085701.
- Lauer R.B 1973 The I.R. photoluminescence emission band in ZnO. *J. Phys. Chem. Solids* 34 249–253.
- Lee, S.J., Cha, M. J., Yoon, Y.H. Magnetic multi-granule nanoclusters: A model system that exhibits universal size effect of magnetic coercivity. *Sci Rep* 5, 12135 (2015). <https://doi.org/10.1038/srep12135>
- Liu M L, Yang L, Li R S, Chen B B, Liu H, and Huang C Z, Large-scale simultaneous synthesis of highly photoluminescent green amorphous carbon nanodots and yellow crystalline graphene quantum dots at room temperature, *Green Chemistry*. **19**, 15, (2017). <https://doi.org/10.1039/C7GC01236E>
- Liu X, Jiang H, Ye J, Zhao C, Gao S Wu C, Li C, Li J. and Wang X. Nitrogen-doped carbon quantum dot stabilized magnetic iron oxide nanoprobe for fluorescence, magnetic resonance, and computed tomography triple-modal *in vivo bioimaging*. *Adv. Funct. Mater* 26 (2016) 8694-8706. <https://doi.org/10.1002/adfm.201603084>
- Madhubala V, T. Kalaivani, Phyto and hydrothermal synthesis of Fe₃O₄@ZnO core-shell nanoparticles using Azadirachta indica and its cytotoxicity studies, *Applied Surface Science* 449 (2018) 584–590. <https://doi.org/10.1016/j.apsusc.2017.12.105>.

Manikandan A, E. Manikandan, B. Meenatchi, S. Vadivel, S.K. Jaganathan, R. Ladchumananandasivam, M. Henini, M. Maaza, J.S. Aanand, Rare earth element (REE) lanthanum doped zinc oxide (La: ZnO) nanomaterials: Synthesis structural optical and antibacterial studies, *Journal of Alloys and Compounds* 723 (2017) 1155–1161.
<https://doi.org/10.1016/j.jallcom.2017.06.336>

Mohammad A. Omary, Howard H. Patterson, Luminescence, Theory, Encyclopedia of Spectroscopy and Spectrometry (Third Edition), Academic Press, 2017,
<https://doi.org/10.1016/B978-0-12-803224-4.00193-X>.

Nguyen H, E. Tinet, T. Chauveau, F. Geinguenaud, Y. Lalatonne, A. Michel, R. Aid-Launais, C. Journé, C. Lefèvre, T. Simon-Yarza, L. Motte, N. Jouini, J.-M. Tualle, F. Chaubet, Bimodal Fucoidan-Coated Zinc Oxide/Iron Oxide-Based Nanoparticles for the Imaging of Atherothrombosis, *Molecules* 24 (2019) 962.
<https://doi.org/10.3390/molecules24050962>.

Panagiotis K, Eleni Thomou, Haralambos Stamatis, Dimitrios Gournis & Petra Rudolf (2020) Advances in fluorescent carbon dots for biomedical applications, *Advances in Physics: X*, 5:1, 1758592, DOI: 10.1080/23746149.2020.1758592.

Park Y.J, Ko K.B, Lee K.S, Seo T.H, Hong C.H, Cuong T.V, Son D.I. Solution processed graphene quantum dots decorated ZnO nanoflowers for mediating photoluminescence *Applied Surface Science* 510 (2020) 145407.
<https://doi.org/10.1016/j.apsusc.2020.145407>.

Park Y.R, Liu N, Lee C.J, Photoluminescence enhancement from hybrid structures of metallic single-walled carbon nanotube/ZnO films Current *Applied Physics* 13 (2013) 2026-2032. <https://doi.org/10.1016/j.cap.2013.09.008>.

Patel, N. H., 2015, *Basic Principle, Working and Instrumentation of Experimental Techniques*, Sardar Patel University, Gujarat.

- Pawlik, P., Blasiak, B., Depciuch, J. et al. Application of iron-based magnetic nanoparticles stabilized with triethanolammonium oleate for theranostics. *J Mater Sci* 57, 4716–4737 (2022). <https://doi.org/10.1007/s10853-021-06244-y>
- Payrazm S, Baghshahi S, Sadeghian Z, Aliabadizadeh A. structural and optical characterization of zno-graphene nanocomposite quantum dots *IJMSE* 19 (2022) 1-13. <http://ijmse.iust.ac.ir/article-1-2603-en.html>.
- Perelshtain I, N. Perkas, S. Rahimipour, A. Gedanken, Bifunctional Carbon Dots—Magnetic and Fluorescent Hybrid Nanoparticles for Diagnostic Applications, *Nanomaterials* 10 (2020) 1384. <https://doi.org/10.3390/nano10071384>.
- Qi B.P, Hu H, Bao L, Zhang Z.L, Tang B, Peng Y, Wang B.S and Pang D.W. An efficient edge-functionalization method to tune the photoluminescence of graphene quantum dots, *Nanoscale*, 7, 14. (2015). <https://doi.org/10.1039/C5NR00842E>
- Qiu H, B. Cui, G. Li, J. Yang, H. Peng, Y. Wang, N. Li, R. Gao, Z. Chang, Y. Wang, Novel Fe₃O₄@ZnO@mSiO₂ Nanocarrier for Targeted Drug Delivery and Controllable Release with Microwave Irradiation, *J. Phys. Chem. C* 118 (2014) 14929–14937. <https://doi.org/10.1021/jp502820r>.
- Rák ZS and Brenner D. W, (2019), Negative Surface Energies of Nickel Ferrite Nanoparticles under Hydrothermal Conditions, Negative Surface Energies of Nickel Ferrite Nanoparticles under Hydrothermal Conditions, *Journal of Nanomaterials* 2019, Article ID 5268415, 6 pages.
- Rakshit R, Azusa N. Hattori, Yasuhisa Naitoh, Hisashi Shima, Hiroyuki Akinaga, Hidekazu Tanaka, Three-Dimensional Nanoconfinement Supports Verwey Transition in Fe₃O₄ Nanowire at 10 nm Length Scale, *Nano Letters* (2019). DOI: 10.1021/acs.nanolett.9b01222
- Reaz, M, Haque A, Cornelison D.M, Wanekaya A, Delong R, and Ghosh K, Magneto-luminescent zinc/iron oxide core-shell nanoparticles with tunable magnetic properties, *Physica E: Low-dimensional Systems and Nanostructures* 123 (2020) 114090. <https://doi.org/10.1016/j.physe.2020.114090>.

Sabouri Z, Karimzadeh F, Baharlou-Houreh A, McFarlane TV, Nasr Esfahani M.H. Fe₃O₄/bioactive glass nanostructure: a promising therapeutic platform for osteosarcoma treatment Biomed. Mater. 16 (2021) 035016.
doi: 10.1088/1748-605X/aba7d5.

Safari M, M.H. Rostami, M. Alizadeh, A. Alizadehbirjandi, S.A.A. Nakhli, R. Aminzadeh, Response surface analysis of photocatalytic degradation of methyl tert-butyl ether by core/shell Fe₃O₄/ZnO nanoparticles, *J Environ Health Sci Engineer* 12 (2014) 1. <https://doi.org/10.1186/2052-336X-12-1>.

Salem M.L, Gemeay A, Gomaa S, Aldubayan M.A and Assy L Superparamagnetic graphene oxide/magnetite nanocomposite delivery system for doxorubicin-induced distinguished tumor cell cycle arrest and apoptosis *J Nanopart Res* 22 (2020) 219. DOI:[10.1007/s11051-020-04932-5](https://doi.org/10.1007/s11051-020-04932-5).

Samwel, E. O. T. Bolhuis, J. C. Lodder; An alternative approach to vector vibrating sample magnetometer detection coil setup. *Rev. Sci. Instrum.* 1 September 1998; 69 (9): 3204–3209. <https://doi.org/10.1063/1.1149020>

Schejn A, Commenge J.M, Balan L and Falk L Size controlled synthesis of ZnO quantum dots in microreactors *Nanotechnology* 25 (2014) 145606.
doi: 10.1088/0957-4484/25/14/145606.

Silva, RLS, Figueiredoa, AT, Barradoa, M, Henrique, M, (2017), Luminescent and Magnetik Properties of Fe₃O₄@SiO₂:phen:Eu³⁺ *Materials Research*; 20(5): 1317-1321.

Sheng Y , Liao,LD, Thako N, Tan, CM, (2019), Rare-Earth Doped Particles as Dual-Modality Contrast Agent for Minimally-Invasive Luminescence and Dual-Wavelength Photoacoustic Imaging, *Scientific reports*, Vol.4 : pp: 6562.

Son D.I, Kwon B.W, Park D.H, Seo W.S, Yi Y, Angadi B, Lee C.L, Choi W.K. Emissive ZnO-graphene quantum dots for white-light-emitting diodes. *Nat Nanotechnol* 27 (2012) 465-71. <https://doi.org/10.1038/nnano.2012.71>.

Stachowska J.D, Gamża M.B, Mellor C, Gibbons E.N, Krysmann M.J, Kelarakis A, Gumieniczek-Chłopek E, Strączek T, Kapusta C, and Szwajca A. (2022)

- Carbon Dots/Iron Oxide Nanoparticles with Tuneable Composition and Properties., *Nanomaterials*. 7, 674. <https://doi.org/10.3390/nano12040674>
- Suzuki K, Takahashi M, Malfatti L and Innocenzi, P. Carbon dots in ZnO macroporous films with controlled photoluminescence through defects engineering *The Royal Society of Chemistry 6 (2016) 55393-55400.* <https://doi.org/10.1039/C6RA09479A.>
- Tang J, Zhang J, Zhang Y. et al. Influence of group modification at the edges of *carbon quantum dots* on fluorescent emission *Nanoscale Res Lett* 14 (2019) 241. <https://doi.org/10.1186/s11671-019-3079-7.>
- Tallapally, Venkatesham. (2018). Colloidal Synthesis and Photophysical Characterization of Group IV Alloy and Group IV- V Semiconductors: Ge_{1-x}Sn_x and Sn-P Quantum Dots. [10.13140/RG.2.2.18418.45762.](https://doi.org/10.13140/RG.2.2.18418.45762)
- Thanh V.M, Nguyen T.H, Dao T.N, Nguyen D.T.D, Le V.T and Minh-Tri Nguyen-Le 2020 Synthesis of ternary fe₃o₄/zno/chitosan magnetic nanoparticles via an ultrasound-assisted coprecipitation process for antibacterial applications, *Journal of Nanomaterials* 2020. <https://doi.org/10.1155/2020/8875471.>
- Toma E.E, Stoian G, Cojocaru B, Parvulescu V.I. Coman S.M, ZnO/CQDs Nanocomposites for Visible Light Photodegradation of Organic Pollutants, *Catalysts* 12 (2022) 952. <https://doi.org/10.3390/catal12090952.>
- Tu N, Van Bui H, D, Trung D.Q, Duong A.T, Thuy D.M, Nguyen D.H, Nguyen K.T, Huy P.T, Surface oxygen vacancies of ZnO: A facile fabrication method and their contribution to the photoluminescence, *Journal of Alloys and Compounds* 791 (2019) 722–729. <https://doi.org/10.1016/j.jallcom.2019.03.395.>
- Tyagi, Ankit & Tripathi, Kumud & Singh, Narendra & Choudhary, Shashank & Gupta, and Raju, (2016) Green synthesis of *carbon quantum dots* from lemon peel waste: Applications in sensing and photocatalysis, *RSC Adv*, 6. 10. <https://doi.org/10.1039/C6RA10488F.>

Veronica.Y, Astuti, S.R.A. Usna, (2022) Sintesis dan Karakterisasi Nanokomposit Fe₃O₄@PEG:ZnO, *Jurnal Fisika Unand (JFU)* 11, 30–36
<https://doi.org/10.25077/jfu.11.1.30-36.2022>

Wang M, Liang Y, Zhang Z, Ren G, Liu Y, Wu S, and Shen J, Ag@Fe₃O₄/ZnO nanoparticles for multimodal imaging-guided chemo-photothermal synergistic targeting for cancer therapy *Chimica Acta*, 1086 (2019). 122-132.
<https://doi.org/10.1016/j.aca.2019.08.035>.

Wang, CC., Lo, AY., Cheng, MC. et al. Zinc oxide nanostructures enhanced photoluminescence by carbon-black nanoparticles in Moiré heterostructures. *Sci Rep* 13, 9704 (2023). <https://doi.org/10.1038/s41598-023-36847-1>.

Wu, Y., He, T., Xu, W. et al. Preparation and photocatalytic activity of magnetically separable Fe₃O₄@ZnO nanospheres. *J Mater Sci: Mater Electron* 27, 12155–12159 (2016). <https://doi.org/10.1007/s10854-016-5369-5>

Yin, B, J. Deng, X. Peng, Q. Long, J. Zhao, Q. Lu, Q. Chen, H. Li,H. Tang, Y. Zhang and S. Yao, Green synthesis of carbon dots with down- and up-conversion fluorescent properties for sensitive detection of hypochlorite with a dual-readout assay *Analyst*, 2013, 138, 6551.

Yadav A, Rao C, Verma NC, Mishra PM, Nandi CK. Magnetofluorescent Nanoprobe for Multimodal and Multicolor Bioimaging. *Molecular Imaging*. 2020;19. doi:10.1177/1536012120969477.

Yan, F., Sun, Z., Zhang, H. et al. The fluorescence mechanism of carbon dots, and methods for tuning their emission color: a review. *Microchim Acta* **186**, 583 (2019). <https://doi.org/10.1007/s00604-019-3688-y>