

DAFTAR PUSTAKA

- Aikawa, R., Nawano, M., Gu, Y., Katagiri, H., Asano, T., Zhu, W ., 2000, 'Insulin Prevents Cardiomyocytes From Oxidative Stress–Induced Apoptosis Through Activation of PI3 Kinase/Akt Circulation', *Circulation*, vol. 02, no. 23, hh. 2873-9.
- Amanda ,Pharrish, Christoper D. Sally K.,2013,Cellular Mechanisms Controlling Caspase Activation and Function. *Coldspring habBiol*.5(6)a00.8672
- Ambrose, L.J., Abd-Jamil, A.H., Gomes, R.S., Carter, E.E., Carr, C.A., Clarke, K & Heather, L.C., 2014, 'Investigating Mitochondrial Metabolism in Contracting HL-1 Cardiomyocytes Following Hypoxia and Pharmacological HIF Sctivation Identifies HIF-dependent and independent Mechanisms of Regulation', *Journal of Cardiovascular Pharmacology and Therapeutics*, vol. 19, no. 6, hh. 574–85.
- American Diabetes Association, 2007. 'Clinical Practice Recommendations'. *Diabetes Care*, vol. 30 no. suppl 1, hh. S1-S103.
- Andersen, S.K., Gjedsted, J., Christiansen, C & Tønnesen, E., 2004, 'The roles of insulin and hyperglycemia in sepsis pathogenesis', *Journal of Leukocyte Biology*, vol. 75, no. 3, hh. 413-21.
- Bandeira. 2013. Oxidative Stress as an Underlying Contributor in the Development of Chronic Complications in Diabetes Mellitus. *Int Jour Med*.14(2)3265-84.
- Biddlestone J, Bandara D, Rocha S.,2015. The Role of HypoxiaIn Inflammatory disease .DOI: 10.3892/ijmm.2015.2079
- Bing R, Hu, Cun liu, Yibiang Quyang, 2000, Involvement of caspase-3 in cell death after hypoxia-ischemia declines during barain maturation, journal of cerebral bloodflow and metabolism, vol 20:1294-3000.
- Bir, S.C., Esaki, J., Marui, A., Yamahara, K., Tsubota, H., Ikeda dkk., 2009, Angiogenic properties of sustained release platelet-rich plasma: characterization in-vitro and in the ischemic hind limb of the mouse', *Journal of Vascular Surgery*, vol. 50, no. 4, hh. 870–9.
- Bohren, E., Bottino, D.A & Tavares, J.C., 2003, 'The aldo-ketoreductase superfamily cDNAs and reduced aminoacids sequences in human aldehyde and aldose reductase', *The Journal of Biological Chemistry*, vol. 264, no. 16, hh. 9547-51.
- Bohuslavova., R, Kolar, F., Sedmera, D., Skvorova, L., Papousek, F., Neckar, J et al., 2012, 'The role of hypoxia inducible factor 1 α in diabetic cardiomyopathy', Czech Republic.

- Bohuslavova, R., Kolar, F., Sedmera, D., Skvorova, L., Papousek, F., Neckar, J et al., 2014, 'Partial deficiency of HIF-1 α stimulates pathological cardiac changes in streptozotocin-induced diabetic mice', *BMC Endocrine Disorders*, vol. 14, hh. 11.
- Bolk J, van der Ploeg T, Cornel JH, Arnold AE, Sepers J, Umans VA (2001). Impaired glucose metabolism predicts mortality after a myocardial infarction. *Int J Cardiol.*; 79: 207–214.
- Brownlee, M., 2001, 'Biochemistry and molecular cell biology of diabetic complication', *Nature*, vol. 414, hh. 813-20.
- Brownlee, M., 2005, 'The pathology of diabetic complication: a unifying mechanism', *Diabetes*, vol. 54, no. 6, hh. 1615-25.
- Buerke, M., Murohara, T., Skurk, C., Nuss, C., Tomaselli, K & Lefer, A.M., 1995, 'Cardioprotective effect of insulin-like growth factor I in myocardial ischemia followed by reperfusion', *Proceedings of the National Academy of Sciences of the United States of America*, vol. 92, no. 17, hh. 8031– 5.
- Cai, L., Chen, S., Evans, T., Deng, D.X., Mukherjee, K & Chakrabarti, S., 2000, 'Apoptotic germ-cell death and testicular damage in experimental diabetes: prevention by endothelin antagonism', *Urological research*, vol. 28, no. 5, hh. 342 –7.
- Cai, L., Li, W., Wang, G., Guo, L., Jiang, Y., Kang, Y.J., 2002, 'Hyperglycemia-Induced Apoptosis in Mouse Myocardium Mitochondrial Cytochrome *c*-Mediated Caspase-3 Activation Pathway', *Diabetes*, vol. 51, no. 6, hh. 1938–48.
- Cameron, N.E & Cotter, M.A., 2008, 'Pro-inflammatory mechanisms in diabetic neuropathy: focus on the nuclear factor kappa B pathway', *Current Drug Targets*, vol. 9, no.1, hh. 60–7.
- Cao, R., Bråkenhielm, E., Pawliuk, R., Wariaro, D., Post, M.J., Wahlberg, E et al., 2003, 'Angiogenic synergism, vascular stability improvement of hind-limb ischemia by a combination of PDGF-BB and FGF-2', *Nature Medicine*, vol. 9, no. 5, hh. 604–13.
- Capes, S.E., Hunt, D., Malmberg, K & Gerstein, H.C., 2000, 'Stress hyperglycaemia and increased risk of death after myocardial infarction in patients with and without diabetes: a systematic overview', *Lancet*, vol. 355, no. 9206, hh. 773–8.
- Catrina, S.B., Okamoto, K., Pereira, T., Brismar, K & Poellinger, L., 2004, 'Hyperglycemia regulates hypoxia-inducible factor-1 α protein stability and function'. *Diabetes*, vol. 53, no. 12, hh. 3226–32.
- Cave A.C., Ingwall, J.S., Friedrich, J., Liao, R., Saupe, K.W., Apstein, C.S. et al., 2000, 'ATP synthesis during low flow ischemic influences of increased glycolytic substrate', *Circulation*, vol. 101, hh. 2090-6.

- Changbo D, Juan LFengjie S,jigging X, 2019. Effect of hypoxia ischemia on caspase-3 expression and neural apoptosis in the brain of neonatal mice. Doi org, vol 1;3892.
- Ming C.M, Qazi M, Ashraf, Hahan Ara, Om P, Mishra,, 2007, mecahanisme of caspase-3 activation during hypoxia in the cerebral cortex of newborn piglets, neuro science letters, vol421,issue 1,P67-71.
- Clement, S., Braithwaite, S.S., Magee, M.F., Ahmann, A., Smith, E.P & Schafer, R.G., 2004, Management of diabetes and Hyperglycemia in hospital. *Diabetes care*, vol. 27, no. 2, hh. 553-91.
- Das U.N., 2000. 'Free radicals, cytokines and nitric oxide in cardiac failure and myocardial infarction'. *Molecular and Cellular Biochemistry*, vol. 215, no. 1-2, hh. 145–52.
- Datta, S.R., Dudek, H., Tao, X., Masters, S., Fu, H., Gotoh, Y., Greenber, M.E., 1997, 'Akt phosphorylation of BAD couples survival signals to the cell-intrinsic death machinery'. *Cell*, vol. 91, no. 2, hh. 231–41.
- Deedwania, P., Kosiborod, M., Barrett, E., Ceriello, A., Isley, W., Mazzone, T et al., 2008, 'Hyperglycemia and Acute Coronary Syndrome A Scientific Statement From the American Heart Association Diabetes Committee of the Council on Nutrition, Physical Activity, and Metabolism', *Circulation*, vol. 117, no. 12, hh. 1610-9.
- Departemen Kesehatan RI, 2012, *Rencana Pembangunan Kesehatan Menuju Indonesia Sehat 2020*, Jakarta.
- Devereux, R.B., Roman, M.J., Paranicas, M., O'Grady, M.J., Lee, E.T., Welty, T.K., et al 2000, 'Impact of diabetes on cardiac structure and function: the strong heart study'. *Circulation*, vol. 101, no. 19, hh. 2271-7.
- Du, X.L., Sui, G.Z., Stockklauser-Farber, K., Weiss, J., Zink S., Schwippert, B et al., 1998, 'Introduction of apoptosis by high proinsulin and glucose in cultured human umbilical vein endothelial cells is mediated by reactive oxygen species', *Diabetologia*, vol. 41, no.3, hh. 249-56.
- Du, X.L et al., 2000, 'Hyperglycemia induced mitochondrial superoxide overproduction activator inhibitor-1 expression by increasing spl glycosylation', *Proceedings of the National Academy of Sciences of the United States of America*, vol. 97, no. 22, hh. 12222-6.
- Ebrahimian, T.G., Heymes, C., You, D., Blanc-Brude, O., Mees, B., Waeckel, L. et al., 2006, 'NADPH oxidase-derived overproduction of reactive oxygen species impairs postischemic neovascularization in mice with type 1 diabetes', *American Journal of Pathology*, vol. 169, no.2, hh. 719–28.
- Elias, I., Franckhauser, S., Ferré, T., Vilà, L., Tafuro, S & Muñoz, S., 2012, 'Adipose tissue overexpression of vascular endothelial growth factor protects against diet-induced obesity and insulin resistance', *Diabetes*, vol. 61 no. 7, hh. 1801-13.

- Fan, X., Heijnen, C.J., van der Kooij, M.A., Groenendaal, F & van Bel, F., 2009, 'The role and regulation of alpha hypoxia-induced factors in the brain and brain of neonatal hypoxia-ischemic'. *Brain Research Reviews*, vol. 62, no. 1, hh. 99-108.
- Ferrara, N & Davis-Smyth, T., 1997, 'The biology of vascular endothelial growth factor', *Endocrine Review*, vol. 18, hh. 4-25.
- Foo, K., Cooper, J., Deaner, A., Knight, C., Suliman, A., Ranjadayalan, K et al., 2003, 'A single serum glucose measurement predicts adverse outcomes across the whole range of acute coronary syndromes'. *Heart*, vol. 89, issue. 5, hh. 512-6.
- Ford, E.S., Giles, W.H & Dietz, W.H., 2002, 'Prevalence of metabolic syndrome among US Adult', *Journal of the American Medical Association*, vol. 287 no. 3, hh. 356-9.
- Forlani, S., Tomai, F., De Paulis, R., Turani, F., Colella, D.F., Nardi, P dkk., 2004, 'Preoperative shift from glibenclamide to insulin is cardioprotective in diabetic patients undergoing coronary artery bypass surgery', *Journal of Cardiovascular Surgery*, vol. 45, no. 2, hh. 117-22.
- Francis, G.S., 2001, 'Diabetic cardiomyopathy: fact or fiction?', *Heart*, vol. 85, no.3, hh. 247-8.
- Franke, T.F., Yang, S.I., Chan, T.O., Datta, K., Kazlauskas, A., Morrison, D.K et al., 1995, 'The protein kinase encoded by the Akt proto-oncogene is a target of the PDGF-activated phosphatidylinositol 3-kinase'. *Cell*, vol. 81, no. 5, hh. 727-36.
- Frank, S et al., 1995, 'Regulation of vascular endothelial growth factor expression in cultured keratocytes: implication for normal and impaired wound healing', *Journal of Biological Chemistry*, vol. 270, hh. 12607-13.
- Freedman, S & Isner, J. M, 2002, 'Therapeutic angiogenesis for coronary artery disease', *Annals of Internal Medicine*, vol. 136, hh. 54-71.
- Frustaci, A., Kajstura, J., Chimenti, C., Jakoniuk, I., Len, A., Maseri, A dkk., 2000, 'Myocardial cell death in human diabetes', *Circulation Research*, vol. 7 no. 12, hh. 1123-32.
- Fukuda, R., Zhang, H., Kim, J.W., Shimoda, L., Dang, C.V & Semenza, G.L., 2007. 'HIF-1 regulates cytochrome oxidase subunits to optimize efficiency of respiration in hypoxic cells', *Cell*, vol. 129, no. 1, hh. 111-22.
- Gacka, M., Dobosz, T., Szymaniec, S., Bednarska-Chabowska, D., Adamiec, R & Sadakierska-Chudy, A., 2010, 'Proinflammatory and atherogenic activity of monocytes in type 2 diabetes', *Journal of Diabetes and its Complications*, vol. 24, no. 1, hh. 1-8.
- Geissner C.A et al., 2007, 'Mechanism by which diabetes increases cardiovascular disease', *Drug Discovery Today: Disease Mechanisms* vol. 4, no. 3, hh. 131-40.
- Gerber, H.P., Condorelli, F., Park, J & Ferrara, N., 1997, 'Differential transcriptional regulation of the two vascular endothelial growth factor receptor genes: Flt-1 but not

- Flk-1/KDR, is up-regulated by hipoxia', *Journal of Biological Chemistry*, vol. 272, hh. 23659-67.
- Gerrit, D., 2001, 'Dispersyn and Marcel Borgers. Apoptosis in the Heart: About Programmed Cell Death and Survival', *The International Union of Physiological Sciences*, vol. 16, hh. 41-7.
- Goldin et al., 2006, 'Advanced glycation end products: sparking the development of diabetic vascular injury', *Circulation*, vol. 114, no. 6, hh 597-605.
- Gonzalez, Y., Herrera, M.T., Soldevila, G., Garcia-Garcia, L., Fabián, G., Pérez-Armendariz, E.M. et al., 2012, 'High glucose concentrations induce TNF- α production through the down-regulation of CD33 in primary human monocytes', *BMC Immunology*, vol. 13, hh. 19.
- Greijer A.E., Vande Wall., (2004) The role of hypoxia inducible factor 1 (HIF-1) in hypoxia induced apoptosis, *J Clin Pathol.* 57(10) :1009-1014
- Gupta, K & Zhang, J., 2005, 'Angiogenesis: a curse or cure', *Postgraduate Medical Journal*, vol. 81, hh. 236-42.
- Hafstad, A.D., Khalid, A.M., How, O.J., Larsen, T.S & Aasum, E., 2007, 'Glucose and insulin improve cardiac efficiency and post-ischemic functional recovery in perfused hearts from type 2 diabetic (*db/db*) mice', *American Journal of Physiology-Endocrinology and Metabolism*, vol. 292, no. 5, hh.E1288-94.
- Harmey, J. H & Bouvhier-Hayes, D, 2002, 'Vascular endothelial growth factor (VEGF), a survival factor for tumor cells: implication for anti-angiogenic therapy', *Bioessay*, vol. 24, hh. 280-3.
- Heather L.C., Cole, M.A., Tan, J.J., Ambrose, L.J., Pope, S., Abd-Jamil, A.H. et al., 2012. 'Metabolic adaptation to chronic hypoxia in cardiac mitochondria', *Basic Research in Cardiology*, vol. 107, no. 3, hh. 268.
- Homoud, M.K., 2008, 'Coronary Artery Disease', *Tufts-New England Medical Center Spring*, hh. 1-2, diakses dari <https://www.oerafrica.org/> pada Sabtu, 21 Juli 2018 pukul 13.18 wib.
- Ilka Vaukonen, Leo Niskanen, Esko Vaninen, Sakari Kainlainen, Maati Uusitupa, 1997. Defects in Insulin Secretion and Insulin Action in Non-insulin-dependent Diabetes Mellitus Are Inherited Metabolic Studies on Offspring of Diabetic. *J Clin Invest*, vol 101.1.86-96.
- Iliodromitis, E.K., Lazou, A & Kremastinos, D.T., 2007, 'Ischemic preconditioning: Protection against myocardial necrosis and apoptosis', *Vascular Health and Risk Management*, vol. 3, no. 5, hh. 629-37.

Inoue S, Browne G, Melino G, Cohen GM 2009. Ordering of caspases in cells undergoing apoptosis by the intrinsic pathway. *Cell Death Differ* 16: 1053–1061

Inzuchi, S.E., 2012, 'Management of hyperglycemia in type 2 Diabetes, A Patient Centre Approach: Position Statement of the American Diabetes Association (ADA) and the Europe Association for study of Diabetes (EASD)'. *Diabetes Care*, vol. 35, no. 6, hh. 1364-79.

Irwan, B., 2007, 'Pencegahan Primer Penyakit Jantung Koroner Guna Menurunkan Angka Kesakitan dan Kematian Akibat Serangan Jantung', Penguahan Profesor, Universitas Gadjah Mada, Yogyakarta.

Ishihara, M., Inoue, I., Kawagoe, T., Shimatani, Y., Kurisu, S., Nishioka, K et al., 2003, 'Impact of acute hyperglycemia on left ventricular function after reperfusion therapy in patients with a first anteriorwall acutemyocardial infarction', *American Heart Journal*, vol. 146, no. 4, hh. 674–8.

Jagasia, D., Whiting, J.M., Concato, J., Pfau, S & McNulty, P.H., 2001, 'Effect of non-insulin-dependent diabetes mellitus on myocardial insulin responsiveness in patients with ischemic heart disease'. *Circulation*, vol.103, no. 13, hh. 1734–9.

Jesmin, S., Zaedi, S., Shimojo, N., Iemitsu, M., Masuzawa, K., Yamaguchi, N dkk., 2007. 'Endothelin antagonism normalizes VEGF signaling and cardiac function in STZ-induced diabetic rat hearts', *American Journal of Physiology-Endocrinology and Metabolism*, vol. 292 no. 4, hh. E1030-40.

Jung, Y., Isaacs, J.S., Lee, S., Trepel, J., Liu, Z.G & Neckers, L., 2003, Hypoxia-inducible factor induction by tumour necrosis factor in normoxic cells requires receptor-interacting protein-dependent nuclear factor kappa B activation', *Biochemical Journal*, vol. 370, no. Pt 3, hh. 1011-7.

Kersten, J.R., Schmeling, T.J., Orth, K.G., Pagel, P.S & Wartier, D.C., 1998, 'Acute hyperglycemia abolishes ischemic preconditioning *in vivo*', *Am J Physiol*, vol. 275, no. 2, hh. 721–5.

Kim, B.S., Chen, J., Weinstein, T., Noiri, E & Goligorsky, M.S., 2002, 'VEGF Expression in Hypoxia and Hyperglycemia: Reciprocal Effect on Branching Angiogenesis in Epithelial-Endothelial Co-Cultures', *Journals of the American Society of Nephrology*, vol. 3, no. 8, hh. 2027-36.

Kim, J.W., Tchernyshyov, I., Semenza, G.L & Dang, C.V., 2006, 'HIF-1-mediated expression of pyruvate dehydrogenase kinase: a metabolic switch required for cellular adaptation to hypoxia', *Cell Metabolism*, vol. 3, no. 3, hh. 177-85.

Klein, O.L., Krishnan, .JA., Glick, S & Smith, L.J., 2010, 'Systematic review of the association between lung function and Type 2 diabetes mellitus', *Diabetic Medicine*, vol. 27, no. 9, hh. :977-87.

- Kloner, R.A., Bolli, R., Marban, E., Reinlib, L & Braunwald, E., 1998, 'Medical and cellular implications of stunning, hibernation, and preconditioning: an NHLBI workshop', *Circulation*, vol. 97, no. 18, hh. 1848-67.
- Kosiborod, M., Rathore, S.S., Inzucchi, S.E., Masoudi, F.A., Wang, Y., Havranek, E.P et al., 2005, 'Admission glucose and mortality in elderly patients hospitalized with acute myocardial infarction: implications for patients with and without recognized diabetes', *Circulation*, vol. 111, no. 23, hh. 3078-86.
- Koyama, S., Sato, E., Haniuda, M., Numanami, H., Nagai, S & Izumi, T., 2002, 'Decreased level of vascular endothelial growth factor in broncoalveolar lavage fluid of normal smokers and patients with pulmonary disease', *American Journal of Respiratory and Critical Care Medicine*, vol. 166, hh. 382-5.
- Kulik, G., Klippel, A & Weber, M.J., 1997, 'Antiapoptotic signalling by the insulin-like growth factor I receptor, phosphatidylinositol 3-kinase, and Akt', *Molecular and Cellular Biology*, vol. 17, no. 3, hh. 1595-606.
- Lebuffe, G., Schumacker, P.T., Shao, Z.H., Anderson, T., Iwase, H & Vanden Hoek, T.L., 2003, 'ROS and NO trigger early preconditioning relationship to mitochondrial K-ATP channels', *American Journal of Physiology*, vol. 84, no. 1, hh. 299-308.
- Lee, S.H., Wolf, P.L., Escudero, R., Deutsch, R., Jamieson, S.W & Thistlethwaite, P.A., 2000, 'Early expression of angiogenesis factors in acute myocardial ischemia and infarction', *The New England Journal of Medicine*, vol. 342, no. 9, hh. 626-3.
- Li, D., Zhao, L., Liu, M., Du, X., Ding, W., Zhang, J et al., 1999, 'Kinetics of tumor necrosis factor alpha in plasma and the cardioprotective effect of a monoclonal antibody to tumor necrosis factor alpha in acute myocardial infarction', *American Heart Journal*, vol. 137, no. 6, hh. 1145-52.
- Li, H., Telemaque, S., Miller, R.E et al., 2005, 'High glucose inhibits apoptosis induced by serum deprivation in vascular smooth muscle cells via upregulation of Bcl-2 and Bcl-x1', *Diabetes*, vol. 54, no. 2, hh. 540-5.
- Libby, P., Theroux, P., 2005, 'Pathophysiology of Coronary Artery Disease', *Circulation*, vol. 111, no. 25, hh. 3481-8.
- Lu, M., Kuroki, M., Amano, S., Tolentino, M., Keough, K., Kim, I et al., 1998, 'Advanced glycation end products increase retinal vascular endothelial growth factor expression', *The Journal of Clinical Investigation*, vol. 101, no. 6, hh. 1219-24.
- Malmberg, K., Rydén, L., Wedel, H., Birkeland, K., Bootsma A., Dickstein, K et al., 2005, 'Intense metabolic control by means of insulin in patients with diabetes mellitus and acute myocardial infarction (DIGAMI 2): effects on mortality and morbidity', *European Heart Journal*, vol. 26 no. 7, hh. 650-61.
- Mansor, L.S., Mehta, K., Aksentijevic, D., Carr, C.A., Lund, T., Cole, M.A et al., 2016, 'Increased oxidative metabolism following hypoxia in type 2 diabetic heart, despite

normal hypoxia signaling and metabolic adaptation', *The Journal of Physiology*, vol. 594, no. 2, hh. 307-20.

Marfella, R., D'Amico, M., Di Filippo, C., Piegari, E., Nappo, F., Esposito, K et al., 2002, 'Myocardial infarction in diabetic rats: role of hyperglycaemia on infarct size and early expression of hypoxia-inducible factor 1', *Diabetologia*, vol. 45, no. 8, hh. 1172-81.

Marfella, R., Esposito, K., Nappo, F., Siniscalchi, M., Sasso, F.C., Portoghese, M et al., 2004, 'Expression of angiogenic factors during acute coronary syndromes in human type 2 diabetes', *Diabetes*, vol. 53, no. 9, hh. 2383-91.

McCormack, S & Grant, S.F.A., 2013, 'Genetics of Obesity and Type 2 Diabetes in African Americans', *Journal of Obesity*, vol. 2013, hh. 1-12.

Meier, J.J., Deifuss, S., Klamann, A., Launhardt, V., Schmiegel, W.H & Nauck, M.A., 2005, 'Plasma glucose at hospital admission and previous metabolic control determine myocardial infarct size and survival in patients with and without type 2 diabetes: the Langendreer Myocardial Infarction and Blood Glucose in Diabetic Patients Assessment (LAMBDA)'. *Diabetes Care*, vol. 28, no. 10, hh. 2551-3.

Meneghini, L., Koenen, C., Weng, W & Selam, J.L., 2007, 'The Usage of Simplified self Titration dosing guideline for insulin detemir in patient with type 2 diabetes result of the randomized, controlled predictive 303 study', *Diabetes, Obesity and Metabolism*, vol. 9, no. 6, hh. 902-13.

Monnier, L., Mas, E., Ginet, C., Michel, F., Villon, L., Cristol, J.P et al., 2006, 'Activation of oxidative stress by acute glucose fluctuations compared with sustained chronic hyperglycemia in patients with type 2 diabetes', *Journal of the American Medical Association*, vol. 295, no. 14, hh. 1681-7.

Montalescot, G., Sechtem, U., Achenbach, S., Andreotti, F., Arden, C., Budaj, A., Bugiardini, R et al., 2013, 'ESC guidelines on the management of stable coronary artery disease'. *European Heart Journal Advance*, vol. 34, no. 38, hh. 2949-3003.

Nakagawa, K et et al., 2000, 'Angiogenesis and its regulation: roles of vascular endothelial cell growth factor', *Seminars in Thrombosis and Hemostasis*, vol. 26, hh. 61-6.

Oakes, N.D., Thalen, P., Aasum, E., Edgley, A., Larsen, T., Furler, S.M dkk., 2006, 'Cardiac metabolism in mice: tracer method developments and in vivo application revealing profound metabolic inflexibility in diabetes', *American Journal of Physiology-Endocrinology and Metabolism*, vol. 290, no. 5, hh. E870-81.

Oltmanns, K.M., Gehring, H., Rudolf, S., Schultes, B., Hackenberg, C., Schweiger, U et al., 2006, 'Acute hypoxia decreases plasma VEGF concentration in healthy humans', *American Journal of Physiology-Endocrinology and Metabolism*, vol. 290 (3): E434-9.

Opie, L.H., 2003, 'Preconditioning and metabolic anti-ischaemi agents', *European Heart Journal*, vol. 24, no. 20, hh. 1854-6.

- O'Rourke, B., 2000, 'Myocardial K-ATP channel in preconditioning', *Circulation research*, vol. 87, no. 10, hh. 845-5.
- Park, C.W., Kim, H.W., Lim, J.H., Yoo, K.D., Chung, S., Shin, S.J et al., 2009, 'Vascular endothelial growth factor inhibition by dRK6 causes endothelial apoptosis, fibrosis, and inflammation in the heart via the Akt/eNOS axis in db/db mice. *Diabetes*, vol. 58, no. 11, 2666-7.
- Peterson, L.R., Herrero, P., Schechtman, K.B., Racette, S.B., Waggoner, A.D., Kisrieva-Ware, Z et al., 2004, 'Effect of obesity and insulin resistance on myocardial substrate metabolism and efficiency in young women', *Circulation*, vol. 109, no. 18, hh. 2191-6.
- Reichelt, M.E., Shanu, A., Willems, L., Witting, P.K., Ellis, N.A., Blackburn, M.R et al, 2009, "Endogenous adenosine selectively modulates oxidant stress via the A1 receptor in ischemic hearts," *Antioxidants and Redox Signaling*, vol. 11, no. 11, hh. 2641–50.
- Resnick, H.E., Redline, S., Shahar, E., Gilpin, A., Newman, A., Walter, R et al., 2003, 'Diabetes and Sleep Disturbances: Findings from the Sleep Heart Health Study', *Diabetes Care*, vol. 26, no. 3, hh 702–9.
- Ryu, J. K., 2008, Therapeutic angiogenesis: The pros and cons and the future', *Korean Circulation Journal*, vol. 38, hh. 73-9.
- Ryuichi Aikawa, Masao Nawano, Yaping Gu, Hideki Katagiri, Tomoichiro ,Asano, Weidong, Zhu, Ryoza Nagai and Issei Komuro (2000). Insulin Prevents Cardiomyocytes From Oxidative Stress–Induced Apoptosis Through Activation of PI3 Kinase/ Akt. *Circulation*;102:2873-2879
- Rytter, L., Troelsen, S & Beck-Nielsen, H., 1985, 'Prevalence and mortality of acute myocardial infarction in patients with diabetes' *Diabetes Care*, vol. 8, no. 3, hh. 230-4.
- Santos, S et al., 2003, 'Enhanced expression of vascular endothelial growth factor in pulmonary arteries of smokers and patients with moderate chronic obstructive pulmonary disease', *American Journal of Respiratory and Critical Care Medicine*, vol. 167, hh. 1250-6.
- Saraste, A., Pulkki, K., Kallajoki, M., Henriksen, K., Parvinen, M & Voipio-Pulkki, L.M., 1997, 'Apoptosis in human acute myocardial infarction', *Circulation*, vol. 95, no. 2, hh. 320-3.
- Satoh, N., Shimatsu, A., Himeno, A., Sasaki, Y., Yamakage, H., Yamada, K et al., 2010, 'Unbalanced M1/M2 phenotype of peripheral blood monocytes in obese diabetic patients: effect of pioglitazone', *Diabetes Care*, vol. 3, no. 1, hh. e7.
- Scognamiglio, R., Avogaro, A., Vigili de Kreutzenberg, S., Negut, C., Palisi, M., Bagolin, E dkk., 2002, 'Effects of treatment with sulfonylurea Drugs or insulin on ischemia, induced myocardial dysfunction in type 2 diabetes', vol. 51, no. 3, hh. 808-12.

- Semenza, G.L., Roth, P.H., Fang, H.M & Wang, G.L., 1994, 'Transcriptional regulation of genes encoding glycolytic enzymes by hypoxia-inducible factor 1'. *The Journal of Biological Chemistry*, vol. 269, no. 38, hh. 23757-63.
- Semenza, G.L., 2009, 'Regulation of oxygen homeostasis by hypoxia-inducible factor 1', *Physiology (Bethesda)*, vol. 24, hh. 97-106.
- Sergiu, Zheng, 2020. Hypoxia and hypoxia-inducible factors in diabetes and its complications. *Diabetologia*, 64:709–716
- Shah, A.D., Langenberg, C., Rapsomaniki, E., Denaxas, S., Pujades-Rodriguez, M., Gale, CP et al., 2015, 'Type 2 diabetes and incidence of cardiovascular diseases: a cohort study in 1.9 million people', *The Lancet Diabetes & Endocrinology*, vol. 3, no. 2, hh. 105-13.
- Shaw Chieh S, Wan L. 2014. Hypoxia regulated gen network in drug resistance in cancer progression, *Exp Biol Med*. doi:10.1177.
- Shoba.Rhao, Philip, Tamara.,2009. Impaired Glucose Tolerance and Impaired Fasting Glucose. *Am Fam Physician* 2004;69:1961-8,1971-2.
- Silva, M.M., Sartori, A., Belisle, E & Kowaltowski, A.J., 2003, 'Ischemic preconditioning inhibits mitochondrial respiration, increase H₂O₂ release and enhances K⁺ transport', *American Journal of Physiology-Heart and Circulatory Physiology*, vol. 285, no. 1, hh. H154-62.
- Singh, J.P., Larson, M.G., O'Donnell, C.J., Wilson, P.F., Tsuji, H., Lloyd-Jones, D.M et al., 2000, 'Association of hyperglycemia with reduced heart rate variability (The Framingham Heart Study)', *American Journal of Cardiology*, vol. 86, no. 3, hh. 309-12.
- Spangenberg, E., Remes, C., Mikkelsen, L.F & Cvek, K., 2011, 'Effects of Alternative Housing Systems on Physical and Social Activity in Male Sprague Dawley and Spontaneously Hypertensive Rats', *Scandinavian Journal of Laboratory Animal Science*, vol. 38, no. 1, hh.47-66.
- Spycher, S.E et al., 1997, 'Aldose reductase induction: a novel response to oxidative stress of smooth muscle cells', *FASEB Journal*, vol. 11, no 2, hh. 181-8.
- Srinivasan, S., Stevens, M & Wiley, J.W., 2000, 'Diabetic peripheral neuropathy: evidence for apoptosis and associated mitochondrial dysfunction', *Diabetes*, vol. 49, no. 11, hh. 1932-8.
- Stranders, I., Diamant, M., van Gelder, R.E., Spruijt, H.J., Twisk, J.W., Heine, R.J et al., 2004, 'Admission blood glucose level as risk indicator of death after myocardialinfarction in patients with and without diabetes mellitus', *Archives of internal medicine American Medical Association*, vol. 164, no. 9, hh. 982-8.
- Sung, H.K., Doh, K.O., Son, J.E., Park, J.G., Bae, Y., Choi, S dkk., 2013, 'Adipose vascular endothelial growth factor regulates metabolic homeostasis through angiogenesis', *Cell Metabolism*, vol. 17, no. 1, hh. 61-72.

- Swynghedauw, B., 1999, 'Molecular mechanisms of myocardial remodeling'. *Physiological Reviews*, vol. 79, no. 1, hh. 215-62.
- Taegtmeier, H., Golfman, L., Sharma, S., Razeghi, P & van Arsdall, M., 2004, 'Linking gene expression to function: metabolic flexibility in the normal and diseased heart', *Annals of the New York Academy of Sciences*, vol. 1015, hh. 202-13.
- Treins C, Peraldi S, Murdaca J, Semenza, Obberghen E., 2002, Insulin stimulates Hypoxia Inducible factor 1 through a phosphatidylinositol 3-kinase/ target of rapamycin-dependent signaling pathway. *Journal of Biological Chemistry* Vol.277 272795-27981.
- Wahab, N.N., Cowden, E.A., Pearce, N.J., Gardner, M.J., Merry, H & Cox, J.L., 2002, 'Is blood glucose an independent predictor of mortality in acute myocardial infarction in the thrombolytic era?', *Journal of the American College of Cardiology*, vol. 40, no. 10, hh. 1748-54.
- Wang, Y., Zhu, Y.D., Gui, Q., Wang, X.D & Zhu, Y.X., 2014, 'Glucagon-induced angiogenesis and tumor growth through the HIF-1-VEGF-dependent pathway in hyperglycemic nude mice', *Genetics and Molecular Research*, vol. 13, no. 3, hh. 7173-83.
- White, M.F & Kahn, C.R., 1994, 'The insulin signaling system', *The Journal of Biological Chemistry*, vol. 269, no.1, hh. 1-4.
- Willam, C., Maxwell, P.H., Nichols, L., Lygate, C., Tian, Y.M., Bernhardt, W et al., 2006, 'HIF prolyl hydroxylases in the rat; organ distribution and changes in expression following hypoxia and coronary artery ligation', *Journal of Molecular and Cellular Cardiology*, vol. 41, no. 1, hh. 68-77.
- Wolf, B.B & Green, D.R., 1999, 'Suicidal tendencies: apoptotic cell death by caspase family proteinases', *Journal of Biological Chemistry*, vol. 274, no. 29, hh. 20049-52.
- Xue, W., Liu, Y., Zhao, J., Cai, L., Li, X & Feng, W., 2012, 'Activation of HIF-1 by metallothionein contributes to cardiac protection in the diabetic heart' *American Journal of Physiology-Heart and Circulatory Physiology*, vol. 302, no. 12, hh. H2528-35.
- Yang, Z., Laubach, V.E., French, B.A & Kron, I.L., 2009, 'Acute hyperglycemia enhances oxidative stress and exacerbates myocardial infarction by activating nicotinamide adenine dinucleotide phosphate oxidase during reperfusion', *Journal of Thoracic and Cardiovascular Surgery*, vol. 137, no. 3, hh. 723-9.
- Yang, Z., Tian, Y., Liu, Y., Hennessy, S., Kron, I.L & French, B.A., 2013, 'Acute Hyperglycemia Abolishes Ischemic Preconditioning by Inhibiting Akt Phosphorylation: Normalizing Blood Glucose before Ischemia Restores Ischemic Preconditioning', *Oxidative Medicine and Cellular Longevity*, vol. 2013, hh. 1-8.

- Yaoita, H., Ogawa, K., Maehara, K & Maruyama, Y., 1998, 'Attenuation of ischemia/reperfusion injury in rats by a caspase inhibitor', *Circulation*, vol. 97, no. 3, hh. 276-81.
- Yao, Q., Shin, M.K., Jun, J.C., Hernandez, K.L., Aggarwal, N.R., Mock, J.R et al., 2013, 'Effect of chronic intermittent hypoxia on triglyceride uptake in different tissues', *The Journal of Lipid Research*, vol. 54, no. 4, hh. 1058-65.
- Young-Woong Kim, Tatiana V. Byzova .2013. Oxidative stress in angiogenesis and vascular disease. Blood First Ed, DOI 10.1182/blood- 2013-09-512749.
- Yu H, Che X, Zeng M Insulin protects apoptotic cardiomyocytes from hypoxia/reoxygenation injury through the sphingosine kinase/sphingosine 1-phosphate axis. PLoS ONE 8(12): e80644. doi:10.1371/
- Yuan, G., Nanduri, J., Bhasker, C.R., Semenza, G.L & Prabhakar, N.R., 2005, 'Calmodulin kinase dependent activation of hypoxia inducible factor-1 transcriptional activity in cell subjected of intermitten hypoxia', *Journal of Biological Chemistry*, vol. 280, no. 6, hh. 4321-8.
- Yuan, G., Nandhuri, J., Khan, S., Semenza, G.L & Prabhakar, N.R., 2008, 'Induction of HIF-1 expression by intermitten hypoxia; involvement NADPH oxidase Ca signaling prolylhydroxylase', *Journal of Cellular Physiology*, vol. 217, no. 3, hh. 674-85.
- Zhou Q, Fu B, Hu X, Reactive oxygen spesies regulate insulin –induced VEGF and HIF-1 alpha expression through the activation of p70S6K1 in human prostate cancer cells, *Carcinogenesis* 28(1):28-37

