

DAFTAR PUSTAKA

1. Dhingra P, Dhingra S. Cholesteatoma and Chronic Otitis Media. In: Dhingra P, Dhingra S, editors. *Disease of Ear, Nose, and Throat & Head and Neck Surgery*. New Delhi: Elsevier; 2018. p. 71–82.
2. Agrawal R, Khatri P, Parihar R, Shah H. Microbial assessment of chronic suppurative otitis media in a tertiary care center of Rajasthan. *Int J Health Sci Res*. 2017;7(2):120-6.
3. Ahmad S. Antibiotics in chronic suppurative otitis media: a bacteriologic study. *Egypt J Ear Nose Throat Allied Sci*. 2013;14(3):191-4.
4. WHO. Chronic suppurative otitis media Burden of Illness and Management Options. Acuin J, Philippines, editors. Switzerland: WHO Library Cataloguing; 2004.
5. Browning GG, Weir J, Kelly G, Swan IRC. Chronic Otitis Media. In: Watkinson JC, Clarke RW, editors. *Scott-Brown's Otorhinolaryngology Head and Neck Surgery*. 2. 8 ed. Boca Raton: Taylor & Francis Group; 2018. p. 977-20.
6. Poluan FH, Utomo BSR, Dharmayanti J. Profile benign type of chronic suppurative otitis media in general hospital of the christian university of Indonesia. *Int J Res Granthaalayah*. 2021;9(4):229-39.
7. Rathore VS, Shekhawat KK. Prevalence of Pseudomonas aeruginosa in cholesteatoma patients in tertiary care hospital in North India. *Int J Otorhinolaryngol Head Neck Surg*. 2018;4(1):76-9.
8. Hifni A, Hasni R, Widyasari F, Ghanie A, Bahar E. Comparison of germ patterns and antimicrobial susceptibility in chronic suppurative otitis media with cholesteatoma and without cholesteatoma in Dr. Mohammad Hoesin Hospital. *J Biomed Transl Res*. 2021;5(7):647-56.
9. Nagel J, Wöllner S, Schürmann M, Brotzmann V, Müller J, Greiner JF, et al. Stem cells in middle ear cholesteatoma contribute to its pathogenesis. *Sci Rep*. 2018;8(1):1-10.
10. Jiang H, Wu C, Xu J, Wang Q, Shen L, Ou X, et al. Bacterial and fungal infections promote the bone erosion progression in acquired cholesteatoma revealed by metagenomic next-generation sequencing. *Front Microbiol*. 2021;12:1-7.
11. Tasneem A, Singh SK, Prasad KD. Microbiological profile of aural swab pre-operatively and cholesteatoma sac intra-operatively. *Eur J Mol Clin Med*. 2022;9(2):2760-9.
12. Meyer T, Strunk C, Lambert P. Cholesteatoma. In: Johnson J, Rosen C, editors. *Bailey's head and neck surgery: Otolaryngology*. 5 ed. China: Lippincott Williams & Wilkins; 2014. p. 2433-46.
13. Peek F, Huisman M, Berckmans R, Sturk A, van Loon J, Grote J. Lipopolysaccharide concentration and bone resorption in cholesteatoma. *Otol Neurotol*. 2003;24(5):709-13.
14. Ricciardiello F, Cavaliere M, Mesolella M, Iengo M. Notes on the microbiology of cholesteatoma: clinical findings and treatment. *Acta Otorhinolaryngol Ital*. 2009;29(4):197-202.
15. Xu F, Kong W, Peng J, Gu H, Zheng H. Analysis of main pathogenic bacteria and drug sensitivity in patients with chronic suppurative otitis media and middle ear cholesteatoma in China. *Biotechnol Lett*. 2020;1-8.
16. Munilson J. Pola kuman aerob dan anaerob pada OMSK tipe aman dan OMSK tipe bahaya di RSUP Dr. M. Djamil Padang. *Tesis*. 2009;1-84.
17. Khariri AN, Nursofiah S, Muna F, Rukminiati Y, Mursinah. Akankah perkembangan metode deteksi biomolekuler era 4.0 mampu menggantikan pemeriksaan laboratorium bakteri secara konvensional? . Seminar Nasional Riset Kedokteran 2020. Jakarta: UPN Veteran; 2020. p. 380 - 5.

18. Aboutalebian S, Ahmadikia K, Fakhim H, Chabavizadeh J, Okhovat A, Nikaeen M, et al. Direct detection and identification of the most common bacteria and fungi causing otitis externa by a stepwise multiplex PCR. *Front Cel Infect Microbiol*. 2021;11:1-11.
19. Neeff M, Biswas K, Hoggard M, Taylor MW, Douglas R. Molecular microbiological profile of chronic suppurative otitis media. *J Med Microbiol*. 2016;54(10):2538-46.
20. Cheng X, Tuoheti A, Huang X, Gu X. High-throughput sequencing investigation of bacterial diversity in chronic suppurative otitis media and middle ear cholesteatoma. *Evid Based Complementary Altern Med*. 2022;1-9.
21. Ahn JH, Kim M-N, An YS, Moon BJ. Preoperative, intraoperative, and postoperative results of bacterial culture from patients with chronic suppurative otitis media. *Otol Neurotol*. 2012;33(1):54-9.
22. Noer S. Identifikasi bakteri secara molekular menggunakan 16S rRNA. *J EduBiologia*. 2021;1(1):1 - 6.
23. Saki N, Akhlagh S, Ahmad K. Comparison of PCR assay and culture for detecting bacteria in middle ear fluid of children with otitis media with effusion. *Int Adv Otol*. 2009;5(1):31-4.
24. Aly B, Hamad M, Mohey M, Amen S. Polymerase chain reaction (PCR) versus bacterial culture in detection of organisms in otitis media with effusion (OME) in children. *Indian J Otolaryngol Head Neck Surg*. 2021;64(1):51-5.
25. Naghdi N, Ghane M. A comparison of culture and PCR methods for identifying Propionibacterium acnes in lesions isolated from patients with acne. *Turk J Med Sci*. 2017;47(3):967-72.
26. Afolabi O, Salaudeen A, Ologe F, Nwabuisi C, Nwawolo C. Pattern of bacterial isolates in the middle ear discharge of patients with chronic suppurative otitis media in a tertiary hospital in North Central Nigeria. *Afr Health Sci*. 2012;12(3):362-7.
27. Abd Ali M, Al-Shareda IM. Clinico-microbiology of cholesteatoma obtained during mastoid surgery in patients with chronic suppurative otitis media. *Bas J Surg*. 2021;27(1):36-40.
28. Frank DN, Magno JPM, Velasco KJS, Bootpatch TC, Salud JED, David KJV, et al. Microbiota associated with cholesteatoma tissue in chronic suppurative otitis media. *Front Cell Infect Microbiol*. 2022;12:277-90.
29. Abed AY, Al-ani RM, Mohammed NJ. Bacteriological Finding in Chronic Suppurative Otitis Media and Antibiotic Sensitivity. *Med Legal Update*. 2020;20(2):226-29.
30. Aishwarya B, Prithi NK. Aerobic bacterial profile and antibiotic susceptibility pattern of chronic suppurative otitis media in a tertiary care centre in Kerala. *J Evol Med Dent Sci*. 2019;8(35):2713-9.
31. Morris P. Chronic suppurative otitis media. *Am Fam Physician*. 2013;88(10):694-6.
32. Benson J, Mwanri L. Chronic suppurative otitis media and cholesteatoma in Australia's refugee population. *Aust Fam Physician*. 2012;41(12):978-80.
33. Artono, Ahadiah TH, Rahmawati R, Purnami N, Handoko E. Profile of chronic suppurative otitis media complication in Indonesian patients: review of 25 cases. *Syst Rev Pharm*. 2020;11(11):1477-81.
34. Abraham ZS, Ntunaguzi D, Kahinga AA, Mapondella KB, Massawe ER, Nkuwi EJ, et al. Prevalence and etiological agents for chronic suppurative otitis media in a tertiary hospital in Tanzania. *BMC Res Notes*. 2019;12(1):1-12.
35. Anggraeni R, Hartanto WW, Djelantik B, Ghanie A, Utama DS, Setiawan EP, et al. Otitis media in Indonesian urban and rural school children. *J Pediatr Infect Dis*. 2014;33(10):1010-5.

36. Gopen Q. Pathology and Clinical Course of the Inflammatory Diseases of the Middle Ear. In: Gulya AJ, Minor LYB, Poe DS, editors. *Glasscock-Shambaugh Surgery of the Ear*. 6 ed. USA: People's Medical Publishing House; 2010. p. 425-36.
37. Kaur P, Sood AS, Sharma S, Awal G. Microbiological profile and antimicrobial susceptibility pattern of chronic suppurative otitis media in a tertiary care centre. *J Trop Pathol*. 2018;4(1):1-13.
38. Muftah S, Mackenzie I, Faragher B, Brabin B. Prevalence of chronic suppurative otitis media (CSOM) and associated hearing impairment among school-aged children in Yemen. *Oman Med J*. 2015;30(5):358-65.
39. Mittal R, Lisi CV, Gerring R, Mittal J, Mathee K, Narasimhan G, et al. Current concepts in the pathogenesis and treatment of chronic suppurative otitis media. *J Med Microbiol*. 2015;64(1):1103-16.
40. Asima B, Samhitha V, Presteena KS. Spectrum and antibiogram of bacteria in chronic suppurative otitis media and biofilm formation. *Stem Cell Res J*. 2017;2(4):115-8.
41. Rahmawati R, Nyilo Purnami A. Biofilm bacteria and cholesteatoma on chronic suppurative otitis media. *Med Legal Update*. 2020;20(4):478-83.
42. Mahdiani S, Lasminingrum L, Anugrah D. Management Evaluation of Patients with Chronic Suppurative Otitis Media: A Retrospective Study. *Ann Med Surg*. 2021;67(1):1-5.
43. Al-Hilli ZB. Study of bacterial isolates and their susceptibility pattern in chronic suppurative otitis media. *J Pharm Biol Sci*. 2015;10(6):1-5.
44. Mehta M, Saha P, Kunkulol R, Simar H, Mehta N. Microbiological profile and antibiotic sensitivity pattern of active mucosal chronic otitis media and active squamous chronic otitis media (with cholesteatoma) in a tertiary care hospital of hisar, (Haryana) India. *Ann Clin Otolaryngol*. 2017;2(3):1-6.
45. Gopichand WR, Madhusudan BV, Tukaram KV. Bacteriological profile of chronic suppurative otitis media. *Int J Curr Microbiol App Sci*. 2015;4(6):41-7.
46. Argaw-Denboba A, Abejew AA, Mekonnen AG. Antibiotic-resistant bacteria are major threats of otitis media in Wollo Area, Northeastern Ethiopia: a ten-year retrospective analysis. *Int J Microbiol*. 2016;2016:1-9.
47. Sogandi. Analisis molekuler. Biologi molekuler identifikasi bakteri secara molekuler. Jakarta: Universitas 17 Agustus 1945 Jakarta; 2018. p. 17-43.
48. Budiarto BR. Polymerase chain reaction (PCR) : perkembangan dan perannya dalam diagnostik kesehatan. *BioTrends*. 2015;6(2):29-38.
49. Yusuf ZK. Polymerase Chain Reaction (PCR) *Saintek* 2010;5(6):1-6.
50. Muna F, Khariri. Efektivitas identifikasi bakteri sumber infeksi dengan metode Polymerase Chain Reaction (PCR) multipleks. Seminar Nasional Biologi IP2B IV 2020; Surabaya: UNESA; 2020. p. 212-17.
51. Gupta P, Varshney S, Kumar SK, Mohanty A, Jha MK. Chronic suppurative otitis media: a microbiological review of 20 years. *Indian J Otol*. 2020;26(2):59-67.
52. Xu J, Du Q, Shu Y, Ji J, Dai C. Bacteriological profile of chronic suppurative Otitis media and antibiotic susceptibility in a tertiary care hospital in Shanghai, China. *Ear Nose Throat J*. 2020;100(9):1-6.
53. Kaya E, Dag I, Incesulu A, Gurbuz MK, Acar M, Birdane L. Investigation of the presence of biofilms in chronic suppurative otitis media, nonsuppurative otitis media, and chronic otitis media with cholesteatoma by scanning electron microscopy. *Sci World J*. 2013;2013(1):1-6.
54. Novianti D. Perbandingan frekuensi pembentukan biofilm bakteri aerob pada otitis media supuratif kronis tipe aman fase aktif dengan tipe bahaya di RSUP Dr. M. Djamil Padang. *Tesis*. 2016:1 - 51.

55. Shyamala R, Reddy PS. The study of bacteriological agents of chronic suppurative otitis media—aerobic culture and evaluation. *Microbiol Biotechnol Res.* 2012;2:152-62.
56. Uchimizu H. Effects of inflammatory changes in the middle ear mucosa on middle ear total pressure. *Acta Otolaryngol* 2007;127(10):1031-7.
57. Karanth TK, Nayak DR, Balakrishnan R, Gupta A, Chawla K. Intracranial complications due to chronic suppurative otitis media-atticoantral disease with a reference to its microbiological profile: a retrospective study. *J Clin Diagnostic Res.* 2022;16(2):7-10.
58. Weiss JP, Antonelli PJ, Dirain CO. Microbiome analysis of cholesteatoma by gene sequencing. *Otol Neurotol.* 2019;40(9):1186-93.
59. Dahlan MS. Menggunakan Rumus Besar Sampel secara Benar. In: Dahlan MS, editor. *Besar Sampel Dan Cara Pengambilan Sampel Dalam Penelitian.* Jakarta: Salemba Medika; 2010. p. 35-80.
60. Khamees A, Hameed R. Most common organisms involved in Cholesteatoma and the Antibiotic proper for this organisms. *Int J Adv Res Biol Sci.* 2021;8(6):1-6.
61. Priyadarshini G, Murali S, James F. Clinical and audiological study of chronic suppurative otitis media tubotympanic type. *Int J Otorhinolaryngol Head Neck Surg.* 2017;3(3):671.
62. Nagle S, Jagade MV, Gandhi S, Pawar PV. Comparative study of outcome of type I tympanoplasty in dry and wet ear. *Indian J Otolaryngol head neck Surg Off Publ Assoc Otolaryngol India.* 2009;61(2):138-40.
63. Hunt L, Mulwafu W, Knott V, Chifundo B, Ndamala, Andrew W, et al. Prevalence of paediatric chronic suppurative otitis media and hearing impairment in rural Malawi: A cross-sectional survey. *PloS one.* 2017;12(12):1-12.
64. Hafni BR, Warto N. The relationship between cholesteatoma stage and hearing bone erosion degree in chronic suppurative otitis media patients with cholesteatoma at Dr. M. Djamil General Hospital, Padang, Indonesia. *Sriwij J Otorhinolaryngol.* 2023;1(1):1-4.
65. Gunasekaran A, Mahdiani S, Veronica F. Characteristics of patients who underwent mastoidectomy: a two years experience. *Althea Med J.* 2017;4(3):474-8.
66. Kumari MS, Meganadh KR, Jyothy A, Madhavi J. Prevalence of otological disorders in diabetic cases with hearing loss. *J Diabetes Metab.* 2016;7(4):1-5.
67. Yehudai N, Most T, Luntz M. Risk factors for sensorineural hearing loss in pediatric chronic otitis media. *Int J Pediatr Otorhinolaryngol.* 2015;79(1):26-30.
68. Mittal R, Lisi CV, Kumari H, Blackwelder P, Yan D, Jain C, et al. Otopathogenic Pseudomonas aeruginosa Enters and Survives Inside Macrophages. *Frontiers in microbiology.* 2016;7(1826):1-15.
69. Vătă A, Irimie-Bălu,ătă E, Roșu FM, Onofrei IM, Loghin II, Per,tea M, et al. Polymicrobial bacterial meningitis in a patient with chronic suppurative otitis media: case report and literature review. *Medicina.* 2023;59(1428):1-10.
70. Hydri AS, Alam MJ, Anwar K. Causative organisms in chronic suppurative otitis media and their drug sensitivity in a tertiary hospital of Southern Punjab, Pakistan. *Rawal Med J.* 2017;42(2):191-4.
71. Orji FT, Dike B. Observations on the current bacteriological profile of chronic suppurative otitis media in South Eastern Nigeria. *Ann Med Health Sci Res.* 2015;5(2):124-8.
72. Gu X, Cheng X, Abulajiang T, Huang X. Bacterial diversity of chronic middle ear lesions revealed by highthroughput sequencing. *bioRxiv.* 2021;1:1-11.
73. Soejima T, Iida K-i, Qin T, Taniai H, Seki M, Yoshida S-i. Method to detect only live bacteria during PCR amplification. *J Clin Microbiol.* 2018;46(7):2305–13.
74. Masalha M, Borovok I, Schreiber R, Aharonowitz Y, Cohen G. Analysis of transcription of the *Staphylococcus Aureus* aerobic class Ib and anaerobic class III ribonucleotide reductase genes in response to oxygen. *J Bacteriol.* 2001;183(24):7260-72.

75. Wexler HM. Bacteroides: the good, the bad, and the nitty-gritty. *Clin Microbiol Rev.* 2007;20(4):593–621.
76. Chirwa M, Mulwafu W, Masinde P, Mkakosya R, Aswani JM, Soko D. Microbiology of chronic suppurative otitis media at Queen Elizabeth Central Hospital, Blantyre, Malawi: a cross-sectional descriptive study. *Malawi Med J.* 2016;27(4):120-4.
77. Khatun R, Naznin M, Alam F, Salam A. Microbiology of chronic suppurative otitis media: an update from a tertiary care hospital in Bangladesh. *Pak J Med Sci* 2021;37(3):821-6.
78. Uddén F, Filipe M, Reimer Å, Paul M, Matuschek E, Thegerström J, et al. Aerobic bacteria associated with chronic suppurative otitis media in Angola. *Infect Dis Poverty.* 2018;7(42):1-10.
79. Wahyono DJ, Darmawan AB, Alfason L, Simbolon R, Wijayanti SPM, Paramaiswari WT, et al. *Staphylococcus aureus* and *Pseudomonas aeruginosa* in tubotympanic chronic suppurative otitis media patients in Purwokerto, Indonesia. *Indones Biomed J.* 2020;12(4):340-8.
80. Mittal R, Debs LH, Patel Ap, Nguyen D, Blackwelder P, Yan D, et al. Otopathogenic *Staphylococcus Aureus* invades human middle ear epithelial cells primarily through cholesterol dependent pathway. *Sci Rep.* 2019;9(1):1-10.

