

DAFTAR PUSTAKA

1. Nayagam S. Principles of fractures. In: Solomon L, Warwick D, Nayagam S. Apley's System of Orthopaedics and Fractures. 9th ed. London: Hodder Arnold; 2010; 687-732
2. Sjamsuhidajat R, de Jong. Buku ajar ilmu bedah. Edisi ke-7. Jakarta: EGC; 2007;1039-42.
3. Badan Penelitian dan Pengembangan Kesehatan. Riset Kesehatan Dasar (RISKESDAS) 2007. Laporan Nasional. 2007;160-169.
4. Badan Penelitian dan Pengembangan Kesehatan. Riset Kesehatan Dasar (RISKESDAS) 2013. Laporan Nasional 2013. 2013;101-102.
5. World Health Organization. World health statistics 2010. 2010 (diunduh 28 November 2018). Tersedia dari: URL: HYPERLINK <http://www.who.int/whosis/whostat/2010/en/>.
6. Desiartama A, Aryana I G N W. Gambaran Karakteristik Pasien Fraktur Femur Akibat Kecelakaan Lalu Lintas pada Orang Dewasa di Rumah Sakit Umum Pusat Sanglah Denpasar Tahun 2013. E-Jurnal Medika. 2017 Mei; 6(5):1-4
7. Thompson, J. Netter's Concise Orthopaedic Anatomy, 2nd Ed. Elsevier Saunders, 2010; 251, 266-268
8. Court-Brown CM, Caesar B. Epidemiology of adult fractures: A review. Injury 2006; 37(8): 691-7
9. Lowe JA, Fischer SJ. Femur Shaft Fractures (Broken Thighbone). Am Acad Orthop Surg. 2018.
10. American College of Surgeons Committee on Trauma. Advanced Trauma Life Support for Doctors (ATLS) Student Course Manual. 8th ed. Chicago, IL : American College of Surgeons ; 2008
11. Neumann M V, Südkamp NP, Strohm PC. Management of femoral shaft fractures. Manag femoral shaft Fract. 2015;82(1):22-32.
12. Nagra, N. S, van Popta, D, Whiteside, S, & Holt, E. M. (2016). An analysis of postoperative hemoglobin levels in patients with a fractured neck of femur. Acta Orthopaedica et Traumatologica Turcica, 50(5), 507–513

13. Vajpayee N, Graham SS, Bem S. Basic Examination of Blood and Bone Marrow. McPherson RA, Pincus MR, eds. Henry's Clinical Diagnosis and Management by Laboratory Methods. 22nd ed. Philadelphia, PA: Saunders, an imprint of Elsevier Inc; 2011. Chap 30:509-35.
14. Kinyajui, C.K. Factors affecting blood loss during open reduction and internal fixation (ORIF) of femur fractures. Eaoj. 2010;4:48-51
15. Liumbruno GM, Bennardello F, Lattanzio A, Piccoli P, Rossetti G. Recommendations for the transfusion management of patients in the peri-operative period. III. The post-operative period. Blood Transfus. 2011;9(3):320-335.
16. Willems JM, de Craen AJ, Nelissen RG, van Luijt PA, Westendorp RG, Blauw GJ. Haemoglobin predicts length of hospital stay after hip fracture surgery in older patients. Maturitas 2012;72:225–8.
17. Billet HH. Clinical Methods The History, Physical, and Laboratory Examinations, 3rd Ed. Emory University School of Medicine 1990;151:718-9
18. Cappellini MD, Motta I. Anemia in Clinical Practice—Definition and Classification. Semin Hematol. 2014;52(4):299-302.
19. Kannus P, Parkkari J, Sievänen H, Heinonen A, Vuori I, Järvinen M. Epidemiology of hip fractures. Bone 1996;18(1 Suppl):57–63.
20. Wartawan, I W. Analisis Lama Hari Rawat Pasien yang menjalani pembedahan di ruang rawat inap bedah kelas III RSUP Sanglah Denpasar tahun 2011[tesis]. Jakarta : Universitas Indonesia; 2012.
21. Gouin & Glaser. 2011. The Impact of psychological stress on wound healing : methods and mechanism. Immuno Allergy Clin North Am. Vol.31 (1) page 81-93
22. Buku Petunjuk Pengisian, Pengolahan, dan Penyajian Data Rumah Sakit. Depkes RI.2005. Jakarta : Depkes RI. 2005
23. Abdullah HR, Sim YE, Hao Y, *et al.* Association between preoperative anaemia with length of hospital stay among patients undergoing primary total knee arthroplasty in Singapore: A single-centre retrospective study. BMJ Open. 2017;7(6):1-5.

24. Halm E, Wang J, Boockvar K. The Effect of Perioperative Anemia on Clinical and Functional Outcomes in Patients With Hip Fracture. July. 2004;18(6):369-374.
25. Choi SW, Leung FKL, Lau TW, Wong GTC. Impact of postoperative haemoglobin on length of stay post fractured hip repair in patients with standardised perioperative management. HIP Int. 2018;(May).
26. WT Y, AmaefulaT, IC E, DD M, ZD S, Kortor JN. Indications and outcome of Open Reduction and Internal Fixation of Long Bones in Benue State North Central Nigeria. 2014;9(1):15-20.
27. Andriandi, Siregar C. Karakteristik dari Penderita Fraktur Femur di RSUP Haji Adam Malik Medan Periode Januari 2009-Desember 2010. Majalah Kedokteran Nusantara. 2014 April; 47(1):31-4
28. Noorisa R, Apriliwati D, Aziz A, Bayusentono S. The Characteristic of Patients with Femoral Fracture in Department of Orthopaedic and Traumatology RSUD dr. Soetomo Surabaya 2013-2016. Journal of Orthopaedi & Traumatology Surabaya. 2017 Maret;6(1):1-11
29. Agarwal-harding KJ, Meara JG, Greenberg SLM, Hagander LE, Zurakowski D, Dyer GSM. Estimating Global incidence of femoral fracture from road traffic collisions. J Bone Jt Surg Am. 2015;97(31):1-10.
30. Ruedi TP, Buckley R, Moran C. AO Principles of Fracture Management. 2nd ed. New York: Thieme; 2007.
31. Szczesny G, Interewicz B, Swoboda-Kopec E, Olszewski WL, Górecki A, Wasilewski P. Bacteriology of callus of closed fractures of tibia and femur. J Trauma. 2008 Oct. 65(4):837-42
32. Tortora GJ, Derrickson B. Principles of Anatomy and Physiology 13th ed. United States: Wiley; 2012
33. Torres L, Lycans D, & Akshay Goel. (2017). Femoral Shaft Fractures. Orthopedic Surgery Clerkship, 291–297.
34. Solomon L, Warwic D, Selvadurai N. Apley And Solomon Concise System Of Orthopaedics Trauma 4th edition. 2014

35. Changes In The Management Of Femoral Shat Fractures In Polytrauma Patients: From Early Total Care To Damage Control Orthopedic. *The Journal Of Trauma* . October 2002
36. Miller MD., Holmes EJ., Misra RR. A-Z Of Musculoskeletal And Trauma Radiology. 2009. Cambridge University Press
37. Advanced Trauma Life Support (ATLS) For Doctors. (2004). Edisi 7. Jakarta : IKABI
38. Peter V Giannoudis, Hans Christoph Pape MS. Reduction and fixation. *Assoc Orthop Found*. 2018.
39. Hopkins J. Femur Fracture Open Reduction and Internal Fixation. *Hopkins Med*.2018.
40. Benjamin JB, Sheppard JE, Hunter TB. Fracture Fixation. *Radiol Soc North Am*. 2003;1569-1590
41. Kossmann, T. (2018). Femur Shaft Fracture. *Phatologies Lex Mediscus*.
42. Costill, L and Jack H Wilmore. 1994. Physiology of Sport and Exercise. Canada: Human Kinetics Publisher
43. Pearce, Evelyn. 2009. Anatomi dan Fisiologi Untuk Paramedis. Jakarta: PT. Gramedia Pustaka Utama.
44. Carson JL, Ternin ML, Magaziner J. Transfusion Trigger Trial for functional outcome in cardiovascular patients undergoing surgical hip fracture repair (FOCUS) *Transfusion*. 2006;46(12):2192–2196
45. Pilot P, Ester MJB, Aart DV. The use of autologous blood to improve exercise capacity after total hip arthroplasty: a preliminary report. *Transfusion*. 2006;46(9):1484–1490.
46. Eipe N, Ponniah M. Perioperative blood loss assessment: how accurate. *Indian Journal of Anaesthesia*. 2006;50(1):35–39.
47. Gardner AJS, Dudley HAF. The measuring of blood loss at operation. *British Journal of Anaesthesia*. 1962;34:653–656. [PubMed]
48. Ravi P, Kiran M D, Conor P, Senagore A J, Millward BL, Fazio VW. Operative blood loss and use of blood products after laparoscopic and conventional open colorectal operations. *Archives of Surgery*. 2004;139(1):39–42. [PubMed]

49. Jones R. Average length of stay in hospitals in the USA. *Br J Healthc Manag.* 2013;19(4):186-191.
50. Aizpuru M, Staley C, Reisman W, Gottschalk MB, Schenker ML. Determinants of length of stay after operative treatment for femur fractures. *J Orthop Trauma.* 2018;32(4):161-166.
51. Pendleton AM, Cannada LK, Guerrero-Bejarano M. Factors affecting length of stay after isolated femoral shaft fractures. *J Trauma - Inj Infect Crit Care.* 2007;62(3):697-700.
52. Choi SW, Leung FKL, Lau TW, Wong GTC. Impact of postoperative haemoglobin on length of stay post fractured hip repair in patients with standardised perioperative management. *HIP Int.* 2018;(May).
53. Kajja I, Bimenya GS, Eindhoven B, Jan ten Duis H, Sibinga CTS. Blood loss and contributing factors in femoral fracture surgery. *Afr Health Sci.* 2010;10(1):18-30.
54. Gruson KI, Aharonoff GB, Egol KA, Zuckerman JD, Koval KJ. The relationship between admission hemoglobin level and outcome after hip fracture. *J Orthop Trauma.* 2002;16(1):39-44.
55. Bou Monsef J, Boettner F. Blood Management May Have an Impact on Length of Stay After Total Hip Arthroplasty. *HSS J.* 2014;10(2):124–30.
56. Guyton, Hall JE. In: Rachman RY, Hartanto H, Novrianti A, Wulandari N, penerjemah. Buku Ajar Fisiologi Kedokteran (terjemahan) (11th ed). Jakarta: EGC, 2007.