

DAFTAR PUSTAKA

- Akello, J., Dubois, T., Gold, C. S., Coyne, D., Nakavuma, J., & Paparu, P. (2007). *Beauveria bassiana* (Balsamo) Vuillemin as an endophyte in tissue culture banana (*Musa* spp.). *Journal of Invertebrate Pathology*, 96(1): 34–42.
- Akutse, K. S., Maniania, N. K., Fiaboe, K. K. M., Van den Berg, J., & Ekesi, S. (2013). Endophytic colonization of *Vicia faba* and *Phaseolus vulgaris* (Fabaceae) by fungal pathogens and their effects on the life-history parameters of *Liriomyza huidobrensis* (Diptera: Agromyzidae). *Fungal Ecology*, 6(4): 1–9.
- Aswarni, Z. (2016). *Pengaruh jumlah bahan aktif Beauveria bassiana* (Bals.) Vuill. terhadap *Spodoptera litura* Fab. (Lepidoptera: Noctuidae). Universitas Andalas.
- Badan Pusat Statistik. (2022). *Produksi Tanaman Sayuran*. Statistik Indonesia. <https://www.bps.go.id/%0Aindicator/55/61/1/produksi-tanamansayuran.html>.
- Bagariang, W., Kurniati, A., Lestrari, T. M. P., Mahmudah, D., Suyanto, H., Cahyana, N. A., Besar, B. (2023). Uji Efektivitas *Beauveria bassiana* Pada Media Beras Terhadap Mortalitas, Pembentukan Pupa dan Kemunculan Imago *Spodoptera litura* Fabr. *Agro Wiralodra*, 6(1): 1–8.
- Barra-Bucarei, L., González, M. G., Iglesias, A. F., Aguayo, G. S., Peñalosa, M. G., & Vera, P. V. (2020). *Beauveria bassiana* multifunction as an endophyte: Growth promotion and biologic control of *trialeurodes vaporariorum*, (westwood) (hemiptera: Aleyrodidae) in tomato. *Insects*, 11(9), 1–15.
- Bernays, E. A. (1993) Plant sterols and host-plant affiliations of herbivores. In: Bernays EA (ed) *Insect-plant interactions*, Vol IV. CRC, Boca Raton, pp 45–57.
- Bing, & Lewis, L. C. (1992). Temporal relationships between *Zea mays*, *Ostrinia nubilalis* (Lepidoptera: Pyralidae) and endophytic *Beauveria bassiana*. *Entomophaga*, 37(4): 525–536.
- Broome, J. R., Sikorowski P. P., & Norment B. R. (1976). A mechanism of pathogenicity of *Beauveria bassiana* on larvae of the imported fire ant. *Solenopsis richteri*. *J Invertebr Pathol* 28: 87-91.
- Carrasco, D., Larsson, M. C., & Anderson, P. (2015). Insect host plant selection in complex environments. *Current Opinion in Insect Science*, 8, 1–7.
- Clay, K, & Holah, J . (1999). Fungal endophyte symbiosis and olant diversity in successional fields. *J Science*. 285: 1742-1744.
- Dugassa-Gobena D, Raps, A., Vidal, S. (1998) Influence of fungal endophytes on allelochemicals of their host plants and the behavior of insects. Mededelingen Faculteit Land-bouwkundige en Toegepaste Biologische Wetenschappen Universiteit Gent 63: 333–337.

- Flowerina, G. (2021). *Penggunaan Cendawan Entomopatogen Beauveria bassiana (Balsamo) Vuill. Untuk Pengendalian Bemisia tabaci (Gennadius) (Hemiptera:Aleyrodidae) Pada Tanaman Tomat.* Universitas Andalas.
- Gao, F., Dai, C., & Liu, X. iao-zhen. (2010). Mechanisms of fungal endophytes in plant protection against pathogens. *African Journal of Microbiology Research*, 4(13): 1346–1351.
- Garvey, M. A., Creighton, J. C., & Kaplan, I. (2020). Tritrophic interactions reinforce a negative preference–performance relationship in the tobacco hornworm (*Manduca sexta*). *Ecological Entomology*, 45(4): 783–794.
- Gautam, S., Mohankumar, S., & Kennedy, J. S. (2016). Induced host plant resistance in cauliflower by *Beauveria bassiana*. *Journal of Entomology and Zoology Studies*, 4(2): 476–482.
- Gopika, R., Mm, S., & Ag, L. (2021). Biology and morphometry of tobacco leaf eating caterpillar, *Spodoptera litura* on Cabbage (*Brassica olearacea* var . capitata L.). *The Pharma Innovation Journal*, 10(8): 1568–1571.
- Gripenberg, S., Mayhew, P. J., Parnell, M., & Roslin, T. (2010). A meta-analysis of preference-performance relationships in phytophagous insects. *Ecology Letters*, 13(3): 383–393.
- Hashimi, M. H., Hashimi, R., & Ryan, Q. (2020). Toxic Effects of Pesticides on Humans, Plants, Animals, Pollinators and Beneficial Organisms. *Asian Plant Research Journal*, 5(4): 37–47.
- Hendra, Y., Trizelia, & Syahrawati, M. (2022). Virulensi empat isolat *Beauveria bassiana* Bals.Vuill terhadap wereng batang coklat (*Nilaparvata lugens* Stall.). *Jurnal Pertanian Agros*, 24(2): 552–558.
- Hermanto, C., Maharijaya, A., Arsanti, I. W., Hayati, M., Rosliani, R., Setyawati, C. A., Husni, I., Sari, M., Wibawa, T., Sunarto, B., Kurdi, Adin, A., Julietha, D., Suad, D., Efendi, M., Hariyanto, Nggaro, Y. Y., Anggraeni, F., Waludin, J., Setiani, R. (2017). Pedoman Budidaya Bawang Merah Menggunakan Benih Biji. In *Direktorat Sayuran dan Tanaman Obat*.
- Iriani, E. (2013). Prospek pengembangan inovasi teknologi bawang merah di lahan sub optimal (lahan pasir) dalam upaya peningkatan pendapatan petani. *Litbang Provinsi Jawa Tengah*, 11(2): 1–13.
- Irfan, M. (2013). Respon Bawang Merah (*Allium ascalonicum* L.) terhadap Zat Pengatur Tumbuh dan Unsur Hara. *Jurnal Agroteknologi*, 3(2): 35–40.
- Jallow, M. F. A., Dugassa-Gobena, D., & Vidal, S. (2004). Indirect interaction between an unspecialized endophytic fungus and a polyphagous moth. *Basic and Applied Ecology*, 5(2): 183–191.

- Jhonneri. (2012). *Pengaruh konsentrasi konidia cendawan entomopatogen Beauveria bassiana (BALS.) VUILL. terhadap laju konsumsi pakan dan biologi hama Crocidolomia pavonana F. (Lepidoptera :Crambidae)*. Universitas Andalas.
- Jurgens, A., Wee, S. L., Shuttleworth, A., & Johnson, S. D. (2013). Chemical mimicry of insect oviposition sites: A global analysis of convergence in angiosperms. *Ecology Letters*, 16(9): 1157–1167.
- Kohandani, F., Le Goff, G. J., & Hance, T. (2017). Does insect mother know under what conditions it will make their offspring live? *Insect Science*, 24(1), 1–9.
- Kramm, K. R., & West, D. F. (1982). Termite pathogens: effect of ingested *Metarhizium*, *Beauveria* and *Gliocladium* conidia on worker termites (*Reticulitermes* sp.) *Journal Invertebr Pathol.* 40:7-11.
- Laksono, F., & Yuliawati, Y. (2021). Integrasi Pasar Bawang Merah di Pasar Johar dan Pasar Peterongan Jawa Tengah. *Jurnal Ekonomi Pertanian Dan Agribisnis*, 5(2): 510–519.
- Lopez, D. C., & Sword, G. A. (2015). The endophytic fungal entomopathogens *Beauveria bassiana* and *Purpureocillium lilacinum* enhance the growth of cultivated cotton (*Gossypium hirsutum*) and negatively affect survival of the cotton bollworm (*Helicoverpa zea*). *Biological Control*, 15, 53–60.
- Lord, J. C. (2001). Response of the wasp *Cephalonomia tarsalis* (Hymenoptera: Bethyridae) to *Beauveria bassiana* (Hyphomycetes: Moniliales) as free conidia or infection in its host, the sawtoothed grain beetle, *Oryzaephilus surinamensis* (Coleoptera: Silvanidae). *Biological Control*, 21(3): 300–304.
- Marwoto & Suharsono. (2008). Strategi dan komponen teknologi pengendalian ulat grayak (*Spodoptera Litura* Fabricius) pada tanaman kedelai. *Jurnal Litbang Pertanian*, 27(4): 131–136.
- Mawan, A., Buchori, D., & Triwidodo, H. (2015). Pengaruh cendawan endofit terhadap biologi dan statistik demografi wereng batang coklat *Nilaparvata lugens* Stål (Hemiptera: Delphacidae). *Jurnal Entomologi Indonesia*, 12(1): 11–19.
- Mwamburi, L. A. (2021). Endophytic fungi, *Beauveria bassiana* and *Metarhizium anisopliae*, confer control of the fall armyworm, (J.E. Smith) (Lepidoptera : Noctuidae), in two tomato varieties. *Egyptian Journal of Biological Pest Control*, 31(7): 1–6.
- Napitupulu, D., & Winarto, L. (2010). Pengaruh pemberian pupuk N dan K terhadap pertumbuhan dan produksi bawang merah. *J.Hort*, 20(1): 27–35.
- Ownley, B. H., Griffin, M. R., Klingeman, W. E., Gwinn, K. D., Moulton, J. K., & Pereira, R. M. (2008). *Beauveria bassiana*: Endophytic colonization and plant disease control. *Journal of Invertebrate Pathology*, 98(3): 267–270.

- Palupi, T., & Alfandi, A. (2018). Pengaruh jarak tanam dan pemotongan umbi bibit terhadap pertumbuhan dan hasil tanaman bawang merah (*Allium ascalonicum* L.) varietas Bima brebes. *Agros wagati Jurnal Agronomi*, 6(1): 1–15.
- Powell, W. A., Klingeman, W. E., Ownley, B. H., & Gwinn, K. D. (2009). Evidence of endophytic *Beauveria bassiana* in seed-treated tomato plants acting as a systemic entomopathogen to larval *Helicoverpa zea* (Lepidoptera: Noctuidae). *Journal of Entomological Science*, 44(4): 391–396.
- Putra, F. S., (2019). *Aplikasi cendawan endofit Beauveria bassiana (Bals.) Vuill pada benih cabai (Capsicum annum) untuk mengendalikan Myzus persicae (Hemiptera : Aphididae) dan meningkatkan pertumbuhan tanaman.* Universitas Andalas.
- Rai, D., Updhyay, V., Rana, M., & Mehra, P. (2014). *Potential Of Entomopathogenic Fungi As Biopesticides Prateeksha Mehra.* 2321–9262, 7–13. <http://www.indjsrt.com>.
- Ramadani, S., (2021). *Virulensi beberapa isolat Beauveria bassiana dan Metarhizium spp. terhadap telur Spodoptera frugiperda J.E Smith (Lepidoptera : Noctuidae) di Laboratorium.* Universitas Andalas.
- Raya-Diaz, S., Sanchez-Rodriguez, A. R., Segura-Fernandez, J. M., Del Campillo, M. D. C., & Quesada-Moraga, E. (2017). Entomopathogenic fungi-based mechanisms for improved Fe nutrition in sorghum plants grown on calcareous substrates. *PLoS ONE*, 12(10): 1–28.
- Rosmiati, A., Hidayat, C., Firmansyah, E., & Setiati, Y. (2018). Potensi *Beauveria bassiana* sebagai Agens Hayati *Spodoptera litura* Fabr. pada Tanaman Kedelai. *Agricoltura*, 29(1): 43–47.
- Sari, D. D. (2016). Preferensi Ovoposisi *Plutella xylostella* (Linn). (*Lepidoptera : Plutellidae*) Pada Tanaman Brassicaceae. *J. Sainmatika*, 13(1): 52–59.
- Sari, D. M., Bakti, D., & Safni, I. (2018). Uji Preferensi *Spodoptera litura* (Lepidoptera: Noctuidae) Terhadap Beberapa Tanaman Leguminosa dan Palmae. *Jurnal Pertanian Tropik*, 5(2): 237–246.
- Schulz, B., & Boyle, C. (2006). What are Endophytes? *Soil Biology*, 9(1): 1–13.
- Silva, A. C. L., Silva, G. A., Abib, P. H. N., Carolino, A. T., & Samuels, R. I. (2020). Endophytic colonization of tomato plants by the entomopathogenic fungus *Beauveria bassiana* for controlling the South American tomato pinworm, *Tuta absoluta*. *CABI Agriculture and Bioscience*, 1(3): 1–9.
- Silvia, A. (2017). *Kemampuan kolonisasi cendawan endofit Beauveria bassiana pada kacang tanah dan pengaruhnya terhadap tingkat serangan Lamprosema indicata (Lepidoptera:Pyralidae).* Universitas andalas.

- Singer, M. C. (1986). The Definition and Measurement of Oviposition Preference in Plant-Feeding Insects. *Insect Plants Interactions.*, 65–94.
- Singer, M. C. (2014). *Oviposition preference : its definition , measurement and correlates , and its use in assessing risk of host shifts.* January, 11.
- Supriyadi, A., Rochdjatun, I., & Djauhari, S. (2013). Kejadian Penyakit Pada Tanaman Bawang Merah Yang Dibudidayakan Secara Vertikultur Di Sidoarjo. *Jurnal HPT*, 1(3): 27–40.
- Tack, A. J. M., & Dicke, M. (2013). Plant pathogens structure arthropod communities across multiple spatial and temporal scales. *Functional Ecology*, 27: 633–645.
- Tefera, T., & Vidal, S. (2009). Effect of inoculation method and plant growth medium on endophytic colonization of sorghum by the entomopathogenic fungus *Beauveria bassiana*. *BioControl*, 54(5): 663–669.
- Trizelia, Martinius, Reflinaldon, Liswarni, Y., & Putra, F. S. (2020). Colonization of *Beauveria bassiana* (Bals.) vuill on chili (*Capsicum annum*) and its effect on populations of *Myzus persicae*. *Journal of Biopesticides*, 13(2): 40–46.
- Udiarto, B. K., Setiawati, W., & Suryaningsih, E. (2005). *Pengenalan hama dan penyakit Tanaman Bawang Merah dan Pengendaliannya*. Panduan Teknis PTT Bawang Merah.
- Vega, F. E., Goettel, M. S., Blackwell, M., Chandler, D., Jackson, M. A., Keller, S., Koike, M., Maniania, N. K., Monzón, A., Ownley, B. H., Pell, J. K., Rangel, D. E. N., & Roy, H. E. (2009). Fungal entomopathogens: new insights on their ecology. *Fungal Ecology*, 2(4): 149–159.
- Wagner, B. L., & Lewis, L. C. (2000). Colonization of corn, *Zea mays*, by the entomopathogenic fungus *Beauveria bassiana*. *Applied and Environmental Microbiology*, 66(8): 3468–3473.
- Zhu, H., Fu, J., Wang, H., Bidochka, M. J., Duan, M., Xu, W., & Sui, L. (2023). Fitness Consequences of Oviposition Choice by an Herbivorous Insect on a Host Plant Colonized by an Endophytic Entomopathogenic Fungus. *Journal of Pest Science*, 96 (2): 745–758.