

DAFTAR PUSTAKA

- Aberg, J. A. et al. (2007) Drug Information Handbook, 17th Edition, American Pharmacists Association
- American Cancer Society. Cancer Facts & Figures 2022. <https://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/annual-cancer-facts-and-figures/2018/cancer-facts-and-figures-2022.pdf>. diakses 19 April 2023
- American Society of Health System Pharmacists. 2011. AHFS Drug Information. United States of America.
- Arbor KJ, Dubey R. (2020). Doxorubicin. StatPearls. StatPearls Publishing.
- Astina, I. K. (2022). Perspektif geografi dalam kajian kualitas hidup lansia. Universitas Negeri Malang
- Badan POM. (2008). Informatorium Obat Nasional Indonesia. Jakarta: Sagung Seto.
- Bakta IM. (2007). Limfoma maligna. Hematologi klinik ringkas. Cetakan I. Jakarta: EGC;.. p.192- 219.
- Barni S, Petrelli F, Cabiddu M. (2016). Cardiotoxicity of antiemetic drugs in oncology: an overview of the current state of the art. Critical Review in Oncology/Hematology.
- Basch E, Prestud AA, Hesketh PJ, Kris MG, Feyer PC, Somerfield MR, Chesney M, Clark-Snow RA, Flaherty AM, Freundlich B, Morrow G, Rao KV, Schwartz RN, Lyman GH. (2011). Antiemetics: american society of clinical oncology clinical practice guideline update. Journal of Clinical Oncology.; 29(31)
- Baxter Oncology. (2013). Selected schedules of therapy for malignant tumors Part 1: Haematologic Malignancies, 17th ed;
- Berger, M. J., Ettinger, D. S., Aston, J., Barbour, S., Bergsbaken, J., Bierman, P. J., Lagman, R., (2017), CE NCCN Guidelines ® Insights Antiemesis , Version 2 . Featured Updates to the NCCN Guidelines, (7), 883–893.
- Brain, michael C dan Paul P. Carbone.(1992). Current Therapy in Hematology – Oncology. B.C Decker. Pennsylvania : 334 – 363

- Brown, L.Daniel. (2015). Cellular mechanisms of chemotherapy. Clinical guide to antineoplastic therapy A chemotherapy handbook,
- Bruno G. Ab Initio and DFT. (2018). Study on Cyclophosphamide: Anticancer and Immunomodulating Agents. Aust J Chem.;71(7)
- Chang, E., Daly, J., & Elliott, D, (2010), Patofisiologi, Aplikasi pada Praktik Keperawatan (S. K. Yulianti, Devi & S. K. Isnaeni, Sari Ns, Eds.), Buku Kedokteran EGC, Jakarta
- Chiu B.CH., Hou N. (2015). Epidemiology and Etiology of Non-Hodgkin Lymphoma. In: Evens A., Blum-K. (eds) Non-Hodgkin Lymphoma. Cancer Treatment and Research. Springer, Cham..Vol 165. p1-25
- Clemmons, PharmD, BCOP, A., Gandhi, PharmD, BCOP, A., Clarke, PharmD, A., Jimenez, APN-BC, AGACNP, AOCNP, S., Le, MD, T., & Ajebo, MD, G. (2021). Premedications for Cancer Therapies: A Primer for the Hematology/Oncology Provider. Journal Of The Advanced Practitioner In Oncology, 12(8)
- Darmansjah. I. (2005) Farmakologi dan Terapi Edisi IV. Jakarta Departemen Farmakologi dan Terapeutik FK UI.
- Dipiro JT, Talbert RL, Yee GC, Matzke G, Wells BC and Posy LM. (2020). Pharmacotherapy: A Pathophysiologic Approach 11th edition. United State of America: The McGraw-Hill Companies;
- Dipiro JT, Talbert RL, Yee GC, Matzke G, Wells BC and Posy LM. (2005.). Pharmacotherapy: A Pathophysiologic Approach 6th edition. United State of America: The McGraw-Hill Companies; Hal 701-712
- Firmansyah, M. A. (2010). Penatalaksanaan Mual Muntah yang Diinduksi Kemoterapi. Cermin Dunia Kedokteran, 37: 249-50.
- Frederickson M, Hursti T, Furst Cj, et al. Nausea in cancer chemotherapy is inversely related to urinary cortisol excretion. Br j cancer (1992) : h. 80-779
- Greer.John P, et al. (2004). Wintrobe's Clinical Hematology 11th ed. Lippincott William& Wilkins. Philadelphia : 2363 – 2422
- Gupta, K., Walton, R., & Kataria, S. (2021). Chemotherapy-Induced Nausea and Vomiting: Pathogenesis, Recommendations, and New Trends. Cancer Treatment And Research Communications

- Haris AL. (1992) Cytotoxic-therapy Induced Vomiting is Mediated via Enkephalin Pathways. *Lancet*: h. 6-714
- Hariyanto BEP, Mantik MFJ, Wahani A. (2015). Kejadian muntah pada penderita kanker yang menjalani pengobatan kemoterapi di RSUP Prof. Dr. R. D. Kandou Manado. *Journal e-Clinic.*; 3(3).
- Hesketh,P.J. (1999). Defining The emetogenicity of cancer chemotherapy regiment: Relevance to clinical Practice. *The Oncologist* **4**(3):191-196
- Hoffbrand A.V., Moss P.A.H. (2016). Hoffbrand's essential haematology. Edisi VII. Penerbit : Wiley-Blackwell.. p. 214-225
- Hoskins P. (2012). Guidelines for prevention and treatment of chemotherapy-induced nausea and vomiting in adults. BC Cancer Agency..
- Husband A dan Worsley A. (2007). Nausea and vomiting- pharmacological management. *Hospital Pharmacist.*; 4.
- Indonesian Society Of Hematology And Medical-oncology (2023). Perhimpunan Hematologi-Onkologi Medik Penyakit Dalam Indonesia (PERHOMPEDIN)
- Janelins, M. C., Tejani, A. M., & Kamen, C. (2013). Current pharmacotherapy for chemotherapy-induced nausea and vomiting in cancer patients. *Expert opinion on pharmacotherapy*, 14(6),757-766.
- Jordan K, Sippel C, Schmoll HJ. (2007). Guidelines for antiemetic treatment of chemotherapy-induced nausea and vomiting: past, present, and future recommendations. *The Oncologist*; 12: 1143-1150
- Kator S dan Kim SS. (2015). Ondansetron and the risk of QTc prolongation. *The Journal for Nurse Practitioners.*; 11(4): 478-479.
- Katzung, B. G. (2013). *Farmakologi Dasar dan Klinik* Ed.12. Penerbit buku Kedokteran EGC. Jakarta: 949 – 974
- Kementerian Kesehatan Republik Indonesia. (2011). Kurikulum Pelatihan Penggunaan Obat Rasional (POR). Modul Penggunaan Obat Rasional, Jakarta
- Kementerian Kesehatan Republik Indonesia. (2016). Komite Penanggulangan Kanker Nasional. Panduan Penatalaksanaan Limfoma Non-Hodgkin. Jakarta

- Kementerian Kesehatan Republik Indonesia. (2018) Badan penelitian dan pengembangan kesehatan (RISKESDAS). Jakarta
- Klastersky, Jean., et al. (1999) Supportive Care in Cancer. 2nd ed. Marcel Dekker. New York: 213-227
- Komite Penanggulangan Kanker Nasional. (2016). Panduan Penatalaksanaan Limfoma Non-Hodgkin.. Kementerian Kesehatan Republik Indonesia.
- Kumar, V., Cotran, R. S., & Robbins, S. L, (2007), Buku Ajar Patologi, Edisi 7, Buku Kedokteran EGC, Jakarta
- Martindale: (2009). The Complete Drug Reference. 36th ed. London: Pharmaceutical Press
- Molassiotis, A., Russell, W., Hughes, J., Breckons, M., Lloyd-Williams, M., & Richardson, J. et al. (2013). Study scales: Rhodes Index of Nausea, Vomiting and Retching. NIHR Journals Library.
- Mukarami, E., Akamatsu, H., Shimokawa, T., Wada, K., & Yamamoto, N.. (2019). Furosemid versus mannitol in japanese patient with thoracic malignancy who received cisplatin-based chemotherapy using short hydration: study protocol for a randomised controlled trial
- Mustian KM, Devine K, Ryan JL, Janelins MC, Sprod LK, Peppone LJ, Candelario GD, Mohile SG, Morrow GR. (2011). Treatment of Nausea and Vomiting During Chemotherapy. *US Oncol Hematol.*;7(2):91-97
- Mustian, K. M. (2011). Treatment of nausea and vomiting during chemotherapy. *US oncology & hematology*, 7(2),91-97
- Navari R. (2007). Overview of the update antiemetic guidelines for chemotherapy-induced nausea and vomiting. Elsevier.; 4
- NCCN, N. C. (2022). Annual Conference: Improving the Quality, Effectiveness, and Efficiency of Cancer Care. NCCN Clinical Practice Guidelines in Oncology.
- Molassiotis A. (2013). The effectiveness and cost-effectiveness of acupuncture for the control and management of chemotherapy-related acute and delayed nausea: Assessment of Nausea in Chemotherapy Research (ANCHoR), a randomised controlled trial University College Hospital NHS Foundation Trust

- NHS.(2016). Antiemetic Guidelines for Adult Patients Receiving Chemotherapy and Radiotherapy. England: University College Hospital NHS Foundation Trust
- NIH (National Institute of Health) (2011). US oncol Hematol. Treadment of Nause and Vomiting During Chemotherapy. NIH publoc access.
- NIH (National Institute of Mental Health) Turning Discovery Info Health: NIH Style Guide. <https://www.nih.gov/nih-style-guide/age>. diakses tanggal 16 agustus 2023
- Nuryadi, TD Astuti, ES Utami, M Budiantara. (2017). Dasar dasar Statistik Penelitian. Universitas Mercu Buana Yogyakarta
- Panigrahy SK, Jatawa S, Tiwari A. (2011). Therapeutic use of cyclophosphamide and its cytotoxic action: A challenge for researchers. *Journal of Pharmacy Research*.;4(8):2755-57
- PerMenKes RI (2016). Peraturan Menteri Kesehatan Republik Indonesia Nomor 25 tentang Rencana Aksi Nasional Kesehatan Lanjut usia 2016-2019. Jakarta
- Prapti, N., Petpichetchian, W., & Chongchareon, W. (2012). Nausea, Vomiting and Retching of Patients with Cervical Cancer undergoing Chemotherapy in Bali, Indonesia. *Nurse Media Journal Of Nursing*, 2(2), 467-481.
- Price S.A dan Wilson, L.M.(1995). Patofisiologi : Konsep-klinis Proses- Proses Penyakit. Edisi 4.Jakarta : Penerbit Buku Kedokteran EGC : 251-253
- Rhodes VA, McDaniel RW.(1999). The Index of Nausea, Vomiting, and Retching: a new format of the Index of Nausea and Vomiting. *Oncol Nurs Forum*. Jun;26(5):889-94.
- Rhodes, V. A., & McDaniel, R. W. (2001). Nausea, vomiting, and retching: Complex problems in palliative care. *CA: A Cancer Journal for Clinicians*, 51, 232-248
- Rhodes, V. A., Watson, P. M., & Johnson, M. H. (1984). Development of reliable and valid measures of nausea and vomiting. *Cancer Nurs.*, 7, 33-41.

- Rhodes, V. A., Watson, P. M., & Johnson, M. H. (1986). Association of chemotherapy related nausea and vomiting with pretreatment anxiety. *Oncol.Nurs Forum*, 13, 41-47.
- Richard, et., al. (2016) *Antiemetik Guideline Eropa : Multinational Association of Supportive Care in cancer*
- Roila F, Molassiotis A, Herrstedt J, Aapro M, Gralla RJ, Bruera E, Clark-Snow RA et al. (2016). MASCC and ESMO guideline update for the prevention of chemotherapy- and radiotherapy-induced nausea and vomiting and of nausea and vomiting in advanced cancer patients. *Annals of Oncology*; 27(5).
- Rumastika NS, Surarso B. (2016). Terapi mual muntah pasca kemoterapi. *Universitas Airlangga* :9(2).p.74-82
- Runiari, N. (2010) *Asuhan Keperawatan pada Klien dengan Hiperemesis Gravidarum Penerapan Konsep dan Teori Keperawatan*. Jakarta: Salemba Medika
- Santoso, Singgih. (2005). *Buku Latihan SPSS Statistik Parametrik* . PTElex Media Komputindo. Jakarta
- Sapkota, S., & Shaikh, H. (2023). *Non-Hodgkin Lymphoma*. Statpearls Publishing.
- Sastroasmoro, Sudigdo. (2011). *Dasar-dasar Metodologi Penelitian Klinis Ed.IV*. Jakarta: Sagung Seto.
- SEER Cancer Stat Facts: Non-Hodgkin Lymphoma. National Cancer Institute.Bethesda, MD, Available at <https://seer.cancer.gov/statfacts/html/nhl.html>
- September is Lymphoma Non Hodgkin Awareness Month – Ilmu Penyakit Dalam FKUI RSCM. (2021). diakses 15 August 2023, dari <https://internafkui.or.id/september-is-lymphoma-non-hodgkin-awareness-month/>
- Shinta NR dan Surarso B. (2016). Terapi mual muntah pasca kemoterapi. *Jurnal THT-KL*.; 9(2): 74-83
- Subramanian R, Pathak H, Ravindran V.(2019). Safety of Cyclophosphamide Therapy in Autoimmune Rheumatic Diseases. *Indian Journal of Rheumatology*.

- Sulistia G, Nafrialdi. (1995). Anti Kanker. Dalam: Bagian Farmakologi Fakultas kedokteran Universitas Indonesia. Farmakologi dan Terapi. Edisi 4. Gaya Baru. Jakarta : 686-701
- Sukandar, Elin Yulina, dkk. (2009). Iso Farmakoterapi. Jakarta: PT. ISFI Penerbitan,
- Sutrisno, H. (2010). Gambaran Kualitas Hidup Pasien Kanker Limfoma Non-Hodgkin Yang Dirawat Di Rsup Sanglah Denpasar. Jurnal Penyakit Dalam.. Volume 2; 96-102
- Suyatno, dkk. (2014). Bedah Onkologi Diagnosis dan Terapi. Jakarta: CV. Sagung Seto.,
- Tamar, M. (2019). Efek Inhalasi Aroma Terapi Lemon, Jahe dan kombinasi Terhadap Frekuensi Mual Muntah Pada Ibu Hamil Trimester 1 di Puskesmas Taman Bacaan Palembang Tahun. Universitas Muhammadiyah Jakarta.
- Wang, JJ, Ho ST, Liu YH. (1999). Dexamethasone Decreases Epidural Morphine-related nausea and Vomitting. Anest Analg 89 h. 20-117,
- Wardani I. (2006). Studi pemakaian Anti emetik pada pasien limfoma non hodgkin yang medapat kemoterapi CHOP diruang rawat singkat RS kanker Dharmais pada periode Juni 2006 – mei 2006. Jakarta: Universitas Indonesia.
- Wella. J., Harmi, P., & Fatmadona, R. (2020). Gambaran Skor INVR (Index of Nausea, Vomiting and Retching) pada CINV (Chemotherapy Induced Nausea and Vomiting) Kanker Payudara di RSUP M Djamil Padang. Jurnal Kesehatan Andalas, 8(4).
- Widagdo, PA. (2014). Pengaruh aromaterapi lemon an relaksasi otot progresif terhadap penurunan intensitas mual muntah setelah kemoterapi pada pasien kanker payudara di Rumah sakit telogorejo semarang. Jurnal Ilmu Keperawatan dan kebidanan Vol.II No.I h 24-33
- Worldwide cancer data | World Cancer Research Fund International. (2023). Diakses 6 September 2023, from <https://www.wcrf.org/cancer-trends/worldwide-cancer-data/>

Yang CK, Wu CE, Liaw CC. (2016). Combination of palonosetron, aprepitant, and dexamethasone as primary antiemetic prophylaxis for cisplatin-based therapy. *Biomedical Journal*.; 39

Yayasan Kanker Indonesia. (2022). *Informasi Dasar tentang Kanker Pedoman Bagi Penyuluh kanker* . Jakarta

Zhang J, Tian Q, Zhou F. (2006). Clinical Pharmacology of Cyclophosphamide and Ifosfamide. *Current Drug Therapy*.;1:55-84

