

DAFTAR PUSTAKA

1. PERKENI. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. PERKENI. 2021;46.
2. Elbatreek MH, Pachado MP, Cuadrado A, Jandeleit-Dahm K, Schmidt HHHW. Reactive Oxygen Comes of Age: Mechanism-Based Therapy of Diabetic End-Organ Damage. *Trends Endocrinol Metab.* 2019;30(5):312–27.
3. International Diabetes Federation (IDF). IDF Diabetes Atlas 10th Edition. Vol. 102, Diabetes Research and Clinical Practice. 2021;102(2):148-15
4. German MS, Masharani U, editors. Greenspan' s basic & clinical endocrinology. 9th ed. New York: McGrawHill; 2007. p. 595–680.
5. Abdul M, Khan B, Hashim MJ, King JK, Govender RD, Mustafa H, *et al.* Epidemiology of type 2 diabetes – Global burden of disease and forecasted trends. *J Epidemiol Glob Health.* 2020;10:107–11.
6. Kementerian Kesehatan RI. Riskesdas 2018. Lap Nas Riskesdas 2018 2018;44(8):181–222.
7. Dinas Kesehatan Kota Padang. Profil Kesehatan Kota Padang Tahun 2021. Profil Kesehatan Kota Padang [Internet]. 2021;189. Available from: dinkes.padang.go.id
8. Care D, Suppl SS. Classification and Diagnosis of Diabetes : Standards of Medical Care in Diabetes — 2022. *Diabetes Care.* 2022;45(Suppl):17–38.
9. Pohanka M. Glycated hemoglobin and methods for its point of care testing. *Biosensors.* 2021;11(3):1-3
10. Wang M, Hng T ming. Standards of medical care for patients with diabetes mellitus. *Diabetes Care.* 1989;12(5):365–8.
11. Arnold WD, Kupfer K, Little RR, Amar M, Horowitz B, Godbole N, *et al.* Accuracy and Precision of a Point-of-Care HbA1c Test. *J Diabetes Sci Technol.* 2020;14(5):883–9.
12. Serdar MA, Serteser M, Ucal Y, Karpuzoglu HF, Aksungar FB, Coskun A, *et al.* An Assessment of HbA1c in Diabetes Mellitus and Pre-diabetes Diagnosis: a Multi-centered Data Mining Study. *Appl Biochem Biotechnol.* 2020;190(1):44–56.
13. Bin Rakhis SA, Al Duwayhis NM, Aleid N, Al Barrak AN, Aloraini AA. Glycemic Control for Type 2 Diabetes Mellitus Patients: A Systematic Review. *Cureus.* 2022;14(6):6–13.

14. Sheinenzon A, Shehadeh M, Michelis R, Shaoul E, Ronen O. Serum albumin levels and inflammation. *Int J Biol Macromol.* 2021;184(May):857–62.
15. Galicia-Garcia U, Benito-Vicente A, Jebari S, Larrea-Sebal A, Siddiqi H, Uribe KB, *et al.* Pathophysiology of type 2 diabetes mellitus. *Int J Mol Sci.* 2020;21(17):1–34.
16. Boye KS, Thieu VT, Lage MJ, Miller H, Paczkowski R. The Association Between Sustained HbA1c Control and Long-Term Complications Among Individuals with Type 2 Diabetes: A Retrospective Study. *Adv Ther.* 2022;39(5):220:8–21.
17. Feng X, Yang Y, Zhuang S, Fang Y, Dai Y, Fu Y, *et al.* Influence of Serum Albumin on HbA1c and HbA1c-Defined Glycemic Status: A Retrospective Study. *Front Med.* 2021;8(5):1–10.
18. Paar M, Cvirn G, Hoerl G, Reibnegger G, Sourij H, Sourij C, *et al.* Albumin of People with Diabetes Mellitus Is More Reduced at Low HbA1c. *Int J Mol Sci.* 2023;24(22):16256.
19. Marium R, Khan M, Jia Z, Chua Y, Tan JC, Yang Y, *et al.* From Pre-Diabetes to Diabetes : Diagnosis , *Medicina (Kaunas).* 2019;55(9):4-12
20. Dendup T, Feng X, Clingan S, Astell-Burt T. Environmental risk factors for developing type 2 diabetes mellitus: A systematic review. *Int J Environ Res Public Health.* 2018;15(1): 2-17.
21. Chait A, den Hartigh LJ. Adipose Tissue Distribution, Inflammation and Its Metabolic Consequences, Including Diabetes and Cardiovascular Disease. *Front Cardiovasc Med.* 2020;7(2):1–41.
22. Kotwas A, Karakiewicz B, Zabielska P, Wieder-Huszla S, Jurczak A. Epidemiological factors for type 2 diabetes mellitus: evidence from the Global Burden of Disease. *Arch Public Heal.* 2021;79(1):1–7.
23. Rius-Pérez S, Torres-Cuevas I, Millán I, Ortega ÁL, Pérez S, Sandhu MA. PGC-1 α , Inflammation, and Oxidative Stress: An Integrative View in Metabolism. *Oxid Med Cell Longev.* 2020;2020:1-12.
24. Rahmasari I, Wahyuni ES. Efektivitas Momordica Carantia (Pare) terhadap Penurunan Kadar Glukosa Darah. *Infokes.* 2019;9(1):57–64.
25. Care D, Suppl SS. Comprehensive medical evaluation and assessment of comorbidities: Standards of medical care in Diabetes 2018. *Diabetes Care.* 2018;41(1):28–37.
26. Health P. Standards of Medical Care in Diabetes—2018 Abridged for Primary Care Providers. *Clin Diabetes.* 2018;36(1):14–37.

27. Kaur G, Lakshmi PVM, Rastogi A, Bhansali A, Jain S, Teerawattananon Y, *et al.* Diagnostic accuracy of tests for type 2 diabetes and prediabetes: A systematic review and meta-analysis. *PLoS One*. 2020;15(11):42–59.
28. Yap CW, Ang YG, Quek TPL, Heng BH, Chew DEK. Re-examining the sensitivity of HbA1c to screen for diabetes mellitus. *J Diabetes*. 2018;10(5):380–5.
29. Farmaki P, Damaskos C, Garmpis N, Garmpi A, Savvanis S, Diamantis E. Complications of the Type 2 Diabetes Mellitus. *Curr Cardiol Rev*. 2021;16(4):249–51.
30. Dawite F, Girma M, Shibiru T, Kefelew E, Hailu T, Temesgen R, *et al.* Factors associated with poor glycemic control among adult patients with type 2 diabetes mellitus in Gamo and Gofa zone public hospitals, Southern Ethiopia: A case-control study. *PLoS One*. 2023;18(3 March):1–15.
31. Glauber H, Vollmer WM, Nichols GA. A Simple Model for Predicting Two-Year Risk of Diabetes Development in Individuals with Prediabetes. *Perm J*. 2018;22:1–6.
32. Butler AE, English E, Kilpatrick ES, Östlundh L, Chemaitelly HS, Abu-Raddad LJ, *et al.* Diagnosing type 2 diabetes using Hemoglobin A1c: a systematic review and meta-analysis of the diagnostic cutpoint based on microvascular complications. *Acta Diabetol*. 2021;58(3):279–300.
33. Prakash S. Role of Human Serum Albumin and Oxidative Stress in Diabetes. *J Appl Biotechnol Bioeng*. 2017;3(1):281–5.
34. Mansbach JM, Geller RJ, Hasegawa K, Espinola JA, Stevenson MD, Sullivan AF, *et al.* Association of Serum Albumin with Apnea in Infants with Bronchiolitis: A Secondary Analysis of Data from the MARC-35 Study. *JAMA Netw Open*. 2019;2(7):1–9.
35. Soeters PB, Wolfe RR, Shenkin A. Hypoalbuminemia: Pathogenesis and Clinical Significance. *J Parenter Enter Nutr*. 2019;43(2):181–93.
36. Chao P, Cui X, Wang S, Zhang L, Ma Q, Zhang X. Serum albumin and the short-term mortality in individuals with congestive heart failure in intensive care unit: an analysis of MIMIC. *Sci Rep*. 2022;12(1):1–8.
37. Lee YJ, Pak S, Hong J. The long-term clinical course of protein-losing enteropathy combined with iron deficiency anemia in Korean toddlers: Possible association with cow's milk protein. *Pediatr Neonatol*. 2022;64(2):151–53.
38. Wu CY, Hu HY, Huang N, Chou YC, Li CP, Chou YJ. Albumin levels and cause-specific mortality in community-dwelling older adults. *Prev Med (Baltim)*. 2018;112:145–51.

39. Giri B, Dey S, Das T, Sarkar M, Banerjee J, Dash SK. Chronic hyperglycemia mediated physiological alteration and metabolic distortion leads to organ dysfunction, infection, cancer progression and other pathophysiological consequences: An update on glucose toxicity. *Biomed Pharmacother.* 2018;107(4):306–28.
40. Figueroa SM, Araos P, Reyes J, Gravez B, Barrera-Chimal J, Amador CA. Oxidized albumin as a mediator of kidney disease. *Antioxidants.* 2021;10(3):1–13.
41. Heyman SN, Raz I, Dwyer JP, Weinberg Sibony R, Lewis JB, Abassi Z. Diabetic Proteinuria Revisited: Updated Physiologic Perspectives. *Cells.* 2022;11(18):1–22.
42. Succurro E, Andreozi F, Carnevale R, Sciacqua A, Cammisotto V, Cassano V, *et al.* Nox2 up-regulation and hypoalbuminemia in patients with type 2 diabetes mellitus. *Free Radic Biol Med.* 2021;168(4):1–5.
43. Dahlan MS. *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat, Dilengkapi Aplikasi dengan Menggunakan SPSS Edisi 3.* 2013. p. 68.
44. Stuti PU, Shilpa CP. Study of Relation between Serum Albumin and Glycosylated Hemoglobin Levels in Patients of Type 2 Diabetes Mellitus. *Int J Curr Res Rev.* 2021;13(17):126–30.
45. Mideksa S, Ambachew S, Biadgo B, Baynes HW. Glycemic control and its associated factors among diabetes mellitus patients at Ayder comprehensive specialized hospital, Mekelle-Ethiopia. *Adipocyte.* 2018;7(3):197–203.
46. Al-Qerem W, Jarab AS, Badinjki M, Hammad A, Ling J, Alasmari F. Factors associated with glycemic control among patients with type 2 diabetes: a cross-sectional study. *Eur Rev Med Pharmacol Sci.* 2022;26(7):2415–21.
47. Muilwijk M, Bolijn R, Galenkamp H, Stronks K, van Charante EM, van Valkengoed IGM. The association between gender-related characteristics and type 2 diabetes risk in a multi-ethnic population: The HELIUS study. *Nutr Metab Cardiovasc Dis.* 2022;32(1):142–50.
48. Estoppey P, Clair C, Auderset D, Puder JJ. Sex differences in type 2 diabetes. *Cardiovasc Med.* 2023;26(3):96–9.
49. Almalki ZS, Ahmed NJ, Alahmari AK, Alshehri AM, Alyahya SA, Alqahtani A, *et al.* Identifying the Risk Factors and the Prevalence of Poor Glycemic Control among Diabetic Outpatients in a Rural Region in Saudi Arabia. *J Pharm Res Int.* 2021;33:15–23.

50. Nigussie S, Birhan N, Amare F, Mengistu G, Adem F, Abegaz TM. Rate of glycemic control and associated factors among type two diabetes mellitus patients in Ethiopia: A cross sectional study. *PLoS One*. 2021;16(5 May):1–12.
51. Hu C, Lin L, Zhu Y, Zhang Y, Wang S, Zhang J, *et al*. Association Between Age at Diagnosis of Type 2 Diabetes and Cardiovascular Diseases: A Nationwide, Population-Based, Cohort Study. *Front Endocrinol (Lausanne)*. 2021;12(October):1–9.
52. Liu L, Wang F, Gracely EJ, Moore K, Melly S, Zhang F, *et al*. Burden of Uncontrolled Hyperglycemia and Its Association with Patients Characteristics and Socioeconomic Status in Philadelphia, USA. *Heal Equity*. 2020;4(1):525–32.
53. Ghouse J, Isaksen JL, Skov MW, Lind B, Svendsen JH, Kanters JK, *et al*. Effect of diabetes duration on the relationship between glycaemic control and risk of death in older adults with type 2 diabetes. *Diabetes, Obes Metab*. 2020;22(2):231–42.
54. Regassa LD, Tola A. Magnitude and predictors of hospital admission, readmission, and length of stay among patients with type 2 diabetes at public hospitals of Eastern Ethiopia: a retrospective cohort study. *BMC Endocr Disord*. 2021;21(1):1–13.
55. Hu Y, Wang J, Zeng S, Chen M, Zou G, Li Y, *et al*. Association Between Serum Albumin Levels and Diabetic Peripheral Neuropathy Among Patients with Type 2 Diabetes: Effect Modification of Body Mass Index. *Diabetes, Metab Syndr Obes*. 2022;15(January):527–34.
56. Kim H, Jung DY, Lee SH, Cho JH, Yim HW, Kim HS. Long-Term Changes in HbA1c According to Blood Glucose Control Status During the First 3 Months After Visiting a Tertiary University Hospital. *J Korean Med Sci*. 2022;37(38):1–12.
57. Alay H, Laloglu E, Kesmez Can F. An evaluation of ischaemia-modified albumin levels in the development of diabetic foot ulcer. *Int J Clin Pract*. 2021;75(9):1–8.
58. Moramarco S, Morciano L, Morucci L, Messinese M, Gualtieri P, Carestia M, *et al*. Epidemiology of hypoalbuminemia in hospitalized patients: A clinical matter or an emerging public health problem? *Nutrients*. 2020;12(12):1–15.
59. Gunanithi K. Serum albumin levels in uncontrolled type II diabetes mellitus - An observational study. *MedPulse Int J Biochem*. 2021;20(2):12–5.
60. Chang DC, Xu X, Ferrante AW, Krakoff J. Reduced plasma albumin

predicts type 2 diabetes and is associated with greater adipose tissue macrophage content and activation. *Diabetol Metab Syndr* [Internet]. 2019;11(1):1–8.

61. Wang BR, Yao JT, Zheng H, Li QM. Association of glycated albumin/glycosylated hemoglobin ratio with blood glucose fluctuation and long-term blood glucose control in patients with type 2 diabetes mellitus. *Clin Cosmet Investig Dermatol*. 2021;14:1809–15.

