

## DAFTAR PUSTAKA

- Abd Eldaim, MA. Abd Elrasoul, AS. Abd Elaziz, SA. (2017). ‘Monosodium Glutamate as a Food Additive: Toxic Implications and the Protective Role of Quercetin’, *Merit Research Journal of Medicine and Medical Sciences*. 5(8), doi.org/10.1139/bcb-2016-0256. pp.384–402.
- Abdul-Hamid, M., Galaly, R., Ahmed, R. R., & Hamdalla, H. M. (2017). Monosodium Glutamate as a Food Additive: Toxic Implications and the Protective Role of Quercetin. *Merit Research Journal of Medicine and Medical Sciences*, 5(8), http://www.meritresearchjournals.org/mms/index.htm. pp. 384–402.
- ADA. (2021). ‘Classification and diagnosis of diabetes: Standards of medical care in diabetes-2021’. *Diabetes Care*. 44. doi.org/10.2337/dc21-S002. pp. S15–S33
- Affandi, N. (2019). Kelor Tanaman Ajaib Untuk Kehidupan Yang Lebih Sehat. Deepublish.
- Agunbiade, OS. Ojezele, OM. Ojezele, JO. Ajayi, AY. (2012). ‘Hypoglycaemic activity of commelina Africana and ageratum conyzoides in relation to their mineral composition’. *African Health Sciences*. 12 (2). doi.org/10.4314/ahsv12i2.19. pp. 198–203.
- Aju, B. Y., Rajalakshmi, R., & Mini, S. (2019). Protective role of *Moringa Oleifera* leaf extract on cardiac antioxidant status and lipid peroxidation in streptozotocin induced diabetic rats. *Heliyon*, 5(12). https://doi.org/10.1016/j.heliyon.2019.e02935. pp. 1-7
- Al-Awar, A. Kupai, K. Veszelka, M. Szucs, G. Attieh, Z. Murlasits, Z. et al. (2016). ‘Experimental Diabetes Mellitus in Different Animal Models’. *Journal of Diabetes Research*. 2016. pp. 1-12
- Alegbeleye, OO. (2018). ‘How Functional Is *Moringa Oleifera*? A Review of Its Nutritive, Medicinal, and Socioeconomic Potential’. *Food and Nutrition Bulletin*. 39(1). doi.org/10.1177/0379572117749814. pp. 149–170.
- Alicic, R. Z., Rooney, M. T., & Tuttle, K. R. (2017). Diabetic Kidney Disease. *Clinical Journal of the American Society Of Nephrology*, 12(12), 2032–2045
- Aluwong, T., Ayo, J. O., Kpukple, A., & Oladipo, O. O. (2016). Amelioration of hyperglycaemia, oxidative stress and dyslipidaemia in alloxan-induced diabetic wistar rats treated with probiotic and vitamin C. *Nutrients*, 8(5). https://doi.org/10.3390/nu8050151. pp. 1-15.

- Arulselvan, P., Fard, M. T., Tan, W. S., Gothai, S., Fakurazi, S., Norhaizan, M. E., et al. (2016). Role of Antioxidants and Natural Products in Inflammation. *Oxidative medicine and cellular longevity..* <https://doi.org/10.1155/2016/5276130>. p. 5276130
- Attah, JM. (2019). Aqueous extract of Moringa Oleifera leaf used in nigerian ethnomedicine alter conception and same pregnancy outcomes in wistar rat. South African Journal of Botany. Vol. 129. [doi.org/10.1016/j.sajb.2019.07.04](https://doi.org/10.1016/j.sajb.2019.07.04). pp. 255-262
- Avila-Escalante, ML. Coop-Gamas, F. Cervantes-Rodríguez, M. Mendez-Iturbide, D. Aranda-Gonzalez, II. et al. (2020). ‘The effect of diet on oxidative stress and metabolic diseases—Clinically controlled trials’, *Journal of Food Biochemistry*, 44(5). doi.org/10.1111/jfbc.13191.
- Ayala, A., Munoz, MF. and Argüelles, S. (2014). ‘Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal’, *Oxidative Medicine and Cellular Longevity*. Landes Bioscience. [doi.org/10.1155/2014/360438](https://doi.org/10.1155/2014/360438).
- Baynes JW and Dominiczak MH. (2014). ‘Medical Biochemistry’, in. South Carolina, USA: Saunders Elsevier. pp. 275-306.
- Beckhauser, T. F., Francis-Oliveira, J., & De Pasquale, R. (2016). Reactive oxygen species: Physiological and physiopathological effects on synaptic plasticity. *Journal of Experimental Neuroscience*, <https://doi.org/10.4137/JEN.S39887>. pp. 23–48.
- Bhatti, JS. Sehrawat, A. Mishra, J. Sidhu, IS. Navik, US. Khullar, N. et al. (2022). ‘Oxidative stress in the pathophysiology of type 2 diabetes and related complications: Current therapeutics strategies and future perspectives’. DOI: [10.1016/j.freeradbiomed.2022.03.019](https://doi.org/10.1016/j.freeradbiomed.2022.03.019).
- Bule, M. Abdurahman, A. Nikfar, S. Abdollahi, M. Amini, M. et al. (2019). ‘Antidiabetic effect of quercetin: A systematic review and meta-analysis of animal studies’. *Food and Chemical Toxicology*. [doi.org/10.1016/j.fct.2019.01.037](https://doi.org/10.1016/j.fct.2019.01.037). pp. 494–502.
- Burgos-Morón, E., Abad-Jiménez, Z., Marañón, A. M., et al. (2019). Relationship between oxidative stress, ER stress, and inflammation in type 2 diabetes: The battle continues. *Journal of Clinical Medicine*, 8(9). <https://doi.org/10.3390/jcm8091385>. pp. 1-22.
- Chaudhary, P., Janmeda, P., Docea, A. O., Yeskaliyeva, B., Abdull Razis, A. F., Modu, B., Calina, D., & Sharifi-Rad, J. (2023). Oxidative stress, free radicals and antioxidants: potential crosstalk in the pathophysiology of human diseases. *Frontiers in Chemistry*. 11. <https://doi.org/10.3389/fchem.2023.1158198>. pp.1–24

Cheung, J. C. T., Deng, G., Wong, N., Dong, Y., et al. (2022). More than a duologue: In-depth insights into epitranscriptomics and ferroptosis. *Frontiers in Cell and Developmental Biology*, 10. <https://doi.org/10.3389/fcell.2022.982606>. pp.1-13.

Clement A, Olatunde M, Patrick O, Joyce O. (2017). Effect of Drying Temperature on Nutritional Content of Moringa Oleifera Leave. *World J Food Sci Technol.* 1(311).p.93

Cooke, D. W., & Plotnick, L. (2008). Type 1 diabetes mellitus in pediatrics. *Pediatrics in review*. 29(11). <https://doi.org/10.1542/pir.29-11-374>.pp. 374–385.

Dachi, V N. Rayyan, T A. Utami, S P. Mutia, R. Akbar, K. Lumbantobing C J R. (2022). Pengaruh variasi pemberian dosis aloksan terhadap angka kadar gula darah hewan coba. *Jurnal Prima Medika Sains*. Vol 4 (1). Pp.32-36. DOI:10.34012/jpms.v4i1.2460



Dahlan, M. (2018). Langkah-langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan. 2nd edn. Jakarta: Sagung Seto.

Decroli, E. (2019). Buku Diabetes Melitus.. Pusat Penerbitan Bagian Ilmu Penyakit Dalam. Padang. pp. 4-11

Eldanim, MA. Elrasoul, AS. Elaziz, SA. (2017). Moringa Oleifera Leaves Ameliorates Hepatotoxicity in Alloxan-Induced Diabetic Rat. *Biochem Cell Biol.* 95(4). doi: 10.1139/bcb-2016-0256. pp. 524-530

Elvira, Y., Putra, B., & Jusuf, N. K. (2023). Correlation between Superoxide Dismutase (SOD) with Malondialdehyde (MDA) level in blood plasma of seborrheic keratosis. *Bali Medical Journal*, 12(2). <https://doi.org/10.15562/bmj.v12i2.4034>. Pp. 1291–1294.

Erlidawati, Safrida and Mukhlis. (2018). Potensi Antioksidan Sebagai Antidiabetes. pertama. Banda Aceh: Syiah Kuala University Press.

Fatani, SH. Babakr, AT. Noureldin, EEM. & Almarzouki, AA. (2016). ‘Lipid peroxidation is associated with poor control of type-2 diabetes mellitus’, *Diabetes & Metabolic Syndrome. Clinical Research & Reviews*, 10(2). [doi.org/10.1016/J.DSX.2016.01.028](https://doi.org/10.1016/J.DSX.2016.01.028). pp. S64–S67

Fauzi, T M. 2018. Peran oksidan vitamin c pada keadaan stress oksidatif dan hubungan dengan kadar Malondialdehyde (MDA) dalam tubuh. *Majalah Ilmiah Methoda*. 8 (2). pp.61-68

Falowo, AB. Mukombo, FE. Idamokoro, EM. Lorenzo, JM. Afolayan, AJ. Muchenje, V. (2018). Multifunctional application of Moringa Oleifera lam in nutrition and animla food products A review. Elsevier. pp. 317-334.

- Febriana, F., & Oktavia, A. I. 2019. Perbedaan Kadar Flavonoid Total dari Ekstrak Daun Kejibeling (*Strobilanthes crispia* L. Blume) Hasil Metode Maserasi dan Perkolasi (Doctoral dissertation, Akademi Farmasi Putra Indonesia Malang).
- Flieger, J., Flieger, W., Baj, J., & Maciejewski, R. (2021). Antioxidants: Classification, natural sources, activity/capacity measurements, and usefulness for the synthesis of nanoparticles. *Materials*, 14(15). <https://doi.org/10.3390/ma14154135>
- Galicia-Garcia, U.Benito-Vicente, A. Jebari, S. Larrea-sebal, A. Siddiqi, H. Uribe, KB. et al. (2020). ‘Pathophysiology of Type 2 Diabetes Mellitus’, International Journal of Molecular Sciences. Vol. 21. [doi.org/10.3390/IJMS21176275](https://doi.org/10.3390/IJMS21176275). pp 6275-6280
- Ganatra, T. (2012). A Panoramic view on pharmacognostic, pharmacological, nutrional,therapeutic and prohylactic value of *Moringa Oleifera*. International research journal of fharmacy. pp. 1-6.
- Gesang, K dan Abdulah. (2019). Biokimia Karbohidrat Dalam Perspektif Ilmu Keolahragaan. Malang: Wineka Media.
- Ghasemi-Dehnoo, M. Amini-Khoei, H. Lorigooini, Z. Rafieian-Kopaei, M. (2020). Oxidative stress and antioxidants in diabetes mellitus’, Asian Pacific Journal of Tropical Medicine. Wolters Kluwer Medknow Publications, [doi.org/10.4103/1995-7645.291036](https://doi.org/10.4103/1995-7645.291036). pp. 431–438.
- González, CC and Parchem, R.J. (2022). ‘Maternal diabetes negatively impacts fetal health’, Open Biology, 12(9). doi.org/10.1098/rsob.220135
- Gopalakrishnan, L., Doriya, K., & Kumar, D. S. (2016). *Moringa Oleifera: A review on nutritive importance and its medicinal application*. *Food Science and Human Wellness*, 5(2). <https://doi.org/10.1016/j.fshw.2016.04.001>.pp. 49–56
- Gulcin, I. (2020). ‘Antioxidants and antioxidant methods: an updated overview’, Archives of Toxicology 2020 94:3, 94(3). [doi.org/10.1007/S00204-020-02689-3](https://doi.org/10.1007/S00204-020-02689-3). pp. 651–715
- Gupta, R., Mathur, M., Bajaj, V. K., Katariya, P., Yadav, S., Kamal, R., & Gupta, S. R. (2012). Evaluation of antidiabetic and antioxidant activity of *Moringa oleifera* in experimental diabetes. *Journal of Diabetes*, 4(2). <https://doi.org/10.1111/j.1753-0407.2011.00173.x>. pp. 164–171.
- Hanani, E. (2016). Analisis Fitokimia. Jakarta: EGC.
- Handajani, F. (2019). *Oksidan Dan Antioksidan Pada Beberapa Penyakit Dan Proses Penuaan*. Surabaya: Zipatama Jawara.

- Hasan, H. Thomas, N A. Hiola, F. Ramadhani, F N. Ibrahim, P A S (2022). Skrining Fitokimia dan Uji Aktivitas Antioksidan Kulit Batang Matoa (*Pometia pinnata*) Dengan Metode 1,1-Diphenyl-2-picrylhidrazen (DPPH). *Indonesian Journal of Pharmaceutical Education*. 2 (1). pp.67-73
- Holanda, MO. Lira, SM. Silva JYG. Marques, CG. Coelho, LC. Lima, CLS. et al. (2021). ‘Intake of pitaya (*Hylocereus polyrhizus* (F.A.C. Weber) Britton & Rose) beneficially affects the cholesterolemic profile of dyslipidemic C57BL/6 Rats’, *Food Bioscience*, 42. [doi.org/10.1016/J.FBIO.2021.101181](https://doi.org/10.1016/J.FBIO.2021.101181). p. 101181
- Hujjatusnaini, N. Indah B. Afifri, E. Widayastuti, R. Ardiansyah. (2021). Buku *Referensi Ekstraksi*. Fakultas MIPA IAIN .Palangkaraya.
- IDF. (2017). ‘IDF DIABETES ATLAS-8th Edition’. Diakses 3 Maret 2023, <[www.diabetesatlas.org](http://www.diabetesatlas.org)>.
- \_\_\_\_\_. (2019). ‘IDF DIABETES ATLAS-9th Edition’. Diakses 3 Maret 2023 <[www.diabetesatlas.org](http://www.diabetesatlas.org)>.
- \_\_\_\_\_. (2021). ‘IDF Diabetes Atlas-10th Edition’. Diakses 3 Maret 2023 <[www.diabetesatlas.org](http://www.diabetesatlas.org)>.
- Ighodaro, OM. Adeosun, A.M. and Akinloye, O.A. (2018). ‘Alloxan-induced diabetes, a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies’, *Medicina (Lithuania)*. [doi.org/10.1016/j.medici.2018.02.001](https://doi.org/10.1016/j.medici.2018.02.001). pp. 365–374.
- Intan, RP and Khariri. (2020). Pemanfaatan hewan Laboratorium yang sesuai untuk pengujian obat dan vaksin. Dalam: Prosiding Seminar Nasional Biologi di Era Pandemi COVID-19 Gowa. 19 September 2020. UIN Alauddin Makasar. [doi.org/10.24252/psby6i1.15524](https://doi.org/10.24252/psby6i1.15524)
- Irianti, T. T. (2021). *Antioksidan dan kesehatan*. Indonesia: Gadjah Mada University Press.
- Ito, F, Sono, Y and Ito, T. (2019). ‘Measurement and clinical significance of lipid peroxidation as a biomarker of oxidative stress: Oxidative stress in diabetes, atherosclerosis, and chronic inflammation’. *Antioxidants*. 8(3). [doi.org/10.3390/antiox8030072](https://doi.org/10.3390/antiox8030072).
- Jadoon, S and Malik, A. (2017). ‘A Review Article On The Formation, Mechanism And Biochemistry Of MDA And MDA As A Biomarker Of Oxidative Stress.’, *International Journal of Advanced Research*, 5(12). [doi.org/10.21474/IJAR01/6024](https://doi.org/10.21474/IJAR01/6024). pp. 811–818

- Juan, C. Lastra, J. Perez-Lebena E. et al. (2021). ‘Molecular Sciences The Chemistry of Reactive Oxygen Species (ROS) Revisited: Outlining Their Role in Biological Macromolecules (DNA, Lipids and Proteins) and Induced Pathologies’. *Int. J. Mol. Sci.* 22.[doi.org/10.3390/ijms](https://doi.org/10.3390/ijms).p.4642.
- Kashyap, P., Kumar, S., Riar, C. S., Jindal, N., Baniwal, P., Guiné, R. P. F., et al. (2022). Recent Advances in Drumstick (*Moringa Oleifera*) Leaves Bioactive Compounds: Composition, Health Benefits, Bioaccessibility, and Dietary Applications. *Antioxidants*. 11(2). <https://doi.org/10.3390/antiox11020402>.pp.1-37.
- Kehrer, J. P., Robertson, J. D., & Smith, C. V. (2010). Free Radicals and Reactive Oxygen Species. *Comprehensive Toxicology: Second Edition*.14(1). <https://doi.org/10.1016/B978-0-08-046884-6.00114-7>. Pp. 277–307.
- Krisnadi, DA. (2015). *Kelor Super Nutrisi*. Blora, Jawa Tengah. pp. 31-90
- Krisnatuti, D. Rasjmida, D and Yenrina, R. (2014). Diet Sehat untuk Penderita Diabetes Mellitus. PENEBAR SWADAYA GROUP.
- Kushwaha, S., Chawla, P., & Kochhar, A. (2014). Effect of supplementation of drumstick (*Moringa Oleifera*) and amaranth (*Amaranthus tricolor*) leaves powder on antioxidant profile and oxidative status among postmenopausal women. *Journal of Food Science and Technology*, 51(11), <https://doi.org/10.1007/s13197-012-0859-9>. pp. 3464–3469.
- Layal, K. (2016). Peran Nrf2 Dalam Patogenesis Stres Oksidatif dan Inflamasi pada Penyakit Ginjal Kronik. *Syifa Medika*. 7 (1).pp.17-28.
- Lenzen, S. (2008). ‘The mechanisms of alloxan- and streptozotocin-induced diabetes’, *Diabetologia*. [doi.org/10.1007/s00125-007-0886-7](https://doi.org/10.1007/s00125-007-0886-7). pp. 216–226
- Leone, A. Spada, A. Battezzati, A. Schiraldi, A. Aristil, J. Bertoli, S. et al. (2015). ‘Cultivation, Genetic, Ethnopharmacology, Phytochemistry and Pharmacology of *Moringa Oleifera* Leaves: An Overview’. *Int. J. Mol. Sci.* 16.[doi.org/10.3390/ijms160612791](https://doi.org/10.3390/ijms160612791). pp. 12791–12835.
- Lin, Y.-H., Chen, K.-J., Peng, Y.-S., Chen, P.-C., & Yang, Y.-H. (2018). *Type 1 diabetes impairs female fertility even before it is diagnosed*. <https://doi.org/10.1016/j.diabres.2018.07.010>.pp.151-158.
- Lubos, E. Loscalzo, J and Handy, DE. (2011). ‘Glutathione peroxidase-1 in health and disease: From molecular mechanisms to therapeutic opportunities’, *Antioxidants and Redox Signaling*, 15(7), [doi.org/10.1089/ars.2010.3586](https://doi.org/10.1089/ars.2010.3586). pp. 1957–1997.
- Luc, K., Schramm-Luc, A., Guzik, T. J., & Mikolajczyk, T. P. (2019). Oxidative stress and inflammatory markers in prediabetes and diabetes. *Journal of Physiology and Pharmacology*, 70(6). <https://doi.org/10.26402/jpp.2019.6.01>.pp.809-824

- Maharani, Riskierdi, Febriani, I. Aisyah, KK. Aulia, RN, Fadila. (2021). ‘Peran Antioksidan Alami Berbahan Dasar Pangan Lokal dalam Mencegah Efek Radikal Bebas’. Dalam: Prosiding SEMNAS BIO 2021. Universitas Negeri Padang. pp. 390–399.
- Manohar VS, Jayasree T, Kishore KK, Rupa LM, Dixit R, Chandrasekhar N. (2012). Evaluation of hypoglycemic and antihyperglycemic effect of freshly prepared aqueous extract of *Moringa oleifera* leaves in normal and diabetic rabbits. *J Chem Pharm Res.* 4(1):249–53.
- Marhaeni, AI. Riskierdi, F. Febriani, I. Kurnia, KA. Rahman, NA. Illahi NF. Farma, SA. (2021). ‘Daun kelor (*Moringa Oleifera*) sebagai sumber pangan fungsional dan antioksidan’. *Jurnal Agrisia* 2. pp. 40–52.
- Martines MVU, & Navarro, (2016). Antioxidant Capacity of Food. *Free radicals and antioksidants*. Vol. 16 (1); 1-12
- Martemucci, G., Costagliola, C., Mariano, M., D'andrea, L., Napolitano, P., & D'Alessandro, A. G. (2022). Free Radical Properties, Source and Targets, Antioxidant Consumption and Health. *Oxygen*, 2(2). <https://doi.org/10.3390/oxygen2020006>.pp. 48–78.
- Mawarda, A. Samsul, E. Sastrtyarina. (2020). Pengaruh Berbagai metode ekstraksi etanol umbi bawang tiwai (*Eleutherine americana* Merr) terhadap rendemen ekstrak dan profil kromatografi lapis tipis. Samarinda, 26-27 *Preceding of mulawarman pharmaceutical Conference tahun 2020*. pp.1-4
- Mbikay, M. (2012). ‘Therapeutic potential of *Moringa Oleifera* leaves in chronic hyperglycemia and dyslipidemia: A review’. *Frontiers in Pharmacology*. doi.org/10.3389/fphar.2012.00024.pp.1-12.
- McGill, M., & Jaeschke, H. (2013). Oxidant Stress, Antioxidant Defense, and Liver Injury. *Drug-Induced Liver Disease*. <https://doi.org/10.1016/B978-0-12-387817-5.00004-2>.pp.71-84.
- Meo, SD. Venditti, P. Victor, VM. Napolitano, G. (2022). ‘Harmful and Beneficial Role of ROS 2020’, *Oxidative Medicine and Cellular Longevity*. [doi.org/10.1155/2022/9873652](https://doi.org/10.1155/2022/9873652).pp.1-3.
- Milkovic, L. Gasparovic, AC. Cindric, M. Mouthuy, P. Zarkovic. (2019) ‘Short overview of ROS as cell function regulators and their implications in therapy concepts’, *Cells*. 8(8). [doi.org/10.3390/cells8080793](https://doi.org/10.3390/cells8080793). pp. 1–14
- Modzelewski, R. Stefanowicz-Rutkowska, MM. Matuszewski, W. Bandurska-Stankiewicz, EM. et al. (2022). ‘Gestational Diabetes Mellitus-Recent Literature Review’. *Journal of clinical medicine*. 11(19). doi.org/10.3390/JCM11195736.

- Mohamed, MA. Ahmed, MA and El Sayed, RA. (2019). ‘Molecular effects of Moringa leaf extract on insulin resistance and reproductive function in hyperinsulinemic male rats’. *Journal of Diabetes and Metabolic Disorders*. 18(2). [doi.org/10.1007/s40200-019-00454-7](https://doi.org/10.1007/s40200-019-00454-7). pp. 487–494
- Mthiyane, F. T., Dladla, P. V., Ziqubu, K., Mthembu, S. X. H., Muvhulawa, N., Hlengwa, N., Nkambule, B. B. et al. (2022). A Review on the Antidiabetic Properties of Moringa Oleifera Extracts: Focusing on Oxidative Stress and Inflammation as Main Therapeutic Targets. *Frontiers in Pharmacology*, 13. <https://doi.org/10.3389/fphar.2022.940572>. pp.1-17
- Mustariani, B. (2023) *Ragam Bioaktivitas Kombinasi Tanaman Kelor: Ekstraksi, Fitokimia dan Antibakteri*. I. Edited by N. Suryani. Yogyakarta: Samudra Biru.
- Mutiarahmi, CN. Hartady, T and Lesmana, R. (2021). ‘Use Of Rats As Experimental Animals In Laboratories That Refer To The Principles Of Animal Welfare: A Literature Review’. *Indonesia Medicus Veterinus*. 10(1). [doi.org/10.19087/imv.2020.10.1.134](https://doi.org/10.19087/imv.2020.10.1.134). pp. 134–145.
- Nina W. S. (2019). Karateristik Nanoemulsi Ekstrak daun kelor (*Moringa Oleifera*). *Jurnal sains farmasi & Klinis*. pp. 16-24.
- Nobossé, P. Fombang, EN and Mbofung, C.M.F. (2018). ‘Effects of age and extraction solvent on phytochemical content and antioxidant activity of fresh Moringa Oleifera L. leaves’. *Food Science and Nutrition*. 6(8). [doi.org/10.1002/FSN3.783](https://doi.org/10.1002/FSN3.783). pp. 2188–2198.
- Oldoni, TLC. Merlin, N. Bicas, TC. Prasnewski, A. Carpes, ST. Ascari, J. et al. (2021). ‘Antihyperglycemic activity of crude extract and isolation of phenolic compounds with antioxidant activity from Moringa Oleifera Lam. leaves grown in Southern Brazil’. *Food Research International*. 141. [doi.org/10.1016/J.FOODRES.2020.110082](https://doi.org/10.1016/J.FOODRES.2020.110082). p. 110082
- Omodanisi, EI, Aboua, YG. Oguntibeju, OO. Lamuela-Raventós, R. et al. (2017). ‘Assessment of the anti-hyperglycaemic, anti-inflammatory and antioxidant activities of the methanol extract of Moringa Oleifera in diabetes-induced nephrotoxic male wistar rats’. *Molecules*. 22(4), [doi.org/10.3390/molecules22040439](https://doi.org/10.3390/molecules22040439).
- Omodanisi, E.I., Aboua, Y.G., Chegou, N.N. Oguntibeju, O. et al. (2017). ‘Hepatoprotective, antihyperlipidemic, and anti-inflammatory activity of Moringa Oleifera in diabetic-induced damage in male wistar rats’. *Pharmacognosy Research*. 9(2). [doi.org/10.4103/0974-8490.204651](https://doi.org/10.4103/0974-8490.204651). pp. 182–187.

- Paikra, BK. Dhongade, HKJ and Gidwani, B. (2017). ‘Phytochemistry and pharmacology of Moringa Oleifera Lam’, Journal of Pharmacopuncture. *Korean Pharmacopuncture Institute.* [doi.org/10.3831/kpi.2017.20.022](https://doi.org/10.3831/kpi.2017.20.022). pp. 194–200.
- Panglossi H. V. (2006). Leading edge antioxidants research. Nova Science.
- Pareek, A., Pant, M., Gupta, M. M., Kashania, P., Ratan, Y., Jain, V. (2023). Moringa Oleifera: An Updated Comprehensive Review of Its Pharmacological Activities, Ethnomedicinal, Phytopharmaceutical Formulation, Clinical, Phytochemical, and Toxicological Aspects. *International Journal of Molecular Sciences.* 24(3). <https://doi.org/10.3390/ijms24032098>. pp. 1-36
- Pasupuleti, VR. Arigela, CS. Gan, SH. Salam, SKN. Krishnan, KT. Rahman, NA. et al. (2020). ‘A review on oxidative stress, diabetic complications, and the roles of honey polyphenols’. *Oxidative Medicine and Cellular Longevity.* doi.org/10.1155/2020/8878172.
- PERKENI. (2021). *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia* (1st ed.). PB. PERKENI. Diakses : 5 April 2023 <<https://pbperkeni.or.id/unduhan>>
- Phaniendra, A. Jestadi, DB and Periyasamy, L. (2015). ‘Free Radicals: Properties, Sources, Targets, and Their Implication in Various Diseases’. *Indian Journal of Clinical Biochemistry.* [doi.org/10.1007/s12291-014-0446-0](https://doi.org/10.1007/s12291-014-0446-0). pp. 11–26.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., Squadrito, F., Altavilla, D., & Bitto, A. (2017). Oxidative Stress Harms and Benefits for Human Health. *Oxidative Medicine and Cellular Longevity, 2017.* <https://doi.org/10.1155/2017/8416763>.pp.1-14
- Priyanto, Y., Christijanti, W., Marianti, A., & Lisdiana. (2023). Aktivitas Antioksidan Daun Kelor (Moringa Oleifera) pada Tikus Diabetik Induksi Aloksan. *Life Science,* 12(1).
- Ramadan, BK., Schaalan, MF. and Tolba, AM. (2017). ‘Hypoglycemic and pancreatic protective effects of Portulaca oleracea extract in alloxan induced diabetic rats’. *BMC Complementary and Alternative Medicine.* 17(1). doi.org/10.1186/s12906-016-1530-1.pp.1-10.
- Ramdiana and Legiran. (2023). ‘Literature Review: Stres Oksidatif dan Reproduksi Wanita’. *Jurnal Ilmu Kesehatan Masyarakat,* 12(03). [doi.org/10.33221/jikmv12i03.1968](https://doi.org/10.33221/jikmv12i03.1968). pp. 202–214
- Riskesdas. (2013). Laporan Nasional RISKESDAS 2013. Jakarta. Badan Penelitian dan Pengembangan Kesehatan Kementerian RI

- \_\_\_\_\_. (2018). Laporan Nasional RISKESDAS 2018. Jakarta. Badan Penelitian dan Pengembangan Kesehatan Kementerian RI
- Ritanti, H. Simanjuntak, S B. Winarsi, H. (2014) aktivitas Glutatione Peroksidasedan kadar gula darah tikus diabetes yang diberi ekstrak daun kapulaga (Amomum cardamomum). *Scripta Biologica*.1 (1). [DOI.ORG/10.20884/1.SB.2014.1.2.442](https://doi.org/10.20884/1.SB.2014.1.2.442). Pp.153-156.
- Rivai, O. (2020). Identifikasi Senyawa yang Terkandung pada Ekstrak Daun Kelor (Moringa Oleifera). *Indonesian Journal of Fundamental Sciences*. Vol 6, no 2. Pp. 63-70
- Riyanti, H., Simanjutak, S., & Winarsi, H. (2014). AKTIVITAS GLUTATION PEROKSIDASE DAN KADAR GULA DARAH TIKUS DIABETES YANG DIBERI EKSTRAK DAUN KAPULAGA. *Scripta Biologica*, 1(2). <https://doi.org/10.20884/1.sb.2014.1.2.442>.pp.153
- Ruchita, H. and Sharda, K. (2017) ‘Moringa Oliefera: The Miracle Tree’, *International Journal of Advance Research, Ideas and Innovations in technology*. Available at: [www.IJARIIT.com](http://www.IJARIIT.com). 3 (5). Pp. 966-970
- Saputra, N., & Sulistyarsi, A. (2019). Pengaruh Pemberian Simplisia Daun Kelor (Moringa Oleifera) Terhadap Struktur Jaringan Ginjal Mencit (Mus Muculus). Madiun. 15 Agustus 2019. Prosiding Seminar Nasional SIMBIOSIS IV.p. 365-370.
- Sastrianawaty, L., Sumarno, T., & Prabowo, S. (2019). Pengaruh Pemberian Ekstrak Daun Kelor (Moringa Oleifera) terhadap Kadar Kolesterol HDL Tikus Putih (Rattus Norvegicus) Jantan Galur Wistar Hiperglikemia dengan Induksi Aloksan. *HTMJ*. 17(1). [www.journal-medical.hangtuah.ac.id](http://www.journal-medical.hangtuah.ac.id).pp.30-43.
- Sastroasmoro, S and Ismael, S. (2011). Dasar-dasar Metodologi Penelitian Klinis. Empat. Edited by S. BW. Jakarta: Sagung Seto.
- Satriyani, D. P. (2021). *REVIEW ARTIKEL: AKTIVITAS ANTIOKSIDAN EKSTRAK DAUN KELOR (Moringa oleifera Lam.)*. *Jurnal Farmasi Malahayati*. 4.(1). pp.31-43
- Schwartz, SS. Epstein, S. Corkey, BE. Grant, SFA. Gavin, JR. Aguilar, R. (2016). ‘The Time Is Right for a New Classification System for Diabetes: Rationale and Implications of the  $\beta$ -Cell–Centric Classification Schema’. *Diabetes Care*. 39(2). [doi.org/10.2337/DC15-1585](https://doi.org/10.2337/DC15-1585). pp. 179–186
- Schieber, M. and Chandel, NS. (2014) ‘ROS function in redox signaling and oxidative stress’. *Current Biology*. 24 (10). [doi.org/10.1016/j.cub.2014.03034](https://doi.org/10.1016/j.cub.2014.03034). pp. 1-25

Sharifi-Rad, M. Anil Kumar, N. V. Zucca, P. Varoni, E. M. Dini, L. Panzarini, E. et al.(2020). Lifestyle, Oxidative Stress, and Antioxidants: Back and Forth in the Pathophysiology of Chronic Diseases. In *Frontiers in Physiology* (Vol. 11). Frontiers Media S.A. <https://doi.org/10.3389/fphys.2020.00694>

Shi, GJ. Li, Y. Cao, QH. Wu, HX. Tang, XY. Gao, XH. et al. (2019) 'In vitro and in vivo evidence that quercetin protects against diabetes and its complications: A systematic review of the literature'. *Biomedicine & Pharmacotherapy*. 109. [doi.org/10.1016/J.BIOPHA.2018.10.130](https://doi.org/10.1016/J.BIOPHA.2018.10.130). pp. 1085–1099.

Steinbrenner, H. (2013). Interference of selenium and selenoproteins with the insulin-regulated carbohydrate and lipid metabolism. *Free Radical Biology and Medicine*, 65. <https://doi.org/10.1016/j.freeradbiomed.2013.07.016>.pp. 1538–1547

Soliman, MM. Al-Osaimi. Mohamed, EH. Aldhahrani, A. Alkhedaide, A. Slthobaiti, F et al. (2020). Protective impact of *Moringa Oleifera* leaf extract against Methotrexate induced oxidativ stress and apoptosis on mouse splen. Hindawi. doi: 10.1155/2020/6738474. pp. 1-13.

Stone, WL. Pham, T. and Mohiuddin, SS. (2023) 'Biochemistry, Antioxidants', StatPearls. Diakses: 3 September 2023 <[www.ncbi.nlm.nih.gov/books/NBK541064/](http://www.ncbi.nlm.nih.gov/books/NBK541064/)>

Su, L. Zhang, J. Gomez, H. Murugan, R. Hong, X. Jiang, F. Xu, D. et al. (2019). 'Reactive Oxygen Species-Induced Lipid Peroxidation in Apoptosis, Autophagy, and Ferroptosis'. *Oxidative Medicine and Cellular Longevity*. 2019. doi.org/10.1155/2019/5080843.

Subandrate. (2016). Hubungan Kadar Glukosa Darah Dengan Peroksidasi Lipid Pada Pasien Diabetes Melitus Tipe 2. CDK. 43 (7). pp.487-489

Sharifi-Rad M, Anil Kumar N V., Zucca P, Varoni EM, Dini L, Panzarini E, et al. Lifestyle, Oxidative Stress, and Antioxidants: Back and Forth in the Pathophysiology of Chronic Diseases. *Front Physiol*. 2020;11(July):1– 21.

Sumardika IW & Jawi IM. 2012. Ekstrak air daun ubijalar ungu memperbaiki profil lipid dan meningkatkan kadar SOD darah tikus yang diberi makanan tinggi kolesterol. *Medicina* 43(2): 67-71

Sunarti. (2021). Antioksidan Dalam Penanganan Sindrom Met. Prasetyo. Yogyakarta: UGM Press.

Suryadinata, R. V (2018) 'Pengaruh Radikal Bebas Terhadap Proses Inflamasi pada Penyakit Paru Obstruktif Kronis (PPOK) Effect of Free Radicals on Inflammatory Process in Chronic Obstructive Pulmonary Disease (COPD)', [doi.org/10.2473/amntv2i4.2018.317-324](https://doi.org/10.2473/amntv2i4.2018.317-324). pp. 1–12.

- Susilawati, I. D. A. (2021). Kajian Pustaka: Sumber Reactive Oxygen Species (ROS) Vaskular (Review: Vascular sources of Reactive Oxygen Species). *Stomatognatic*, 18(1), 1–10.
- Suwanto and Gustomi M. (2019). Tanaman Obat Sebagai Terapi Komplementer. Surakarta: UNS Press.
- Szasz, T., Thakali, K., Fink, G. D., & Watts, S. W. (2007). A Comparison of Arteries and Veins in Oxidative Stress: Producers, Destroyers, Function, and Disease. *Experimental Biology and Medicine*. 232 (1). <https://doi.org/10.3181/00379727-207-2320027>.pp.27-37
- Tailé, J., Arcambal, A., Clerc, P., Gauvin-Bialecki, A. et al. (2020). Medicinal plant polyphenols attenuate oxidative stress and improve inflammatory and vasoactive markers in cerebral endothelial cells during hyperglycemic condition. *Antioxidants*, 9(7). <https://doi.org/10.3390/antiox9070573>.pp.1–27.
- Tiwari, BK. Pandey, KB. Abidi, AB. Rizvi, SI. (2013). ‘Markers of Oxidative Stress during Diabetes Mellitus’, Journal of Biomarkers, 2013. [doi.org/10.1155/2013/378790](https://doi.org/10.1155/2013/378790). pp. 1–8
- Tjong, A. Assa and Purwanto. (2021). ‘Kandungan Antioksidan Pada Daun Kelor (Moringa Oleifera) dan Potensi Sebagai Penurun Kadar Kolesterol Darah’, eBiomedik,. [doi.org/10.35790/ebm.9.2.2021.33452](https://doi.org/10.35790/ebm.9.2.2021.33452). pp. 248–252.
- Tsikas, D. (2017). ‘Assessment of lipid peroxidation by measuring malondialdehyde (MDA) and relatives in biological samples: Analytical and biological challenges’, *Analytical Biochemistry*. [doi.org/10.1016/J.AB.2016.10.021](https://doi.org/10.1016/J.AB.2016.10.021). pp. 13–30.
- Toripah, S., Abidjulu, J., Wehantouw, F. (2014). Aktivitas Antioksidan dan kandungan Total Fenolik ekstrak daun kelor (Moringa Oleifera Lamk). *Jurnal Info Kesehatan*. 14 (2). Pp. 1060-1082.
- Ullah, A. Khan, A and Khan, I. (2016). ‘Diabetes mellitus and oxidative stress—A concise review’. *Saudi Pharmaceutical Journal*. 24(5). Available at: <https://doi.org/10.1016/j.jps.2015.03.013>. pp. 547–553.
- Urquiza-Martínez, M. V. & Navarro, F. N. (2016). Antioxidant Capacity of Food. *Free Radicals and Antioxidants*, 6(1), 1–12. <https://doi.org/10.5530/fra.2016.1.1>
- Uslu S, Kebapçı N, Kara M, Bal C. (2012) Relationship between adipocytokines and cardiovascular risk factors in patients with type 2 diabetes mellitus. *Exp Ther Med*. 4(1). pp.113–20

- Vargas-Sánchez, K. Garay-Jaramillo,E and González-Reyes.R (2019). "Effects of *Moringa Oleifera* on Glycaemia and Insulin Levels: A Review of Animal and Human Studies. *Nutrients*.11(12). <https://doi.org/10.3390/nu11122907>. Pp.1-19
- Veri, N (2015). Pengaruh ekstrak teh hijau terhadap ekspresi eNos dan indeks apoptosis endometrium rattus norvegicus yang dipapar DMPA. *Jurnal Of family & reproductive*. 7(3). DOI 10.3302. pp. 568-575
- Vieira, R., Souto, S. B., Sánchez-López, E., Machado, A. L., Severino, P., Jose, S., et al. (2019). Sugar-lowering drugs for type 2 diabetes mellitus and metabolic syndrome—strategies for in vivo administration: Part-II. In *Journal of Clinical Medicine*. 8 (9). doi.org/10.3390/jcm8091332. pp.1-20.
- Wei Z, Yao M, Li Y, He X, Yang ZS (2014). Dietary selenium deficiency exacerbates lipopolysaccharide-induced inflammatory response in mouse mastitis models. *Inflammation*.37(6). pp.1925-1931.
- Widaryanti, B., Khikmah, N., & Sulistyani, N. (2021). Efek Rebusan Sereh (*Cymbopogon citratus*) Terhadap Respon Stress Oksidatif Pada Tikus Wistar Jantan (*Rattus norvegicus*). *Diabetes*. <http://journal.unnes.ac.id/sju/index.php/LifeSci>.pp.173-181.
- Widiastini, L.P.; Karuniadi, I.A.M.; Karmaya, I.N.M.; Widhiantara, I.G. (2022). The potential of a Balinese traditional medicine kelor leaves (*Moringa Oleifera*) for male infertility treatment: A mini review. *Indian J. Forensic Med. Toxicol.* 16, 734–742
- Winarsi, H. (2007). Antioksidan alami dan radikal bebas. Yogyakarta: Kanisius.
- WHO. (2019). Penyebab Kematian Tertinggi di Indonesia. Diakses: 3 Juni 2023. <<https://www.who.int/>>.
- Yadav, D. et al. (2019) 'Molecular dynamic simulations of oxidized skin lipid bilayer and permeability of reactive oxygen species', *Scientific Reports*1, 9(1). [doi.org/10.1038/s41598-019-40913-y](https://doi.org/10.1038/s41598-019-40913-y). pp. 1–10.
- Yasaroh, S. Christijanti, W. Iswari, R S. (2021). 'Efek Ekstrak Daun Kelor (*Moringa Oleifera*) Terhadap Kadar Glukosa Darah Tikus Diabetes Induksi Aloksan'. in Semnas Biologi ke-9 tahun 2021. pp. 224–229.
- Yau, M. (2021) 'Etiology and Pathogenesis of Diabetes Mellitus in Children and Adolescents'. Diakses: 31 May 2023 <<https://www.ncbi.nlm.nih.gov/books/NBK498653>>.
- Ye, W. LUO, C. Huang, J. Li, C. Liu, Z. Liu, F. (2022). 'Gestational diabetes mellitus and adverse pregnancy outcomes: systematic review and meta-analysis'. *BMJ*. doi.org/10.1136/bmj-2021-067946. pp.1-13

- Yennie, E., & Elystia, S. 2013. Pembuatan Pestisida Organik Menggunakan Metode Ekstraksi dari Sampah Daun Pepaya dan Umbi Bawang Putih. *Jurnal Dampak*, 10(1), 46-59
- Yerizel, Oenzil, dan Rifka. (2013). Hubungan Hiperglikemia dengan kadar Fe dan aktivitas katalase pada pasien DM tipe 2. *Jurnal Of Indonesia medical association*. 63 (5). pp. 177-181
- Yunbo, L. (2011). Antioxidants In Biology and Medicine. New York: Nova Science Publishers, Inc.
- Yurista, SR., Ferdian, RA. and Sargowo, D. (2016) ‘Principles of the 3Rs and ARRIVE Guidelines in Animal Research’. *Jurnal Kardiologi Indonesia*. 37(3). pp. 156–63.
- Yuslanti, E. (2022). Pengantar Radikal Bebas dan Antioksidan. Cimahi: deeppublish.
- Yustika, R. A., Aulanni'am, & Prasetyawan, S. (2023). Kadar *Malondialdehyde* (MDA) Dan Gambaran Histologi Pada Ginjal Tikus Putih (*Rattus Norvegicus*) Pasca Induksi Cylosporine-A. *Universitas Brawijaya Malang*, 1(2), 222–228
- Zeng, Z. Xu, Y. and Zhang, B. (2017). ‘Antidiabetic Activity of a Lotus Leaf Selenium (Se)-Polysaccharide in Rats with Gestational Diabetes Mellitus’, *Biological Trace Element Research*, 176(2). [doi.org/10.1007/s12011-016-0829-6](https://doi.org/10.1007/s12011-016-0829-6). pp. 321–327.
- Zou C, Qiu Q, Chen H, Dou L, Liang, J. (2016). Hepatoprotective effects of selenium during diabetes in rats. *Hum Exp Toxicol*. 35(2):114-23.