

DAFTAR PUSTAKA

- Adetutu, A., Morgan, W. A., Corcoran, O. (2011). Ethnopharmacological survey and in vitro evaluation of wound healing plants used in South-western Nigeria. *J. Ethnopharmacol*, 137: 50–56.
- Adhikari, B. S., Babu, M. M., Saklani, P. L., Rawat, G. S. (2010). Medicinal plants diversity and their conservation status in Wildlife Institution of India (W99) Campus, Dehradun. *Ethnobotanical Leaflets*, 14: 46-83.
- Priyatno, L. H. A., Sukandar, E. Y., Ibrahim, S., Adnyana, I. K. (2007). Xantine oxidase inhibitor activity of terpenoid and pyrrole compounds isolated from Snake Fruits (*Salacca edulis* Reinw) cv. Bongkok. *Journal of Applied Sciences*, 7(20): 3127-3130.
- Ahmad, M., Prawez, S., Sultana, M., Raina, R., Pankaj, N.K., Verma, P.K., Rahman, S. (2014). Antihyperglycemic, anti-hyperlipidemic and antioxidant potential of al-coholic extract of *Sida cordifolia* (aerial part) instreptozotocin-induced diabetes in Wistar rats. *Proc. Natl. Acad. Sci. India Sect*, 84: 397–405.
- Ahmad, A., Gupta, G., Afzal, M., Kazmi, I., Anwar, F. (2012). Antiulcer and antioxidant activities of a new steroid from *Morus alba*. *Life Sciences* 92 : 202-210.
- Ahmed, F., Toume, K., Ohtsuki, T., Rahman, M., Sadhu, S.K., Ishibashi, M. (2011). Cryptolepine, isolated from *Sida acuta*, sensitizes human gastric adenocarcinoma cells to TRAIL-induced apoptosis. *Phytother Res*, 25: 147–150.
- Ahmed H, Juraimi AS, Hamdani MSA, Omar D, Rafii MY, Aslani F. (2017). Comparative phytotoxic effects of aerial and root aqueous extracts of *Sida cordifolia* L. on germination and seedling vigour performance of lettuce, tomato and carrot. *Bangladesh J Bot*, 46: 323–328.
- Ahmed H, Juraimi A. S., Swamy, M. K., Hamdani M. S. A., Omar, D., Rafii, M. Y., Sinniah, U. R., Akhtar, M. S. (2018). Botany, Chemistry, and Pharmaceutical Significance of *Sida cordifolia* : A Traditional Medicinal Plant. *Springer Nature Singapore*, 22: 517-537.
- Ajithabai, M. D., Sunitha Rani, S. P., Jayakumar, G. (2012). Review on the species of *Sida* used for the preparation of Nayopayam Kashayam. *Int. J. Res. Rev. Pharm. Appl. Sci*, 2: 173–195.
- Akilandeswari, S., Senthamarai, R., Valarmathi, R., Prema, S. (2010). Antimicrobial activity of leaf extracts of *Sida acuta* Burm. *Int. J. Pharma Sci. Res*, 1: 248–250.

- Akram, M., Asif, H.M., Usmanghani, K., Akhtar, N., Jabeen, Q., Madni, A., Saeed, T., Rehman, R., Ahmed K., and Shah, A. (2011). *Afr. J. Biotechnol*, 10(6): 996-998.
- Alam, M. N., Bristi, N. J., dan Rafiquzzaman, M. (2013). Review on in vivo and in vitro methods evaluation of antioxidant activity. *Saudi Pharm. J*, 21: 143-152.
- Aminah. N. S., Laili, E. R., Rafi, M., Rochman, A., Insanu, M., Tun, K. N. W. (2021). Secondary metabolite compounds from *Sida* genus and their bioactivity. *Heliyon* 7: 1-10. <https://doi.org/10.1016/j.heliyon.2021.e06682>
- Anani, K., Hudson, J. B., De Souza, C., Akpagana, K., Tower, G. H. N., Amason, J. T., Gbeassor, M. (2000). Investigation of the medicinal plants of Togo for antiviral and antimicrobial activities. *Pharmaceutical Biology*, 38: 40-45.
- Ankad, G., Bhagwat, S., Hegde, H., Subramanya, M., Upadhy, V., Pai, S. (2015). Total polyphenolic contents and in vitro antioxidant properties of eight *Sida* species from Western Ghats. India. *J. Ayurveda. Integr. Med*, 6: 24–28. <https://doi.org/10.4103/0975-9476.146544>.
- Arciniegas, A., P_erez-Castorena, A.L., Nieto-Camacho, A., Kita, Y., Vivar, A.R. (2017). Antihyperglycemic, antioxidant and anti-inflammatory activities of extracts and metabolites from *Sida acuta* and *Sida rhombifolia*. *Quim. Nova*, 40: 176–181. <http://dx.doi.org/10.21577/0100-4042.20160182>.
- Asha, A., Farsana, S., Baiju, E.C. (2018). Phytochemical profiling and antibacterial activity of selected *Sida* species against common human pathogenic bacteria : An in vitro study, *Journal of Pharmacognosy and Phytochemistry*, 7(3): 1201-1205.
- Assam, J.P., Dzoyem, J.P., Pieme, C.A., Penlap, V.B. (2010). In vitro antibacterial activity and acute toxicity studies of aqueous-methanol extract of *Sida rhombifolia* Linn. (Malvaceae), *BMC Complementary and Alternative Medicine*, 10(40): 1-7.
- Atanassova, M., Georgieva, S., Ivancheva, K. (2011). Total phenolic and total flavonoid contents, antioxidant capacity and biological contaminants in medicinal herbs. *J Univ Chem Technol Metallurgy*, 46: 81-88.
- Attah, A.F., O' Brien, M., Koebach, J., Sonibare, M.A., Moody, J.O., Smith, T.J., Gruber, C.W. (2012). Uterine contractility of plants used to facilitate childbirth in Nigerian ethnomedicine. *J. Ethnopharmacol*, 143: 377–382.
- Azad, A.K., Islam, O., Khairuzzaman, M., Ferdous, J., Shaheen, S.M. (2017). Hypoglycemic, analgesic and anti-inflammatory activities of methanol extract of *Sida rhombifolia* L. Leaves on Experimental Mice. *Int. J. Pharm. Sci. Scient. Res*, 3: 7–82. <https://doi.org/10.25141/2471-6782-2017-7.0082>.

- Badarinath, A.V.; Mallikarjuna, K.; Madhau Sudhana Chetty, C.; Ramkanth, S.; Rajan, T.V.S.; Guanaprahash, K. (2010). A review on *in vitro* antioxidant methods: comparisons, correlations and considerations. *Int. J. Pharm. Tech. Res*, 2: 1276–1285.
- Balci, M. (2005). *Basic 1H and 13C NMR Spectroscopy* (Elsevier (ed.X)).
- Banzouzi, J. T., Prado, R., Menan, H., Valentin, A., Roumestan, C., Mallie, M., Pelissier, Y., Blache, Y. (2004). Studies on medicinal plants of Ivory Coast : Investigation of *Sida acuta* for in vitro antiplasmodial activities and identification of an active constituent. *Phytomedicine*, 11: 338–341.
- Bati, K., Kwape, T.E., Caturvedi, P. (2018). The Inhibitory Effect of an ethanol extract of *Sida rhombifolia* leaves on key carbohydrate hydrolyzing enzymes, *Journal of Complementary Medicine Research*, 9(1): 1-10.
- Bedin, M., Colodel, E.M., Giugliani, R., Zlotwsky, P., Cruz, C.E.F., Driemeier, D. (2009). Urinary oligo saccharides : a peripheral marker for *Sida carpinifolia* exposure or poisoning. *Toxicol*, 53: 591-594.
- Benjumea, D.M., Gomez-Betancur, I.C., Vasquez, J., Alzate, F., García-Silva, A., Fontenla, J.A. (2016). Neuropharmacological effects of the ethanolic extract of *Sida acuta*. *Rev. Bras. Farmacogn*, 26: 209-215. <http://dx.doi.org/10.1016/j.bjp.2015.09.011>.
- Benzie IF, Strain J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of antioxidant power”: the FRAP assay. *Analytical biochemistry*, 239 (1): 70-76.
- Biftu, A., Adane, L., Tariku, Y. (2014). Evaluation of antibacterial activities of compounds isolated from fruits of *Sida rhombifolia* Linn. *Middle-East J. Sci. Res*, 22: 681–689.
- Bonjardim, L. R., Silva, A. M., Oliveira, M. G., Guimarães, A. G., Antonioli, A. R., Santara, M. F., Serafini, M. R., Santos, R. C., Araujo, A. A., Estevam C. S., Santos, M. R., Lyra A., Carvalho R., Quintans-Junior, L. J., Azevedo, E. G., Botelho, M. A. (2011). *Sida cordifolia* leaf extract reduces the orofacial nociceptive response in mice. *Phytotherapy Research*, 25: 1236-1241.
- Bora, L. (2016). Anticandidal activity of medicinal plants and *Pseudomonas aeruginosa* strains of clinical specimens. *J. Microbiol. Immunol. Infect*, 49: 276-280. <https://doi.org/10.1016/j.jmii.2014.10.002>.
- Brandão, J.L., Baracho, G.S., Sales, M.F., Viegas Filho, M.P. (2017). Synopsis of *Sida* (Malvaceae, Malvoideae, Malveae) in the state of Pernambuco, Brazil. *Phytotaxa*, 307: 205-227. <https://doi.org/10.11646/phytotaxa.307.3.5>.

- Breitbach, W.B., Niehues, M., Lopes, W.P., Faria, J.E.Q., Brandao, M.G.L. (2013). Amazonian Brazilian medicinal plants described by C. F. P. von Martius in the 19 th Century. *J. Ethnopharmacol*, 147: 180-189.
- Brink, M., Achigan-Dako, E.G. (2012). *Plant Resources of Tropical Africa*. Volume 16. Fibres. Wageningen, Netherlands, p. 417.
- Cai, li. (2014). Thin Layer Chromatography, *Chromatography*, <https://doi.org/10.1002/9780470089941.et0603s08>.
- Chaturvedi, P., & Kwape, T.E. (2015). Attenuation of diabetic condition by *Sida rhombifolia* in moderately diabetic rats and inability to produce similar effects in severely diabetic in rats, *Journal of Pharmacopuncture*, 18(4): 012-019.
- Chaves, O.S., Gomes, R.A., Tomaz, A.C.A., Fernandes, M.G., Junior, L.G.M., Agra, M.F., Braga, V.A., & Souza, F.V. (2013). Secondary metabolites from *Sida rhombifolia* L (Malvaceae) and the vasolaeraxant activity of cryptolepinone, *Molecules*, 18: 2769-2777. <https://doi.org/10.3390/molecules1803276>.
- Chawla G, Ranjan C. (2016). Principle, instrumentation, and applications of UPLC: A novel technique of liquid chromatography. *Open Chemistry Journal*, 3(1): 1-16.
- Chem 333 L. (2016). Thin layer chromatography analyses. <http://infohost.nmt.edu/jaltig/TLC.pdf>.
- Chen C. R., Chao L. H., Pan M. H., Liao Y. W., Chang, C. I. (2007). Tocopherols and triterpenoids from *Sida acuta*. *Journal of the Chinese Chemical Society*, 54: 41-45.
- Chinonso, B.A., Emeka, E.O. (2017). Investigating the extract constituents and corrosion inhibiting ability of *Sida acuta* leaves. *World. News. Nat. Sci*, 13: 63-81.
- Choi, H.K., Mount, D.B., Reginato, A.M. (2005). Pathogenesis of gout. *Ann. Intern. Med*, 143: 499-516.
- Chukwuemeka, N.P., Adejoh, I.P., Osafanme, I.L., Duniya, S.V., & Boniface, M.T. (2019). Laxative effects of aqueous extract of *Sida acuta* leaves in loperamide induced constipation in wistar rats, *Asian j. res. pharm. Sci*, 6(1): 1-7.
- Chumpol, W., Tavichakorntrakool, R., Lulitanond, A., Daduang, J., Saisud, P., Sribenjalux, P., Prasongwatana, V., Boonsiri, P. (2018). The antibacterial activity of the aqueous extract of *Sida acuta* Burm, *Southeast Asian Journal Trop Med Public Health*, 49(2): 285-291.
- Chroma, I.M., Grzelak, E.M. (2011). Bioautography detection in thin layer chromatography, *Journal of Chromatography A*, 12(18): 2684-2691.

- Cimpoi, D.C. (2006). Analysis of some natural antioxidants by thin-layer chromatography and high performance thin-layer chromatography. *J. Liq. Chromatogr. R. T*, (7)8: 1125–1142.
- Copeland, R. A. (2013). *Evaluation of Enzyme Inhibitors in Drug Discovery: A Guide for Medicinal Chemists and Pharmacologists*. Hoboken: John Wiley & Sons.
- Cos, P., Ying, L., Calomme, M., Hu, J.P., Cimanga, K., Van Poel, B., Pieters, L., Vlietinck, A.J., Vanden Berghe, D. (1998). Structure-activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers. *J. Nat. Prod*, 61: 71-76.
- Dachriyanus. (2004). *Analisis Struktur Senyawa Organik Secara Spektroskopi*, Andalas University Press, Padang.
- Day, R.A., dan Underwood, A.L. (1986). *Quantitative analysis*, Jakarta : PT. Gelora Askara Pratama, p. 398-417.
- Das, N., Achari, B., Harigaya, Y., Dinda, B. (2011). A new flavonol glucoside from the aerial parts of *Sida glutinosa*. *Journal of Asian Natural Product Research*, 13: 965-971.
- Das, N., Nath, J., Dinda, B. (2012). Antioxidant phytochemicals from *Sida glutinosa*. *J. Pharm. Res.* 5: 4845-4848.
- Dhalwal, K., Shinde, V., Mahadik, K. R., Kadam, S.S. (2006). Hepatoprotective activity of *Sida rhombifolia* ssp. *retusa* against thioacetamide and allyl alcohol intoxication in rats, *Pharmacologyonline*, 3: 259-266.
- Dhalwal, K., Deshpande, Y. S., Purohit, A. P. (2007). Evaluation of in vitro antioxidant activity of *Sida rhombifolia* ssp. *retusa*, *J Med Food*, 10(4): 683-688.
- Dhalwal, K., Shinde, V.M., Singh, B., Mahadik, K. R. (2010). Hypoglycemic and hypolipidemic effect of *Sida rhombifolia* ssp. *retusa* in diabetic induced animals. *Int. J. Phytomedicine*, 2: 160-165.
- Debalke, D., Birhan, M., Kinubeh, A., Yayeh, M. (2018). Assessments of antibacterial effects of aqueous-ethanolic extracts of *Sida rhombifolia*'s aerial part, *Sci. World J*, 1-8.
- Desideri G, Castaldo G, Lombardi A, Mussap M, Testa A, Pontremoli R. (2014). Is it time to revise the normal range of serum uric acid levels ? *Eur Rev Med Pharmacol Sci*, 18: 1295-306.

- Dewanjee, S., Bhattacharjee, N., Chakraborty, P., Bhattacharjee, S. (2021). *Carotenoids: Structure and Function in the Human Body (Carotenoids as Antioxidants)*. pp 447–473.
- Dinan, L., Bourne, P., Whiting, P. (2001). Phytoecdysteroid profiles in seeds of *Sida* spp. (Malvaceae). *Phytochem. Anal*, 12: 110-119.
- Dinda, B., Das, N., Dinda, S., Dinda, M., Silsarma, I. (2015). The genus, *Sida* L. A traditional medicine : Its ethnopharmacological, phytochemical and pharmacological data for commercial exploitation in herbal drugs industry, *J Ethnopharmacol*, 176: 135-176.
- Dipiro, J., Talbert, R., Yee, G., Matzke G., Wells, B., and Posey, L. (2008). *Pharmacotherapy : a pathophysiologic approach*, Edisi ke-7, New York : The Mc Graw-Hill Companies Inc.
- Divakar, M. C., John, J., Vyshnavidevi, Poornima, Anisha, Subash, A., Govindan, V. (2013). Herbal remedies of Madayipara hillock tribals in Kannur district, Kerala, India. *J. Med. Plants Stud*, 1, 34-42.
- Dong, Y., Hu, H. H., Zhao, M. M., Sun-Waterhouse, D. X., Lin, L. Z., Xiao, C. Q. (2016). *J. Funct. Foods*, 24-26.
- Edeoga, H. O., Okwu, D. E., Mbaebie, B. O. (2005). Phytochemical constituents of some Nigerian medicinal plants. *Afr. J. Biotechnol*, 4: 685-688.
- Edwards, N. L. (2009). Febuxostat: A new treatment for hyperuricemia in gout, *Oxford Journals*, 115-119.
- Ekor, M., Odewabi, A. O., Bakre, A. G., Oritogun, K. S., Ajayi, T. E., Sanwo, O. V. (2010). Comparative evaluation of the protective effect of the ethanolic and methanolic leaf extracts of *Sida acuta* against hyperglycaemia and alterations of biochemical and haematological indices in alloxan diabetic rats. *Am J Pharmacol Toxicol*, 5: 1-10.
- Eluwa, M. A., Ofem, P. S., Asuquo, O. R., Akpantah, A. O., Ekanem, T. B. (2013). Histological study of the effect of ethanolic leaf extract of *Sida acuta* on the Cerebral Cortex of adult Wistar rats. *IOSR-JDMS*, 8: 60-63.
- Enroth, C., Eger, B.T., Okamoto, K., Nishino, T., Pai, E.F. (2000). *Crystal structure-based mechanism of conversion*, 97.
- Fitriana, W.D., Ersam, T., Shimizu, K., Fatmawati, S. (2016). Antioxidant activity of *Moringa oleifera* extracts. *Indones. J. Chem*, (16)3: 297-301.
- Ferro, D.M., Mazzutti, S., Vitali, L., Muller, C.M.O., Ferreira, S.R.S. (2019). Integrated extraction approach to increase the recovery of antioxidant compounds from *Sida rhombifolia* leaves, *J Supercrit Fluid*, 149: 10-19.

- Francis, P., Masimba, P.J., Mwakigonja, A.R. (2018). Evaluation of the wound healing activity of formulated ointments and water preparation from *Sida rhombifolia* leaf extract. *Tan. J. Health. Res*, 20. <http://dx.doi.org/10.4314/thrb.v20i4.4>.
- Fryxell, P. A. (1988). Malvaceae of Mexico. *Syst. Bot. Monogr*, 25: 1-522.
- Gairola S., Sharma J., Gaur R.D., Siddiqi T.O., Painuli R.M. (2013). Plants used for treatment of dysentery and diarrhoea by the Bhoja community of district Dehradun, Uttarakhand, India. *J. Ethnopharmacol*, 150: 989-1006.
- Gandjar, Ibnu Ghalib dan Abdul Rohman. (2007). *Kimia farmasi analisis*, Pustaka Pelajar, Yogyakarta.
- Ganesh, M., Mohankumar, M. (2017). Extraction and identification of bioactive components in *Sida cordata* (Burm.f.) using gas chromatography mass spectrometry. *J. Food. Sci. Tech.* 54: 3082-3091. <https://doi.org/10.1007/s13197-017-2744-z>.
- Gangu, A.R., Prapulla, P., Anilkumar, C.H., Chamundeeswari, D., Reddy, U.M. (2011). Free radical scavenging activity of the alcoholic extract of *Sida rhombifolia* roots in arthritic rats. *Int. J. Res. Pharm. Chem*, 1: 624-629.
- George, M., Joseph, L., Aravind, A. (2017). Antibacterial activity of alkaloids from *Sida acuta*. *World. J. Pharma. Res*, 6: 1457-1462. <https://doi.org/10.20959/wjpr20177-8793>.
- Ghallab, D. S., Shawky, E., Metwally, A. M., Celik, I., Ibrahim, R. S., Mohyeldin, M. M. (2022). Integrated in silico – in vitro strategy for the discovery of potential xanthine oxidase inhibitors from Egyptian propolis and their synergistic effect with allopurinol and febuxostat. *Royal Society of Chemistry*, 12: 2843-2872.
- Ghosh, G., Subudhi, B. B., Mishra, S. K. (2011). Anti-hyperglycemic activity of root bark of *Polyathia longifolia* var. *pendula* and aerial parts of *Sida rhombifolia* Linn and its relationship with antioxidant property. *Asian Journal of Chemistry*, 23: 141-144.
- Ghosal, S., Chauhan, R. B. P. S., Mehta, R. (1975). Alkaloids of *Sida cordifolia*. *Phytochemistry*, 14: 83-832.
- Goyal, M. M., Rani, K. K. (1988a). Hydrocarbons and phytosterols from the petroleum ether extract of *Sida acuta* Burm. *Indian Drugs*, 25: 184-185.
- Goyal, M. M., Rani, K. K. (1988b). Effect of Natural products isolated from three species of *Sida* on some gram positive and gram negative bacteria. *J. Indian Chem. Soc*, 65: 74-76.

- Gritter, R.J., J.M. Bobbits. & A.E. Schwarting. (1991). *Pengantar kromatografi*, Ed., kedua, terjemahan Kosasih Padmawinata, ITB Press, Bandung.
- Gunatilaka, A. A. L., So theeswaran, S., Balasubramaniam, S., Chandrasekara, A. I., Badra Sriyani, H. T. (1980). Studies on medicinal plants of SriLanka-III : pharmacologically important alkaloids of some Sida species. *Planta Med*, 39: 66-72.
- Gupta, S. R., Nirmal, S. A., Patil, R. Y., Asane, G. S. (2009). Anti-arthritis activity of various extracts of *Sida rhombifolia* aerial parts. *Nat. Prod. Res*, 23: 689-695.
- Gupta, M., Paul, S., Karmakar, N., Sasmal, S., Chowdhury, S. (2016). Evaluation of antioxidant action of polyherbal formulation in oxidative stress induced animals by assessment of reactive oxygen species level in vivo study. *Int. J. Pharm. Sci. Rev*, 40: 218-227.
- Halilu, M.E., Muhammad, I., Dangoggo, S.M., Farouq, A.A., Ahmed, A., Shamsuddeen, A.A., Suleiman, M., Yahaya, M. (2016). Phytochemical and antibacterial screening of petroleum ether and ethanol extracts of *Sida cordifolia* leaves. *J. Chem. Soc. Nigeria*, 41: 137-142.
- Harborne, J.B. (1987). *Metode fitokimia: Penuntun cara menganalisis tumbuhan*, Terbitan kedua, diterjemahkan oleh K.Padmawinata dan I.Soediro, Penerbit ITB, Bandung.
- Harahap, D.H., Hidayat, R., Theodorus, Wajdi, A.F. (2017). The efficacy of sidaguri (*Sida rhombifolia*) extract in hyperuricemia induced wistar rats, *International Journal of Biological & Medical Research*, 8(1): 5866-5869.
- Harrison, R. (2002). Structure and function of xanthine oxidoreductase : where are we now ? *Free Radic. Biol. Med*, 33: 774-797.
- Hoque, K. M., Dixon, E. E., Lewis, R. M., Allan, J., Gamble, G. D., Phipps-Green, A., J., Kuhns, V. L. H., Horne, A. M., Stamp, L. K., Merriman, T. R., Dalbeth, N., Woodwar, O. M. (2020). The ABCG2 Q141K hyperuricemia and gout associated variant illuminates the physiology of human urate excretion. *Nature Communications*, 11: 1-15. <https://doi.org/110.1038/s41467-020-16525-w>
- Hediger, M. A., Johnson, R.J., Miyazaki, H., Endou, H. (2005). Molecular physiology of urate transport. *Physiology*, 20: 125-33.
- Heinichen, O.Y., Hellion-Ibarrola, M.C., Montalbetti, Y., Velazquez, A.M., Doz-Vargas, J.H., Ibarolla, D.A. (2017). Behavioral profile and gastrointestinal evaluation of the hydro-alcoholic extract of *Sida rhombifolia* L. in mice, *J. Appl. Pharm. Sc*, 7(07): 021-029.

- Hendriani, R., Sukandar, Ye., Anggadiredja, K., Sukrasno. (2016). In vitro evaluation of xanthine oxidase inhibitory activity of selected medicinal plants, *Int. J. Pharm. Clin. Res*, 8(4): 235-238.
- Houghton, P.J. & R. Amala. (1998). *Laboratory handbook for the fractionation of natural extracts*, Chapman & Hall, London.
- Hyndman D, Liu S, Miner J.N. (2016). Urate handling in the human body. *Curr Rheumatol Rep*, 18: 34.
- Ichida, K., Hosoyamada, M., Hisatome, I., Enomoto, A., Hikita, M., Endou, H., Hosoya, T. (2004). Clinical and molecular analysis of patients with renal hypouricemia in Japan-influence of URAT1 gene on urinary urate excretion, *J. Am. Soc. Nephrol*, 15: 164-173. 10.1097/01.ASN.0000105320.04395.D0
- Ibrahim, T. A., Adetuyi, F. O., Ajala, L. (2012). Phytochemical screening and antibacterial activity of *Sida acuta* and *Euphorbia hirta*. *J. Appl. Phytotechnol. Environ. Sanit*, 1: 113-119.
- Ignacimuthu, S., Ayyanar, M., Sankara-Sivaramann, K. (2006). Ethnobotanical investigations among tribes in Madurai District of Tamil Nadu (India). *J. Ethno biol. Ethnomed*, 2: 25.
- Iswantini, D., Darusman, L. (2003). Effect of sidaguri extract as an uric acid lowering agent on the activity of xanthine oxidase enzyme. *Proceedings of International Symposium on Biomedicines*, Biopharmaca Research Centre, Sept. 18-19, Bogor Agricultural University, Bogor, Indonesia, p. 1.
- Iswantini, D., Darusman, L.K., Hidayat, R. (2009). Indonesian sidaguri (*Sida rhombifolia* L) as antigout and inhibition kinetics of flavonoids crude extract on the activity of xanthine oxidase, *J. Biol. Sci*, 9(5): 504-508.
- Iswantini, D., Yulian, M., Mulijani, S., & Trivadila. (2014). Inhibition kinetics of *Sida rhombifolia* L extract towards XO by electrochemical method, *Indonesian Journal of Chemistry*, 14(1): 71-77.
- Jadhav, A.N., Pawar, R.S., Avula, B., Khan, I.A. (2007a). Ecdysteroid glycosides from *Sida rhombifolia* L. *Chem. Biodivers*, 4: 2225-2230.
- Jadhav, A. N., Rumalla, C. S., Avula, B., Khan, I. A. (2007b). HPTLC method for determination of 20-hydroxyecdysone in *Sida rhombifolia* L. and dietary supplements. *Chromatographia*, 66: 797-800.
- Jain, A., Choubey, S., Singour, P. K., Raiak, H., Pawar, R. S. (2011). *Sida cordifolia* (Linn)-An overview. *J. Appl. Pharm. Sci*, 1: 23-31.

- Janet, JR., Puzon, M., Valle, DL., Rivera, WL. (2015). TLC profiles and antibacterial activity of *Glinus oppositifolius* L. Aug. DC. (Molluginaceae) leaf and stem extracts against bacterial pathogens, *Asian Pacific J. Trop. Dis*, 5(7): 569-574.
- Jang, D. S., Park, E. J., Kang, Y. P., Su, B. N., Hawthorne, M. E., Vigo, J. S., Graham, J. G., Cabieses, F., Fong, H. H. S., Mehta, R. G., Pezzuto, J. M., Douglas Kinghorn, A. (2003). Compounds obtained from *Sida acuta* with the potential to induce quinone reductase and to inhibit 7, 12-dimethylbenz [a]-anthracene-induced preneoplastic lesion in mouse mammary organ culture model. *Arch. Pharm. Res*, 26: 585-590.
- Jasprica, I., Bojic, M., Mornar, A., Besic, E., Bucan, K., Medic-Saric, M. (2007). Evaluation of antioxidative activity of croatian propolis samples using DPPH[•] and ABTS^{•+} stable free radical assays. *Molecules*, 5: 1006-1021.
- Jindal, A., Kumar, P., Jain, C. (2012). Antifungal activity of flavonoids of *Sida acuta* Burm f. against *Candida albicans*. *Int. J. Drug. Dev. Res*, 4: 92-96.
- Joseph, B., Ajisha, A. U., Kumari, S., Sujatha, S. (2011). Effect of bioactive compounds and its pharmaceutical activities of *Sida cordifolia* (Linn.). *Int. J. Biol. Med. Res*, 2: 1038-1042.
- Kang, J. S., Kim, S. O., Kim, G., Hwang, H. J., Kim, B. W., Chang, Y., Kim, W., Kim, C. M., Yoo, Y. H., Choi, Y. H. (2015). An exploration of the antioxidant effects of garlic saponins in mouse-derived C2C12 myoblasts. *International Journal of Molecular Medicine*. 37(1) : 149-156.
- Kannan, R.R., Vincent, S.G.P. (2012). *Cynodon dactylon* and *Sida acuta* extract simpact on the function of the cardiovascular system in Zebra fish embryos. *J. Biomed. Res*, 26: 90-97.
- Kanthal, L.K. (2017). Evaluation of in vitro cytotoxic activity of chloroform extract of *Sida acuta* Burm. F. *Asian. J. Pharm. Clin. Res*, 10: 143. <https://doi.org/10.22159/ajpcr.2017.v10i2.14810>.
- Kapoor, B. B. S., Lakhera, S. (2013). Ethnomedicinal plants of Jodhpur District, Rajasthan used in herbal and folk remedies. *Indian J. Pharm. Biol. Res*, 1: 71-75.
- Karou, D., Savadogo, A., Canini, A., Yameogo, S., Montesano, C., Simporé, J., Colizzi, V., Traore, A. S. (2005). Antibacterial activity of alkaloids from *Sida acuta*. *Afr. J. Biotechnol*, 4: 1452-1457.
- Kaur, G., Kamboj, P., Kalia, A.N. (2011). Antidiabetic and antihypercholesterolemic effects of aerial parts of *Sida cordifolia* L on streptozotocin induced diabetic rats. *Indian J. Nat. Prod. Resour*, 2: 428-434.

- Katzung BG. (2012). *Basic and clinical pharmacology*. 12 th edition, California : Mc Graw-Hill.
- Kayode, J. (2006). Conservation of indigenous medicinal botanicals in Ekiti State, Nigeria. *J. Zhejiang Univ. Sci*, 7: 713-718.
- Kedare, S.B., dan Singh, R.P. (2011). Genesis and development of DPPH method of antioxidant assay. *J Food Sci Technol*, 48(4): 412-422.
- Kelley, E. E., Khoo, N. K., Hundley, N. J., Malik, U. Z., Free,am, B. A., and Tarpey, M. M. (2010), Hydrogen Peroxide is the Major Oxidant Product of Xanthine, *Free Radical Biology & Medicine*, 48 : 493-498.
- Kemenkes, R. I. (2012) *Laporan Nasional RISTOJA 2012, Eksplorasi pengetahuan lokal etnomedisin dan tumbuhan obat Indonesia berbasis komunitas*, Badan Penelitian & Pengembangan Kesehatan B2P2TOOT, Jakarta.
- Kemenkes, R. I. (2015). *Laporan Nasional RISTOJA 2015, Eksplorasi pengetahuan lokal etnomedisin dan tumbuhan obat berbasis komunitas di Indonesia*, Badan Penelitian & Pengembangan Kesehatan B2P2TOOT, Jakarta.
- Kemenkes, R.I. (2016). *Peraturan Menteri Kesehatan Republik Indonesia Tentang Formularium Obat Herbal Asli Indonesia*, No. 6 Tahun 2016. Jakarta.
- Kemenkes, R. I. (2017a). *Farmakope Herbal Indonesia*, Edisi 2, Direktorat Jenderal Kefarmasian dan Alat Kesehatan, Jakarta.
- Kemenkes, R. I. (2017b). *Laporan Nasional RISTOJA 2017, Eksplorasi pengetahuan lokal etnomedisin dan tumbuhan obat berbasis komunitas di Indonesia*, Badan Penelitian & Pengembangan Kesehatan B2P2TOOT, Jakarta.
- Khatoon, S., Srivastava, M., Rawai, A. K. S., Mehrotra, S. (2005). HPTLC method for chemical standardization of *Sida* species & estimation of alkaloid ephedrine. *J. Plannar Chromatogr. Mod. TLC*, 18: 364-367.
- Khurana, N., Gajbhiye, A. (2013). Ameliorative effect of *Sida cordifolia* in rotenone induced oxidative stress model of Parkinson's disease. *Neurotoxicology*, 39: 57-64.
- Korner, C. (2007). The use of attitude in ecological research. *Trends in Ecology and Evolution*, 22(11): 569-574.
- Krishnaveni, A., Ezhilarasan, B., Iyappan, A., Sathali, A.H. (2018). Preliminary phytochemical screening and in vitro antioxidant activity of *Sida acuta* Burm, *IJRPP*. 7(2): 157-165.

- Konan, K.V., Tien, L.C., dan Mareescu, M.A. (2016). Electrolysis-induced fast activation of the ABTS reagent for an antioxidant capacity assay. *Anal. Methods*, 8: 5638-5644.
- Konate, K., Souza, A., Coulibaly, A.Y., Meda, N.T., Kiendrebeogo, M., Lamien-Meda, A., Millogo-Rasolodimby, J., Lamidi, M., Nacoulma, O.G. (2010). In vitro antioxidant, lipoxygenase and xanthine oxidase inhibitory activities of fractions from *Cienfuegosia digitata* Cav., *Sida alba* L. and *Sida acuta* Burm. f. (Malvaceae). *Pak. J. Biol. Sci*, 13: 1092-1098.
- Konate, K., Bassole, I.H.N., Hilou, A., Samseny, R.R.A., Souza, A., Barro, N., Dicko, M.H., Datte, J.Y., M'Batchi, B. (2012). Toxicity assessment and analgesic activity investigation of aqueous acetone extract of *Sida acuta* Burn F and *Sida cordifolia* L (Malvaceae) medicinal plants of Burkina Faso, *BMC Complement Altern. Med*, 12(120):1-11.
- Kong, L. D., Cai, Y., Huang, W. W., Cheng, C. H., Tan, R. X. (2000). Inhibition of xanthine oxidase by some Chinese medicinal plants used to treat gout, *J.Ethnopharmacol*, 73: 199-207.
- Kong, Y., Lia, X., Na Zhanga, Miaoa, Y., Fenga, H., Wua, T., Cheng, Z. (2018). Improved bioautographic assay on TLC layers for qualitative and quantitative estimation of xanthine oxidase inhibitors and superoxide scavengers, *J. Pharm. Biomed. Anal*, 150: 87-94.
- Kostić, D. A., Dimitrijević, D. S., Stojanović, G. S., Palić, I.R., Đorđević, A.S., Ickovski, J. D. (2015). Xanthine Oxidase: Isolation, assays of activity, and inhibition. *J. Chem*, 1-8.
- Kratzer JT, Lanaspá MA, Murphy MN, Cicerchi C, Graves CL, Tipton PA. (2014). Evolutionary history and metabolic insights of ancient mammalian uricases. *Proc Natl Acad Sci USA*, 111: 3763-3768.
- Kubavat, J. B., Asdaq, S. M. B. (2009). Role of *Sida cordifolia* L. leaves on biochemical and antioxidant profile during myocardial injury. *J Ethnopharmacol*, 124: 162-165.
- Kumar S, Pandey AK. (2012). Antioxidant, lipo-protective and antibacterial activities of phytoconstituents present in *Solanum xanthocarpum* root. *Int. Rev. Biophysical Chem*, 3: 42-47.
- Kumar, S., Lakshmi, K. P., Sahi, C., Pawar, R.S. (2018). *Sida cordifolia* accelerates wound healing process delayed by dexamethasone in rats: Effect on ROS and probable mechanism of action, *J Ethnopharmacol*, 235: 279-292.
- Kumawat, R., Sharma, S., Vasudeva, N., Kumar, S. (2012). In vivo anti-inflammatory potential of various extracts of *Sida tiagii* Bhandari, *Asian Pac J Trop Biomed*, 947-952.

- Kusznierewicz, B., Piekarska, A., Mrugalska, B., Konieczka, P., Namiesn, J., Bartoszek, A. (2012). *Phenolic composition and antioxidant properties of polish blue-berried honeysuckle genotypes by HPLC-DAD-MS, HPLC Postcolumn Derivatization with ABTS or FC, and TLC with DPPH Visualization*, Department of Food Chemistry, Gdansk University of Technology, Poland.
- Legerska, B., Chmelova, D., Ondrejovic, M., Miertus, S. (2020). The TLC-bioautography as a tool for rapid enzyme inhibitors detection – A Review. Critical Review in Analytical Chemistry, <https://doi.org/10.1080/10408347.2020.1797467>.
- Liaudanskas, M., Viskelis, P., Raudonis, R., Kviklys, D., Uselis, N., Janulis, V. (2014). Phenolic composition and antioxidant activity of *Malus domestica* Leaves. *Sci. World J*, 10.
- Lin, K.W., Huang, A., Yang, S.C., Weng, J.R., Hour, T.C., Pu, Y.S., Lin, C.N. (2012). Cytotoxic and antioxidant constituents from *Garcinia subelliptica*, *Food Chem* 135: 851-859.
- Lin, K.W., Chen, Y.T., Yang, S.C., Wei, B.L., Hung, C.F., Lin, C.N. (2013). Xanthine oxidase inhibitory lanostanoids from *Ganoderma tsugae*. *Fitoterapia*, 89: 231-238.
- Lin, S., Zhang, G., Liao, Y., Pan, J., and Gong, D. (2015). Dietary flavonoids as Xanthine Oxidase Inhibitors: Structure-Affinity and Structure-Activity Relationships, *J. Agric. Food Chem*, 963(35): 7784-94. <https://doi.org/10.1021/acs.jafc.5b03386>.
- Lissy, K. P., Simon, T.K., Latha, M. S. (2006). Antioxidant potential of *Sida retusa*, *Urena lobata* and *Triumfetta rhomboidea*, *Ancient Science of Life*, 26(3&4): 10-15.
- Litescu, S. C., Eremia, S., dan Radu, G.L. (2010). Methods for the determination of antioxidant capacity in food and raw materials. *Bio-Farms for Nutraceuticals*, 241-249.
- Logeswari, P., Dineshkumar, V., Kumar, S. M. P., Usha, P. T. A. (2013). In vivo anti inflammatory effect of aqueous and ethanolic extract of *Sida rhombifolia* L root, *Int J Pharm Sci Res*, 4(1): 316-321.
- Madharia, P., & Jahan, A. (2015). Ethnomedicinal plants and their conservation in Chhattisgarh State: Review and Perspectives, *IOSR-JESTFT.*, e-ISSN: 2319-2402,p- ISSN: 2319-2399, 1(4): 46-50.
- Maiuolo, J., Oppedisano, F., Gratteri, S., Muscoli, C., Mollace, V. (2016). Regulation of uric acid metabolism and excretion. *Int J Cardiol*, 213: 8-14.

- Mandal, A. K., & Mount, D. B. (2015). The molecular physiology of uric acid homeostasis. *Annu Rev Physiol*, 77: 323-45.
- Maneenoon, K., Khuniad, C., Teanuan, Y., Saedan, N., Prom-in, S., Rukleng, N., Kongpool, W., Pinsook, P., Wongwiwat, W. (2015). Ethnomedicinal plants used by the traditional healers in Phatthalung Province, Peninsular Thailand. *J. Ethnobiol. Ethnomed*, 11: 43.
- Masztalerz, M., Włodarczyk, Z., Czuczejko, J., Słupski, M., Kedziora, J. (2006). Superoxideanion as a marker of ischemia-reperfusion injury of the transplanted kidney, *Transpl. Proceed*, 38: 46-48.
- Markham, K. R. (1988). *Cara mengidentifikasi flavonoid*, diterjemahkan oleh Kosasih Padmawinata, Penerbit ITB, Bandung, p. 1-15.
- Mishra S., Dwivedi S., Shashi A., Prajapati K. (2008). Ethnomedicinal uses of some plant species by ethnic and rural peoples of the salem district of tamil nadu with special reference to the conservation of vanishing species. *Ethnobot. Leafl*, 12: 873-887.
- Mishra, Kumar, S., Pandey, A. K. (2013). *Sci. World J.* Article ID 292934.
- Mah, S. H., Teh, S. S., Lian E, G. C. L. (2017). Anti inflammatory, anticholinergic and cytotoxic effects of *Sida rhombifolia*, *Pharm Biol*, 55(1): 920-928.
- Mahato, G., Banerjee, N. (2017). Phytochemical analysis and DPPH antioxidant activity of two traditionally used plants occurring at Purulia district of West Bengal, India. *Int. J. Pharm. Sci*, 8: 5315-5319.
- Majekodunmi S. O. (2015). Review of extraction of medicinal plants for pharmaceutical research. *MRJMMS*, 3: 521-7.
- Marpaung, B., & Siregar, J. (2018). Effects of Sidaguri (*Sida rhombifolia* L) on uric acid and c-reactive protein (CRP) in patients with gout athritis, *GJRA*, 7(9): 59-61.
- Martins, C. A. F., Campos, M. L., Irioda, A. C., Stemel, D. P., Trindade, A. C. L. B., Pontarolo, R. (2017). Anti-inflammatory effect of *Malva sylvestris*, *Sida cordifolia* and *Pelargonium graveolens* is related to inhibition of prostanoid production, *Molecules*, 22(1883).
- Megersa, M. (2013). Ethnobotanical study of medicinal plants in Wayu TukaWereda, East Wollega Zone of Oromia Region. Addis Ababa University, Addis Ababa, Ethiopia. *J. Ethnobiol. Ethnomedicine*, 9: 68.

- Mileski, K. S., Ćirić, A., Trifunović, S. S., Ristić, M. S., Soković, M. D., Matevski, V. S., Tešević, V. V., Jadranin, M. B., Marina, P. D., Džamić, A. M. (2016). *Heracleum orphanidis*: chemical characterisation, and comparative evaluation of antioxidant and antimicrobial activities with specific interest in the influence on *Pseudomonas aeruginosa* PAO1. *Food & Function, Royal Society of Chemistry*, 7 : 4061-4074.
- Mistry, S., Dut, R. K., Jena, J. (2013). Protective effect of *Sida cordata* leaf extract against CCl₄ induced acute liver toxicity in rats, *Asian Pac J Trop Med*, 280-284.
- Mohammad, S., Syed, W. A. S., Niaz, A. S., Ismail, Muhammad, N.U., Shafiullah, Muhammad, A., Muhammad, N. T., Sohail, A. (2015). *J. Chem*, Article ID 516878, 7.
- Molyneux P. (2004). The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J Sci Technol*, 26: 211-9.
- Momin, M.A.M., Bellah, S.F., Rahman, S.M.R., Rahman, A.A, Murshid, G.M.M., Emran, T. (2014). Phytopharmacological evaluation of ethanol extract of *Sida cordifolia* L. roots, *Asian Pac J Trop Biomed*, 4(1): 18-24.
- Mohamed Isa, S. S. P., Ablat, A., & Mohamad, J. (2018). The antioxidant and xanthine oxidase inhibitory activity of *Plumeria rubra* flowers. *Molecules*, 23(2). <https://doi.org/10.3390/molecules23020400>.
- Mohideen, S., Sasikala, E., Gopal, V. (2002). Pharmacognostic studies on *Sida acuta*. *Burm.f. Anc. Sci. Life*, 22(1): 57-66.
- Muneeswari, S. D. P., Perumal, P. C., Gopalakrishnan, V. K., Poornima, K. (2016). Phytochemical screening and free radical scavenging activity of chloroform extract of *Sida acuta* Burm. F. *Int. J. Pharm. Phytochem. Res*, 8: 663-667.
- Muneeswari, P., Bhaskaran, S.K., Poornima, K. (2019). Identification of active pharmaceuticals of *Sida acuta* Burm.f. leaves using GC-MS and HPTLC fingerprinting. *Int. J. Pharm. Sci*, 10: 1194-1207. [https://doi.org/10.13040/IJPSR.0975-8232.10\(3\).1194-07](https://doi.org/10.13040/IJPSR.0975-8232.10(3).1194-07).
- Musarofah. (2015). *Tumbuhan antioksidan*. Bandung: PT Remaja Rosdakarya, 3-56.
- Muthuraman, M. S., Sinsinwar, S., Vetrivel, U. (2017). Anticancer activity of *Sida cordifolia* L., Insilico approach. *J. Pharm. Sci. Res*, 9: 1363-1367.
- Nagashayana, N., Sankarankutty, P., Nampoothiri, M. R., Mohan, P. K., Mohanakumar, K. P. (2000). Association of L-DOPA with recovery following Ayurveda medication in Parkinson's disease. *J. Neurol. Sci*, 176: 124.

- Nakiboglu, M. Urek, R. O. Kayali, H. A. & Tarhan. (2007). Antioxidant capacities of endemic *Sideritis sipylea* and *Origanum sipyleum* from Turkey. *Food Chem*, 104: 630-635.
- Nimse, B., dan Pal, D. (2015). Free radicals, natural antioxidants, and the irreacti on mechanisms. *RSC*, 35.
- Narendhirakannan R. T., dan Limmy T. P. (2012). In vitro antioxidant studies on ethanolic extracts of leaf, stem and root of *Sida rhombidolia* L. *International Journal of Pharma and Bio Sciences*, 1(2).
- Narendra Naik, D., Kalugonda, M. K., Jayasri, P., Elumalai, A. (2011). Evaluation of diuretic activity of *Sida spinosa* Linn leaves extract. *Journal of Chemical and Pharmaceutical Research*, 3: 1004-1008.
- Nile, S. H., Park, S. W. (2014). *Pharm. Biol*, 52: 221.
- Nile, S. H., Ko, E.Y., Kim, D. H., Keum. (2016). *Rev. Bras. Farmacogn*, 26: 50.
- Nile, S. H., Nile, A. S., Keum, Y. S., Sharma, K. (2017). *Food Chem*, 235: 119.
- Nirmal, P., Koppikar, S., Bhondave, P., Narkhede, A., Nagarkar, P., Kulkarni, V., Wagh, N., Kulkarni, O., Harsulkar, A., Jagtap, S. (2013). Influence of six medicinal herbs on collage nase type II induced osteoarthritis in rats. *Am. J. Clin. Med*, 41: 1407-1425.
- Nishino, T., Okamoto, K., Eger, B. T., Pai, E. F., Nishino, T. (2008). Mammalian xanthine oxidoreductase-mechanism of transition from xanthine dehydrogenasen to xanthine oxidase. *FEBS J*, 275: 3278-3289.
- Noumi, E., Yomi, A. (2001). Medicinal plants used for intestinal diseases in Mbalmayo region, Central Province, Cameroon. *Fitoterapia*, 72: 246-254.
- Nwankpa, P., Chukwuemeka, O. G., Uloneme, G. C., Ugwuezumba, P., & Nwosu, D. (2015). Phyto-nutrient composition and antioxidative potential of ethanolic leaf extract of *Sida acuta* in wistar albino rats, *Afr. J. Biotechnol*, 14(19): 3264-3269.
- Okamoto, K., Kusano, T., Nishino, T. (2013). Chemical nature and reaction mechanism of the molybdenum cofactor of xhantine oxidoreductase. *Current Pharmaceutical Design*, 19 : 2606-2614.
- Olech, M.; Komsta, Ł.; Nowak, R.; Cieśla, Ł.; Waksmundzka-Hajnos, M. (2012). Investigation of antiradical activity of plant material by thin-layer chromatography with image processing. *Food Chem*, 1: 549-553.

- Oliveira, S. D., Souza, G. A., Eckert, C. R., Silva, T. A., Sobral, E. S., Favero, O. A., Ferreira, M. J., Romoff, P., Baader, W. J. (2014). Evaluation of antiradical assays used in determining the antioxidant capacity of pure compounds and plant extracts. *Quim. Nova*, 37(3): 497-503.
- Otero, R., Nunez, V., Barona, J., Fonnegra, R., Jimenez, S. L., Osorio, R. G., Saldarriaga, M., Diaz, A. (2000). Snake bite and ethnobotany in the north west region of Colombia. Part-III : Neutralization of the haemorrhagic effect of *Bothrop atrox* venom. *J. Ethnopharmacol*, 73: 233-241.
- Ouedraogo, M., Konate, K., Lepengue, A. N., Souza, A., M' Batchi, B., Sawadogo, L. L. (2012). Free radical scavenging activity, anticandidal effect of bioactive compounds from *Sida cordifolia* L., in combination with nystatin and clotrimazole and their effect on specific immune response in rats. *Ann. Clin. Microbiol. Antimicrob*, 11: 33.
- Ouedraogo, M., Zerbo, P., Konate, K., Barro, N., Sawadogo, L. L. (2013). Effect of long-term use of *Sida rhombifolia* L extract on haemato-biochemical parameters of experimental animals, *Br. J. Pharmacol T*, 4(1): 18-24.
- Owoeye, O., Salami, O. A. (2017). Monosodium glutamate toxicity: *Sida acuta* leaf extract ameliorated brain histological alterations, biochemical and haematological changes in wistar rats. *Afr. J. Biomed. Res*, 20: 173-182.
- Palaksha, M. N., & Ravishankar, K. (2012). Phytochemical screening and evaluation of in vitro antibacterial and anthelmintic activities of *Sida acuta* leaf extracts, *J. Chem. Pharm. Res*, 4: 4757-4761.
- Palani, T., Shobha, K., Thirunavukkarasu, P., Hari, R. (2018). *In vitro* and *in silico* antigout arthritic activities of ethanolic and aqueous stem extracts of *Cissus quadrangularis* – A TLR2 and TLR4 receptor approach. *Journal of Applied Pharmaceutical Science*, 8(09): 015-022.
- Pacher, P., Nivorozhkin, A., Szabo, C. (2006). Therapeutic effects of xanthine oxidase inhibitors: renaissance half a century after the discovery of allopurinol. *Pharmacol Rev*, 58: 87-114. <https://doi.org/10.1124/pr.58.1.6>.
- Padmawinata, K. (1997). *Isolasi (Ekstraksi cair-padat, fraksinasi cair-cair)*”, *Prosiding: Temu Ilmiah Nasional Bidang Farmasi*, V, FMIPA ITB, Bandung, p. 1-7.
- Pallela, P. N. V. K., Shameem, U., Kalyani, R. L., Pammi, S. V. N., Gil, Y. S. (2018). Ultra small, mono dispersed green synthesized silver nanoparticles using aqueous extract of *Sida cordifolia* plant and investigation of antibacterial activity. *Microb. Pathogenesis*, 124: 63-69. <https://doi.org/10.1016/j.micpath.2018.08.026>.

- Papitha, N., Jayshree, N., Prabu Sreenivasan, S., Kumar, V. (2013). Anti-tubercular activity on leaves and roots of *Sida rhombifolia* L. *Int. J. Pharm. Sci. Rev*, 20: 135-137.
- Pandey, K., Mishra, A. K., Mishra, A. (2012). *Cell. Mol. Biol*, 58: 142.
- Parella, T & Espinosa, J. (2013). Long-range proton–carbon coupling constants : NMR methods and applications, *Progress in Nuclear Magnetic Resonance Spectroscopy*, 73: 17-55.
- Parrotta, J. A. (2001). *Healing plants of Peninsular India*, 1st ed CABI Publishing, USA, p. 917.
- Pattar, V. P., dan Jayaraj, M. (2012), Pharmacognostic and phytochemical investigation of *Sida cordifolia* L. A threatened medicinal, *Jurnal Academic Science*, 4(1): 114-117.
- Pawar, R. S., Jain, A., Sharma, P., Chaurasiya, P. K., Singour, P. K. (2011). In vitro studies on *Sida cordifolia* Linn for anthelmintic and antioxidant properties. *Chin. Med*, 2: 47-52.
- Pawar, R. S., Chaurasiya, P. K., Rajak, H., Singour, P. K., Toppo, F. A., Jain, A. (2013). Wound healing activity of *Sida cordifolia* Linn in rats. *Indian J. Pharmacol*, 45: 474-478.
- Pawar, R. S., Kumar, S., Toppo, F. A., Lakshmi, K. P., Suryavanshi, P. (2016). *Sida cordifolia* Linn. accelerates wound healing process in type 2 diabetic rats, *J Acute Med*, 82-89.
- Pelley, J. W. (2012). Competitive inhibitor. *Elsevier's Integrated Review Biochemistry*, (Second Edition), Ed. 2.
- Philip, B. K., Muralidharan, A., Natarajan, B., Varadamurthy, S., Venkataraman, S. (2008). Preliminary evaluation of antipyretic and antiulcerogenic activities of *Sida cordifolia* methanolic extract. *Fitoterapia*, 79: 229-231.
- Pieme, M. F., Penlap, V. N., Ngogang, J., Costache, M. (2010). In vitro cytotoxicity and antioxidant activities of five medicinal plants of Malvaceae family from Cameroon. *Environ. Toxicol. Pharmacol*, 29: 223-228.
- Pitt, J. J. (2009). Principles and applications of liquid chromatography-mass spectrometry in clinical biochemistry, *Clin Biochem Rev*, 30.
- Poojari, R., Gupta, S., Maru, G., Khade, B., Bhagwat, S. (2009). *Sida rhombifolia* ssp. *retusa* seed extract inhibits DEN induced murine hepatic preneoplasia and carbon tetrachloride hepatotoxicity, *Asian Pac. J. Cancer Prev*, 10: 1107-1112.

- Prakash, A., Ghosal, S. (1979). Ecdysteroids from *Sida rhombifolia* and *S. spinosa*. *J. Sci. Ind. Res*, 38: 632-647.
- Prakash, A., Verma, R. K., Ghosal, S. (1981). Alkaloidal constituents of *Sida acuta*, *S. humilis*, *S. rhombifolia* and *S. spinosa*. *Planta Med*, 43: 384-388.
- Preethidan, D. S., Arun, G., Surendran, M. P., Prasanth, S., Sabu, A., Sadasivan, C., Haridas, M. (2013). Lipoxygenase inhibitory activity of some *Sida* species dueto di (2-ethylhexyl) phthalate. *Curr. Sci*, 105: 232-234.
- Prior R. L, Wu X, Schaich K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *J. Agri Food Chem*, 53(10): 4290-4302.
- Rahman, M. A., Paul, L. C., Solaiman, M., Rahman, A. A. (2011). Analgesic and cytotoxic activities of *Sida rhombifolia* Linn. *Pharmacologyonline*, 2: 707-714.
- Rahmatullah, M., Ayman, U., Akter, F., Sarker, M., Sifa, R., Sarker, B., Chyiti, H. N., Jahan, F. I., Chowdhury, M. H., Chowdhury, S. A. (2013). Medicinal formulations of a Kanda Tribal healer – A tribe on the verge of disappearance in Bangladesh. *AJTAM*, 10: 213-222.
- Rai, A., Prabhu, S. N., Udupi, V., Basaviah, R., Narayana, S. K. K. (2017). Phytochemical standardisation and antimicrobial effect of *Sida rhombifolia* Linn. aerial parts. *J. Ayu. Med. Sci*, 2: 269-273. <https://doi.org/10.5530/jams.2017.2.234>.
- Ramachandra Rao, S. K., Sudarshan, S. R., Paramesvara, V. (2006). *Encyclopedia of Indian Medicine*, Dr. V. Paramesvara Charitable Trust, Bangalore, 5: 34.
- Ramachandra N. M., Venugopalan, V., Kumaravelayutham, P., Krishnamurthy, Y. L. (2012). Ethnoveterinary uses of medicinal plants among the Lambani community in hitradurga district, Karnataka, India. *Asian Pac J Trop Biomed*, 470-476.
- Ramadhan, P. (2015). *Mengenal antioksidan*, Yogyakarta: Graha Ilmu, p. 1-4
- Ramadoss, S., Kannan, K., Balamurugan, K., Jeganathan, N. S., Manavalan, R. (2012). Efficacy of cardioprotective effects in ethanolic extract of *Sida rhombifolia* Linn on isoproterenol-induced myocardial infarction in albino rats, *RJPBCS*, 3(2): 488.
- Ramakrishna, A., Ravishankar, G. A. (2011). Influence of abiotic stress signals on secondary metabolites in plants, *Plant Signaling & Behavior* 6(11): 1720-1731.

- Ramallo, I. A., Zacchino, S. A., Furlan, R. L. E. (2006). A rapid TLC autographic method for the detection of xanthine oxidase inhibitors and superoxide scavengers, *Phytochem. Anal*, 17: 15-19.
- Ratheesh, M., Sandya, S., Pramod, C., Asha, S., Svenia, J. P., Premlal, S., GrishKumar, B. (2017). Anti-inflammatory and antioxidant effect of Kerabala: a value-added ayurvedic formulation from virgin coconut oil inhibits pathogenesis in adjuvant-induced arthritis. *Inflammopharmacology*, 25: 41-53. <http://dx.doi.org/10.1007/s10787-016-0298-8>.
- Reddy, S. M., Kumari, C. K., Reddy, C. S., Reddy, Y. R. R., Reddy, C. D. (2012). Antimicrobial activity of leaf extracts of *Sida cordifolia*. *Int. Res. J. Pharm*, 3: 309-311.
- Rejitha, S., Prathibha, P., Indira, M. (2012). Amelioration of alcohol induced hepatoxicity by the administration of ethanolic extract of *Sida cordifolia* Linn. *Br. J. Nutr*, 108: 1256-1263.
- Rejitha, S., Prathibha, P., Indira, M. (2015). Nrf2-mediated antioxidant response by ethanolic extract of *Sida cordifolia* provides protection against alcohol-induced oxidative stress in liver by upregulation of glutathione metabolism. *Redox Rep*, 20(2): 75-80. <https://doi.org/10.1179/1351000214Y.0000000108>.
- Richette, P., Bardin, T. (2015). Impact of anti-inflammatory therapies, xanthine oxidase inhibitors and other urate-lowering therapies on cardiovascular diseases in gout. *Rheumatology*, 27: 170-174.
- Rodrigues, F. C., & Oliveira, A. F. M. (2020). The genus *Sida* L. (Malvaceae): An update of its ethnomedicinal use, pharmacology and phytochemistry. *South African Journal of Botany*, 132: 1-31.
- Rosa, S. H., Salgueiro, F. C. A., Colpo, C. Z. A., Paula, R. F., Mendez, L. S. A., Folmer, V. (2016). *Sida tuberculata* (Malvaceae): a study based on development of extractive system and in silico and in vitro properties, *Braz. J. Med. Biol. Res*, 49(8): 1-10.
- Santos, M. R.V., Nascimento, N. M. S., Antonioli, A. R., Medeiros, I. A. (2006). Endothelium-derived factors and K⁺ channels are involved in the vasorelaxation induced by *Sida cordifolia* L. in the rat superior mesenteric artery. *Pharmazie*, 61: 466-469.
- Santos-Sánchez, N. F., Salas-Coronado, R., Villanueva-Cañongo, C., Hernández-Carlos, B. (2019). *Antioxidant Compounds and Their Antioxidant Mechanism*. IntechOpen.
- Sarang, R. N., Mishra, U. S., Panda, S. K., Behera, S. (2011). Evaluation of anti-diarrhoeal activity of *Sida rhombifolia* Linn root. *Int. Res. J. Pharm*, 2: 157-160.

- Sari, E. R. (2009). Skrining, isolasi dan karakterisasi senyawa antimikroba dari tumbuhan sidaguri (*Sida spp*), Tesis, Universitas Andalas, Padang.
- Sari, I. P., Marpaung, B. (2019). Effect of sidaguri (*Sida rhombifolia* L) on Womac score assessment in osteoarthritis patients. *Global J. Res. Anal*, 8: 51-53.
- Sarkar, A., Das, A. P. (2010). Ethnomedicinal formulations for the treatment of jaundice by the Mechtribein Duars of West Bengal. *Indian J. Tradit. Knowl*, 9: 134-136.
- Sarker S. D., Latif Z., Gray A. I. (2006). Natural products isolation: an overview. *Nat Prod Isol*, 864: 1-25.
- Sato, V. H., Chewchinda, S., Parichatikanond, W. (2020). *In vitro* and *in vivo* evidence of hypouricemic and anti-inflammatory activities of *Maclura cochinchinensis* (Lour.) Corner heartwood extract, *Journal of Traditional and Complementary Medicine*, 10: 85-94.
- Schier, J. G., Traub, S. J., Hoffmann, R. S., Nelson, L. S. (2003). Ephedrine induced cardiac ischemia: exposure confirmed with a serum level. *Clin Toxicol*, 41: 849-853.
- Seidel V. (2016). *Initian and bulk extraction*. 2nd ed. Sarker S, Latif Z, Gray A editors. New Jersey : Humana Press Inc, 30-36.
- Sekine, Okamoto, K., Pai, E. F., Nagata, K., Ichida, K., Hille, R., Nishino, T. (2023). Allopurinol and oxypurinol differ in their strength and mechanisms of inhibition of xanthine oxidoreductase. *Journal of Biological Chemistry*, 299(9): 105189.
- Selvadurai, S., Senthamarai, R., Kirubha, V., Nagarajan, G., Mouid, Md, G. (2012). Antidiabetic activity of whole plant of *Sida spinosa* Linn (Malvaceae) on diabetic induced rats. *Int. J. Res. Pharmacol. Pharmacother*, 1: 224-229.
- Sen, S., Chakraborty, R., Sridhar, C., Reddy, Y. S. R., De, B. (2010). Free radicals, antioxidants, diseases and phytomedicines: Current status and future prospect. *Int. J. Pharm. Sci. Rev. Res*, 3(1): 91-100.
- Senthilkumar, R. P., Bhuvaneshwari, V., Malayaman, V., Ranjithkumar, R., & Sathiyavimal, S. (2018). Phyrochemical screening of aqueous leaf extract of *Sida acuta* Burm. F. and its antibacterial activity, *JETIR*. 5(8): 475-478.
- Shalaby, E. A., dan Shanab, S. M. (2013). Antioxidant compounds, assays of determination and mode of action, *Afr. J. Pharm. Pharmacol*, 7(10): 528-239.
- Sharma, R., Kumar, S., Sharma, D. (2012). Antipyretic efficacy of various extracts of *Sida acuta* leaves. *Res. J. Pharm., Biol. Chem. Sci*, 3: 515-518.

- Shahed-Al-Mahmud, M., Jahan, T., Islam, M. D. T. (2018). Antidiarrheal activities of hydroalcoholic extract of *Sida cordifolia* roots in Wister albino rats. *Orient. Pharm. Exp. Med*, 18: 51-58. <https://doi.org/10.1007/s13596-017-0295-5>.
- Sherma, J. (2010). Planar chromatography. *Analytical Chemistry*, 82(12): 4895-4910. [https://doi.org/10.1016/s0021-9673\(01\)93438-7](https://doi.org/10.1016/s0021-9673(01)93438-7).
- Shivanna, M. B., RajaKumar, N. (2010). Ethno-medico-botanical knowledge of the rural folk in Bhadravathi taluk of Shimoga district, Karnataka. *Indian J. Tradit. Knowl*, 9: 158-162.
- Siddiqui, M. A., Rasheed, S., Saquib, Q., Al-Khedhairi, A. A., Al-Said, M. S., Musarrat, J., Choudhary, M. I. (2016). In vitro dual inhibition of protein glycation, and oxidation by some Arabian plants. *BMC. Complement. Altern. Med*, 16: 276-286. <http://dx.doi.org/10.1186/s12906-016-1225-7>.
- Silja, V. P., Varma, S. K., Mohanan, K. V. (2008). Ethnomedicinal plant knowledge of the Mullukurma tribe of Wayanad district, Kerala. *Indian J. Tradit. Knowl*, 7: 604-612.
- Simarmata Y. B., Saragih A., dan Bahri S. (2012). Efek hipourikemia ekstrak daun sidaguri (*Sida rhombifolia* L.) pada mencit jantan. *Journal of Pharmaceutics and Pharmacology*, 1(1) : 21-28.
- Šmelcerović, A., Tomović, K., Šmelcerović, Ž., Petronijević, Ž., Kocić, G., Tomašič, T., Jakopin, Ž., Anderluh, M. (2017). Xanthine oxidase inhibitors beyond allopurinol and febuxostat; an overview and selection of potential leads based on in silico calculated physico-chemical properties, predicted pharmacokinetics and toxicity. *Eur. J. Med. Chem*, 135: 491-516.
- Sreedevi, C. D., Latha, P. G., Ancy, P., Suja, S. R., Shyamal, S., Shine, V. J., Sini, S., Anuja, G. I., Rajasekharan, S. (2009). Hepatoprotective studies on *Sida acuta* Burm. f. *J. Ethnopharmacol*, 124: 171-175.
- Srinithya, B., Muthuraman, M. S. (2014). An overview on the biological perspectives of *Sida cordifolia* Linn. *Int. J. Pharm. Pharm. Sci*, 6: 15-17.
- Srinithya, B., Kumar, V. V., Vadivel, V., Pemaiah, B., Anthony, S. P., Muthuraman, M. S. (2016). Synthesis of biofunctionalized AgNPs using medicinally important *Sida cordifolia* leaf extract for enhanced antioxidant and anticancer Activities, *Material Letters Journal*, 170: 101-104.
- Subramanya, M. D., Pai, S. R., Upadhya, V., Ankad, G. M., Bhagwat, S. S., Hegde, H. V. (2015). Total polyphenolic contents and invitro antioxidant properties of eight *Sida species* from Wastern Ghat India, *J Ayurveda Integr Med*, 6(1): 24-28.

- Sun, C., Fu, J., Chen, J., Jiang, L., Pan, Y. (2010). On-line HPLC method for screening of antioxidants against superoxide anion radical from complex mixtures, *J. Sep.Sci*, 33: 1018-1023.
- Sutradhar, R. K., Mator Rahman, A. K. M., Ahmad, M. U., Saha, K. (2007a). Alkaloids of *Sida cordifolia* L. *Indian J. Chem*, 46: 1896-1900.
- Sutradhar, R. K., Rahman, A. K. M. M., Ahmad, M. U. (2007b). Three new flavonol C-glycosides from *Sida cordifolia* Linn. *J. Iran. Chem. Soc*, 4: 175-181.
- Sutradhar, R. K., Mator Rahman, A. K. M., Ahmad, M. U., Bachar, S. C. (2008). Bioactive flavones of *Sida cordifolia*. *Phytochem. Lett*, 1: 179-182.
- Swathy, S. S., Panicker, S., Nithya, R. S., Anuja, M. M., Rejitha, S., Indira, M. (2010). Antiperoxidative and anti-inflammatory effect of *Sida cordifolia* Linn on quinolinic acid induced neurotoxicity. *Neurochem Res*, 35: 1361-1367.
- Tambde, G. M., Gore, R. D., Sardesai, M. M. (2016). A Synopsis of the genus *Sida* L. (Malvaceae) from Maharashtra, India. *Taiwania* 61(3): 243-252.
- Tamura, S., Kaneko, M., Shiomi, A., Yang, G. M., Yamaura, T., Murakami, N. (2010). Unprecedented NESnon-antagonistic inhibitor for nuclear export of Rev from *Sida cordifolia*. *Bioorg. Med. Chem. Lett*, 20: 1837-1839.
- Tang, Y., Michael, G. G., Laurence, J. D. (2007). Malvaceae. In : Wu, Z.Y., Raven, P.H., Hong, D.Y.(Eds.), *Flora of Chinavol*. Missouri Botanical Garden Press,US, .12: 170-275.
- Tanumihardja, M., Natsir, N., Mattulata, I. K., Lukman, M. (2016). Potent anti-inflammatory effect of root of sidaguri (*Sida rhombifolia* L) on rat periapical lesion model, *Int. J. Toxicol. Pharmacol. Res*, 8(6): 412-415.
- Tanumihardja, M., Mattulada, I. K., Natsir, N., Subehan, S., Mandey, F., Muslimin, L. (2019). Structural assessment of chemical constituent of sidaguri (*Sida rhombifolia* Linn) and its ability to inhibit cyclooxygenase. *Pesqui. Bras. Odontopediatria Clín. Integr*, 19: 1-7. <http://doi.org/10.4034/PBOCI.2019.191.96>.
- Tatani, K., Hiratochi, M., Nonaka, Y., Isaji, M., Shuto, S. (2015). Identification of 8-aminoadenosine derivatives as a new class of human concentrative nucleoside transporter 2 inhibitors. *ACS Med. Chem. Lett*, 6: 244-248.
- Tayade S. K., & Patil D. A. (2006). Ethnomedicinal wisdom of tribals of Nandurbar district (Maharashtra) *Nat. Prod. Radiance*, 5: 64-69.
- Ternikar, S. G., Alagawadi, K. R., Ismail, P., Dwivedi, S., Rafi, Mahammed, Sharma, T. (2010). Evaluation of antimicrobial and acute anti-inflammatory activity of *Sida cordifolia* Linn seed oil. *J. Cell Tissue Res*, 10: 2385-2388.

- The Plant List. (2013). <http://www.the-plantlist.org/>.Version 1.1 (Acessed on 1 st July 2019).
- Thondawada, M., Mulukutla, S., Raju, K. R. S., Dhanabal, S. P., Wadhvani, A. D. (2016). In vitro and In vivo evaluation of *Sida acuta* Burm.f. (Malvaceae) for its anti-oxidant and anti-cancer activity. *Der. Pharma. Chem*, 8: 396-402.
- Thounaojam, M. C., Jadeja, R. N., Ansarullah, Devkar, R. V., Ramachandran, A. V. (2010). Prevention of high fat diet induced insulin resistance in C57BL/6J mice by *Sida rhomboidea*. Roxb extract. *J Sport Health Sci*, 56: 92-98.
- Thounaojam, M. C., Jadeja, R. N., Ansarullah, Karn, S. S., Shah, J. D., Patel, D. K., Salunke, S. P., Padate, G. S., Devkar, R. V., Ramachandran, A. V. (2011a). Cardioprotective effect of *Sida rhomboidea*. Roxb extract against isoproterenol induced myocardial necrosis in rats, *Experimental and Toxicology Phathology*, 63: 351-356.
- Thounaojam, M. C., Jadeja, R. N., Ramani, U. V., Devkar, R. V., Ramachandran, A. V. (2011b). *Sida rhomboidea*. Roxb leaf extract down-regulates expression of pPAR γ 2 and leptin genes in high fat diet fed C57BL/ 6Jmice and retards in vitro 3T3L1 pre-adipocyte differentiation. *Int. J. Mol. Sci*, 12: 4661-4677.
- Thounaojam, M. C., Jadeja, R. N., Dandekar, D.S., Devkar, R.V., Ramachandran, A.V. (2012). *Sida rhomboidea*. Roxb extract alleviates pathophysiological changes in experimental *in vivo* and *in vitro* models of high fat diet/ fatty acid induced non-alcoholic steatohepatitis. *Exp. Toxicol. Pathol*, 64: 217-224.
- Triyati, E. (1985). Spektrofotometer ultra-violet dan sinar tampak serta aplikasinya dalam oseanologi. *Oseana*, 10(1): 39-47.
- Umamaheswari, M., Madaswaran, A., Asokkumar, K., Sivashanmugam, T., Subhadradevi, V., and Jagannath, P. (2011), Study of Potential Xanthine Oxidase Inhibitors: *In silico* and *in vitro* biological activity, *Bangladesh J. Pharmacol.*, 6: 117-123.
- Vasudevan, N., R. (2004). *Controversial drug plants*. University Press (India) Private Limited, Hyderabad, India.
- Vassou, S. L., Kusuma, G., Parani, M. (2015). DNA barcoding for species identification from dried and powdered plant parts: a case study with authentication of the raw drug market samples of *Sida cordifolia*. *Gene*, 559: 86-93. <http://dx.doi.org/10.1016/j.gene.2015.01.025>.
- Venkatachalam, D., Thavamani, S., Sebastian, A. C., Anju, V. B., Mathew, C., Leon, D., Thomas, J., Muhammed, M. M. (2019). Evaluation of antimicrobial activity of *Sida cordifolia* leaf extract. *SAJRM4*, 1-7. <https://doi.org/10.9734/sajrm/2019/v4i130096>.

- Venkatesh, K. H., B. Dinesh, N. Venu and Munirajappa. (2015). Chromosome numbers and Karyotype studies of few members of Malvales.
- Vurmaz, A., Duman, R., Sabaner, M. C., Ertekin, T., Bilir, A. (2019). Antioxidant Effects of Piperine In In-vivo Chick Embryo Cataract Model Induced by Steroids. *Cutaneous and Ocular Toxicology*. 3-27.
- Wake, R. (2011). Genus *Sida*- The plants with ethnomedicinal and therapeutic potential. *Golden Research Thoughts*, 5: 1-4.
- Wang, J., Yue, Y., Tang, F., Sun, J. (2012). TLC screening for antioxidant activity of extracts from fifteen bamboo species and identification of antioxidant flavone glycosides from leaves of *Bambusa. textilis* McClure, *Molecules*, 17: 12297-12311. <https://doi.org/10.3390/molecules171012297>.
- Wang, J.; Yue, Y. D., Jiang, H., Tang, F. (2012). Rapid screening for flavone C-glycosides in the leaves of different species of bamboo and simultaneous quantitation of four marker compounds by HPLC-UV/DAD. *Int. J. Anal. Chem*, 205101: 1-8.
- Winarsi, H. (2014). *Antioksidan daun kapulaga*. Yogyakarta: Graha Ilmu, p. 26-66.
- Woldeyes, S., Adane, L., Tariku, Y., Muleta, D., Begashaw, T. (2012). Evaluation of antibacterial activities of compounds isolated from *Sida rhombifolia* Linn (Malvaceae), *Natural Product Chemistry & Research*, 1(1).
- Wright, A. F., Rudan, I., Hastie, N. D., Campbell, H. (2010). A 'complexity' of urate transporters. *Kidney Int*, 78: 446-452.
- Yamaguchi, Y., Matsumura, T., Ichida, K., Okamoto, K., Nishino, T. (2007). Human Xanthine Oxidase Changes its Substrate Specificity to Aldehyde Oxidase Type upon Mutation of Amino Acid Residues in the Active Site: Roles of Active Site Residues in Binding and Activation of Purine Substrate, *J. Biochem*, 141: 513-524.
- Yong, T., Liang, D., Xiao, C., Huang, L., Chen, S., Xie, Y., Gao, X., Wu, Q., Hu, H., Li, X., Liu, Y., Cai, M. (2022). Hypouricemic effect of 2,4-dihydroxybenzoic acid methyl ester in hyperuricemic mice through inhibiting XOD and down-regulating URAT1, *Biomedicine & Pharmacotherapy*, 153: 1-11.
- Yoshikawa, V. N., Duarte, M. C., Goncalez, V. M. (2019). *Sida uniaristata*, a new species of *Sida sect. Sidae* L. (Malvaceae, Malvoideae) from Brazil. *Syst. Bot*, 44: 184-188. <https://doi.org/10.1600/036364419X698001>.
- Yuangsoi, B., Jintasatoporn, O., Areechon, N and Tabthipwon, P. (2008). Validated TLC-densitometric analysis for determination of carotenoids in carp (*Cyprinus carpio*) serum and the application for pharmacokinetic parameter assessment. *Songklanakarin. J.Sci. Technol*, 30(6): 693-700.

- Yu Lin, H. Kuo, Y. H. Lin, Y. L. & Chiang, W. (2009). Antioxidative effect And active components from leaves of lotus (*Nelumbo nucifera*). *Journal Of Agricultural And Food Chem*, 57: 6623-6629.
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, 13(1): 1-26. <https://doi.org/10.1186/s13020-018-0177-x>.
- Zhao, J., Zhang, J. S., Yang, B., Lv, G. P., Li, S. P. (2010). Free radical scavenging activity and characterization of sesquiterpenoids in four species of curcuma using a TLC bioautography assay and GC-MS analysis. *Molecules*, 11: 7547-7557.
- Zhao, P., Chen, K., Zhang, G., Deng, G., Li J. (2018). Pharmacological basis for use of *Selaginella moellendorffii* in gouty arthritis : antihyperuricemic, anti-inflammatory, and xanthine oxidase Inhibition. *Evidence-Based Complementary and Alternative Medicine*, 1-10.
- Zhao, Z., Jiang, Y., Chen, Y., Wu, T., Lan, Q., Li, Y., Li, L., Yang, Y., Lin, C., Cao, Y., Zhou, P., Guo, J., Tian, Y., Pang, J. (2022). CDER167, a dual inhibitor of URAT1 and GLUT9, is a novel and potent uricosuric candidate for the treatment of hyperuricemia, *Acta Pharmacol. Sin*, 43: 121-132.

